

# Comprehensive Evaluation of Socio-Economic and Environmental Policies for Mitigating Water Pollution and Scarcity in Source Region of Liao River

|          |   |
|----------|---|
| 内容記述     | この博士論文は内容の要約のみの公開（または一部非公開）になっています  |
| year     | 2015  |
| その他のタイトル | 遼河源流域における水質汚濁物質および水不足解消のための社会経済および環境政策の総合評価   |
| 学位授与大学   | 筑波大学 (University of Tsukuba)  |
| 学位授与年度   | 2015  |
| 報告番号     | 12102甲第7540号  |
| URL      | <a href="http://hdl.handle.net/2241/00135077">http://hdl.handle.net/2241/00135077</a> |

# Comprehensive Evaluation of Socio-Economic and Environmental Policies for Mitigating Water Pollution and Scarcity in Source Region of Liao River

(遼河源流域における水質汚濁物質および水不足解消のための社会経済および環境政策の総合評価)

Name: Wei YANG (Student ID No: 201235025)

Doctoral Program in Sustainable Environmental Studies

Graduate School of Life and Environmental Sciences

## 要 約

### 1. Introduction

Pressures over water environment have escalated due to water resource overexploitation and water pollution, which have become the global water environmental problems and brought negative impacts to human health and sustainable socio-economic development. Source Region of Liao River (SRLR) faces water scarcity due to the multi-stresses of decreasing water availability, increasing water demand driven by rapid economic development, accelerated urbanization and population growth. The exploration rate of surface water resources exceeds 80%, much larger than the international exploration cordon of river water resources (40%), and the groundwater has been overexploited for irrigation and manufacturing industry.

SRLR also has been suffering heavy water pollution continuously. The water quality of the whole basin is seriously deteriorating not meeting the requirements of surface water function zoning and water pollution is mainly characterized by organic pollution. Industrial sectors discharge the most total nitrogen (TN), total phosphorus (TP) and chemical oxygen demand (COD) in 2010 compared with that discharged from household

and land use. Few wastewater treatment measures and management instruments have been put into practice in 2010. Only 67.4% of COD generated by urban household and 12.1% by manufacturing have been treated by municipal sewage treatment plants. In this sense, there is a space for further proper treatment of wastewater. The severe status in terms of water pollution and scarcity makes it significant to exploit eligible water environment management instruments for the prevention of water environmental degradation and promotion of socio-economic development.

Some instruments proposed separately against water pollution are insufficient without taking water environment and socio-economic development into consideration as a whole. Sustainable water environment management needs the combination of engineering and socio-economic instruments under the uniform objective framework. Thus the solution for both water pollution control and balance of supply and demand of water resources necessitates full consideration of the socioeconomic and environmental settings.

What kinds of strategies and instruments are appropriate to put into practice in SRLR? How policy system, water environmental system and socio-economic system could influence each other? How to obtain an optimal solution to accomplish total control of water pollutants discharge and balance of water supply and demand, with the minimum negative influence on socio-economic development? Implementation of any watershed management activities cause “costs” in any sense. Thus, who shall pay for the cost and how much the cost is for the society to improve the water environment is important for all the stakeholders including government. How the government should provide subsidy for adoption of new technologies or policies? The complexity of relationships between environment and socio-economy calls for solutions related to above questions.

In the face of challenges of water pollution and water resources crisis in SRLR, the main objective of the study is to explore a simulation model based on input-output (IO) approach to mitigate water pollution and water scarcity through embedding environmental economic policies and applicable technologies into complex environ-economic system to obtain an optimal set of policies and technologies which promotes maximization of regional economy under constraints of water pollutant discharge and water availability.

Specifically, this study is designed to:

- 1) Explore an optimization simulation model based on extended IO model (2011~2020, 2010 as base year), including socio-economic, water environmental, water resources, energy and greenhouse gases (GHG) systems.
- 2) Identify an optimal set of technologies and policies most effective and realize total control of water pollutant discharge, balance of water supply and water demand with the least economic sacrifice through the simulation work.
- 3) Specify the extent of mitigation of water pollution and water scarcity via applied policies and technologies promoted by the subsidies provided by government, and explain the mechanism of policy application and subsidization distribution.
- 4) Manifest the best trade-off between regional socio-economic development, water environmental conservation and water resources utilization as well as effectiveness of policies and technologies adopted.

## **2. Methodology**

This study develops and illustrates an integrated dynamic optimization simulation model based on input-output approach to mitigate water pollution and water scarcity through embedding environmental economic policies and applicable technologies into complex environ-economic system. This model is used to obtain an optimal set of policies and technologies that promotes maximization of regional economy under constraints of water pollutant discharge (WPD) and water availability. The model consists of social-economic sub-model, water pollution control sub-model, water supply and demand sub-model, energy sub-model and GHG emission sub-model. The optimization will be solved via application of LINGO programming, a non-linear optimization software package released by LINDO Systems Incorporated.

The model framework contains three major economic entities (usual industries, energy industries and final demand sectors) and the proposed polices and technologies, which are integrated into a holistic energy-environmental-socioeconomic system through the

embedded material flow, value flow and energy flow. Five subsystems within the whole system were determined. The socio-economic subsystem is elaborated as the production activities of industrial sectors, private and government consumption, gross capital formation and net exports. Subsidies for promotion of policy application are sourced from government savings. Reclaimed water production and multistep water price system are introduced into the water resource subsystem which depicts the balance of the water demand and supply. The water pollution control subsystem is utilized to calculate the amount of water pollutants generated from the production and consumption activities and that are discharged into water bodies after introducing pollution abatement technologies. The energy subsystem additionally involves the production of renewable energy. The GHG emission subsystem clarifies the variation in GHG emissions resulting from the constraints of water pollutant discharge and water availability.

Scenario simulation is used to compare the impacts of part and the whole policies proposed on economy and water pollution situation initially. Then it is used to analyze the impacts on the economy and water environment within a single constraint on water pollution or water availability and both constraints of them, as well as the corresponding policies and technologies introduced into these conditions.

### **3. Proposed policies**

Data analysis, analytical approaches (like footprint and linkage) are used, considering governmental regulations, to formulate some decision rules for proposing policies for mitigating water pollution and scarcity. The following environmental policies and corresponding technologies will be introduced: for water pollution control, Improvement of sewage and wastewater treatment rate, Resource-oriented policy for livestock breeding industry, Promotion of forestation and grassland restoration, Promotion of new fertilizer utilization; for water supply and demand, Promotion of reclaimed water production and utilization, Implementation of multistep water price system. In order to select appropriate technologies, additional factors, such as applicability, advancement and the popularization potential of technologies are also considered.

#### **4. Main results and conclusion**

An integrated optimization simulation model has been developed to mitigate water pollution and water scarcity simultaneously through embedding environmental economic policies and applicable technologies into a complex environ-economic system to obtain an optimal set of policies and technologies that promotes the maximization of the regional economy.

The contrasts of four scenarios indicate that the formed optimal policy combination with industrial restructuring collectively achieves the targets of the WPD constraints and the water availability constraint. S54 is selected as the optimal scenario due to the relatively higher average Gross Regional Product (GRP) growth rate (9.55%), achieving the targets of water pollution control (30% COD reduction, 30% TN reduction and 25% TP reduction by 2020 compared with 2010) and water supply and demand balance. In the optimal scenario, the trends in economic development, pollutant discharge and water consumption for each sector within the simulation time horizon (2011-2020) are depicted dynamically. The production of breeding industries with relatively higher WPD coefficients decreases obviously in the simulation time horizon. Manufacturing, construction, transportation and service industries are in the opposite situation. Pollutants discharged from breeding industries and households reduce drastically in S54. Due to the rapid development of manufacturing, the WPD increases once. Water demand of construction, mining, electricity production and service industries increases more than once. Water demand of fishery, planting and breeding industries decreases continuously due to the decrease in sectoral production in the optimal scenario.

In the optimal scenario, the discharge amount of TN, TP and COD reduces 30.01%, 29.62% and 31.17% by 2020 compared with 2010, respectively. The total WPD reduction amount in the simulation time horizon 2011-2020 in S54 is facilitated jointly by sectoral production change and the optimal set of policies. The optimal set of policies contributes 92.19% and 78.03% reduction of TN and TP respectively among the total reduction amount, the rest is contributed by industrial production changes including production increase and decrease. Sectoral production changes induce a 26.28 thousand ton increase

in COD discharge; the policies contribute a 85.17 thousand ton reduction in COD discharge; finally, a 58.83 thousand ton reduction in COD discharge is achieved. For water supply, reclaimed water production is introduced to mitigate the scarcity of water resources and the amount of reclaimed water supply is 80.26 million m<sup>3</sup>, accounting for 5.56% in the total water supply in 2020 in S54. For water demand, a multistep water price system specifying a three-order water price system is introduced for urban households. The multistep water price system contributes to a decrease of 10.04 million m<sup>3</sup> in urban water demand compared with when no policy is introduced in 2020.

The extent of the mitigation of water pollution and water scarcity contributed by the proposed policies or technologies and the subsidies granted to promote policy or technology implementation are specified, from which the mechanisms of the policy application and the subsidization allocation are systematically clarified. Among the WPD amount reduced by the optimal set of policies in S54, biogas power generation technology (for cattle breeding industries) removes the most TN (30.00%) and TP (28.74%) with the most subsidies. Promotion of organic-inorganic compound fertilizer utilization is the second main contributor for the reduction of TN and TP accounting for 19.55% and 14.16% respectively. Wastewater treatment technologies remove the most COD discharged from manufacturing industry compared with other policies or technologies accounting for 34.38% followed by biogas power generation technology.

The simulation model predicts the biomass energy production and GHG emission. The share of electricity production by biomass energy plants increases gradually up to 1.11% by 2020 in S54. The average GHG emission growth rate in S54 is 8.95% which is smaller than the average GRP growth rate (9.55%). GHG emission intensity decrease from 331.61t CO<sub>2</sub>-e/million CNY in 2011 to 315.81 t CO<sub>2</sub>-e/million CNY in 2020 in the optimal scenario. Regional analysis has been conducted to detect the economic development, water pollutant discharge intensity, and water consumption intensity in each sub-region as well as the subsidy distribution.

The formed optimal set of policies and technologies is affected by water pollutants joint-removal efficiency, limitation of technology application potential, subsidy source and

allocation mechanism, and specific constraints like ecological conservation, promotion of new and renewable energy, sewage rate. The optimal set of policies and technologies not only contributes to mitigating water pollution and scarcity, but also has an effect on the extent of industrial restructuring. The industrial restructuring is conducted in the form of production decrease in some sectors following an order determined by the WPD coefficients, freshwater consumption (FC) coefficient and value added rate of each industry jointly with industries having higher WPD coefficients, FC coefficients and lower value added rates as priority. Thus, the efficiency of the optimal set of policies and technologies is significant for the integrated system. Some parameters of technologies (the discharge coefficients, the coefficients of induced production by investment and the depreciation rate of technologies) and the proportion of subsidies from provincial and central government, that affect the efficiency of the optimal set of policies should be well calculated and organized when performing the economic and environmental policies.

The model is robust in the case that once the parameters and necessary data have been input, the model will obtain an optimal solution as a result of the comprehensive and overall evaluation of all of the possible policies and technologies, which can contribute to better informed policy-making and development of specific plans. This model has applicability for other regions in terms of giving an optimal solution via comprehensive assessment of all of the proposed sustainability-related policies with sufficient data accessibility to achieve regional sustainable development.

## **References**

- Alcamo, J., Florke, M., Marker, M., 2007. Future long-term changes in global water resources driven by socio-economic and climatic changes. *Hydrological Science Journal* 52(3), 247-275.
- Alcantara, V., Roca, J., 1995. Energy and CO<sub>2</sub> emissions in Spain: methodology of analysis and some results for 1980-1990. *Energy Economics* 17(3), 221-230.
- Arnell, N.W., 2004. Climate change and global water resources: SRES emissions and socio-economic scenarios. *Global Environmental Change-Human and Policy Dimensions* 14(3-4), 31-52.
- Aroca, P., 2001. Impacts and development in local economies based on mining: the case of the Chilean II region. *Resources Policy* 27(2), 119-134.
- Aviso, K.B., Tan, R.R., Culaba, A.B., Cruz, J.B., 2011. Fuzzy input-output model for optimizing eco-industrial supply chains under water footprint constraints. *Journal of Cleaner Production* 19(2-3), 187-196.



- Beall, A., Fiedler, F., Boll, J., Cosens, B., 2011. Sustainable water resource management and participatory system dynamics. Case study: developing the Palouse basin participatory model. *Sustainability* 3(5), 720-742.
- Calzadilla, A., Rehdanz, K., Tol, R.S.J., 2010. The economic impact of more sustainable water use in agriculture: A computable general equilibrium analysis. *Journal of Hydrology* 384(3-4), 292-305.
- Cazcarro, I., Duarte, R., Cholíiz, J.S., 2013. Multiregional input-output model for the evaluation of Spanish water flows. *Environmental Science & Technology* 47(21), 12275-12283.
- Cellura, M., Longo, S., Mistretta, M., 2011. The energy and environmental impacts of Italian household consumptions: An input-output approach. *Renewable & Sustainable Energy Reviews* 15(8), 3897-3908.
- Chang, N., 2014. Changing industrial structure to reduce carbon dioxide emissions: a Chinese application. *Journal of Cleaner Production* 103, 40-48.
- Chen, H., Chang, Y.C., Chen, K.C., 2014. Integrated wetland management: An analysis with group model building based on system dynamics model. *Journal of Environmental Management* 146, 309-319.
- Chen, Y.F., Qi, J., Zhou, J.X., Li, Y.P., Xiao, J., 2004. Dynamic modeling of a man-land system in response to environmental catastrophe. *Human and Ecological Risk Assessment* 10(3), 579-593.
- Chenery, H.B., Watanabe, T., 1958. International comparisons of the structure of production. *Econometrica* 26(4), 487-521.
- Cheng, H., Hu, Y., Zhao, J., 2009. Meeting China's water shortage crisis: current practices and challenges. *Environmental Science and Technology* 43(2), 240-244.
- Choi, H.L., Sudiarto, S.I.A., Renggaman, A., 2014. Prediction of livestock manure and mixture higher heating value based on fundamental analysis. *Fuel* 116, 772-780.
- Cruz, J.B., Tan, R.R., Culaba, A.B., Ballacillo, J.A., 2009. A dynamic input-output model for nascent bioenergy supply chains. *Applied Energy* 86(S1):S86-S94.
- Cui, J., Ma, Y.H., Zhao, Y.P., et al., 2006. Characteristic and countermeasures for control and prevention of multiple area-pollution in agriculture. *Chinese Agricultural Science Bulletin* 22(1), 335-240. (In Chinese)
- Deng, X.Z., Zhang, F., Wang, Z., Li, X., Zhang, T., 2014. An extended input output table compiled for analyzing water demand and consumption at county level in China. *Sustainability* 6(6), 3301-3320.
- Dehnhardt, A., 2014. The influence of interests and beliefs on the use of environmental cost-benefit analysis in water policy: the case of German policy-makers. *Environmental Policy and Governance* 24(6), 391-404.
- Diao, X., Roe, T., Doukkai, R., 2005. Economy-wide gains from decentralized water allocation in a spatially heterogeneous agricultural economy. *Environmental and Development Economics* 10, 249-269.
- Dias, A.C., Lemos, D., Gabarrell, X., Arroja, L., 2014. Environmentally extended input-output analysis on a city scale-application to Aveiro (Portugal). *Journal of Cleaner Production* 75, 118-129.
- Dong, D.M., Liang, D.M., Ma, J.L., et al., 2013a. Research of non-point source pollution quantity discharged into the Source Area of Liao River. In the Progress in Environmental Protection and Processing of Resource, PTS 1-4, Tang, X., Zhong, W., Zhuang, D., et al., Eds. Trans Tech Publications Ltd: Zurich. 295-298, pp. 1643-1646.
- Dong, H.J., Geng, Y., Sarkis, J., et al., 2013b. Regional water footprint evaluation in China: A case of Liaoning. *Science of the Total Environment* 442, 215-224.
- Duarte, R., Sánchez-Cholíiz, J., Bielsa, J., 2002. Water use in the Spanish economy: an input-output approach. *Ecological Economics* 43(1), 71-85.
- Ebiefung, A., Kostreva, M., 1993. The generalized Leontief input-output model and its application to the choice of new technology. *Annals of Operations Research* 44(2), 161-172.
- Feng, K.S., Hubacek, K., Minx, J., et al., 2011. Spatially explicit analysis of water footprints in the UK.

- Water 3(1), 47-63.
- Fishelson, G., 1994. The allocation of marginal value product of water in Israeli agriculture. In *Water and peace in the Middle East*, Isaac, J., Shuval, H., Eds. Elsevier Science B.V., Amsterdam, pp. 427-440.
- Fu, Y., He, J., Mu, D., et al., 2011. Available water resources calculation in Liao River Basin. *Journal of Arid Land Resources and Environment* 25(1), 107-110.
- Gao, X.Y., Gao, W.J., 2011. Reasonable determination of parameters in model of ladder water price. *Territory & Natural Resources Study* 25, 51-53. (In Chinese)
- Geng, Y., Mitchell, B., Fujita, T., Nakayama, T., 2010. Perspective on small watershed management: a case of Biliu. *International Journal of Sustainable Development and World Ecology* 17(2), 172-179.
- Ge, L., Xie, G., Zhang, C., et al., 2011. An evaluation of China's water footprint. *Water Resources Management* 25(10), 2633-2647.
- Guan, D., Hubacek, K., 2007. Assessment of regional trade and virtual water flows in China. *Ecological Economics* 61(1), 159-170.
- Guan, D., Hubacek, K., 2008. A new and integrated hydro-economic accounting and analytical framework for water resources: A case study for North China. *Journal of Environmental Management* 88, 1300-1313.
- Ghosh, A., 1958. Input-output approach in an allocation system. *Economica* XXV, 58-64.
- Hawdon, D., Pearson, P., 1995. Input-output simulations of energy, environment, economy interactions in the UK. *Energy Economics* 17(1), 73-86.
- Hahn, R.W., 2000. The impact of economics on environmental policy. *Journal of Environmental Economics and Management* 39(3), 375-399.
- Herath, I., Deurer, M., Horne, D., 2011. The water footprint of hydroelectricity: a methodological comparison from a case study in New Zealand. *Journal of Cleaner Production* 19(14), 1582-1589.
- Higano, Y., Sawada, T., 1995. The dynamic policy to improve the water quality of lake Kasumigaura. *Studies in Regional Science* 26(1), 75-86.
- Hirschman, A.O., 1958. *The Strategy of Economic Development*. Yale University Press: New Haven, CT, USA.
- Hoekstra, A.Y., Hung, P.Q., 2003. Virtual Water Trade: A quantification of virtual water flows between nations in relation to international crop trade. UNESCO-IHE, Delft, the Netherlands, pp. 12-13.
- Hoekstra, A.Y., Chapagain, A.K., 2007. Water footprints of nations: Water use by people as a function of their consumption pattern. *Water Resources Management* 21(1), 35-48.
- Hubacek, K., Sun, L.X., 2005. Economic and societal changes in China and their effects on water use-A scenario analysis. *Journal of Industrial Ecology* 9(1-2), 187-200.
- Hutton, G., Haller, L., Bartram, J., 2007. Global cost-benefit analysis of water supply and sanitation interventions. *Journal of Water Health* 5(4), 481-502.
- IPCC, 2006. Agriculture, Forestry and Other Land Use. In 2006 IPCC Guidelines for National Greenhouse Gas Inventories; IGES: Kanagawa, Japan, Volume 4.
- Ji P.C., 2009. The status quo of the urban water price reformation with some suggestion in China. *Macroeconomic Management* 4, 48-50. (In Chinese)
- Jia, G.N., Huang, P., 2013. Staged water price and the water-saving effect calculation model for domestic water. *Journal of Natural Resource* 28(10), 1788-1796. (In Chinese)
- Jiang, Y., 2009. China's water scarcity. *Journal of Environmental Management* 90(11), 3185-3196.
- Johnes, P.J., 1996. Evaluation and management of the impact of land use change on the nitrogen and phosphorus load delivered to surface waters: The export coefficient modeling approach. *Journal of Hydrology* 183(3-4), 323-349.
- Jones, L.P., 1976. The measurement of Hirschmanian linkages. *The Quarterly Journal of Economics* 90(2),

323-333.

- Jorgenson, D.W., Wilcoxon, P.J., 1990. Environmental regulation and US economic growth. *RAND Journal of Economics* 21(2), 314-340.
- Kagawa, S., Inamura, H., 2001. A structural decomposition of energy consumption based on a hybrid rectangular input-output framework: Japan's case. *Economic Systems Research* 13(4), 339-363.
- Kampas, A., Edwards, A.C., Ferrier, R.C., 2002. Joint pollution control at a catchment scale: compliance costs and policy implications. *Journal of Environmental Management* 66(3), 281-291.
- Leistriz, L., Leitch, F., Bangsund, D., 2002. Regional economic impacts of water management alternatives: the case of Devils Lake, North Dakota, USA. *Journal of Environmental Management* 66(4), 465-473.
- Lenzen, M., 2003. Environmentally important paths, linkages and key sectors in the Australian economy. *Structural Change and Economic Dynamics* 14(1), 1-34.
- Lenzen, M., Pade, L.L., Munksgaard, J., 2004. CO2 multipliers in multi-region input-output models. *Economic Systems Research* 16(4), 391-412.
- Leontief, W., 1970. Environmental repercussions and the economic structure: An input-output approach. *Review of Economics and Statistics* 52(3), 262-271.
- Leontief, W., Ford, D., 1972. Air pollution and the economic structure: empirical results of input-output computations. In *the Input-Output Techniques*, Brody, A.P., Eds. North-Holland: Amsterdam, pp. 9-30.
- Levine, A.D., Asano, T., 2004. Recovering sustainable water from wastewater. *Environmental Science and Technology*. 38, 201A-208A.
- Liang, S., Wang, C., Zhang, T.Z., 2010. An improved input-output model for energy analysis: A case study of Suzhou. *Ecological Economics* 69(9), 1805-1813.
- Liang, S., Xu, M., Suh, S., Tan, R.R., 2013. Unintended Environmental Consequences and Co-benefits of Economic Restructuring. *Environmental Science & Technology* 47(22) 12894-12902.
- Li, Z.N., 2002. *Econometrics-Method and Application*. Tsinghua University Press: Beijing, China. (In Chinese)
- Lin, C., 2011. Identifying lowest-emission choices and environmental pareto frontiers for wastewater treatment input-output model based linear programming. *Journal of Industrial Ecology* 15(3), 367-380.
- Liu, C., 2013. *The study on temporal and spatial variation characters of ecological environmental factors and evaluation of ecological environment in Liao River Basin of Jilin province*. Jilin University Press, Changchun, pp. 21-22.
- Liu, J., Yang, W., 2012. Water sustainability for China and beyond. *Science* 337(6095), 649-650.
- Llop, M., 2007. Economic structure and pollution intensity within the environmental input-output framework. *Energy Policy* 35(6), 3410-3417.
- Llop, M., Pie, L., 2008. Input-output analysis of alternative policies implemented on the energy activities: An application for Catalonia. *Energy Policy* 36(5), 1642-1648.
- Loisel, R., 2009. Environmental Climate instruments in Romania: A comparative approach using dynamic CGE modelling. *Energy Policy* 37(6), 2190-2204.
- Ma, X.W., 2008. Study on pricing strategy of increasing block tariffs. *Science Technology and Engineering* 8(24), 6545-6552. (In Chinese)
- Macleod, C.J.A., Scholefield, D., Haygarth, P.M., 2007. Integration for sustainable catchment management. *Science of the total Environment* 373(2-3), 591-602.
- Madlener, R., Koller, M., 2007. Economic and CO2 mitigation impacts of promoting biomass heating systems: An input-output study for Vorarlberg, Austria. *Energy Policy* 35(12), 6021-6035.
- Massarutto, A., 2007. Water pricing and full cost recovery of water services: economic incentive or instrument of public finance? *Water policy* 9(6), 591-613.

- Mcgonigle, D.F., Harris, R.C., Mccamphill, C., et al., 2012. Towards a more strategic approach to research to support catchment-based policy approaches to mitigate agricultural water pollution: A UK case-study. *Environmental Science & Policy* 24(SI), 4-14.
- Messner, F., Zwirner, O., Karkuschke, M., 2006. Participation in multi-criteria decision support for the resolution of a water allocation problem in the Spree River Basin. *Land Use Policy* 23(1), 63–75.
- Miller, R.E., Blair, P.D., 1985. *Input–Output Analysis: Foundations and Extensions*. Prentice-Hall, Inc, New Jersey.
- MEPPRC (Ministry of Environmental Protection of Peoples Republic of China), 2002. PRC’s National Environmental Quality Standards for Surface Water (GB3838-2002), Beijing, China.
- Mizunoya, T., Sakurai, K., Kobayashi, S., 2007. Simulation analysis for an optimal environmental policy including the introduction of new technologies. *Studies in Regional Science* 37 (1), 199-227.
- Moffatt, I., Hanley, N., 2001. Modelling sustainable development: systems dynamic and input-output approaches. *Environmental Modelling & Software* 16(6), 545-557.
- MWR (Ministry of Water Resources), 2001. *China Water Resources Bulletin 2000*. China Water Resources and Hydropower Press: Beijing. (In Chinese)
- MWR (Ministry of Water Resources), 2014. *China Water Resources Bulletin 2013*. China Water Resources and Hydropower Press: Beijing. (In Chinese)
- Nahm, K.H., 2002. Efficient feed nutrient utilization to reduce pollutants in poultry and swine manure. *Critical Reviews in Environmental Science and Technology* 32(1) 1-16.
- Nansai, K., Moriguchi, Y., Tohno, S., 2003. Compilation and application of Japanese inventories for energy consumption and air pollutant emissions using input-output tables. *Environmental Science and Technology* 37 (9) 2005-2015.
- Ni, J.R., Zhong, D.S., Huang, Y.F., Wang, H., 2001. Total waste-load control and allocation based on the input-output analysis for Shenzhen, South China. *Journal of Environmental Management* 61(1), 37-49.
- Nijkamp, P., Wang, S., Kremers, J., 2005. Modelling the impacts of international climate change policies in a CGE context: The use of the GTAP-model. *Economic Modelling* 22(6), 955-974.
- Nozari, H., Liaghat, A., 2014. Simulation of Drainage water quantity and quality using system dynamics. *Journal of Irrigation and Drainage Engineering* 140(11), 05014007.
- Okadera, T., Watanabe, M., Xu, K., 2006. Analysis of water demand and water pollutant discharge using a regional input-output table: An application to the City of Chongqing, upstream of the Three Gorges Dam in China. *Ecological Economics* 58(2), 221-237.
- Oki T., Agata, Y., Kanae, S., et al., 2001. Global assessment of current water resources using total runoff integrating pathways. *Hydrological Sciences Journal* 46(6), 983-995.
- Oliveira, C., Antunes, C.H., 2011a. A multiple objective model to deal with economy- energy-environment interactions. *European Journal of Operational Research* 153(2), 370-385.
- Oliveira, C., Antunes, C.H., 2011b. A multi-objective multi-sectoral economy-energy- environment model: Application to Portugal. *Energy* 36(5), 2856-2866.
- Oliveira, C., Coelho, D., Antunes, C.H., 2014. Coupling input–output analysis with multi-objective linear programming models for the study of economy-energy- environment-social (E3S) trade-offs: a review. *Annals of Operations Research*, 1-32. doi:10.1007/s10479-014-1773-5.
- Pac, R. D., Sanchez-Choliz, J., 1998. Analysis of water pollution with input-output models. In *Applied Sciences and the Environment*, Almorza, D., Ramos, H.M., Eds. WIT Press: Southampton, pp. 311-329.
- Park, S., Jeon, D.H., Jung, S.Y., 2014. Developing efficient management strategies for a water supply system using system dynamics modeling. *Civil Engineering and Environmental Systems* 31(3), 189-208.
- Piao, M., Teng, H., Song, S., 2014. Present situation and evaluation results for water quality in Liaohe

- Source Area. *Environmental Science and Management* 39(10), 164-169.
- Pietroforte, R., Gregori, T., 2003. The role of the construction sector in highly developed economics. *Construction innovation and global competitiveness, VOLS 1 and 2: The Organization and management of Construction* 510-522.
- Qin, C.B., Jia, Q.W., Su, Z., et al., 2014. An analysis of water consumption and pollution with the input-output model in the Haihe river basin, China. In the *Environmental Engineering*, PTS 1-4, Li, H., Xu, Q., Ge, H., Eds. Trans Tech Publications Ltd: Zurich, 864-897, pp. 1059-1069.
- Qin, C.B., 2011a. Mitigation China's water scarcity and pollution: environmental and Economic accounting, modeling and policy analysis. University of Twente: Enschede, Netherlands, pp.2-44.
- Qin, C.B., Bressers, H.T.A., Su, Z., Jia, Y.W., Wang, H., 2011b. Assessing economic impacts of China's water pollution mitigation measures through a dynamic computable general equilibrium analysis. *Environmental Research Letters* 6(4), 1-15.
- Qin, H.P., Su, Q., Khu, S.T., 2013. Assessment of environmental improvement measures using a novel integrated model: A case study of Shenzhen River catchment, China. *Journal of Environmental Management* 114, 486-495.
- Qiu, Z.Y., 2003. A VSA-based strategy for placing conservation buffers in agricultural watersheds. *Environmental Management* 32(3), 299-311.
- Qi, Z., Lu, X., 2007. Synthesis basis database construction research for the water supply project in the middle cities of Jilin Province. *Jilin Water Resources* 297, 1-3.
- Regli, S., Odom, R., Cromwell, J., et al., 1999. Benefits and costs of the IESWTR. *Journal of the American Water Works Association* 91(4), 148-158.
- Reidsma, P., Feng, S.Y., Van loon, M., et al., 2012. Integrated assessment of agricultural land use policies on nutrient pollution and sustainable development in Taihu Basin, China. *Environmental Science & Policy* 18, 66-76.
- Resosudarmo, B.P., 2003. River water pollution in Indonesia: an input-output analysis. *International Journal of Environment and Sustainable Development* 2, 62-77.
- Rose, A., Casler, S., 1996. Input-output structural decomposition analysis: a critical appraisal. *Economic Systems Research* 8(1), 451-467.
- Sanchez-Choliz, J., Duarte, R., 2005. Water pollution in the Spanish economy: analysis of sensitivity to production and environmental constraints. *Ecologic Economics* 53(3), 325-338.
- Sanchez-Choliz, J., Duarte, R., 2003. Analysing pollution by way of vertically integrated coefficients, with an application to the water sector in Aragon. *Cambridge Journal of Economics* 27(3), 433-448.
- Schewe, J., Heinke, J., Gerten, D., et al., 2014. Multimodel assessment of water scarcity under climate change. *Proceedings the National Academy of Sciences of the United States of America* 111(9), 3245-3250.
- Schwarzenbach, R.P., Egli, T., Hofstetter, T.B., et al., 2010. Global water pollution and human health. In the *Annual Review of Environment and Resources*, Gadgil, A., Leverman, D.M., Eds. Annual Reviews: Palo Alto; 35, pp. 109-136.
- SCIES (South China Institute of Environmental Sciences), 2010. Domestic Emission Coefficients in China. SCIES press: Guangzhou, China. (In Chinese)
- Serrano, J.M., 2011. Is prevention of water pollution and eutrophication the best option to ensure axolotl survival in its natural environment? *Salamandra* 47(1), 45-49.
- Shevah Y., 2014. Water scarcity, water reuse, and environmental safety. *Pure and Applied Chemistry* 86(7), 1205-1214.
- Simonovic, S.P., 2002. World water dynamics: global modeling of water resources. *Journal of*

- Environmental Management 66(3), 249-267.
- Stanko, S., 2009. Reuse of waste waters in Slovakia, water supply sustainability. In the Risk Management of Water Supply and Sanitation Systems, Hlavinek, P., et al., Eds. Springer: Netherlands, pp. 233-240.
- SCCG (State Council of the Chinese Government), 2011. The Twelfth Five-year Plan for National Social and Economic Development. People's Publishing House: Beijing.
- Tan, R.R., Aviso, K.B., Barilela, I.U., Culaba, A.B., Cruz, J.B., 2012. A fuzzy multi-regional input-output optimization model for biomass production and trade under resource and footprint constraints. Applied Energy 90(1), 154-160.
- Tarancon-Angel, M., Del-Rio, P., 2007. Combined input-output and sensitivity analysis approach to analyse sector linkages and CO2 emissions. Energy Economics 29, 578-597.
- Tsuzuki, Y., 2014. Evaluation of the soft measures' effects on ambient water quality improvement and household and industry economies. Journal of Cleaner Production 66, 577-587.
- Turner, R.K., 2007. Limits to CBA in UK and European environmental policy: retrospects and future prospects. Environmental and Resource Economics 37(1), 253-269.
- Varis, O., Vakkilainen, P., 2001. China's 8 challenges to water resources management in the first quarter of the 21st Century. Geomorphology 41(2-3), 93-104.
- Velazquez, E., 2006. An input-output model of water consumption: Analyzing intersectoral water relationships in Andalusia. Ecological Economics 56(2), 226-240.
- Voeroesmarly, C.J., McIntyre, P.B., Gessner, M.O., et al., 2010. Global threats to human water security and river biodiversity. Nature 467 (7315), 555-561.
- Vorosmarly, C.J., Green, P., Salisbury, J., Lammers, R.B., 2000. Global water resources: Vulnerability from climate change and population growth. Science 289(5477), 284-288.
- Wang, H.Z., Du, S.Y., Zeng, X.F., 2013b. Estimation on China's social discount rate based on SRTP approach. Statistics and Decision 39(3), 18-21. (In Chinese)
- Wang, L., Maclean, H.L., Adams, B.J., 2005. Water resources management in Beijing using economic input-output modeling. Canadian Journal of Civil Engineering 32(4), 753-764.
- Wang, W.Y., Zeng, W.H., Yao, B., 2014a. An energy-economy-environment model for simulating the impacts of socioeconomic development on energy and environment. Scientific World Journal, 1-14.
- Wang, X.Y., Song, Y.L., Sun, P., Shi, J.P., 2014b. The study on compensation mechanism of ladder pricing with logistic applied into demand in households. Economy and Management 28, 74-78. (In Chinese)
- Wang, Y.C., Lin, Y.P., Huang, C.W., et al., 2012. A system dynamic model and sensitivity analysis for simulating domestic pollution removal in a free-water surface constructed wetland. Water Air and Soil Pollution. 223(5), 2719-2742.
- Wang, Z.Y., Huang, K., Yang, S.S., Yu, Y.J., 2013a. An input-output approach to evaluate the water footprint and virtual water trade of Beijing, China. Journal of Cleaner Production 42, 172-179.
- Ward, F.A., 2009. Economics in integrated water management. Environmental Modelling & Software 24(8), 948-958.
- Wiedmann, T., Lenzen, M., Turner, K., Barrett, J., 2007. Examining the global environmental impact of regional consumption activities - Part 2: Review of input-output models for the assessment of environmental impacts embodied in trade. Ecological Economics 61(1), 15-26.
- WRBL (Water Resources Bureau of Liaoyuan), 2011. Liaoyuan Water Resources Bulletin 2010; Water Resources Bureau of Liaoyuan Press: Liaoyuan, China. (In Chinese)
- WRBS (Water Resources Bureau of Siping), 2011. Siping Water Resources Bulletin 2010; Water Resources Bureau of Siping Press: Siping, China. (In Chinese)
- WWAP (World Water Assessment Programme), 2009. The United Nations World Water Development Report

- 3: Water in a Changing World. UNESCO: Paris, and Earthscan: London, pp. 29-39, 135-146.
- WWAP (World Water Assessment Programme), 2014. The United Nations World Water Development Report 2014: Water and Energy. UNESCO: Paris, pp. 2-8.
- Xiang, N., 2013. Comprehensive evaluation of socio-economic and environmental policies emphasizing reclaimed water utilization to effectively achieve sustainable development in Tianjin, China, pp.85-90. University of Tsukuba, Tsukuba, Japan.
- Xu, F., Zhao, Y.W., Yang, Z.F., Zhang, Y., 2011a. Multi-scale evaluation of river health in Liao River Basin, China. *Frontiers of Environmental Science & Engineering in China* 5(2), 227-235.
- Xu, X.M., Tang, J., Li, Z.Y., Liu, C., Han, W.Z., 2011b. Global warming potential of emissions from rice paddies in Northeastern China. *Mitigation and Adaption Strategies for Global Chang.* 16(6), 721–731.
- Xu, Z.X., Ishidaira, K.T., Zhang, X.W., 2002. Sustainability analysis for Yellow River water resources using the system dynamics approach. *Water Recourses Management* 16, 239-261.
- Yadav, S.N., Wall, D.B., 1998. Benefit-cost analysis of best management practices implemented to control nitrate contamination of groundwater. *Water Resources Research* 34(3), 497-504.
- Yang, H., Pfister, S., Bhaduri, A., 2013. Accounting for a scarce resource: virtual water and water footprint in the global water system. *Current Opinion in Environmental Sustainability* 5(6), 599-606.
- Yang, W., 2012. Simulation on agricultural non-point sources pollution in Dahuofang reservoir catchment of Liaoning Provence. Jilin University Press, Changchun, China. (In Chinese)
- Yang, W., Song, J.N., Higano, Y., Tang, J., 2015. An Integrated Simulation Model for Dynamically Exploring the Optimal Solution to Mitigating Water Scarcity and Pollution. *Sustainability* 7(2), 1774-1797.
- Yang, W., Song, J.N., Higano, Y., Tang, J., 2015. Exploration and Assessment of Optimal Policy Combination for Total Water Pollution Control with a Dynamic Simulation Model. *Journal of Cleaner Production* 102, 342-352.
- Yu, Y., Hubacek, K., Feng, K.S., Guan, D.B., 2010. Assessing regional and global water footprints for the UK. *Ecological Economics* 69(5), 1140-1147.
- Yue, F.J., Li, S.L., Liu, C.Q., et al., 2013. Using dual isotopes to evaluate sources and transformation of nitrogen in the Liao River, northeast China. *Applied Geochemistry* 36, 1-9.
- Zhang, C., Anadon, L.D., 2014. A multi-regional input-output analysis of domestic virtual water trade and provincial water footprint in China. *Ecological Economics* 100, 159-172.
- Zhang, G.F., 2014. Comprehensive evaluation of the environmental and socio-economic impacts of adopting advanced technologies for treatment of sewage sludge in Beijing, pp. 110-120. University of Tsukuba, Tsukuba, Japan.
- Zhang, Z., Shi, M., Yang, H., Chapagan, A., 2011. An input-output analysis of trends in virtual water trade and impact on water resources and used in China, *Economic Systems Research* 23(4), 431-446.
- Zhao, X., Chen, B., Yang, Z., 2009. National water footprint in an input-output framework: a case study of China 2002. *Ecological Modelling* 220(2): 245-253.
- Zhao, X., Yang, H., Yang, Z.F., et al., 2010. Applying the input-output method to account for water footprint and virtual water trade in the Haihe River Basin in China. *Environmental Science & Technology* 44(23), 9150-9156.