

Self-organized formation of spherical porous granules only by one-step heat-treatment in MgO Fe₂O₃ Nb₂O₅ system

著者別名	鈴木 義和, 所 裕子
journal or publication title	Materials letters
volume	163
page range	43-46
year	2016-01
権利	(C) 2015. This manuscript version is made available under the CC-BY-NC-ND 4.0 license http://creativecommons.org/licenses/by-nc-nd/4.0/
URL	http://hdl.handle.net/2241/00135100

doi: 10.1016/j.matlet.2015.10.007

Self-organized formation of spherical porous granules only by one-step heat-treatment in MgO-Fe₂O₃-Nb₂O₅ system

Yoshikazu Suzuki,¹ Hiroko Tokoro¹ and Hiroya Abe²

¹Faculty of Pure and Applied Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki, 305-8573, Japan

²Joining and Welding Research Institute, Osaka University, 11-1 Mihogaoka, Ibaragi, Osaka 567-0047, Japan

Supplement




Fig. S1 TG-DTA analysis of the MgCO₃ (basic) powder.




Fig. S2 SEM image of the sample after a series of HT-XRD measurements (measurements at each temperature, including final measurement at 1350°C with 2 h holding), corresponding to sample after cooling in Fig. 4.