

**Kusraev, A. G.; Kutateladze, S. S.**

**Boolean valued analysis: background and results.** (English) [Zbl 07437842](#)

Kusraev, Anatoly G. (ed.) et al., Operator theory and differential equations. Selected papers based on the presentations at the 15th conference on order analysis and related problems of mathematical modeling, Vladikavkaz, Russia, July 15–20, 2019. Cham: Birkhäuser. Trends Math., 91–105 (2021)

Boolean valued analysis addresses various areas of mathematics by using Boolean valued models  $\mathbb{V}^{(\mathbb{B})}$  of set theory. It started with [*E. I. Gordon*, Sov. Math., Dokl. 18, 1481–1484 (1977; [Zbl 0406.03064](#)); *G. Takeuti*, Lect. Notes Math. 753, 714–731 (1979; [Zbl 0427.03046](#))]. This paper provides a brief overview of Boolean valued analysis.

For the entire collection see [[Zbl 1470.47003](#)].

Reviewer: Hirokazu Nishimura (Tsukuba)

**MSC:**

**06F25** Ordered rings, algebras, modules

**46A40** Ordered topological linear spaces, vector lattices

**Keywords:**

vector lattice; Kantorovich's principle; Gordon's theorem; Boolean valued analysis; Boolean valued representation

**Full Text: DOI**

**References:**

- [1] Abasov, N.M., Kusraev, A.G.: Cyclical compactification and continuous vector functions. Siberian Math. J. 6(1), 17–22 (1987)
- [2] Akilov, G.P., Kolesnikov, E.V., Kusraev, A.G.: The Lebesgue extension of a positive operator. Dokl. Akad. Nauk SSSR, 298(3), 521–524 (1988) · [Zbl 0696.47035](#)
- [3] Akilov, G.P., Kolesnikov, E.V., Kusraev, A.G.: On the order continuous extension of a positive operator. Siberian Math. J. 29(5), 24–35 (1988) · [Zbl 0770.47008](#)
- [4] Aliprantis, C.D., Burkinshaw, O.: Positive Operators. Academic Press, New York (1985) · [Zbl 0608.47039](#)
- [5] Arzikulov, F.N.: On abstract JW-algebras. Siberian Math. J. 39(1), 20–27 (1998) · [Zbl 0917.46062](#) · doi:10.1007/BF02732356
- [6] Bell, J.L.: Boolean-Valued Models and Independence Proofs in Set Theory. Clarendon Press, New York (1985) · [Zbl 0585.03021](#)
- [7] Bourbaki, N.: Elements de Mathematique, Algebre Commutative: Valuations. In: Fasc. XXVII. Actualites Science Industrial, Paris, Hermann, vol. 1290 (1962) · [Zbl 0142.00102](#)
- [8] Cartwright, D.I.: Extension of positive operators between Banach lattices. Mem. Am. Math. Soc. 164, 1–48 (1975) · [Zbl 0314.47015](#)
- [9] Chupin, H.A.: On problem 18 in Goodearl's book "Von Neumann regular rings". Siberian Math. J. 32(1), 161–167 (1991) · [Zbl 0732.16009](#) · doi:10.1007/BF00970170
- [10] Dales, H., Woodin, W.: An Introduction to Independence for Analysts. Cambridge University, Cambridge (1987) · [Zbl 0629.03030](#) · doi:10.1017/CBO9780511662256
- [11] Fremlin D.H.: Measure Theory, vol. 2. Broad Foundations, Torres Fremlin, Colchester (2001) · [Zbl 1165.28001](#)
- [12] Goodearl, K.R.: Von Neumann Regular Rings. Krieger Publication Company, Malabar (1991) · [Zbl 0749.16001](#)
- [13] Gordon, E.I.: Real numbers in Boolean-valued models of set theory and K-spaces. Dokl. Akad. Nauk SSSR 237(4), 773–775 (1977)
- [14] Gordon, E.I.: Measurable Functions and Lebesgue integral in Boolean Valued Models of Set Theory over a Measure Algebra, vol. VINITI, pp. 291–80. Lenin Moscow State Pedagogical Institute, Moscow (1979, Russian)
- [15] Gordon, E.I.: Stability of Horn formulas with respect to transition algebras of Boolean measures on locally compact fields, vol. VINITI, pp. 1243–1281. Lenin Moscow State Pedagogical Institute, Moscow (1980, Russian)
- [16] Gordon, E.I.: On the existence of Haar measure in  $\sigma$ -compact groups, vol. VINITI, pp. 1243–81. Lenin Moscow State Pedagogical Institute, Moscow (1980, Russian)
- [17] Gordon, E.I.: K-spaces in Boolean-valued models of set theory. Dokl. Akad. Nauk SSSR 258(4), 777–780 (1981)
- [18] Gordon, E.I.: To the theorems of identity preservation in K-spaces. Sibirsk. Mat. Zh. 23(5), 55–65 (1982)

- [19] Gordon, E.I.: Rationally Complete Semiprime Commutative Rings in Boolean Valued Models of Set Theory, vol. VINITI, pp. 3286-83. State University, Gor'kiĭ (1983, Russian)
- [20] Gordon, E.I.: Strongly Unital Injective Modules as Linear Spaces in Boolean Valued Models of Set Theory, vol. VINITI, pp. 770-85. State University, Gor'kiĭ (1984, Russian)
- [21] Gordon, E.I.: Elements of Boolean Valued Analysis. State University, Gor'kiĭ (1991, Russian)
- [22] Gordon, E.I., Lyubetskiĭ, V.A.: Boolean extensions of uniform structures, vol. VINITI, pp. 711-80. Lenin Moscow State Pedagogical Institute, Moscow (1980, Russian)
- [23] Gordon, E.I., Lyubetskiĭ, V.A.: Some applications of nonstandard analysis in the theory of Boolean valued measures. Dokl. Akad. Nauk SSSR 256(5), 1037-1041 (1981)
- [24] Gordon, E.I., Lyubetskiĭ, V.A.: Boolean extensions of uniform structures. In: Studies on Non-classical Logics and Formal Systems, Moscow, Nauka, pp. 82-153 (1983)
- [25] Grothendieck, A.: Une caractérisation vectorielle-métrique des espaces  $\langle L^1 \rangle$ . Canad. J. Math. 4, 552-561 (1955) · Zbl 0065.34503 · doi:10.4153/CJM-1955-060-6
- [26] Gutman, A.E.: Locally one-dimensional K-spaces and  $\sigma$ -distributive Boolean algebras. Siberian Adv. Math. 5(2), 99-121 (1995) · Zbl 0854.46007
- [27] Hoffmann-Jørgenson, J.: Vector measures. Math. Scand. 28(1), 5-32 (1971) · Zbl 0217.38001 · doi:10.7146/math.scand.a-11003
- [28] Ioffe, A.D., Levin, V.L.: Subdifferentials of convex functions. Proc. Moscow Math. 26, 3-72 (1972) · Zbl 0281.46039
- [29] Jech, T.J.: Non-provability of Souslin's Hypothesis. Comment. Math. Universitatis Caroline 8(1), 291-305 (1967) · Zbl 0204.00701
- [30] Jech, T.J.: Abstract theory of abelian operator algebras: an application of forcing. Trans. Am. Math. Soc. 289(1), 133-162 (1985) · Zbl 0597.03030 · doi:10.1090/S0002-9947-1985-0779056-9
- [31] Jech, T.J.: First order theory of complete Stonean algebras (Boolean-valued real and complex numbers). Canad. Math. Bull. 30(4), 385-392 (1987) · Zbl 0652.03034 · doi:10.4153/CMB-1987-057-7
- [32] Jech, T.J.: Boolean-linear spaces. Adv. Math. 81(2), 117-197 (1990) · Zbl 0726.06008 · doi:10.1016/0001-8708(90)90008-B
- [33] Jech, T.J.: Lectures in Set Theory with Particular Emphasis on the Method of Forcing. Springer, Berlin (1971). (Set Theory. Springer, Berlin (1997)) · Zbl 0236.02048 · doi:10.1007/BFb0061131
- [34] Kanovey, V.G., Lyubetskiĭ, V.A.: Problems of set theoretic nonstandard analysis. Uspekhi Mat. Nauk 62(1:373), 51-122 (2007)
- [35] Kantorovich, L.V.: On semiordered linear spaces and their applications to the theory of linear operations. Dokl. Akad. Nauk SSSR. 4(1-2), 11-14 (1935)
- [36] Kantorovich, L.V., Vulikh, B.Z., Pinsker A.G.: Functional Analysis in Semiordered Spaces. Moscow-Leningrad, Gostekhizdat (1950, in Russian)
- [37] Kaplansky, I.: Projections in Banach algebras. Ann. of Math. 53, 235-249 (1951) · Zbl 0042.12402 · doi:10.2307/1969540
- [38] Kaplansky, I.: Modules over operator algebras. Am. J. Math. 75(4), 839-858 (1953) · Zbl 0051.09101 · doi:10.2307/2372552
- [39] Kusraev, A.G.: Boolean valued analysis of duality between universally complete modules. Dokl. Akad. Nauk SSSR 267(5), 1049-1052 (1982)
- [40] Kusraev, A.G.: Order continuous functionals in Boolean valued models of set theory. Siberian Math. J. 25(1), 57-65 (1984) · Zbl 0573.03023 · doi:10.1007/BF00969509
- [41] Kusraev, A.G.: On Banach-Kantorovich spaces. Sibirsk. Mat. Zh. 26(2), 119-126 (1985)
- [42] Kusraev, A.G.: Linear operators in lattice-normed spaces. In: Studies on geometry in the large and mathematical analysis. Proceeding of the Sobolev Institute Mathematical, Novosibirsk, vol. 9, pp. 84-123 (1987, in Russian)
- [43] Kusraev, A.G.: Boolean valued analysis and JB-algebras. Sibirsk. Mat. Zh. 35(1), 124-134 (1994) · Zbl 0832.46045
- [44] Kusraev, A.G.: On the structure of type  $\langle I_2 \rangle$  AJW-algebras. Siberian Math. J. 40(4), 905-917 (1999) · Zbl 0936.46040 · doi:10.1007/BF02675675
- [45] Kusraev, A.G.: Dominated Operators. Kluwer, Dordrecht (2000) · Zbl 0983.47025 · doi:10.1007/978-94-015-9349-6
- [46] Kusraev, A.G.: On band preserving operators. Vladikavkaz Math. J. 6(3), 47-58 (2004) · Zbl 1094.47513
- [47] Kusraev, A.G.: Automorphisms and derivations in extended complex f-algebras. Siberian Math. J. 47(1), 97-107 (2006) · Zbl 1113.46043 · doi:10.1007/s11202-006-0010-0
- [48] Kusraev, A.G.: Boolean valued analysis of normed Jordan algebras. In: Kusraev, A.G., Tikhomirov, V.M. (eds.) Studies in Functional Analysis and Its Applications. Nauka, Moscow (2006)
- [49] Kusraev, A.G.: Boolean Valued Analysis Approach to Injective Banach Lattices, 28 p. Southern Mathematical Institute VSC RAS, Vladikavkaz (2011). Preprint no. 1
- [50] Kusraev, A.G.: Boolean valued analysis and injective Banach lattices. Dokl. Math., 85(3), 341-343 (2012) · Zbl 1259.46016 · doi:10.1134/S1064562412030118
- [51] Kusraev, A.G.: Kantorovich's principle in action:  $\langle AW^* \rangle$ -modules and injective Banach lattices. Vladikavkaz Math. J. 14(1), 67-74 (2012) · Zbl 1326.46018
- [52] Kusraev, A.G.: Classification of injective Banach lattices. Dokl. Math. 88(3), 1-4 (2013) · Zbl 1320.46017 · doi:10.1134/S1064562413060033
- [53] Kusraev, A.G.: Injective Banach lattices: A survey. Eurasian Math. J. 5(3), 58-79 (2014) · Zbl 1463.46036
- [54] Kusraev, A.G.: Boolean valued transfer principle for injective Banach lattices. Siberian Math. J. 25(1), 57-65 (2015) · Zbl 0573.03023 · doi:10.1007/BF00969509

- [55] Kusraev, A.G., Kutateladze, S.S.: Analysis of subdifferentials via Boolean-valued models. Dokl. Akad. Nauk SSSR 265(5), 1061-1064 (1982) · Zbl 0518.46006
- [56] Kusraev, A.G., Kutateladze, S.S.: Boolean Valued Analysis. Kluwer, Dordrecht (1999) · Zbl 0955.46046 · doi:10.1007/978-94-011-4443-8
- [57] Kusraev, A.G., Kutateladze, S.S.: Introduction to Boolean Valued Analysis. Nauka, Moscow (2005, in Russian) · Zbl 1087.03032
- [58] Kusraev, A.G., Kutateladze, S.S.: Boolean Valued Analysis: Selected Topics. In: Trends in Science: The South of Russia. A Mathematical Monographs, vol. 6. SMI VSC RAS, Vladikavkaz (2014) · Zbl 1407.46003
- [59] Kusraev, A.G., Kutateladze, S.S.: Geometric characterization of injective Banach lattices (2019). arXiv:1910.08299v1 [math.FA]
- [60] Kusraev, A.G., Kutateladze, S.S.: Two applications of Boolean valued analysis. Siberian Math. J. 60(5), 902-910 (2019) · Zbl 1446.46002 · doi:10.1134/S0037446619050124
- [61] Kusraev, A.G., Kutateladze, S.S.: Some applications of Boolean valued analysis. J. of Appl. Logics 7(4), 427-457 (2020)
- [62] Kusraev A.G., Malyugin S.A.: On atomic decomposition of vector measures. Sibirsk. Mat. Zh. 30(5), 101-110 (1989) · Zbl 0699.28004
- [63] Kutateladze, S.S.: Support sets of sublinear operators. Dokl. Akad. Nauk SSSR 230(5), 1029-1032 (1976)
- [64] Kutateladze, S.S.: Caps and faces of operator sets. Dokl. Akad. Nauk SSSR 280(2), 285-288 (1985)
- [65] Kutateladze, S.S.: Criteria for subdifferentials to depict caps and faces. Sibirsk. Mat. Zh. 27(3), 134-141 (1986) · Zbl 0612.46006
- [66] Kutateladze S.S.: On Grothendieck subspaces. Siberian Math. J. 46(3), 620-624 (2005) · Zbl 1224.46036 · doi:10.1007/s11202-005-0050-x
- [67] Kutateladze, S.S.: Mathematics and Economics in the Legacy of Leonid Kantorovich. Vladikavkaz Math. J. 14(1), 7-21 (2012) · Zbl 1326.01058
- [68] Lotz, H.P.: Extensions and liftings of positive linear mappings on Banach lattices. Trans. Am. Math. Soc. 211, 85-100 (1975) · Zbl 0351.47005 · doi:10.1090/S0002-9947-1975-0383141-7
- [69] Luxemburg, W.A.J., Schep, A.: A Radon-Nikodým type theorem for positive operators and a dual. Indag. Math. 40, 357-375 (1978) · Zbl 0389.47018 · doi:10.1016/S1385-7258(78)80026-2
- [70] Luxemburg, W.A.J., Zaanen, A.C.: Riesz Spaces, vol. 1. North Holland, Amsterdam (1971) · Zbl 0231.46014
- [71] Meyer-Nieberg, P.: Banach Lattices. Springer, Berlin (1991) · Zbl 0743.46015 · doi:10.1007/978-3-642-76724-1
- [72] Neumann, M.: On the Strassen disintegration theorem. Arch. Math. 29(4), 413-420 (1977) · Zbl 0368.28013 · doi:10.1007/BF01220429
- [73] Nishimura, H.: An approach to the dimension theory of continuous geometry from the standpoint of Boolean valued analysis. Publ. RIMS Kyoto Univ. 20, 1091-1101 (1984) · Zbl 0574.51012 · doi:10.2977/prims/1195180884
- [74] Nishimura, H.: Applications of Boolean valued set theory to abstract harmonic analysis on locally compact groups. Publ. RIMS, Kyoto Univ. 21, 181-190 (1985) · Zbl 0582.43005
- [75] Nishimura, H.: Boolean valued Dedekind domains. Publ. RIMS, Kyoto Univ. 37(1), 65-76 (1991) · Zbl 0732.03031
- [76] Nishimura, H.: Boolean valued Lie algebras. J. Symbolic Logic 56(2), 731-741 (1991) · Zbl 0742.17021 · doi:10.2307/2274714
- [77] Nishimura, H.: Boolean transfer principle from  $\langle (L^*) \rangle$ -algebras to  $A \langle (L^*) \rangle$ -algebras. Math. Logic Quarterly 39(1), 241-250 (1993) · Zbl 0805.03039 · doi:10.1002/malq.19930390128
- [78] Ozawa, M.: Boolean valued interpretation of Hilbert space theory. J. Math. Soc. Japan 35(4), 609-627 (1983) · Zbl 0526.46069 · doi:10.2969/jmsj/03540609
- [79] Ozawa, M.: Boolean valued analysis and type  $\langle (I AW^*) \rangle$ -algebras. Proc. Japan Acad. Ser. A Math. Sci. 59A(8), 368-371 (1983) · Zbl 0581.46047 · doi:10.3792/pjaa.59.368
- [80] Ozawa, M.: A classification of type  $\langle (I AW^*) \rangle$ -algebras and Boolean valued analysis. Proc. Japan Acad. Ser. A Math. Sci. 36(4), 589-608 (1984) · Zbl 0599.46083
- [81] Ozawa, M.: A transfer principle from von Neumann algebras to  $\langle (AW^*) \rangle$ -algebras. J. Lond. Math. Soc. 32(1), 141-148 (1985) · Zbl 0626.46052 · doi:10.1112/jlms/s2-32.1.141
- [82] Ozawa, M.: Boolean valued analysis approach to the trace problem of  $\langle (AW^*) \rangle$ -algebras. J. Lond. Math. Soc. 33(2), 347-354 (1986) · Zbl 0636.46054 · doi:10.1112/jlms/s2-33.2.347
- [83] Ozawa, M.: Embeddable  $\langle (AW^*) \rangle$ -algebras and regular completions. J. Lond. Math. Soc. 34(3), 511-523 (1986) · Zbl 0642.46050 · doi:10.1112/jlms/s2-34.3.511
- [84] Ozawa, M.: Boolean valued interpretation of Banach space theory and module structures of von Neumann algebras. Nagoya Math. J. 117, 1-36 (1990) · Zbl 0718.46032 · doi:10.1017/S0027763000001793
- [85] Schaefer, H.H.: Banach Lattices and Positive Operators. Springer, Berlin (1974) · Zbl 0296.47023 · doi:10.1007/978-3-642-65970-6
- [86] Schue, J.R.: Hilbert space methods in the theory of Lie algebras. Trans. Am. Math. Soc. 95, 69-80 (1960) · Zbl 0093.30601 · doi:10.1090/S0002-9947-1960-0117575-1
- [87] Scott, D.: Boolean Models and Nonstandard Analysis. In: Luxemburg, W.A.J. (ed.) Applications of Model Theory to Algebra, Analysis, and Probability, pp. 87-92. Holt, Rinehart, and Winston, New York (1969)
- [88] Sikorskii, M.R.: Boolean Valued Analysis of Operators on Multinormed Spaces and Its Applications, vol. VINITI, pp. 3286-83 (1983, in Russian)
- [89] Sikorskii, M.R.: Some applications of Boolean valued models of set theory to the study of operators on multiormed space.

- Izv. Vuzov Mat. 2, 82-84 (1989)
- [90] Solovay, R.: A model of set theory in which every set of reals is Lebesgue measurable. Annal. Math. 92(1), 1-56 (1970) · Zbl 0207.00905 · doi:10.2307/1970696
- [91] Solovay, R., Tennenbaum, S.: Iterated Cohen extensions and Souslin's problem. Ann. Math. 94(2), 201-245 (1972) · Zbl 0244.02023 · doi:10.2307/1970860
- [92] Takeuti, G.: Two Applications of Logic to Mathematics. Princeton University Press, Princeton (1978) · Zbl 0393.03027 · doi:10.1515/9781400871346
- [93] Takeuti, G.: Boolean valued analysis. In: Fournier, M.P., Mulvey, C.J., Scott, D.S. (eds.) Applications of Sheaves. Proceedings of Resarch Symposium Application Sheaf Theory to Logic, Algebra and Analysis University Durham, Durham, 1977. Lecture Notes in Mathematical, vol. 753, pp. 714-731. Springer, Berlin (1979)
- [94] Takeuti, G.: A transfer principle in harmonic analysis. J. Symbolic Logic 44(3), 417-440 (1979) · Zbl 0427.03047 · doi:10.2307/2273134
- [95] Takeuti, G.: Boolean completion and m-convergence. In: B. Banaschewski (ed.) Categorical Aspects of Topology and Analysis. Proceedings of International Conference Carleton University, Ottawa (1981). Lecture Notes in Mathematical, vol. 915, pp. 333-350. Springer, Berlin (1982)
- [96] Takeuti, G.: Von Neumann algebras and Boolean valued analysis. J. Math. Soc. Japan 35(1), 1-21 (1983) · Zbl 0488.46052 · doi:10.2969/jmsj/03510001
- [97] Takeuti, G.:  $\backslash(C^*\backslash)$ -algebras and Boolean valued analysis. Jpn. J. Math. 9(2), 207-246 (1983) · Zbl 0538.46060 · doi:10.4099/math1924.9.207
- [98] Takeuti, G.: Boolean Simple Groups and Boolean Simple Rings. J. Symbol. Logic 53(1), 160-173 (1988) · Zbl 0653.03034 · doi:10.1017/S0022481200029005
- [99] Takeuti, G., Zaring, W.M.: Axiomatic set Theory. Springer, New York (1973) · Zbl 0261.02038 · doi:10.1007/978-1-4684-8751-0
- [100] Topping, D.M.: Jordan algebras of self-adjoint operators. Mem. Am. Math. Soc 53, 1-48 (1965) · Zbl 0137.10203
- [101] Vladimirov, D.A.; Boolean Algebras. Nauka, Moscow (1969, Russian)
- [102] von Neumann, J.: Continuous Geometry. Princeton University Press, Princeton (1960) · Zbl 0171.28003
- [103] Vopěnka, P.: General theory of  $\boxtimes$ -models. Comment. Math. Univ. Carolin 8(1), 147-170 (1967) · Zbl 0162.01701
- [104] Vulikh, B.Z.: Introduction to the Theory of Partially Ordered Spaces. Wolters-Noordhoff Publications, Groningen (1967) · Zbl 0186.44601
- [105] Wickstead, A.W.: Representation and duality of multiplication operators on Archimedean Riesz spaces. Comp. Math. 35(3), 225-238 (1977) · Zbl 0381.47021

This reference list is based on information provided by the publisher or from digital mathematics libraries. Its items are heuristically matched to zbMATH identifiers and may contain data conversion errors. It attempts to reflect the references listed in the original paper as accurately as possible without claiming the completeness or perfect precision of the matching.