

参考文献

- 1) Castro, J. R., Saunders, W. M., Austin-Seymour, M. M., Woodruff, K. H., Gauger, G., Chen, G. T., Collier, J. M., Phillips, T. L., and Zink, S. R. A phase I-II trial of heavy charged particle irradiation of malignant glioma of the brain: a Northern California Oncology Group Study, *Int J Radiat Oncol Biol Phys.* *11*: 1795-800, 1985.
- 2) Castro, J. R., Phillips, T. L., Prados, M., Gutin, P., Larson, D. A., Petti, P. L., Daftari, I. K., Collier, J. M., and Lillis-Hearne, P. Neon heavy charged particle radiotherapy of glioblastoma of the brain, *Int J Radiat Oncol Biol Phys.* *38*: 257-61, 1997.
- 3) Haas-Kogan, D. A., Yount, G., Haas, M., Levi, D., Kogan, S. S., Hu, L., Vidair, C., Deen, D. F., Dewey, W. C., and Israel, M. A. p53-dependent G1 arrest and p53-independent apoptosis influence the radiobiologic response of glioblastoma, *Int J Radiat Oncol Biol Phys.* *36*: 95-103, 1996.
- 4) Haas-Kogan, D. A., Kogan, S. S., Yount, G., Hsu, J., Haas, M., Deen, D. F., and Israel, M. A. p53 function influences the effect of fractionated radiotherapy on glioblastoma tumors, *Int J Radiat Oncol Biol Phys.* *43*: 399-403, 1999.
- 5) Kanai, T., Furusawa, Y, Fukutsu, K, Itsukaichi, H, Eguchi-Kasai, K, Ohta, H Irradiation of mixed beam and design of spread-out Bragg peak for heavy-ion radiotherapy, *Radiat Res.* *147*: 78-85, 1997.
- 6) Levine, A. J. p53, the cellular gatekeeper for growth and division, *Cell.* *88*: 323-31, 1997.
- 7) Lowe, S. W., Schmitt, E. M., Smith, S. W., Osborne, B. A., and Jacks, T. p53 is required for radiation-induced apoptosis in mouse thymocytes [see comments], *Nature.* *362*: 847-9, 1993.

- 8) Lucke - Huhle, C., Hieber, L and Beck-Bornhold H: Cell cycle dependent G2 delay and killing of L929 cells after exposure to ²⁴¹Am alpha particles. *Radiat Res* 100:576-584, 1984
- 9) Matsutani, M. and Nakamura, O. Advances of surgery and radiation therapy of glioblastoma and metastatic tumor, *Gan To Kagaku Ryoho*. 18: 174-9, 1991.
- 10) 大山ハルミ、山田武 形態学的方法によるアポトーシスの観察と細胞死判定, *Molecular Medicine* 34: 1042-1050, 1997 (a)
- 11) Pellegata, N.S., Antoniono, .R.J, Redpath, J.L., et al: DNA damage and p53-mediated cell cycle arrest: a reevaluation. *PNAS* 93:15209-15214, 1996
- 12) Philips, H. I. : Dye exclusion tests for cell viability. (In *Tissue Culture, Method and Applications*. Eds. PF Kruse and MK Patterson), pp, 407-408, Academic Press, New York, 1973
- 13) Shapiro, W. R., Green, S. B., Burger, P. C., Mahaley, M. S., Jr., Selker, R. G., VanGilder, J. C., Robertson, J. T., Ransohoff, J., Mealey, J., Jr., Strike, T. A., and et al. Randomized trial of three chemotherapy regimens and two radiotherapy regimens and two radiotherapy regimens in postoperative treatment of malignant glioma. Brain Tumor Cooperative Group Trial 8001, *J Neurosurg*. 71: 1-9, 1989
- 14) Stapper, N. J., Stuschke, M., Sak, A., and Stuben, G. Radiation-induced apoptosis in human sarcoma and glioma cell lines, *Int J Cancer*. 62: 58-62, 1995.
- 15) Strasser, A., Harris, A. W., Jacks, T., and Cory, S. DNA damage can induce apoptosis in proliferating lymphoid cells via p53- independent mechanisms inhibitable by Bcl-2 [see comments], *Cell*. 79: 329-39, 1994.
- 16) Tada, M., Matsumoto, R., Iggo, R. D., Onimaru, R., Shirato, H., Sawamura, Y.,

- and Shinohe, Y. Selective sensitivity to radiation of cerebral glioblastomas harboring p53 mutations, *Cancer Res.* 58: 1793-7, 1998.
- 17) Takahashi, T., Mitsuhashi, N., Furuta, M., Hasegawa, M., Ohno, T., Saito, Y., Sakurai, H., Nakano, T., and Niibe, H. Apoptosis induced by heavy ion (carbon) irradiation of two human tumours with different radiosensitivities in vivo: relative biological effectiveness (RBE) of carbon beam, *Anticancer Res.* 18: 253-6, 1998.
- 18) Tobias, C. A., Blakely, E. A., Alpen, E. L., Castro, J. R., Ainsworth, E. J., Curtis, S. B., Ngo, F. Q., Rodriguez, A., Roots, R. J., Tenforde, T., and Yang, T. C. Molecular and cellular radiobiology of heavy ions, *Int J Radiat Oncol Biol Phys.* 8: 2109-20, 1982.
- 19) Tsuboi, K., Yang, T. C., and Chen, D. J. Charged-particle mutagenesis. I. Cytotoxic and mutagenic effects of high-LET charged iron particles on human skin fibroblasts, *Radiat Res.* 129: 171-6, 1992.
- 20) Tsuboi, K., Yoshii, Y, Nose, T Establishment of human glioblastoma cell line "TK-1", *Hum Cell.* 9: 125-128, 1996.
- 21) Tsuboi, K., Tsuchida, Y., Nose, T., and Ando, K. Cytotoxic effect of accelerated carbon beams on glioblastoma cell lines with p53 mutation: clonogenic survival and cell-cycle analysis, *Int J Radiat Biol.* 74: 71-9, 1998.
- 22) Yamada, T. and Ohyama, H. Radiation-induced interphase death of rat thymocytes is internally programmed (apoptosis), *Int J Radiat Biol Relat Stud Phys Chem Med.* 53: 65-75, 1988.