



Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector



The ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 25 July 2016

Received in revised form 9 August 2016

Accepted 9 August 2016

Available online 16 August 2016

Editor: W.-D. Schlatter

ABSTRACT

A measurement of the total pp cross section at the LHC at $\sqrt{s} = 8$ TeV is presented. An integrated luminosity of $500 \mu\text{b}^{-1}$ was accumulated in a special run with high- β^* beam optics to measure the differential elastic cross section as a function of the Mandelstam momentum transfer variable t . The measurement is performed with the ALFA sub-detector of ATLAS. Using a fit to the differential elastic cross section in the $-t$ range from 0.014 GeV^2 to 0.1 GeV^2 to extrapolate $t \rightarrow 0$, the total cross section, $\sigma_{\text{tot}}(pp \rightarrow X)$, is measured via the optical theorem to be

$$\sigma_{\text{tot}}(pp \rightarrow X) = 96.07 \pm 0.18 \text{ (stat.)} \pm 0.85 \text{ (exp.)} \pm 0.31 \text{ (extr.) mb,}$$

where the first error is statistical, the second accounts for all experimental systematic uncertainties and the last is related to uncertainties in the extrapolation $t \rightarrow 0$. In addition, the slope of the exponential function describing the elastic cross section at small t is determined to be $B = 19.74 \pm 0.05 \text{ (stat.)} \pm 0.23 \text{ (syst.) GeV}^{-2}$.

© 2016 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The total cross section for proton–proton (pp) interactions characterizes a fundamental process of the strong interaction. Its energy evolution has been studied at each new range of centre-of-mass energies available. ATLAS has previously reported a measurement of the total cross section in pp collisions at $\sqrt{s} = 7$ TeV [1]. This paper details a measurement of the total cross section at $\sqrt{s} = 8$ TeV using data collected in 2012. The measurement methodology and analysis technique are very similar between the two measurements and the technical details are discussed thoroughly in Ref. [1].

Both measurements rely on the optical theorem:

$$\sigma_{\text{tot}} = 4\pi \text{Im}[f_{\text{el}}(t \rightarrow 0)] \quad (1)$$

which relates the total pp cross section σ_{tot} to the elastic-scattering amplitude extrapolated to the forward direction $f_{\text{el}}(t \rightarrow 0)$, with t being the four-momentum transfer squared. The total cross section can be extracted in different ways using the optical theorem. ATLAS uses the *luminosity-dependent* method which requires a measurement of the luminosity in order to normalize the elastic cross section. Here the measurement benefits from the high-precision luminosity measurement that ATLAS provides. With this method, σ_{tot} is given by the formula:

$$\sigma_{\text{tot}}^2 = \frac{16\pi(\hbar c)^2}{1 + \rho^2} \left. \frac{d\sigma_{\text{el}}}{dt} \right|_{t \rightarrow 0}, \quad (2)$$

where ρ represents a small correction arising from the ratio of the real to the imaginary part of the elastic-scattering amplitude in the forward direction and is taken from global model extrapolations [2].

The first measurement of σ_{tot} at the LHC at 8 TeV was performed by the TOTEM Collaboration [3] using a *luminosity-independent* method and using data from the same LHC fill as ATLAS. At 7 TeV measurements of σ_{tot} were provided by TOTEM [4–6] and ATLAS [1]. In a recent publication a measurement in the Coulomb–nuclear interference region at very small t was also reported by TOTEM [7]. The inelastic cross section σ_{inel} can either be derived from the total and elastic cross section measurements as in Refs. [3–6,1] at 7 and 8 TeV, or be determined directly from the measurement of the inelastic rate without exploiting the optical theorem. These measurements of σ_{inel} were performed at 7 TeV by all LHC Collaborations [8–12] and recently also at 13 TeV by ATLAS [13].

2. Experimental setup

The ATLAS detector is described in detail elsewhere [14]. The elastic-scattering data were recorded with the ALFA sub-detector (Absolute Luminosity For ATLAS) [1]. It consists of Roman Pot (RP) tracking-detector stations placed at distances of 237 m (inner sta-

* E-mail address: atlas.publications@cern.ch.

tion) and 241 m (outer station) on either side of the ATLAS interaction point (IP). Each station houses two vertically moveable scintillating fibre detectors which are inserted in RPs and positioned close to the beam for data taking. Each detector consists of 10 modules of scintillating fibres with 64 fibres on both the front and back sides of a titanium support plate. The fibres are arranged orthogonally in a u - v -geometry at $\pm 45^\circ$ with respect to the y -axis.¹ The spatial resolution of the detectors is about 35 μm . Elastic scattering events are recorded in two independent arms of the spectrometer. Arm 1 consists of two upper detectors at the left side and two lower detectors at the right side, and arm 2 consists inversely of two lower detectors at the left and two upper detectors at the right side. Events with reconstructed tracks in all four detectors of an arm are referred to as “golden” events [1]. The detectors are supplemented with trigger counters consisting of plain scintillator tiles. The detector geometry is illustrated in Fig. 1 of Ref. [1]. All scintillation signals are detected by photomultipliers coupled to a compact assembly of front-end electronics including the MAROC chip [15,16] for signal amplification and discrimination. The entire experimental setup is depicted in Fig. 2 of Ref. [1].

3. Experimental method

3.1. Measurement principle

The data were recorded in a single run of the LHC with special beam optics [17,18] of $\beta^* = 90$ m.² The same optics were used at 7 TeV [1] and result in a small beam divergence with parallel-to-point focusing in the vertical plane. The four-momentum transfer t is calculated from the scattering angle θ^* and the beam momentum p by:

$$-t = (\theta^* \times p)^2 , \quad (3)$$

where for the nominal beam momentum $p = 3988 \pm 26$ GeV is assumed [19] and the scattering angle is calculated from the proton trajectories and beam optics parameters. The relevant beam optics parameters are incorporated in transport matrix elements which describe the particle trajectory from the interaction point through the magnetic lattice of the LHC to the RPs. Several methods were developed for the reconstruction of the scattering angle, as detailed in Ref. [1]. The *subtraction method* has the best resolution and is selected as the nominal method. It uses only the track positions ($w = \{x, y\}$) and the matrix element $M_{12} = \sqrt{\beta} \times \beta^* \sin \psi$, where ψ refers to the phase advance of the betatron function at the RP:

$$\theta_w^* = \frac{w_A - w_C}{M_{12,A} + M_{12,C}} . \quad (4)$$

Here A refers to the left side of the IP at positive z and C refers to the right side at negative z . Three alternative methods are defined in detail in Ref. [1]. The *local angle method* uses only the M_{22} matrix element and the track angle between the inner and outer detectors. The *local subtraction method* uses a combination of M_{11} and M_{12} matrix elements and both the local angle and track position. The *lattice method* also uses both track parameters and reconstructs the scattering angle by an inversion of the transport matrix. The alternative methods are used to impose constraints on the beam optics and to cross-check the subtraction method.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal IP in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring and the y -axis points upwards.

² The β -function determines the variation of the beam envelope around the ring and depends on the focusing properties of the magnetic lattice; its value at the IP is denoted by β^* .

3.2. Data taking

The low-luminosity, high β^* run had 108 colliding bunches with about 7×10^{10} protons per bunch, but only 3 well-separated bunches of low emittance were selected for triggering. Precise positioning of the RPs is achieved with a beam-based alignment procedure which determines the position of the RPs with respect to the proton beams by monitoring the rate of the LHC beam-loss monitors during the RP insertion. The data were collected with the RPs at a distance of approximately 7.5 mm from the beam centre, corresponding to 9.5 times the vertical beam width. The beam centre and width monitored by LHC beam position monitors and the ATLAS beam-spot measurement [20] were found to be stable to within 10 μm during the run. The beam emittance was derived from the width of the luminous region in conjunction with the beam optics. It was supplemented by direct measurement from ALFA in the vertical plane. The luminosity-weighted average of the emittance in the vertical plane was determined to be 1.6 μm for both beams and between 1.8 μm and 2.5 μm for beam 1 and beam 2 respectively in the horizontal plane. The emittance uncertainty is about 10%.

To trigger on elastic-scattering events a coincidence was required between the A- and C-sides, where on each side at least one trigger signal in a detector of the corresponding arm was required. The trigger efficiency was determined from a data stream recorded with looser conditions to be 99.9% with negligible uncertainty. The dead-time fraction of the data acquisition system (DAQ) for the selected period was 0.4%.

3.3. Track reconstruction and alignment

A well-reconstructed elastic-scattering event consists of local tracks from the proton trajectory in all four ALFA stations. The reconstruction method assumes that the protons pass through the fibre detector perpendicularly. The average multiplicity per detector is about 23 hits, where typically 18–19 are attributed to the proton trajectory while the remaining 4–5 hits are due to beam-related background, cross-talk and electronic noise. Tracks are reconstructed in several steps from the overlap area of the hit fibres and several selections are applied [1] in order to reject events with hadronic shower developments.

The precise detector positions with respect to the circulating beams are crucial inputs for the reconstruction of the proton kinematics. First, the distance between the upper and the lower detectors is determined by the use of dedicated ALFA overlap detectors which allow simultaneous measurements of the same particle in the upper and lower half of a station. Then, the detector positions are directly determined from the elastic-scattering data, using the fact that the high- β^* optics and the azimuthal symmetry of the scattering angle result in elastic hit patterns that have an ellipsoidal shape elongated in the vertical direction. Three alignment parameters are determined for each detector: the horizontal and vertical offsets and the rotation angle around the beam axis. For the horizontal offset the centre of the x -distribution is taken and the rotation is obtained from a linear fit to a profile histogram of the x - y correlation. The vertical offset is obtained from a comparison of the yields in the upper and lower detectors using the sliding window technique [1]. The above procedures provide an independent alignment of each ALFA station. The vertical alignment parameters are in addition fine-tuned, exploiting the strong correlations between positions of tracks measured by different detectors in elastic events. First, the positions measured in one detector are extrapolated to the other detectors in the same arm using the ratio of the appropriate M_{12} matrix elements. Then, the extrapolated positions are compared to the corresponding measurements – the




Fig. 1. (a) The correlation between the horizontal coordinates on the A- and C-sides. Elastic-scattering candidates after data quality, trigger and bunch selection but before acceptance and background rejection cuts are shown. Identified elastic events are required to lie inside the ellipse. (b) The distribution dN/dt , before corrections, as a function of t in arm 1 compared to the background spectrum determined using anti-golden events. The results of a simulation of the DPE background is also shown for comparison.

average distance gives information about residual misalignments. The residuals obtained for all pairs of detectors are combined with the vertical offset and distance measurements in a global χ^2 fit, resulting in the final alignment parameters.

4. Model for elastic scattering simulation

Several parameterizations are available [21–31] for the differential elastic pp cross section. A conventional approach is adopted here by taking the following simplified formulae:

$$\frac{d\sigma}{dt} = \frac{1}{16\pi} \left| f_N(t) + f_C(t)e^{i\alpha\phi(t)} \right|^2, \quad (5)$$

$$f_C(t) = -8\pi\alpha\hbar c \frac{G^2(t)}{|t|}, \quad (6)$$

$$f_N(t) = (\rho + i) \frac{\sigma_{\text{tot}}}{\hbar c} e^{-B|t|/2}, \quad (7)$$

where G is the electric form factor of the proton, B the nuclear slope, f_C the Coulomb amplitude and f_N the nuclear amplitude with ϕ their relative phase shift. The value of $\rho = \text{Re}(f_{el})/\text{Im}(f_{el}) = 0.1362 \pm 0.0034$ is taken from a global fit to lower-energy data [2] and parameterizations for G and ϕ are given in Ref. [1]. This expression is used to fit the data and extract σ_{tot} and B .

Monte Carlo simulation of elastic-scattering events is performed with PYTHIA8 [32,33] version 8.186 with a t -spectrum generated according to Eq. (5). The simulation is used to calculate acceptance and unfolding corrections. In the simulation the angular divergence of beams at the IP and the spread of the production vertex are set to the measured values. Elastically scattered protons are transported from the interaction point to the RPs nominally by means of the transport matrix. For studies of systematic uncertainties this was also done by the tracking module of the MadX [34] beam optics calculation program. A fast parameterization of the detector response is used in the simulation and tuned to reproduce the measured difference in position between the outer detectors and their position as extrapolated from the inner detectors.

5. Data analysis

5.1. Event selection

Events are required to pass the trigger conditions for elastic-scattering events and have a reconstructed track in all four detectors of an arm in the golden topology. The fiducial volume is

defined by cuts on the vertical coordinate of the reconstructed track, which is required to be at least 90 μm from the detector edge near the beam and at least 1 mm away from the shadow of the beam screen, in each of the four detectors.³ The values of cuts are chosen to obtain good agreement between data and simulation in the position distributions. The back-to-back topology of elastic events is further exploited to clean the sample by imposing cuts on the left-right acoplanarity. The difference between the absolute value of the vertical coordinate at the A- and C-side is requested to be below 3 mm. For the horizontal coordinate the correlation of the A- and C-sides is used. Events are selected inside an ellipse with half-axis values of 3.5σ of the resolution determined by simulation, as illustrated in Fig. 1(a). Elastic events are concentrated inside a narrow ellipse with negative slope, whereas the beam-halo background appears in broad uncorrelated bands. The most efficient selection against background is obtained from the correlation between the position in the horizontal plane and the local angle between two stations, where events on either side are again required to be inside an ellipse of 3.5σ width. From an initial sample of 4.2 million elastic candidates, 3.8 million golden elastic events were selected after all cuts. The t -spectrum, before corrections, for selected elastic events in one arm is shown in Fig. 1(b).

5.2. Background estimate

A small fraction of the events inside the selected elliptical area shown in Fig. 1(a) are expected to be background, predominantly originating from double-Pomeron exchange (DPE) according to simulations based on the MBR model [35]. The background is estimated with a data-driven method [1] using events in the “anti-golden” topology with two tracks in both upper or both lower detectors at the A- and C-sides. This sample is free of signal and yields an estimate of background in the elastic sample with the golden topology. The shape of the t -spectrum for background events is obtained by flipping the sign of the vertical coordinate on either side. The resulting background distribution is shown in Fig. 1(b). In total 4400 background events are estimated to be in the selected sample, corresponding to a fraction of 0.12% of the selected events. The systematic uncertainty is about 50%, as derived in Ref. [1] from a comparison of different methods.

³ The beam screen is a protection element of the quadrupoles, which limits the acceptance of the detector at large $|y|$.

5.3. Reconstruction efficiency

The rate of elastic-scattering events is corrected for reconstruction inefficiencies. These events may not be reconstructed when protons or halo particles interact with the stations or detectors, causing a shower to develop and resulting in high fibre hit multiplicities. This correction is called the event reconstruction efficiency and is given by

$$\varepsilon_{\text{rec}} = \frac{N_{\text{reco}}}{N_{\text{reco}} + N_{\text{fail}}}, \quad (8)$$

for each arm where N_{reco} is the number of reconstructed events and N_{fail} the number of events for which the reconstruction failed because a shower developed. The sample of failed events is split into different categories depending on the number of detectors with reconstruction failures, because the event background is different for each category. The fraction of elastic events in the subsample where one out of four detectors failed to reconstruct a track is above 99%, whereas this fraction is 95% for the subsample where two detectors failed to reconstruct a track on one side. The event yields in the different categories are calculated with a data-driven method, for which the details are given in Ref. [1]. The background fraction in the case with only two detectors with reconstructed tracks is estimated with background templates of the x distribution, obtained from data by selecting single diffractive events. In the case of a successful track reconstruction in three detectors, where a good t -measurement is still possible, the partial reconstruction efficiency was verified to be independent of t , which is then also assumed for the other categories. Events falling outside the acceptance, but faking a signal through shower development, were eliminated from the reconstruction efficiency calculation by applying another template analysis using the y distribution obtained from golden elastic events.

The event reconstruction efficiencies in arm 1 and arm 2 are determined to be $\varepsilon_{\text{rec},1} = 0.9050 \pm 0.0003$ (stat.) ± 0.0034 (syst.) and $\varepsilon_{\text{rec},2} = 0.8883 \pm 0.0003$ (stat.) ± 0.0045 (syst.), respectively. The lower reconstruction efficiency in arm 2 originates from a different amount of material which induces a higher probability of shower development. The systematic uncertainty is estimated by a variation of the selection criteria and templates, as described in Ref. [1].

5.4. Beam optics

The precision of the t -reconstruction depends on knowledge of the transport matrix elements. A data-driven method was developed [1] to tune the relevant matrix elements using constraints on the beam optics derived from measured correlations in the ALFA data. These constraints are incorporated in a fit of the strength of the inner triplet quadrupole magnets Q1 and Q3, which yields an effective beam optics used in the simulation. The values of the constraints are compatible with those published in Ref. [1] within 15% and the resulting magnet strength offsets are in good agreement with the values found at 7 TeV.

5.5. Acceptance and unfolding

The acceptance is defined as the ratio of events passing all geometrical and fiducial acceptance cuts to all generated events, and is calculated as a function of t . The form of the acceptance curve as shown in Fig. 2 results from the different contributions of the vertical and horizontal scattering angles to the value of t and the impact of the fiducial volume cuts on these contributions. In particular, the position of the peak depends on the cut at large $|y|$ at the beam screen, which is slightly different for the two arms. The




Fig. 2. The acceptance as a function of the true value of t for each arm with total uncertainties shown as error bars. The lower panels show relative total and statistical uncertainties.

rise of the acceptance at small t is different in the two arms because of different detector distances, between 8 and 8.4 mm, to the beam.

The measured t -spectrum is affected by detector resolution and beam divergence effects, which are corrected with an unfolding procedure. The t -resolution of the subtraction method is about 10% at small t and 3% at large t . The alternative methods have a t -resolution which is a factor of 2–3 worse [1]. The background-subtracted distributions in each arm are corrected for migration effects using an iterative, dynamically stabilized, unfolding method [36], which is based on a simulated transition matrix describing the resolution-induced migration between bins of the t -spectrum. The corrections induced by the unfolding are small (<2%) for the subtraction method except at small t where they rise to 30%. For the other methods the corrections are generally t -dependent and increase to 50% at large t .

5.6. Luminosity

The ATLAS luminosity measurement at high luminosity ($L > 10^{33}$ cm $^{-2}$ s $^{-1}$) is described in detail in Ref. [37]. Unlike that measurement, the run in this analysis had an instantaneous luminosity $L \sim 0.05 \cdot 10^{30}$ cm $^{-2}$ s $^{-1}$, about five orders of magnitude lower. Only three bunches were present in this run, whereas more than a thousand bunches are common at high luminosity. The average number of interactions per bunch-crossing (pile-up) in this sample is $\mu \sim 0.1$, which is also low compared to the values of $\mu = 10$ –40 reached routinely in normal conditions. At such low values of the luminosity, some of the standard algorithms are unusable due to lack of sensitivity. On the other hand, an additional method based on vertex counting in the inner detector (ID) can be exploited, which is most effective at low pile-up. Another consequence of the low luminosity is the relative importance of the background sources: the beam-gas contribution, normally negligible, can become comparable with the collision rate, while the “afterglow”

background (see Ref. [37]) becomes conversely less important, due to the small number of colliding bunches.

In 2012, the beam conditions monitor (BCM) was used as the baseline detector for luminosity measurements. It consists of diamond-sensor detectors placed on both sides of the IP. It measures the luminosity using an event-counting method based on the requirement of having activity in either side (BCM_EventOR). LUCID (LUminosity measurement with a Cherenkov Integrating Detector) is also located on both sides of the IP and uses the same algorithm to measure the luminosity (LUCID_EventOR). A third method for measuring the per-bunch luminosity is provided by the ID. Tracks are reconstructed requiring at least nine hits and no missing hits along the track trajectory, and a transverse momentum $p_T > 900$ MeV. Then, at least five selected tracks are required to form a primary vertex (VTX5). The number of primary vertices per event is proportional to the luminosity and provides an independent method with respect to LUCID and BCM.

The absolute luminosity scale of each algorithm was calibrated by the van der Meer (vdM) method [38] at an intermediate luminosity regime ($L \sim 10^{30} \text{ cm}^{-2} \text{ s}^{-1}$). The treatment of both afterglow and beam-gas background is described in detail in Ref. [37]. The first is evaluated by measuring the detector activity in unfilled bunches preceding the colliding bunches, while the second is estimated from the so-called unpaired bunches, in which bunches in only one of the two beams are filled and no beam-beam collisions occur. In the high- β^* run and for BCM_EventOR, the afterglow background is evaluated to be 0.05% and the beam-gas contribution is 0.4%.

BCM_EventOR was chosen as the baseline algorithm for the luminosity determination, whereas the LUCID_EventOR and VTX5 methods are only used for the evaluation of systematic uncertainties. It proved to be the most stable, both by comparing the various vdM calibration sessions performed during the year and by studying its long-term behaviour at high luminosity. This choice also ensures maximum compatibility with the high-luminosity case. By comparing the LUCID_EventOR and VTX5 results with BCM_EventOR, a maximum difference of 0.3% is found. No change of this difference with time, or equivalently μ , is observed.

The following contributions to the systematic uncertainty of the luminosity determination are considered:

- The absolute luminosity scale, common to all algorithms, is determined by the vdM method. Its uncertainty of 1.2% is dominated by the beam conditions. This uncertainty is fully correlated between low- and high-luminosity data sets [37].
- The BCM calibration stability between the high- β^* run and the vdM session is estimated to be 0.8% by comparing with the VTX5 method among the various vdM scans.
- The afterglow background uncertainty is conservatively taken as 100% of the afterglow level itself, which leads to an uncertainty of 0.05% in the luminosity.
- The beam-gas background uncertainty is obtained using LUCID by comparing the difference in the off-time activity (i.e. produced by beam-gas interactions and not by collisions at the IP) between the colliding and the unpaired bunches. It is estimated to be 0.3%.

The total systematic uncertainty is therefore 1.5%. The final integrated luminosity is measured to be $L_{\text{int}} = 496.3 \pm 0.3 \text{ (stat.)} \pm 7.3 \text{ (syst.) } \mu\text{b}^{-1}$.

6. Results

6.1. Elastic cross section

The differential elastic cross section in a given bin t_i is calculated from the following formula:

$$\frac{d\sigma_{\text{el}}}{dt_i} = \frac{1}{\Delta t_i} \times \frac{\mathcal{M}^{-1}[N_i - B_i]}{A_i \times \epsilon^{\text{reco}} \times \epsilon^{\text{trig}} \times \epsilon^{\text{DAQ}} \times L_{\text{int}}} , \quad (9)$$

where Δt_i is the width of the bins in t , \mathcal{M}^{-1} symbolizes the unfolding procedure applied to the background-subtracted number of events $N_i - B_i$, A_i is the acceptance, ϵ^{reco} is the event reconstruction efficiency, ϵ^{trig} is the trigger efficiency, ϵ^{DAQ} is the dead-time correction and L_{int} is the integrated luminosity. The binning in t is chosen to yield a purity above 50%, which corresponds to 1.5 times the resolution at small t . It is enlarged at large t in order to account for the lower number of events. The numerical values for the resulting differential elastic cross section are given in Table 1.

The experimental systematic uncertainties are derived according to the methods detailed in Ref. [1] as follows:

- The value of the beam momentum used in the t -reconstruction (Eq. (3)) and in the simulation is varied by 0.65%, as recommended in Ref. [19].
- The uncertainty in the luminosity of 1.5% is applied to the cross-section normalization.
- The event reconstruction efficiency is varied by its uncertainty of about 0.5% and the uncertainty in the tracking efficiency is estimated by varying the reconstruction criteria.
- The uncertainties originating from the effective beam optics are calculated from variations of the optics constraints, of the strength of the quadrupoles not adjusted in the fit, and of the quadrupole alignment constants. Additional uncertainties are related to the error of the optics fit, to the beam transport scheme used in the simulation, and to the impact from a residual beam crossing angle assumed to vary within its uncertainty of $\pm 10 \mu\text{rad}$.
- The uncertainties from the alignment of the ALFA detectors are evaluated by varying the correction constants for horizontal and vertical offsets as well as the rotation within their uncertainties as determined from variations of the alignment procedures, and by taking the difference between different optimization configurations for the vertical alignment parameters.
- The background normalization uncertainty of 50% is applied in the background subtraction and the background shape is varied by inverting the sign of different detector combinations.
- The detector resolution values in the fast simulation are replaced by estimates from GEANT4 [39,40] and test-beam measurements, and a y -dependent resolution is used instead of a constant value.
- The value of the nuclear slope in the simulation is varied around the nominal value of 19.7 GeV^{-2} by $\pm 1 \text{ GeV}^{-2}$, corresponding to about five times the uncertainty of the measured B value.
- The beam emittance value in the simulation is varied by its uncertainty of about 7%. Additionally, the ratio of the emittance in beam 1 to the emittance in beam 2, which are measured by wire scans after injection only, is set to unity.
- The intrinsic unfolding uncertainty is estimated from a data-driven closure test.

The main sources of systematic uncertainty are the beam momentum uncertainty and the luminosity uncertainty. For each system-

Table 1

The measured values of the differential elastic cross section with statistical and systematic uncertainties. The central t -values in each bin are calculated from simulation, in which a slope parameter of $B = 19.7 \text{ GeV}^{-2}$ is used.

Low $ t $ edge [GeV 2]	High $ t $ edge [GeV 2]	Central $ t $ [GeV 2]	$d\sigma_{\text{el}}/dt$ [mb/GeV 2]	Stat. uncert. [mb/GeV 2]	Syst. uncert. [mb/GeV 2]	Total uncert. [mb/GeV 2]
0.0090	0.0120	0.0105	387	29	14	32
0.0120	0.0140	0.0130	370	5.6	12	13
0.0140	0.0175	0.0157	352.3	1.4	8.7	8.9
0.0175	0.0210	0.0192	329.8	0.8	6.5	6.5
0.0210	0.0245	0.0227	306.9	0.6	5.7	5.8
0.0245	0.0285	0.0265	284.6	0.5	5.0	5.1
0.0285	0.0330	0.0307	261.7	0.4	4.6	4.6
0.0330	0.0375	0.0352	239.3	0.4	4.1	4.1
0.0375	0.0425	0.0400	218.0	0.4	3.6	3.6
0.0425	0.0475	0.0450	197.3	0.3	3.3	3.3
0.0475	0.0530	0.0502	178.0	0.3	3.0	3.0
0.0530	0.0590	0.0559	158.8	0.2	2.7	2.7
0.0590	0.0650	0.0619	141.1	0.2	2.4	2.4
0.0650	0.0710	0.0679	126.0	0.2	2.2	2.2
0.0710	0.0780	0.0744	111.1	0.2	2.0	2.0
0.0780	0.0850	0.0814	96.8	0.2	2.0	2.0
0.0850	0.0920	0.0884	84.7	0.2	1.7	1.7
0.0920	0.1000	0.0959	72.9	0.2	1.6	1.6
0.1000	0.1075	0.1037	62.7	0.2	1.5	1.5
0.1075	0.1150	0.1112	54.1	0.2	1.3	1.4
0.1150	0.1240	0.1194	46.11	0.14	1.13	1.13
0.1240	0.1330	0.1284	38.76	0.14	1.0	1.01
0.1330	0.1420	0.1374	32.60	0.12	0.92	0.93
0.1420	0.1520	0.1468	27.10	0.11	0.82	0.83
0.1520	0.1620	0.1568	22.48	0.11	0.74	0.74
0.1620	0.1720	0.1668	18.48	0.10	0.68	0.68
0.1720	0.1820	0.1768	15.25	0.09	0.67	0.68
0.1820	0.1930	0.1873	12.36	0.08	0.57	0.58
0.1930	0.2030	0.1978	10.08	0.08	0.48	0.48
0.2030	0.2140	0.2083	8.20	0.07	0.43	0.43
0.2140	0.2250	0.2193	6.58	0.06	0.33	0.33
0.2250	0.2360	0.2303	5.34	0.06	0.27	0.28
0.2360	0.2490	0.2422	4.28	0.05	0.24	0.24
0.2490	0.2620	0.2552	3.30	0.05	0.22	0.23
0.2620	0.2770	0.2691	2.47	0.04	0.18	0.18
0.2770	0.3000	0.2877	1.69	0.03	0.14	0.14
0.3000	0.3200	0.3094	1.06	0.03	0.10	0.1
0.3200	0.3500	0.3335	0.62	0.02	0.08	0.08
0.3500	0.3800	0.3635	0.36	0.04	0.04	0.05

atic uncertainty source the shift of the cross-section value in each t -bin is recorded. The most important shifts are shown in Fig. 3(a).

6.2. Total cross section

A profile fit [41] is used to determine σ_{tot} . It includes statistical and systematic uncertainties and their correlations across the t -spectrum. For each shift due to a systematic uncertainty a nuisance parameter is fitted in a procedure described in Ref. [1].

The theoretical prediction of Eq. (5) including the Coulomb and interference terms is fitted to the data to extract σ_{tot} and B alongside the nuisance parameters, as shown in Fig. 3(b). The fit range is chosen to be from $-t = 0.014 \text{ GeV}^2$ to $-t = 0.1 \text{ GeV}^2$, where the lower bound is set by requiring the acceptance to exceed 10% and the upper bound is chosen to exclude the large- t region where theoretical models predict deviations from a single exponential function [42]. The fit yields $\sigma_{\text{tot}} = 96.07 \pm 0.86 \text{ mb}$ and $B = 19.74 \pm 0.17 \text{ GeV}^{-2}$ with $\chi^2/N_{\text{dof}} = 17.8/14$ and the uncertainties include all statistical and experimental systematic contributions. The most important uncertainty component is the luminosity error for σ_{tot} and the beam energy error for B . Additional uncertainties arising from the extrapolation $t \rightarrow 0$ are estimated from a variation of the upper end of the fit range respectively up to $-t = 0.152 \text{ GeV}^2$ and up to $-t = 0.065 \text{ GeV}^2$, and from a variation of the lower end, i.e. from $-t = 0.009 \text{ GeV}^2$ to $-t = 0.0245 \text{ GeV}^2$. Further theoretical uncertainties considered

include: a variation of the ρ -parameter in Eq. (1) by ± 0.0034 ; the replacement of the dipole parameterization by a double-dipole parameterization [43] for the proton electric form factor; the replacement of the Coulomb phase from West and Yennie [22] by parameterizations from Refs. [24,27]; the inclusion of a term related to the magnetic moment of the proton in the Coulomb amplitude [23]. The dominant extrapolation uncertainty is induced by the fit range variation. The final results for σ_{tot} and B are:

$$\sigma_{\text{tot}} = 96.07 \pm 0.18 \text{ (stat.)} \pm 0.85 \text{ (exp.)} \pm 0.31 \text{ (extr.) mb}, \quad (10)$$

$$B = 19.74 \pm 0.05 \text{ (stat.)} \pm 0.16 \text{ (exp.)} \pm 0.15 \text{ (extr.) GeV}^{-2}. \quad (11)$$

A summary of the results for σ_{tot} from four different t -reconstruction methods is given in Table 2. The results from the nominal subtraction method are in good agreement with the other methods, considering the uncorrelated uncertainty of 0.3–0.4 mb. The alternative methods are correlated through the common use of the local angle variable.

Further stability checks are carried out in order to cross-check the fitting method. A fit using only the covariance matrix of statistical uncertainties yields $\sigma_{\text{tot}} = 96.34 \pm 0.07 \text{ (stat.)}$ in good agreement with the results from the profile fit Eq. (10). The same fit with only statistical uncertainties was also performed for the two arms of ALFA independently and gave consistent results within one standard deviation of the statistical uncertainty. The data sample was split into ten sub-periods with roughly equal numbers of selected events and no dependence of the measured value of σ_{tot} on




Fig. 3. (a) Relative shifts in the differential elastic cross section as a function of t for selected systematic uncertainty sources. Shown are the uncertainties related to the beam energy, to the crossing angle, to the modelling of the detector resolution in the simulation (MC resolution), to the beam optics (kQ5Q6, magnet strength), to the value of B in the simulation (Physics model) and to the emittance. (b) The fit of the theoretical prediction to the differential elastic cross section with σ_{tot} and B as free parameters. In the lower plot the points represent the relative difference between fit and data, the yellow area represents the total experimental uncertainty and the hatched area the statistical component. The red line indicates the fit range; the fit result is extrapolated in the lower plot outside the fit range. The upper right insert shows a zoom of the data and fit at small t . (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

Table 2

The total cross section and uncertainties for four different t -reconstruction methods. The nominal results are based on the subtraction method, quoted in the second column.

	σ_{tot} [mb]			
	Subtraction	Local angle	Lattice	Local subtraction
Total cross section	96.07	96.52	96.56	96.58
Statistical error	0.18	0.15	0.16	0.15
Experimental error	0.85	0.94	0.88	0.89
Extrapolation error	0.31	0.42	0.23	0.23
Total error	0.92	0.98	0.93	0.93

time was observed. Also, the data from the three different bunches were investigated independently and found to give consistent results. Finally the stability of the analysis was tested by a wide variation of the event selection cuts. The largest change of σ_{tot} with these cut variations was observed for the cut on the correlation between x and θ_x . That produced a change of ± 0.3 mb, well within the t -dependent experimental systematic uncertainty of about 0.5 mb. Several alternative parameterizations [22,26,28, 27,29–31] of the differential elastic cross section, including non-exponential forms at large t , were used to fit the spectrum up to $-t = 0.3$ GeV 2 in order to assess the impact on the value of the total cross section. The RMS of the values obtained is 0.28 mb, in good agreement with the quoted extrapolation uncertainty of 0.31 mb assigned to the simple exponential form.

The TOTEM Collaboration exploited data from the same LHC fill for a measurement of σ_{tot} using the luminosity-independent method. Their result is $\sigma_{tot} = 101.7 \pm 2.9$ mb [3], higher than the measurement presented here. The difference corresponds to 1.9σ assuming uncorrelated uncertainties. Better agreement is observed in the nuclear slope measurement, where TOTEM reports $B = 19.9 \pm 0.3$ GeV $^{-2}$, a value very close to the present result $B = 19.74 \pm 0.19$ GeV $^{-2}$, which indicates that the difference is confined to the normalization. The measurements of ATLAS and TOTEM are compared to measurements at lower energy and to a global fit [2] in Fig. 4(a) for σ_{tot} and in Fig. 4(b) for B . TOTEM also reported evidence of non-exponential behaviour of the differential

elastic cross section [49] in the $-t$ -range below 0.2 GeV 2 , where deviations from the single exponential form of the order of one percent are observed. Such effects cannot be substantiated with this data set because their size is below the systematic uncertainties of the present measurement.

As well as the total cross section, the total integrated elastic cross section can be calculated, provided that the Coulomb amplitude is neglected. In this case, σ_{el} can be obtained from the formula

$$\sigma_{el} = \frac{\sigma_{tot}^2}{B} \frac{1 + \rho^2}{16\pi(\hbar c)^2}, \quad (12)$$

and the result is $\sigma_{el} = 24.33 \pm 0.04$ (stat.) ± 0.39 (syst.) mb. The measured integrated elastic cross section in the fiducial range from $-t = 0.009$ GeV 2 to $-t = 0.38$ GeV 2 corresponds to 80% of this total elastic cross section $\sigma_{el}^{observed} = 19.67 \pm 0.02$ (stat.) ± 0.33 (syst.) mb. The total inelastic cross section is determined by subtraction of the total elastic cross section from the total cross section. The resulting value is $\sigma_{inel} = 71.73 \pm 0.15$ (stat.) ± 0.69 (syst.) mb.

7. Conclusion

ATLAS has performed a measurement of the total cross section from elastic pp scattering at $\sqrt{s} = 8$ TeV. The measurement is based on 500 μb^{-1} of collision data collected in a high- β^* run at the LHC in 2012 with the ALFA Roman Pot sub-detector. The optical theorem is used to extract the total cross section from the differential elastic cross section by extrapolating $t \rightarrow 0$. The differential cross section is also used to determine the nuclear slope. The analysis uses data-driven methods to determine relevant beam optics parameters and event reconstruction efficiency, and to tune the simulation. The detailed evaluation of the associated systematic uncertainties is supplemented by a comparison of t -reconstruction methods with different sensitivities to beam optics. The absolute luminosity for this run is determined in a dedicated analysis, taking into account the special conditions with a very low number of interactions per bunch crossing. The total cross section at $\sqrt{s} = 8$ TeV is determined to be




Fig. 4. (a) Comparison of total and elastic cross-section measurements presented here with other published measurements [2,5,44–47] and model predictions as a function of the centre-of-mass energy. (b) Comparison of the measurement of the nuclear slope B presented here with other published measurements at the ISR, at the Sp̄S, at RHIC, at the Tevatron and with the measurement from TOTEM at the LHC. The red line shows a model calculation [48], which contains a linear term and quadratic term in $\ln s$. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

$$\begin{aligned}\sigma_{\text{tot}}(pp \rightarrow X) &= 96.07 \pm 0.18 \text{ (stat.)} \pm 0.85 \text{ (exp.)} \\ &\quad \pm 0.31 \text{ (extr.) mb},\end{aligned}$$

where the first error is statistical, the second accounts for all experimental systematic uncertainties and the last is related to uncertainties in the extrapolation $t \rightarrow 0$. In addition, the slope of the elastic differential cross section at small t is determined to be $B = 19.74 \pm 0.05 \pm 0.23$ (syst.) GeV^{-2} .

The total elastic cross section is extracted from the fitted parameterization as $\sigma_{\text{el}}(pp \rightarrow pp) = 24.33 \pm 0.04 \text{ (stat.)} \pm 0.39 \text{ (syst.) mb}$ and the inelastic cross section is obtained by subtraction from the total cross section as $\sigma_{\text{inel}} = 71.73 \pm 0.15 \text{ (stat.)} \pm 0.69 \text{ (syst.) mb}$. The measurements at 8 TeV are significantly more precise than the previous measurements at 7 TeV because of the smaller luminosity uncertainty and a larger data sample.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently. We are indebted to the beam optics development team, led by H. Burkhardt, for the design, commissioning and thorough operation of the high- β^* optics in dedicated LHC fills.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne

and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristea programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [50].

References

- [1] ATLAS Collaboration, Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector, Nucl. Phys. B 889 (2014) 486, arXiv:1408.5778 [hep-ex].
- [2] K.A. Olive, et al., Particle Data Group, in: Review of Particle Physics, Chin. Phys. C 38 (2014) 090001.
- [3] G. Antchev, et al., TOTEM Collaboration, Luminosity-independent measurement of the proton-proton total cross section at $\sqrt{s} = 8 \text{ TeV}$, Phys. Rev. Lett. 111 (2013) 012001.
- [4] G. Antchev, et al., TOTEM Collaboration, First measurement of the total proton-proton cross-section at the LHC energy of $\sqrt{s} = 7 \text{ TeV}$, Europhys. Lett. 96 (2011) 21002, arXiv:1110.1395 [hep-ex].
- [5] G. Antchev, et al., TOTEM Collaboration, Measurement of proton-proton elastic scattering and total cross-section at $\sqrt{s} = 7 \text{ TeV}$, Europhys. Lett. 101 (2013) 21002.
- [6] G. Antchev, et al., TOTEM Collaboration, Luminosity-independent measurements of total, elastic and inelastic cross-sections at $\sqrt{s} = 7 \text{ TeV}$, Europhys. Lett. 101 (2013) 21004.
- [7] G. Antchev, et al., TOTEM Collaboration, Measurement of elastic pp scattering at $\sqrt{s} = 8 \text{ TeV}$ in the Coulomb-nuclear interference region – determination of the ρ parameter and the total cross-section, TOTEM-2015-002, CERN-PH-EP-2015-325, <http://cds.cern.ch/record/2114603>, 2015.
- [8] ATLAS Collaboration, Measurement of the inelastic proton-proton cross-section at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector, Nat. Commun. 2 (2011) 463, arXiv:1104.0326 [hep-ex].
- [9] CMS Collaboration, Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 7 \text{ TeV}$, Phys. Lett. B 722 (2013) 5–27, arXiv:1210.6718 [hep-ex].
- [10] R. Aaij, et al., LHCb Collaboration, Measurement of the inelastic pp cross-section at a centre-of-mass energy of $\sqrt{s} = 7 \text{ TeV}$, J. High Energy Phys. 02 (2015) 129, arXiv:1412.2500 [hep-ex].
- [11] B. Abelev, et al., ALICE Collaboration, Measurement of inelastic, single- and double-diffractive cross sections in proton-proton collisions at the LHC with ALICE, Eur. Phys. J. C 73 (2013) 2456, arXiv:1208.4968 [hep-ex].
- [12] G. Antchev, et al., TOTEM Collaboration, Measurement of proton-proton inelastic scattering cross-section at $\sqrt{s} = 7 \text{ TeV}$, Europhys. Lett. 101 (2013) 21003.

- [13] ATLAS Collaboration, Measurement of the inelastic proton–proton cross section at $\sqrt{s} = 13$ TeV with the ATLAS detector at the LHC, arXiv:1606.02625 [hep-ex], 2016.
- [14] ATLAS Collaboration, The ATLAS experiment at the CERN large hadron collider, J. Instrum. 3 (2008) S08003.
- [15] P. Barrillon, et al., PMF: the front end electronic of the ALFA detector, Nucl. Instrum. Methods A 623 (2010) 463.
- [16] S. Blin, P. Barrillon, C. de La Taille, MAROC, a generic photomultiplier readout chip, in: Proceedings of the 2010 IEEE Nuclear Science Symposium and Medical Imaging Conference, NSS/MIC 2010, 2010, p. 1690.
- [17] H. Burkhardt, et al., 90 m optics studies and operation in the LHC, Conf. Proc. C 1205201 (2012) 130.
- [18] H. Burkhardt, et al., 90 m Beta^{*} optics for ATLAS/ALFA, Conf. Proc. C 110904 (2011) 1798.
- [19] J. Wenninger, Energy calibration of the LHC beams at 4 TeV, CERN-ATS-2013-040, <http://cds.cern.ch/record/1546734>, 2013.
- [20] ATLAS Collaboration, Characterization of interaction-point beam parameters using the pp event-vertex distribution reconstructed in the ATLAS Detector at the LHC, ATLAS-CONF-2010-027, <http://cdsweb.cern.ch/record/1277659>, 2010.
- [21] H.A. Bethe, Scattering and polarization of protons by nuclei, Ann. Phys. 3 (1958) 190.
- [22] G.B. West, D.R. Yennie, Coulomb interference in high-energy scattering, Phys. Rev. 172 (1968) 1413.
- [23] C. Bourrely, J. Soffer, D. Wray, Spin effects in proton–proton elastic scattering near the forward direction, Nucl. Phys. B 77 (1974) 386.
- [24] R.N. Cahn, Coulombic-hadronic interference in an Eikonal model, Z. Phys. C 15 (1982) 253.
- [25] M.J. Menon, P.V.R.G. Silva, A study on analytic parametrizations for proton–proton cross-sections and asymptotia, J. Phys. G 40 (2013) 125001, Erratum: J. Phys. G 41 (2014) 019501, arXiv:1305.2947 [hep-ph].
- [26] M.M. Block, R.N. Cahn, High energy predictions for p̄p and pp elastic scattering and total cross sections, Czechoslov. J. Phys. 40 (1990) 164.
- [27] A.K. Kohara, E. Ferreira, T. Kodama, Amplitudes and observables in pp elastic scattering at $\sqrt{s} = 7$ TeV, Eur. Phys. J. C 73 (2013) 2326, arXiv:1212.3652 [hep-ph].
- [28] O.V. Selyugin, Total cross sections and ρ at high energy, Nucl. Phys. A 922 (2014) 180, arXiv:1312.1271 [hep-ph].
- [29] R.J.N. Phillips, V.D. Barger, Model independent analysis of the structure in pp scattering, Phys. Lett. B 46 (1973) 412.
- [30] D.A. Fagundes, et al., Elastic pp scattering from the optical point to past the dip: an empirical parametrization from ISR to the LHC, Phys. Rev. D 88 (2013) 094019, arXiv:1306.0452 [hep-ph].
- [31] C. Bourrely, J. Soffer, T.T. Wu, Determination of the forward slope in p̄p and p–p elastic scattering up to LHC energy, Eur. Phys. J. C 71 (2011) 1601, arXiv:1011.1756 [hep-ph].
- [32] T. Sjostrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852–867, arXiv:0710.3820 [hep-ph].
- [33] T. Sjostrand, S. Mrenna, P. Skands, PYTHIA 6.4 physics and manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [34] CERN Accelerator Beam Physics Group, MAD – Methodical Accelerator Design, <http://mad.web.cern.ch/mad/>, 2014.
- [35] R. Ciesielski, K. Goulianos, MBR Monte Carlo simulation in PYTHIA8, in: PoS ICHEP2012, 2013, p. 301, arXiv:1205.1446 [hep-ph].
- [36] B. Malaeșcu, An Iterative, Dynamically Stabilized (IDS) method of data unfolding, arXiv:1106.3107 [physics.data-an], 2011.
- [37] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, CERN-EP-2016-117, 2016, arXiv:1608.03953 [hep-ex].
- [38] S. van der Meer, Calibration of the effective beam height in the ISR, ISR-PO-68-31, 1968; <http://cds.cern.ch/record/296752>.
- [39] J. Allison, et al., Geant4 developments and applications, IEEE Trans. Nucl. Sci. 53 (2006) 270.
- [40] S. Agostinelli, et al., GEANT4 – a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [41] V. Blobel, Some comments on χ^2 minimization applications, eConf C030908 (2003) MOET002, <http://www.slac.stanford.edu/econf/C030908/proceedings.html>.
- [42] M.G. Ryskin, A.D. Martin, V.A. Khoze, Soft diffraction and the elastic slope at Tevatron and LHC energies: a multi-Pomeron approach, Eur. Phys. J. C 18 (2000) 167, arXiv:hep-ph/0007359.
- [43] J.C. Bernauer, et al., A1 Collaboration, Electric and magnetic form factors of the proton, Phys. Rev. C 90 (2014) 015206, arXiv:1307.6227 [nucl-ex].
- [44] P. Abreu, et al., Pierre Auger Collaboration, Measurement of the proton-air cross-section at $\sqrt{s} = 57$ TeV with the Pierre Auger observatory, Phys. Rev. Lett. 109 (2012) 062002, arXiv:1208.1520 [hep-ex].
- [45] G. Aielli, et al., ARGO-YBJ Collaboration, Proton-air cross section measurement with the ARGO-YBJ cosmic ray experiment, Phys. Rev. D 80 (2009) 092004, arXiv:0904.4198 [hep-ex].
- [46] M. Honda, et al., Inelastic cross-section for p-air collisions from air shower experiments and total cross-section for p–p collisions up to $\sqrt{s} = 24$ TeV, Phys. Rev. Lett. 70 (1993) 525.
- [47] R.M. Baltrusaitis, et al., Total proton–proton cross-section at $\sqrt{s} = 30$ TeV, Phys. Rev. Lett. 52 (1984) 1380.
- [48] V.A. Schegelsky, M.G. Ryskin, The diffraction cone shrinkage speed up with the collision energy, Phys. Rev. D 85 (2012) 094024, arXiv:1112.3243 [hep-ph].
- [49] G. Antchev, et al., TOTEM Collaboration, Evidence for non-exponential elastic proton–proton differential cross-section at low |t| and $\sqrt{s} = 8$ TeV by TOTEM, Nucl. Phys. B 899 (2015) 527, arXiv:1503.08111 [hep-ex].
- [50] ATLAS Collaboration, ATLAS Computing Acknowledgements 2016–2017, ATLAS-PUB-2016-002, 2016, <http://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud ^{135d}, G. Aad ⁸⁶, B. Abbott ¹¹³, J. Abdallah ⁶⁴, O. Abdinov ¹², B. Abeloos ¹¹⁷, R. Aben ¹⁰⁷, O.S. AbouZeid ¹³⁷, N.L. Abraham ¹⁴⁹, H. Abramowicz ¹⁵³, H. Abreu ¹⁵², R. Abreu ¹¹⁶, Y. Abulaiti ^{146a, 146b}, B.S. Acharya ^{163a, 163b, a}, S. Adachi ¹⁵⁵, L. Adamczyk ^{40a}, D.L. Adams ²⁷, J. Adelman ¹⁰⁸, S. Adomeit ¹⁰⁰, T. Adye ¹³¹, A.A. Affolder ⁷⁵, T. Agatonovic-Jovin ¹⁴, J. Agricola ⁵⁶, J.A. Aguilar-Saavedra ^{126a, 126f}, S.P. Ahlen ²⁴, F. Ahmadov ^{66, b}, G. Aielli ^{133a, 133b}, H. Akerstedt ^{146a, 146b}, T.P.A. Åkesson ⁸², A.V. Akimov ⁹⁶, G.L. Alberghi ^{22a, 22b}, J. Albert ¹⁶⁸, S. Albrand ⁵⁷, M.J. Alconada Verzini ⁷², M. Aleksa ³², I.N. Aleksandrov ⁶⁶, C. Alexa ^{28b}, G. Alexander ¹⁵³, T. Alexopoulos ¹⁰, M. Alhroob ¹¹³, B. Ali ¹²⁸, M. Aliev ^{74a, 74b}, G. Alimonti ^{92a}, J. Alison ³³, S.P. Alkire ³⁷, B.M.M. Allbrooke ¹⁴⁹, B.W. Allen ¹¹⁶, P.P. Allport ¹⁹, A. Aloisio ^{104a, 104b}, A. Alonso ³⁸, F. Alonso ⁷², C. Alpigiani ¹³⁸, A.A. Alshehri ⁵⁵, M. Alstaty ⁸⁶, B. Alvarez Gonzalez ³², D. Álvarez Piqueras ¹⁶⁶, M.G. Alviggi ^{104a, 104b}, B.T. Amadio ¹⁶, K. Amako ⁶⁷, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹⁰, S.P. Amor Dos Santos ^{126a, 126c}, A. Amorim ^{126a, 126b}, S. Amoroso ³², G. Amundsen ²⁵, C. Anastopoulos ¹³⁹, L.S. Ancu ⁵¹, N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{59b}, G. Anders ³², J.K. Anders ⁷⁵, K.J. Anderson ³³, A. Andreazza ^{92a, 92b}, V. Andrei ^{59a}, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁷, P. Anger ⁴⁶, A. Angerami ³⁷, F. Anghinolfi ³², A.V. Anisenkov ^{109, c}, N. Anjos ¹³, A. Annovi ^{124a, 124b}, C. Antel ^{59a}, M. Antonelli ⁴⁹, A. Antonov ^{98, *}, F. Anulli ^{132a}, M. Aoki ⁶⁷, L. Aperio Bella ¹⁹, G. Arabidze ⁹¹, Y. Arai ⁶⁷, J.P. Araque ^{126a}, A.T.H. Arce ⁴⁷, F.A. Ardhu ⁷², J.-F. Arguin ⁹⁵, S. Argyropoulos ⁶⁴, M. Arik ^{20a}, A.J. Armbruster ¹⁴³, L.J. Armitage ⁷⁷, O. Arnaez ³², H. Arnold ⁵⁰, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ⁹⁷, G. Artoni ¹²⁰, S. Artz ⁸⁴, S. Asai ¹⁵⁵, N. Asbah ⁴⁴, A. Ashkenazi ¹⁵³, B. Åsman ^{146a, 146b},

- L. Asquith 149, K. Assamagan 27, R. Astalos 144a, M. Atkinson 165, N.B. Atlay 141, K. Augsten 128, G. Avolio 32, B. Axen 16, M.K. Ayoub 117, G. Azuelos 95d, M.A. Baak 32, A.E. Baas 59a, M.J. Baca 19, H. Bachacou 136, K. Bachas 74a,74b, M. Backes 120, M. Backhaus 32, P. Bagiacchi 132a,132b, P. Bagnaia 132a,132b, Y. Bai 35a, J.T. Baines 131, O.K. Baker 175, E.M. Baldin 109c, P. Balek 171, T. Balestri 148, F. Balli 136, W.K. Balunas 122, E. Banas 41, Sw. Banerjee 172e, A.A.E. Bannoura 174, L. Barak 32, E.L. Barberio 89, D. Barberis 52a,52b, M. Barbero 86, T. Barillari 101, M-S Barisits 32, T. Barklow 143, N. Barlow 30, S.L. Barnes 85, B.M. Barnett 131, R.M. Barnett 16, Z. Barnovska-Blenessy 5, A. Baroncelli 134a, G. Barone 25, A.J. Barr 120, L. Barranco Navarro 166, F. Barreiro 83, J. Barreiro Guimaraes da Costa 35a, R. Bartoldus 143, A.E. Barton 73, P. Bartos 144a, A. Basalaev 123, A. Bassalat 117, R.L. Bates 55, S.J. Batista 158, J.R. Batley 30, M. Battaglia 137, M. Bauce 132a,132b, F. Bauer 136, H.S. Bawa 143f, J.B. Beacham 111, M.D. Beattie 73, T. Beau 81, P.H. Beauchemin 161, P. Bechtle 23, H.P. Beck 18g, K. Becker 120, M. Becker 84, M. Beckingham 169, C. Becot 110, A.J. Beddall 20e, A. Beddall 20b, V.A. Bednyakov 66, M. Bedognetti 107, C.P. Bee 148, L.J. Beemster 107, T.A. Beermann 32, M. Begel 27, J.K. Behr 44, C. Belanger-Champagne 88, A.S. Bell 79, G. Bella 153, L. Bellagamba 22a, A. Bellerive 31, M. Bellomo 87, K. Belotskiy 98, O. Beltramello 32, N.L. Belyaev 98, O. Benary 153, D. Benchekroun 135a, M. Bender 100, K. Bendtz 146a,146b, N. Benekos 10, Y. Benhammou 153, E. Benhar Noccioli 175, J. Benitez 64, D.P. Benjamin 47, J.R. Bensinger 25, S. Bentvelsen 107, L. Beresford 120, M. Beretta 49, D. Berge 107, E. Bergeaas Kuutmann 164, N. Berger 5, J. Beringer 16, S. Berlendis 57, N.R. Bernard 87, C. Bernius 110, F.U. Bernlochner 23, T. Berry 78, P. Berta 129, C. Bertella 84, G. Bertoli 146a,146b, F. Bertolucci 124a,124b, I.A. Bertram 73, C. Bertsche 44, D. Bertsche 113, G.J. Besjes 38, O. Bessidskaia Bylund 146a,146b, M. Bessner 44, N. Besson 136, C. Betancourt 50, A. Bethani 57, S. Bethke 101, A.J. Bevan 77, R.M. Bianchi 125, L. Bianchini 25, M. Bianco 32, O. Biebel 100, D. Biedermann 17, R. Bielski 85, N.V. Biesuz 124a,124b, M. Biglietti 134a, J. Bilbao De Mendizabal 51, T.R.V. Billoud 95, H. Bilokon 49, M. Bindi 56, S. Binet 117, A. Bingul 20b, C. Bini 132a,132b, S. Biondi 22a,22b, T. Bisanz 56, D.M. Bjergaard 47, C.W. Black 150, J.E. Black 143, K.M. Black 24, D. Blackburn 138, R.E. Blair 6, J.-B. Blanchard 136, T. Blazek 144a, I. Bloch 44, C. Blocker 25, A. Blue 55, W. Blum 84,* U. Blumenschein 56, S. Blunier 34a, G.J. Bobbink 107, V.S. Bobrovnikov 109c, S.S. Bocchetta 82, A. Bocci 47, C. Bock 100, M. Boehler 50, D. Boerner 174, J.A. Bogaerts 32, D. Bogavac 14, A.G. Bogdanchikov 109, C. Bohm 146a, V. Boisvert 78, P. Bokan 14, T. Bold 40a, A.S. Boldyrev 163a,163c, M. Bomben 81, M. Bona 77, M. Boonekamp 136, A. Borisov 130, G. Borissov 73, J. Bortfeldt 32, D. Bortoletto 120, V. Bortolotto 61a,61b,61c, K. Bos 107, D. Boscherini 22a, M. Bosman 13, J.D. Bossio Sola 29, J. Boudreau 125, J. Bouffard 2, E.V. Bouhova-Thacker 73, D. Boumediene 36, C. Bourdarios 117, S.K. Boutle 55, A. Boveia 32, J. Boyd 32, I.R. Boyko 66, J. Bracinik 19, A. Brandt 8, G. Brandt 56, O. Brandt 59a, U. Bratzler 156, B. Brau 87, J.E. Brau 116, W.D. Breaden Madden 55, K. Brendlinger 122, A.J. Brennan 89, L. Brenner 107, R. Brenner 164, S. Bressler 171, T.M. Bristow 48, D. Britton 55, D. Britzger 44, F.M. Brochu 30, I. Brock 23, R. Brock 91, G. Brooijmans 37, T. Brooks 78, W.K. Brooks 34b, J. Brosamer 16, E. Brost 108, J.H. Broughton 19, P.A. Bruckman de Renstrom 41, D. Bruncko 144b, R. Bruneliere 50, A. Bruni 22a, G. Bruni 22a, L.S. Bruni 107, BH Brunt 30, M. Bruschi 22a, N. Bruscino 23, P. Bryant 33, L. Bryngemark 82, T. Buanes 15, Q. Buat 142, P. Buchholz 141, A.G. Buckley 55, I.A. Budagov 66, F. Buehrer 50, M.K. Bugge 119, O. Bulekov 98, D. Bullock 8, H. Burckhart 32, S. Burdin 75, C.D. Burgard 50, B. Burghgrave 108, K. Burka 41, S. Burke 131, I. Burmeister 45, J.T.P. Burr 120, E. Busato 36, D. Büscher 50, V. Büscher 84, P. Bussey 55, J.M. Butler 24, C.M. Buttar 55, J.M. Butterworth 79, P. Butti 107, W. Buttlinger 27, A. Buzatu 55, A.R. Buzykaev 109c, G. Cabras 22a,22b, S. Cabrera Urbán 166, D. Caforio 128, V.M. Cairo 39a,39b, O. Cakir 4a, N. Calace 51, P. Calafiura 16, A. Calandri 86, G. Calderini 81, P. Calfayan 100, G. Callea 39a,39b, L.P. Caloba 26a, S. Calvente Lopez 83, D. Calvet 36, S. Calvet 36, T.P. Calvet 86, R. Camacho Toro 33, S. Camarda 32, P. Camarri 133a,133b, D. Cameron 119, R. Caminal Armadans 165, C. Camincher 57, S. Campana 32, M. Campanelli 79, A. Camplani 92a,92b, A. Campoverde 141, V. Canale 104a,104b, A. Canepa 159a, M. Cano Bret 35e, J. Cantero 114, T. Cao 42, M.D.M. Capeans Garrido 32, I. Caprini 28b, M. Caprini 28b, M. Capua 39a,39b, R.M. Carbone 37, R. Cardarelli 133a, F. Cardillo 50, I. Carli 129, T. Carli 32, G. Carlino 104a, L. Carminati 92a,92b, S. Caron 106, E. Carquin 34b, G.D. Carrillo-Montoya 32, J.R. Carter 30, J. Carvalho 126a,126c, D. Casadei 19, M.P. Casado 13,h, M. Casolino 13, D.W. Casper 162, E. Castaneda-Miranda 145a, R. Castelijn 107, A. Castelli 107, V. Castillo Gimenez 166, N.F. Castro 126a,i, A. Catinaccio 32, J.R. Catmore 119, A. Cattai 32, J. Caudron 23, V. Cavaliere 165, E. Cavallaro 13, D. Cavalli 92a, M. Cavalli-Sforza 13, V. Cavasinni 124a,124b, F. Ceradini 134a,134b, L. Cerdá Alberich 166, B.C. Cerio 47,

- A.S. Cerqueira ^{26b}, A. Cerri ¹⁴⁹, L. Cerrito ^{133a,133b}, F. Cerutti ¹⁶, M. Cerv ³², A. Cervelli ¹⁸, S.A. Cetin ^{20d},
 A. Chafaq ^{135a}, D. Chakraborty ¹⁰⁸, S.K. Chan ⁵⁸, Y.L. Chan ^{61a}, P. Chang ¹⁶⁵, J.D. Chapman ³⁰,
 D.G. Charlton ¹⁹, A. Chatterjee ⁵¹, C.C. Chau ¹⁵⁸, C.A. Chavez Barajas ¹⁴⁹, S. Che ¹¹¹, S. Cheatham ^{163a,163c},
 A. Chegwidden ⁹¹, S. Chekanov ⁶, S.V. Chekulaev ^{159a}, G.A. Chelkov ^{66,j}, M.A. Chelstowska ⁹⁰, C. Chen ⁶⁵,
 H. Chen ²⁷, K. Chen ¹⁴⁸, S. Chen ^{35c}, S. Chen ¹⁵⁵, X. Chen ^{35f}, Y. Chen ⁶⁸, H.C. Cheng ⁹⁰, H.J. Cheng ^{35a},
 Y. Cheng ³³, A. Cheplakov ⁶⁶, E. Cheremushkina ¹³⁰, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ^{27,*},
 E. Cheu ⁷, L. Chevalier ¹³⁶, V. Chiarella ⁴⁹, G. Chiarelli ^{124a,124b}, G. Chiodini ^{74a}, A.S. Chisholm ³²,
 A. Chitan ^{28b}, M.V. Chizhov ⁶⁶, K. Choi ⁶², A.R. Chomont ³⁶, S. Chouridou ⁹, B.K.B. Chow ¹⁰⁰,
 V. Christodoulou ⁷⁹, D. Chromek-Burckhart ³², J. Chudoba ¹²⁷, A.J. Chuinard ⁸⁸, J.J. Chwastowski ⁴¹,
 L. Chytka ¹¹⁵, G. Ciapetti ^{132a,132b}, A.K. Ciftci ^{4a}, D. Cinca ⁴⁵, V. Cindro ⁷⁶, I.A. Cioara ²³, C. Ciocca ^{22a,22b},
 A. Ciocio ¹⁶, F. Cirotto ^{104a,104b}, Z.H. Citron ¹⁷¹, M. Citterio ^{92a}, M. Ciubancan ^{28b}, A. Clark ⁵¹, B.L. Clark ⁵⁸,
 M.R. Clark ³⁷, P.J. Clark ⁴⁸, R.N. Clarke ¹⁶, C. Clement ^{146a,146b}, Y. Coadou ⁸⁶, M. Cobal ^{163a,163c},
 A. Coccaro ⁵¹, J. Cochran ⁶⁵, L. Colasurdo ¹⁰⁶, B. Cole ³⁷, A.P. Colijn ¹⁰⁷, J. Collot ⁵⁷, T. Colombo ¹⁶²,
 G. Compostella ¹⁰¹, P. Conde Muiño ^{126a,126b}, E. Coniavitis ⁵⁰, S.H. Connell ^{145b}, I.A. Connolly ⁷⁸,
 V. Consorti ⁵⁰, S. Constantinescu ^{28b}, G. Conti ³², F. Conventi ^{104a,k}, M. Cooke ¹⁶, B.D. Cooper ⁷⁹,
 A.M. Cooper-Sarkar ¹²⁰, K.J.R. Cormier ¹⁵⁸, T. Cornelissen ¹⁷⁴, M. Corradi ^{132a,132b}, F. Corriveau ^{88,l},
 A. Corso-Radu ¹⁶², A. Cortes-Gonzalez ³², G. Cortiana ¹⁰¹, G. Costa ^{92a}, M.J. Costa ¹⁶⁶, D. Costanzo ¹³⁹,
 G. Cottin ³⁰, G. Cowan ⁷⁸, B.E. Cox ⁸⁵, K. Cranmer ¹¹⁰, S.J. Crawley ⁵⁵, G. Cree ³¹, S. Crépé-Renaudin ⁵⁷,
 F. Crescioli ⁸¹, W.A. Cribbs ^{146a,146b}, M. Crispin Ortuzar ¹²⁰, M. Cristinziani ²³, V. Croft ¹⁰⁶,
 G. Crosetti ^{39a,39b}, A. Cueto ⁸³, T. Cuhadar Donszelmann ¹³⁹, J. Cummings ¹⁷⁵, M. Curatolo ⁴⁹, J. Cúth ⁸⁴,
 H. Czirr ¹⁴¹, P. Czodrowski ³, G. D'amien ^{22a,22b}, S. D'Auria ⁵⁵, M. D'Onofrio ⁷⁵,
 M.J. Da Cunha Sargedas De Sousa ^{126a,126b}, C. Da Via ⁸⁵, W. Dabrowski ^{40a}, T. Dado ^{144a}, T. Dai ⁹⁰,
 O. Dale ¹⁵, F. Dallaire ⁹⁵, C. Dallapiccola ⁸⁷, M. Dam ³⁸, J.R. Dandoy ³³, N.P. Dang ⁵⁰, A.C. Daniells ¹⁹,
 N.S. Dann ⁸⁵, M. Danninger ¹⁶⁷, M. Dano Hoffmann ¹³⁶, V. Dao ⁵⁰, G. Darbo ^{52a}, S. Darmora ⁸,
 J. Dassoulas ³, A. Dattagupta ⁶², W. Davey ²³, C. David ¹⁶⁸, T. Davidek ¹²⁹, M. Davies ¹⁵³, P. Davison ⁷⁹,
 E. Dawe ⁸⁹, I. Dawson ¹³⁹, K. De ⁸, R. de Asmundis ^{104a}, A. De Benedetti ¹¹³, S. De Castro ^{22a,22b},
 S. De Cecco ⁸¹, N. De Groot ¹⁰⁶, P. de Jong ¹⁰⁷, H. De la Torre ⁹¹, F. De Lorenzi ⁶⁵, A. De Maria ⁵⁶,
 D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ¹⁴⁹, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁷,
 W.J. Dearnaley ⁷³, R. Debbe ²⁷, C. Debenedetti ¹³⁷, D.V. Dedovich ⁶⁶, N. Dehghanian ³, I. Deigaard ¹⁰⁷,
 M. Del Gaudio ^{39a,39b}, J. Del Peso ⁸³, T. Del Prete ^{124a,124b}, D. Delgove ¹¹⁷, F. Deliot ¹³⁶, C.M. Delitzsch ⁵¹,
 A. Dell'Acqua ³², L. Dell'Asta ²⁴, M. Dell'Orso ^{124a,124b}, M. Della Pietra ^{104a,k}, D. della Volpe ⁵¹,
 M. Delmastro ⁵, P.A. Delsart ⁵⁷, D.A. DeMarco ¹⁵⁸, S. Demers ¹⁷⁵, M. Demichev ⁶⁶, A. Demilly ⁸¹,
 S.P. Denisov ¹³⁰, D. Denysiuk ¹³⁶, D. Derendarz ⁴¹, J.E. Derkaoui ^{135d}, F. Derue ⁸¹, P. Dervan ⁷⁵, K. Desch ²³,
 C. Deterre ⁴⁴, K. Dette ⁴⁵, P.O. Deviveiros ³², A. Dewhurst ¹³¹, S. Dhaliwal ²⁵, A. Di Ciaccio ^{133a,133b},
 L. Di Ciaccio ⁵, W.K. Di Clemente ¹²², C. Di Donato ^{132a,132b}, A. Di Girolamo ³², B. Di Girolamo ³²,
 B. Di Micco ^{134a,134b}, R. Di Nardo ³², A. Di Simone ⁵⁰, R. Di Sipio ¹⁵⁸, D. Di Valentino ³¹, C. Diaconu ⁸⁶,
 M. Diamond ¹⁵⁸, F.A. Dias ⁴⁸, M.A. Diaz ^{34a}, E.B. Diehl ⁹⁰, J. Dietrich ¹⁷, S. Díez Cornell ⁴⁴,
 A. Dimitrijevska ¹⁴, J. Dingfelder ²³, P. Dita ^{28b}, S. Dita ^{28b}, F. Dittus ³², F. Djama ⁸⁶, T. Djobava ^{53b},
 J.I. Djuvsland ^{59a}, M.A.B. do Vale ^{26c}, D. Dobos ³², M. Dobre ^{28b}, C. Doglioni ⁸², J. Dolejsi ¹²⁹, Z. Dolezal ¹²⁹,
 M. Donadelli ^{26d}, S. Donati ^{124a,124b}, P. Dondero ^{121a,121b}, J. Donini ³⁶, J. Dopke ¹³¹, A. Doria ^{104a},
 M.T. Dova ⁷², A.T. Doyle ⁵⁵, E. Drechsler ⁵⁶, M. Dris ¹⁰, Y. Du ^{35d}, J. Duarte-Campderros ¹⁵³, E. Duchovni ¹⁷¹,
 G. Duckeck ¹⁰⁰, O.A. Ducu ^{95,m}, D. Duda ¹⁰⁷, A. Dudarev ³², A.Chr. Dudder ⁸⁴, E.M. Duffield ¹⁶, L. Duflot ¹¹⁷,
 M. Dührssen ³², M. Dumancic ¹⁷¹, M. Dunford ^{59a}, H. Duran Yildiz ^{4a}, M. Düren ⁵⁴, A. Durglishvili ^{53b},
 D. Duschinger ⁴⁶, B. Dutta ⁴⁴, M. Dyndal ⁴⁴, C. Eckardt ⁴⁴, K.M. Ecker ¹⁰¹, R.C. Edgar ⁹⁰, N.C. Edwards ⁴⁸,
 T. Eifert ³², G. Eigen ¹⁵, K. Einsweiler ¹⁶, T. Ekelof ¹⁶⁴, M. El Kacimi ^{135c}, V. Ellajosyula ⁸⁶, M. Ellert ¹⁶⁴,
 S. Elles ⁵, F. Ellinghaus ¹⁷⁴, A.A. Elliot ¹⁶⁸, N. Ellis ³², J. Elmsheuser ²⁷, M. Elsing ³², D. Emeliyanov ¹³¹,
 Y. Enari ¹⁵⁵, O.C. Endner ⁸⁴, J.S. Ennis ¹⁶⁹, J. Erdmann ⁴⁵, A. Ereditato ¹⁸, G. Ernis ¹⁷⁴, J. Ernst ², M. Ernst ²⁷,
 S. Errede ¹⁶⁵, E. Ertel ⁸⁴, M. Escalier ¹¹⁷, H. Esch ⁴⁵, C. Escobar ¹²⁵, B. Esposito ⁴⁹, A.I. Etienne ¹³⁶,
 E. Etzion ¹⁵³, H. Evans ⁶², A. Ezhilov ¹²³, M. Ezzi ^{135e}, F. Fabbri ^{22a,22b}, L. Fabbri ^{22a,22b}, G. Facini ³³,
 R.M. Fakhrutdinov ¹³⁰, S. Falciano ^{132a}, R.J. Falla ⁷⁹, J. Faltova ³², Y. Fang ^{35a}, M. Fanti ^{92a,92b}, A. Farbin ⁸,
 A. Farilla ^{134a}, C. Farina ¹²⁵, E.M. Farina ^{121a,121b}, T. Farooque ¹³, S. Farrell ¹⁶, S.M. Farrington ¹⁶⁹,
 P. Farthouat ³², F. Fassi ^{135e}, P. Fassnacht ³², D. Fassouliotis ⁹, M. Facci Giannelli ⁷⁸, A. Favareto ^{52a,52b},

- W.J. Fawcett 120, L. Fayard 117, O.L. Fedin 123,n, W. Fedorko 167, S. Feigl 119, L. Feligioni 86, C. Feng 35d,
 E.J. Feng 32, H. Feng 90, A.B. Fenyuk 130, L. Feremenga 8, P. Fernandez Martinez 166, S. Fernandez Perez 13,
 J. Ferrando 44, A. Ferrari 164, P. Ferrari 107, R. Ferrari 121a, D.E. Ferreira de Lima 59b, A. Ferrer 166,
 D. Ferrere 51, C. Ferretti 90, A. Ferretto Parodi 52a,52b, F. Fiedler 84, A. Filipčič 76, M. Filipuzzi 44,
 F. Filthaut 106, M. Fincke-Keeler 168, K.D. Finelli 150, M.C.N. Fiolhais 126a,126c, L. Fiorini 166, A. Firan 42,
 A. Fischer 2, C. Fischer 13, J. Fischer 174, W.C. Fisher 91, N. Flaschel 44, I. Fleck 141, P. Fleischmann 90,
 G.T. Fletcher 139, R.R.M. Fletcher 122, T. Flick 174, L.R. Flores Castillo 61a, M.J. Flowerdew 101, G.T. Forcolin 85,
 A. Formica 136, A. Forti 85, A.G. Foster 19, D. Fournier 117, H. Fox 73, S. Fracchia 13, P. Francavilla 81,
 M. Franchini 22a,22b, D. Francis 32, L. Franconi 119, M. Franklin 58, M. Frate 162, M. Fraternali 121a,121b,
 D. Freeborn 79, S.M. Fressard-Batraneanu 32, F. Friedrich 46, D. Froidevaux 32, J.A. Frost 120, C. Fukunaga 156,
 E. Fullana Torregrosa 84, T. Fusayasu 102, J. Fuster 166, C. Gabaldon 57, O. Gabizon 174, A. Gabrielli 22a,22b,
 A. Gabrielli 16, G.P. Gach 40a, S. Gadatsch 32, S. Gadomski 78, G. Gagliardi 52a,52b, L.G. Gagnon 95,
 P. Gagnon 62, C. Galea 106, B. Galhardo 126a,126c, E.J. Gallas 120, B.J. Gallop 131, P. Gallus 128, G. Galster 38,
 K.K. Gan 111, J. Gao 35b, Y. Gao 48, Y.S. Gao 143,f, F.M. Garay Walls 48, C. García 166, J.E. García Navarro 166,
 M. Garcia-Sciveres 16, R.W. Gardner 33, N. Garelli 143, V. Garonne 119, A. Gascon Bravo 44, K. Gasnikova 44,
 C. Gatti 49, A. Gaudiello 52a,52b, G. Gaudio 121a, L. Gauthier 95, I.L. Gavrilenko 96, C. Gay 167, G. Gaycken 23,
 E.N. Gazis 10, Z. Gecse 167, C.N.P. Gee 131, Ch. Geich-Gimbel 23, M. Geisen 84, M.P. Geisler 59a,
 K. Gellerstedt 146a,146b, C. Gemme 52a, M.H. Genest 57, C. Geng 35b,o, S. Gentile 132a,132b, C. Gentsos 154,
 S. George 78, D. Gerbaudo 13, A. Gershon 153, S. Ghasemi 141, M. Ghneimat 23, B. Giacobbe 22a,
 S. Giagu 132a,132b, P. Giannetti 124a,124b, B. Gibbard 27, S.M. Gibson 78, M. Gignac 167, M. Gilchriese 16,
 T.P.S. Gillam 30, D. Gillberg 31, G. Gilles 174, D.M. Gingrich 3,d, N. Giokaris 9, M.P. Giordani 163a,163c,
 F.M. Giorgi 22a, F.M. Giorgi 17, P.F. Giraud 136, P. Giromini 58, D. Giugni 92a, F. Giuli 120, C. Giuliani 101,
 M. Giulini 59b, B.K. Gjelsten 119, S. Gkaitatzis 154, I. Gkialas 154, E.L. Gkougkousis 117, L.K. Gladilin 99,
 C. Glasman 83, J. Glatzer 50, P.C.F. Glaysher 48, A. Glazov 44, M. Goblirsch-Kolb 25, J. Godlewski 41,
 S. Goldfarb 89, T. Golling 51, D. Golubkov 130, A. Gomes 126a,126b,126d, R. Gonçalo 126a,
 J. Goncalves Pinto Firmino Da Costa 136, G. Gonella 50, L. Gonella 19, A. Gongadze 66,
 S. González de la Hoz 166, G. Gonzalez Parra 13, S. Gonzalez-Sevilla 51, L. Goossens 32, P.A. Gorbounov 97,
 H.A. Gordon 27, I. Gorelov 105, B. Gorini 32, E. Gorini 74a,74b, A. Gorišek 76, E. Gornicki 41, A.T. Goshaw 47,
 C. Gössling 45, M.I. Gostkin 66, C.R. Goudet 117, D. Goujdami 135c, A.G. Goussiou 138, N. Govender 145b,p,
 E. Gozani 152, L. Gruber 56, I. Grabowska-Bold 40a, P.O.J. Gradin 57, P. Grafström 22a,22b, J. Gramling 51,
 E. Gramstad 119, S. Grancagnolo 17, V. Gratchev 123, P.M. Gravila 28e, H.M. Gray 32, E. Graziani 134a,
 Z.D. Greenwood 80,q, C. Grefe 23, K. Gregersen 79, I.M. Gregor 44, P. Grenier 143, K. Grevtsov 5, J. Griffiths 8,
 A.A. Grillo 137, K. Grimm 73, S. Grinstein 13,r, Ph. Gris 36, J.-F. Grivaz 117, S. Groh 84, J.P. Grohs 46,
 E. Gross 171, J. Grosse-Knetter 56, G.C. Grossi 80, Z.J. Grout 79, L. Guan 90, W. Guan 172, J. Guenther 63,
 F. Guescini 51, D. Guest 162, O. Gueta 153, E. Guido 52a,52b, T. Guillemin 5, S. Guindon 2, U. Gul 55,
 C. Gumpert 32, J. Guo 35e, Y. Guo 35b,o, R. Gupta 42, S. Gupta 120, G. Gustavino 132a,132b, P. Gutierrez 113,
 N.G. Gutierrez Ortiz 79, C. Gutschow 46, C. Guyot 136, C. Gwenlan 120, C.B. Gwilliam 75, A. Haas 110,
 C. Haber 16, H.K. Hadavand 8, N. Haddad 135e, A. Hadef 86, S. Hageböck 23, M. Hagihara 160, Z. Hajduk 41,
 H. Hakobyan 176,* , M. Haleem 44, J. Haley 114, G. Halladjian 91, G.D. Hallewell 86, K. Hamacher 174,
 P. Hamal 115, K. Hamano 168, A. Hamilton 145a, G.N. Hamity 139, P.G. Hamnett 44, L. Han 35b,
 K. Hanagaki 67,s, K. Hanawa 155, M. Hance 137, B. Haney 122, P. Hanke 59a, R. Hanna 136, J.B. Hansen 38,
 J.D. Hansen 38, M.C. Hansen 23, P.H. Hansen 38, K. Hara 160, A.S. Hard 172, T. Harenberg 174, F. Hariri 117,
 S. Harkusha 93, R.D. Harrington 48, P.F. Harrison 169, F. Hartjes 107, N.M. Hartmann 100, M. Hasegawa 68,
 Y. Hasegawa 140, A. Hasib 113, S. Hassani 136, S. Haug 18, R. Hauser 91, L. Hauswald 46, M. Havranek 127,
 C.M. Hawkes 19, R.J. Hawkings 32, D. Hayakawa 157, D. Hayden 91, C.P. Hays 120, J.M. Hays 77,
 H.S. Hayward 75, S.J. Haywood 131, S.J. Head 19, T. Heck 84, V. Hedberg 82, L. Heelan 8, S. Heim 122,
 T. Heim 16, B. Heinemann 16, J.J. Heinrich 100, L. Heinrich 110, C. Heinz 54, J. Hejbal 127, L. Helary 32,
 S. Hellman 146a,146b, C. Helsens 32, J. Henderson 120, R.C.W. Henderson 73, Y. Heng 172, S. Henkelmann 167,
 A.M. Henriques Correia 32, S. Henrot-Versille 117, G.H. Herbert 17, H. Herde 25, V. Herget 173,
 Y. Hernández Jiménez 166, G. Herten 50, R. Hertenberger 100, L. Hervas 32, G.G. Hesketh 79, N.P. Hessey 107,
 J.W. Hetherly 42, R. Hickling 77, E. Higón-Rodriguez 166, E. Hill 168, J.C. Hill 30, K.H. Hiller 44, S.J. Hillier 19,
 I. Hinchliffe 16, E. Hines 122, R.R. Hinman 16, M. Hirose 50, D. Hirschbuehl 174, J. Hobbs 148, N. Hod 159a,

- M.C. Hodgkinson 139, P. Hodgson 139, A. Hoecker 32, M.R. Hoeferkamp 105, F. Hoenig 100, D. Hohn 23, T.R. Holmes 16, M. Homann 45, T. Honda 67, T.M. Hong 125, B.H. Hooberman 165, W.H. Hopkins 116, Y. Horii 103, A.J. Horton 142, J-Y. Hostachy 57, S. Hou 151, A. Hoummada 135a, J. Howarth 44, J. Hoya 72, M. Hrabovsky 115, I. Hristova 17, J. Hrivnac 117, T. Hrynevich 94, C. Hsu 145c, P.J. Hsu 151,t, S.-C. Hsu 138, Q. Hu 35b, S. Hu 35e, Y. Huang 44, Z. Hubacek 128, F. Hubaut 86, F. Huegging 23, T.B. Huffman 120, E.W. Hughes 37, G. Hughes 73, M. Huhtinen 32, P. Huo 148, N. Huseynov 66,b, J. Huston 91, J. Huth 58, G. Iacobucci 51, G. Iakovidis 27, I. Ibragimov 141, L. Iconomidou-Fayard 117, E. Ideal 175, Z. Idrissi 135e, P. Iengo 32, O. Igonkina 107,u, T. Iizawa 170, Y. Ikegami 67, M. Ikeno 67, Y. Ilchenko 11,v, D. Iliadis 154, N. Ilic 143, T. Ince 101, G. Introzzi 121a,121b, P. Ioannou 9,* M. Iodice 134a, K. Iordanidou 37, V. Ippolito 58, N. Ishijima 118, M. Ishino 155, M. Ishitsuka 157, R. Ishmukhametov 111, C. Issever 120, S. Istin 20a, F. Ito 160, J.M. Iturbe Ponce 85, R. Iuppa 133a,133b, W. Iwanski 63, H. Iwasaki 67, J.M. Izen 43, V. Izzo 104a, S. Jabbar 3, B. Jackson 122, P. Jackson 1, V. Jain 2, K.B. Jakobi 84, K. Jakobs 50, S. Jakobsen 32, T. Jakoubek 127, D.O. Jamin 114, D.K. Jana 80, R. Jansky 63, J. Janssen 23, M. Janus 56, G. Jarlskog 82, N. Javadov 66,b, T. Javurek 50, F. Jeanneau 136, L. Jeanty 16, G.-Y. Jeng 150, D. Jennens 89, P. Jenni 50,w, C. Jeske 169, S. Jézéquel 5, H. Ji 172, J. Jia 148, H. Jiang 65, Y. Jiang 35b, S. Jiggins 79, J. Jimenez Pena 166, S. Jin 35a, A. Jinaru 28b, O. Jinnouchi 157, H. Jivan 145c, P. Johansson 139, K.A. Johns 7, W.J. Johnson 138, K. Jon-And 146a,146b, G. Jones 169, R.W.L. Jones 73, S. Jones 7, T.J. Jones 75, J. Jongmanns 59a, P.M. Jorge 126a,126b, J. Jovicevic 159a, X. Ju 172, A. Juste Rozas 13,r, M.K. Köhler 171, A. Kaczmarska 41, M. Kado 117, H. Kagan 111, M. Kagan 143, S.J. Kahn 86, T. Kaji 170, E. Kajomovitz 47, C.W. Kalderon 120, A. Kaluza 84, S. Kama 42, A. Kamenshchikov 130, N. Kanaya 155, S. Kaneti 30, L. Kanjir 76, V.A. Kantserov 98, J. Kanzaki 67, B. Kaplan 110, L.S. Kaplan 172, A. Kapliy 33, D. Kar 145c, K. Karakostas 10, A. Karamaoun 3, N. Karastathis 10, M.J. Kareem 56, E. Karentzos 10, M. Karnevskiy 84, S.N. Karpov 66, Z.M. Karpova 66, K. Karthik 110, V. Kartvelishvili 73, A.N. Karyukhin 130, K. Kasahara 160, L. Kashif 172, R.D. Kass 111, A. Kastanas 15, Y. Kataoka 155, C. Kato 155, A. Katre 51, J. Katzy 44, K. Kawagoe 71, T. Kawamoto 155, G. Kawamura 56, V.F. Kazanin 109,c, R. Keeler 168, R. Kehoe 42, J.S. Keller 44, J.J. Kempster 78, K Kentaro 103, H. Keoshkerian 158, O. Kepka 127, B.P. Kerševan 76, S. Kersten 174, R.A. Keyes 88, M. Khader 165, F. Khalil-zada 12, A. Khanov 114, A.G. Kharlamov 109,c, T. Kharlamova 109, T.J. Khoo 51, V. Khovanskiy 97, E. Khramov 66, J. Khubua 53b,x, S. Kido 68, C.R. Kilby 78, H.Y. Kim 8, S.H. Kim 160, Y.K. Kim 33, N. Kimura 154, O.M. Kind 17, B.T. King 75, M. King 166, J. Kirk 131, A.E. Kiryunin 101, T. Kishimoto 155, D. Kisielewska 40a, F. Kiss 50, K. Kiuchi 160, O. Kivernyk 136, E. Kladiva 144b, M.H. Klein 37, M. Klein 75, U. Klein 75, K. Kleinknecht 84, P. Klimek 108, A. Klimentov 27, R. Klingenberg 45, J.A. Klinger 139, T. Klioutchnikova 32, E.-E. Kluge 59a, P. Kluit 107, S. Kluth 101, J. Knapik 41, E. Kneringer 63, E.B.F.G. Knoops 86, A. Knue 55, A. Kobayashi 155, D. Kobayashi 157, T. Kobayashi 155, M. Kobel 46, M. Kocijan 143, P. Kodys 129, N.M. Koehler 101, T. Koffas 31, E. Koffeman 107, T. Koi 143, H. Kolanoski 17, M. Kolb 59b, I. Koletsou 5, A.A. Komar 96,* Y. Komori 155, T. Kondo 67, N. Kondrashova 44, K. Köneke 50, A.C. König 106, T. Kono 67,y, R. Konoplich 110,z, N. Konstantinidis 79, R. Kopeliansky 62, S. Koperny 40a, L. Köpke 84, A.K. Kopp 50, K. Korcyl 41, K. Kordas 154, A. Korn 79, A.A. Korol 109,c, I. Korolkov 13, E.V. Korolkova 139, O. Kortner 101, S. Kortner 101, T. Kosek 129, V.V. Kostyukhin 23, A. Kotwal 47, A. Kourkoumelis-Charalampidi 121a,121b, C. Kourkoumelis 9, V. Kouskoura 27, A.B. Kowalewska 41, R. Kowalewski 168, T.Z. Kowalski 40a, C. Kozakai 155, W. Kozanecki 136, A.S. Kozhin 130, V.A. Kramarenko 99, G. Kramberger 76, D. Krasnopevtsev 98, M.W. Krasny 81, A. Krassnahorkay 32, A. Kravchenko 27, M. Kretz 59c, J. Kretzschmar 75, K. Kreutzfeldt 54, P. Krieger 158, K. Krizka 33, K. Kroeninger 45, H. Kroha 101, J. Kroll 122, J. Kroseberg 23, J. Krstic 14, U. Kruchonak 66, H. Krüger 23, N. Krumnack 65, M.C. Kruse 47, M. Kruskal 24, T. Kubota 89, H. Kucuk 79, S. Kuday 4b, J.T. Kuechler 174, S. Kuehn 50, A. Kugel 59c, F. Kuger 173, A. Kuhl 137, T. Kuhl 44, V. Kukhtin 66, R. Kukla 136, Y. Kulchitsky 93, S. Kuleshov 34b, M. Kuna 132a,132b, T. Kunigo 69, A. Kupco 127, H. Kurashige 68, Y.A. Kurochkin 93, V. Kus 127, E.S. Kuwertz 168, M. Kuze 157, J. Kvita 115, T. Kwan 168, D. Kyriazopoulos 139, A. La Rosa 101, J.L. La Rosa Navarro 26d, L. La Rotonda 39a,39b, C. Lacasta 166, F. Lacava 132a,132b, J. Lacey 31, H. Lacker 17, D. Lacour 81, V.R. Lacuesta 166, E. Ladygin 66, R. Lafaye 5, B. Laforge 81, T. Lagouri 175, S. Lai 56, S. Lammers 62, W. Lampl 7, E. Lançon 136, U. Landgraf 50, M.P.J. Landon 77, M.C. Lanfermann 51, V.S. Lang 59a, J.C. Lange 13, A.J. Lankford 162, F. Lanni 27, K. Lantzsch 23, A. Lanza 121a, S. Laplace 81, C. Lapoire 32, J.F. Laporte 136, T. Lari 92a, F. Lasagni Manghi 22a,22b, M. Lassnig 32, P. Laurelli 49, W. Lavrijsen 16, A.T. Law 137, P. Laycock 75,

- T. Lazovich 58, M. Lazzaroni 92a,92b, B. Le 89, O. Le Dortz 81, E. Le Guirriec 86, E.P. Le Quilleuc 136,
 M. LeBlanc 168, T. LeCompte 6, F. Ledroit-Guillon 57, C.A. Lee 27, S.C. Lee 151, L. Lee 1, B. Lefebvre 88,
 G. Lefebvre 81, M. Lefebvre 168, F. Legger 100, C. Leggett 16, A. Lehan 75, G. Lehmann Miotto 32, X. Lei 7,
 W.A. Leight 31, A. Leisos 154,aa, A.G. Leister 175, M.A.L. Leite 26d, R. Leitner 129, D. Lellouch 171,
 B. Lemmer 56, K.J.C. Leney 79, T. Lenz 23, B. Lenzi 32, R. Leone 7, S. Leone 124a,124b, C. Leonidopoulos 48,
 S. Leontsinis 10, G. Lerner 149, C. Leroy 95, A.A.J. Lesage 136, C.G. Lester 30, M. Levchenko 123, J. Levêque 5,
 D. Levin 90, L.J. Levinson 171, M. Levy 19, D. Lewis 77, A.M. Leyko 23, M. Leyton 43, B. Li 35b,o, C. Li 35b,
 H. Li 148, H.L. Li 33, L. Li 47, L. Li 35e, Q. Li 35a, S. Li 47, X. Li 85, Y. Li 141, Z. Liang 35a, B. Liberti 133a,
 A. Liblong 158, P. Lichard 32, K. Lie 165, J. Liebal 23, W. Liebig 15, A. Limosani 150, S.C. Lin 151,ab, T.H. Lin 84,
 B.E. Lindquist 148, A.E. Lionti 51, E. Lipeles 122, A. Lipniacka 15, M. Lisovskyi 59b, T.M. Liss 165, A. Lister 167,
 A.M. Litke 137, B. Liu 151,ac, D. Liu 151, H. Liu 90, H. Liu 27, J. Liu 86, J.B. Liu 35b, K. Liu 86, L. Liu 165, M. Liu 47,
 M. Liu 35b, Y.L. Liu 35b, Y. Liu 35b, M. Livan 121a,121b, A. Lleres 57, J. Llorente Merino 35a, S.L. Lloyd 77,
 F. Lo Sterzo 151, E.M. Lobodzinska 44, P. Loch 7, W.S. Lockman 137, F.K. Loebinger 85,
 A.E. Loevschall-Jensen 38, K.M. Loew 25, A. Loginov 175,* T. Lohse 17, K. Lohwasser 44, M. Lokajicek 127,
 B.A. Long 24, J.D. Long 165, R.E. Long 73, L. Longo 74a,74b, K.A.Looper 111, J.A. López 34b, D. Lopez Mateos 58,
 B. Lopez Paredes 139, I. Lopez Paz 13, A. Lopez Solis 81, J. Lorenz 100, N. Lorenzo Martinez 62, M. Losada 21,
 P.J. Lösel 100, X. Lou 35a, A. Lounis 117, J. Love 6, P.A. Love 73, H. Lu 61a, N. Lu 90, H.J. Lubatti 138,
 C. Luci 132a,132b, A. Lucotte 57, C. Luedtke 50, F. Luehring 62, W. Lukas 63, L. Luminari 132a,
 O. Lundberg 146a,146b, B. Lund-Jensen 147, P.M. Luzi 81, D. Lynn 27, R. Lysak 127, E. Lytken 82,
 V. Lyubushkin 66, H. Ma 27, L.L. Ma 35d, Y. Ma 35d, G. Maccarrone 49, A. Macchiolo 101, C.M. Macdonald 139,
 B. Maček 76, J. Machado Miguens 122,126b, D. Madaffari 86, R. Madar 36, H.J. Maddocks 164, W.F. Mader 46,
 A. Madsen 44, J. Maeda 68, S. Maeland 15, T. Maeno 27, A. Maevskiy 99, E. Magradze 56, J. Mahlstedt 107,
 C. Maiani 117, C. Maidantchik 26a, A.A. Maier 101, T. Maier 100, A. Maio 126a,126b,126d, S. Majewski 116,
 Y. Makida 67, N. Makovec 117, B. Malaescu 81, Pa. Malecki 41, V.P. Maleev 123, F. Malek 57, U. Mallik 64,
 D. Malon 6, C. Malone 143, C. Malone 30, S. Maltezos 10, S. Malyukov 32, J. Mamuzic 166, G. Mancini 49,
 L. Mandelli 92a, I. Mandić 76, J. Maneira 126a,126b, L. Manhaes de Andrade Filho 26b,
 J. Manjarres Ramos 159b, A. Mann 100, A. Manousos 32, B. Mansoulie 136, J.D. Mansour 35a, R. Mantifel 88,
 M. Mantoani 56, S. Manzoni 92a,92b, L. Mapelli 32, G. Marceca 29, L. March 51, G. Marchiori 81,
 M. Marcisovsky 127, M. Marjanovic 14, D.E. Marley 90, F. Marroquim 26a, S.P. Marsden 85, Z. Marshall 16,
 S. Marti-Garcia 166, B. Martin 91, T.A. Martin 169, V.J. Martin 48, B. Martin dit Latour 15, M. Martinez 13,r,
 V.I. Martinez Outschoorn 165, S. Martin-Haugh 131, V.S. Martoiu 28b, A.C. Martyniuk 79, M. Marx 138,
 A. Marzin 32, L. Masetti 84, T. Mashimo 155, R. Mashinistov 96, J. Masik 85, A.L. Maslennikov 109,c,
 I. Massa 22a,22b, L. Massa 22a,22b, P. Mastrandrea 5, A. Mastroberardino 39a,39b, T. Masubuchi 155,
 P. Mättig 174, J. Mattmann 84, J. Maurer 28b, S.J. Maxfield 75, D.A. Maximov 109,c, R. Mazini 151,
 S.M. Mazza 92a,92b, N.C. Mc Fadden 105, G. Mc Goldrick 158, S.P. Mc Kee 90, A. McCarn 90, R.L. McCarthy 148,
 T.G. McCarthy 101, L.I. McClymont 79, E.F. McDonald 89, J.A. McFayden 79, G. Mchedlidze 56,
 S.J. McMahon 131, R.A. McPherson 168,! M. Medinnis 44, S. Meehan 138, S. Mehlhase 100, A. Mehta 75,
 K. Meier 59a, C. Meineck 100, B. Meirose 43, D. Melini 166, B.R. Mellado Garcia 145c, M. Melo 144a,
 F. Meloni 18, A. Mengarelli 22a,22b, S. Menke 101, E. Meoni 161, S. Mergelmeyer 17, P. Mermod 51,
 L. Merola 104a,104b, C. Meroni 92a, F.S. Merritt 33, A. Messina 132a,132b, J. Metcalfe 6, A.S. Mete 162,
 C. Meyer 84, C. Meyer 122, J-P. Meyer 136, J. Meyer 107, H. Meyer Zu Theenhausen 59a, F. Miano 149,
 R.P. Middleton 131, S. Miglioranzi 52a,52b, L. Mijović 48, G. Mikenberg 171, M. Mikestikova 127, M. Mikuž 76,
 M. Milesi 89, A. Milic 63, D.W. Miller 33, C. Mills 48, A. Milov 171, D.A. Milstead 146a,146b, A.A. Minaenko 130,
 Y. Minami 155, I.A. Minashvili 66, A.I. Mincer 110, B. Mindur 40a, M. Mineev 66, Y. Minegishi 155, Y. Ming 172,
 L.M. Mir 13, K.P. Mistry 122, T. Mitani 170, J. Mitrevski 100, V.A. Mitsou 166, A. Miucci 18, P.S. Miyagawa 139,
 J.U. Mjörnmark 82, M. Mlynarikova 129, T. Moa 146a,146b, K. Mochizuki 95, S. Mohapatra 37,
 S. Molander 146a,146b, R. Moles-Valls 23, R. Monden 69, M.C. Mondragon 91, K. Mönig 44, J. Monk 38,
 E. Monnier 86, A. Montalbano 148, J. Montejo Berlingen 32, F. Monticelli 72, S. Monzani 92a,92b,
 R.W. Moore 3, N. Morange 117, D. Moreno 21, M. Moreno Llácer 56, P. Morettini 52a, S. Morgenstern 32,
 D. Mori 142, T. Mori 155, M. Morii 58, M. Morinaga 155, V. Morisbak 119, S. Moritz 84, A.K. Morley 150,
 G. Mornacchi 32, J.D. Morris 77, S.S. Mortensen 38, L. Morvaj 148, M. Mosidze 53b, J. Moss 143,
 K. Motohashi 157, R. Mount 143, E. Mountricha 27, E.J.W. Moyse 87, S. Muanza 86, R.D. Mudd 19,

- F. Mueller ¹⁰¹, J. Mueller ¹²⁵, R.S.P. Mueller ¹⁰⁰, T. Mueller ³⁰, D. Muenstermann ⁷³, P. Mullen ⁵⁵, G.A. Mullier ¹⁸, F.J. Munoz Sanchez ⁸⁵, J.A. Murillo Quijada ¹⁹, W.J. Murray ^{169,131}, H. Musheghyan ⁵⁶, M. Muškinja ⁷⁶, A.G. Myagkov ^{130,ad}, M. Myska ¹²⁸, B.P. Nachman ¹⁴³, O. Nackenhorst ⁵¹, K. Nagai ¹²⁰, R. Nagai ^{67,y}, K. Nagano ⁶⁷, Y. Nagasaka ⁶⁰, K. Nagata ¹⁶⁰, M. Nagel ⁵⁰, E. Nagy ⁸⁶, A.M. Nairz ³², Y. Nakahama ¹⁰³, K. Nakamura ⁶⁷, T. Nakamura ¹⁵⁵, I. Nakano ¹¹², H. Namasivayam ⁴³, R.F. Naranjo Garcia ⁴⁴, R. Narayan ¹¹, D.I. Narrius Villar ^{59a}, I. Naryshkin ¹²³, T. Naumann ⁴⁴, G. Navarro ²¹, R. Nayyar ⁷, H.A. Neal ⁹⁰, P.Yu. Nechaeva ⁹⁶, T.J. Neep ⁸⁵, A. Negri ^{121a,121b}, M. Negrini ^{22a}, S. Nektarijevic ¹⁰⁶, C. Nellist ¹¹⁷, A. Nelson ¹⁶², S. Nemecek ¹²⁷, P. Nemethy ¹¹⁰, A.A. Nepomuceno ^{26a}, M. Nessi ^{32,ae}, M.S. Neubauer ¹⁶⁵, M. Neumann ¹⁷⁴, R.M. Neves ¹¹⁰, P. Nevski ²⁷, P.R. Newman ¹⁹, D.H. Nguyen ⁶, T. Nguyen Manh ⁹⁵, R.B. Nickerson ¹²⁰, R. Nicolaïdou ¹³⁶, J. Nielsen ¹³⁷, A. Nikiforov ¹⁷, V. Nikolaenko ^{130,ad}, I. Nikolic-Audit ⁸¹, K. Nikolopoulos ¹⁹, J.K. Nilsen ¹¹⁹, P. Nilsson ²⁷, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, R. Nisius ¹⁰¹, T. Nobe ¹⁵⁵, M. Nomachi ¹¹⁸, I. Nomidis ³¹, T. Nooney ⁷⁷, S. Norberg ¹¹³, M. Nordberg ³², N. Norjoharuddeen ¹²⁰, O. Novgorodova ⁴⁶, S. Nowak ¹⁰¹, M. Nozaki ⁶⁷, L. Nozka ¹¹⁵, K. Ntekas ¹⁶², E. Nurse ⁷⁹, F. Nuti ⁸⁹, F. O'grady ⁷, D.C. O'Neil ¹⁴², A.A. O'Rourke ⁴⁴, V. O'Shea ⁵⁵, F.G. Oakham ^{31,d}, H. Oberlack ¹⁰¹, T. Obermann ²³, J. Ocariz ⁸¹, A. Ochi ⁶⁸, I. Ochoa ³⁷, J.P. Ochoa-Ricoux ^{34a}, S. Oda ⁷¹, S. Odaka ⁶⁷, H. Ogren ⁶², A. Oh ⁸⁵, S.H. Oh ⁴⁷, C.C. Ohm ¹⁶, H. Ohman ¹⁶⁴, H. Oide ³², H. Okawa ¹⁶⁰, Y. Okumura ¹⁵⁵, T. Okuyama ⁶⁷, A. Olariu ^{28b}, L.F. Oleiro Seabra ^{126a}, S.A. Olivares Pino ⁴⁸, D. Oliveira Damazio ²⁷, A. Olszewski ⁴¹, J. Olszowska ⁴¹, A. Onofre ^{126a,126e}, K. Onogi ¹⁰³, P.U.E. Onyisi ^{11,v}, M.J. Oreglia ³³, Y. Oren ¹⁵³, D. Orestano ^{134a,134b}, N. Orlando ^{61b}, R.S. Orr ¹⁵⁸, B. Osculati ^{52a,52b}, R. Ospanov ⁸⁵, G. Otero y Garzon ²⁹, H. Otono ⁷¹, M. Ouchrif ^{135d}, F. Ould-Saada ¹¹⁹, A. Ouraou ¹³⁶, K.P. Oussoren ¹⁰⁷, Q. Ouyang ^{35a}, M. Owen ⁵⁵, R.E. Owen ¹⁹, V.E. Ozcan ^{20a}, N. Ozturk ⁸, K. Pachal ¹⁴², A. Pacheco Pages ¹³, L. Pacheco Rodriguez ¹³⁶, C. Padilla Aranda ¹³, M. Pagáčová ⁵⁰, S. Pagan Griso ¹⁶, M. Paganini ¹⁷⁵, F. Paige ²⁷, P. Pais ⁸⁷, K. Pajchel ¹¹⁹, G. Palacino ^{159b}, S. Palazzo ^{39a,39b}, S. Palestini ³², M. Palka ^{40b}, D. Pallin ³⁶, E. St. Panagiotopoulou ¹⁰, C.E. Pandini ⁸¹, J.G. Panduro Vazquez ⁷⁸, P. Pani ^{146a,146b}, S. Panitkin ²⁷, D. Pantea ^{28b}, L. Paolozzi ⁵¹, Th.D. Papadopoulou ¹⁰, K. Papageorgiou ¹⁵⁴, A. Paramonov ⁶, D. Paredes Hernandez ¹⁷⁵, A.J. Parker ⁷³, M.A. Parker ³⁰, K.A. Parker ¹³⁹, F. Parodi ^{52a,52b}, J.A. Parsons ³⁷, U. Parzefall ⁵⁰, V.R. Pascuzzi ¹⁵⁸, E. Pasqualucci ^{132a}, S. Passaggio ^{52a}, Fr. Pastore ⁷⁸, G. Pásztor ^{31,af}, S. Pataraia ¹⁷⁴, J.R. Pater ⁸⁵, T. Pauly ³², J. Pearce ¹⁶⁸, B. Pearson ¹¹³, L.E. Pedersen ³⁸, M. Pedersen ¹¹⁹, S. Pedraza Lopez ¹⁶⁶, R. Pedro ^{126a,126b}, S.V. Peleganchuk ^{109,c}, O. Penc ¹²⁷, C. Peng ^{35a}, H. Peng ^{35b}, J. Penwell ⁶², B.S. Peralva ^{26b}, M.M. Perego ¹³⁶, D.V. Perepelitsa ²⁷, E. Perez Codina ^{159a}, L. Perini ^{92a,92b}, H. Pernegger ³², S. Perrella ^{104a,104b}, R. Peschke ⁴⁴, V.D. Peshekhonov ⁶⁶, K. Peters ⁴⁴, R.F.Y. Peters ⁸⁵, B.A. Petersen ³², T.C. Petersen ³⁸, E. Petit ⁵⁷, A. Petridis ¹, C. Petridou ¹⁵⁴, P. Petroff ¹¹⁷, E. Petrolo ^{132a}, M. Petrov ¹²⁰, F. Petrucci ^{134a,134b}, N.E. Pettersson ⁸⁷, A. Peyaud ¹³⁶, R. Pezoa ^{34b}, P.W. Phillips ¹³¹, G. Piacquadio ^{143,ag}, E. Pianori ¹⁶⁹, A. Picazio ⁸⁷, E. Piccaro ⁷⁷, M. Piccinini ^{22a,22b}, M.A. Pickering ¹²⁰, R. Piegaia ²⁹, J.E. Pilcher ³³, A.D. Pilkington ⁸⁵, A.W.J. Pin ⁸⁵, M. Pinamonti ^{163a,163c,ah}, J.L. Pinfold ³, A. Pingel ³⁸, S. Pires ⁸¹, H. Pirumov ⁴⁴, M. Pitt ¹⁷¹, L. Plazak ^{144a}, M.-A. Pleier ²⁷, V. Pleskot ⁸⁴, E. Plotnikova ⁶⁶, P. Plucinski ⁹¹, D. Pluth ⁶⁵, R. Poettgen ^{146a,146b}, L. Poggioli ¹¹⁷, D. Pohl ²³, G. Polesello ^{121a}, A. Poley ⁴⁴, A. Policicchio ^{39a,39b}, R. Polifka ¹⁵⁸, A. Polini ^{22a}, C.S. Pollard ⁵⁵, V. Polychronakos ²⁷, K. Pommès ³², L. Pontecorvo ^{132a}, B.G. Pope ⁹¹, G.A. Popeneciu ^{28c}, A. Poppleton ³², S. Pospisil ¹²⁸, K. Potamianos ¹⁶, I.N. Potrap ⁶⁶, C.J. Potter ³⁰, C.T. Potter ¹¹⁶, G. Pouillard ³², J. Poveda ³², V. Pozdnyakov ⁶⁶, M.E. Pozo Astigarraga ³², P. Pralavorio ⁸⁶, A. Pranko ¹⁶, S. Prell ⁶⁵, D. Price ⁸⁵, L.E. Price ⁶, M. Primavera ^{74a}, S. Prince ⁸⁸, K. Prokofiev ^{61c}, F. Prokoshin ^{34b}, S. Protopopescu ²⁷, J. Proudfoot ⁶, M. Przybycien ^{40a}, D. Puddu ^{134a,134b}, M. Purohit ^{27,ai}, P. Puzo ¹¹⁷, J. Qian ⁹⁰, G. Qin ⁵⁵, Y. Qin ⁸⁵, A. Quadt ⁵⁶, W.B. Quayle ^{163a,163b}, M. Queitsch-Maitland ⁸⁵, D. Quilty ⁵⁵, S. Raddum ¹¹⁹, V. Radeka ²⁷, V. Radescu ¹²⁰, S.K. Radhakrishnan ¹⁴⁸, P. Radloff ¹¹⁶, P. Rados ⁸⁹, F. Ragusa ^{92a,92b}, G. Rahal ¹⁷⁷, J.A. Raine ⁸⁵, S. Rajagopalan ²⁷, M. Rammensee ³², C. Rangel-Smith ¹⁶⁴, M.G. Ratti ^{92a,92b}, F. Rauscher ¹⁰⁰, S. Rave ⁸⁴, T. Ravenscroft ⁵⁵, I. Ravinovich ¹⁷¹, M. Raymond ³², A.L. Read ¹¹⁹, N.P. Readioff ⁷⁵, M. Reale ^{74a,74b}, D.M. Rebuzzi ^{121a,121b}, A. Redelbach ¹⁷³, G. Redlinger ²⁷, R. Reece ¹³⁷, R.G. Reed ^{145c}, K. Reeves ⁴³, L. Rehnisch ¹⁷, J. Reichert ¹²², A. Reiss ⁸⁴, C. Rembser ³², H. Ren ^{35a}, M. Rescigno ^{132a}, S. Resconi ^{92a}, O.L. Rezanova ^{109,c}, P. Reznicek ¹²⁹, R. Rezvani ⁹⁵, R. Richter ¹⁰¹, S. Richter ⁷⁹, E. Richter-Was ^{40b}, O. Ricken ²³, M. Ridel ⁸¹, P. Rieck ¹⁷, C.J. Riegel ¹⁷⁴, J. Rieger ⁵⁶, O. Rifki ¹¹³, M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{121a,121b}, M. Rimoldi ¹⁸, L. Rinaldi ^{22a}, B. Ristić ⁵¹, E. Ritsch ³², I. Liu ¹³,

- F. Rizatdinova 114, E. Rizvi 77, C. Rizzi 13, S.H. Robertson 88,^I, A. Robichaud-Veronneau 88, D. Robinson 30, J.E.M. Robinson 44, A. Robson 55, C. Roda 124a,124b, Y. Rodina 86, A. Rodriguez Perez 13, D. Rodriguez Rodriguez 166, S. Roe 32, C.S. Rogan 58, O. Røhne 119, A. Romanouk 98, M. Romano 22a,22b, S.M. Romano Saez 36, E. Romero Adam 166, N. Rompotis 138, M. Ronzani 50, L. Roos 81, E. Ros 166, S. Rosati 132a, K. Rosbach 50, P. Rose 137, N.-A. Rosien 56, V. Rossetti 146a,146b, E. Rossi 104a,104b, L.P. Rossi 52a, J.H.N. Rosten 30, R. Rosten 138, M. Rotaru 28b, I. Roth 171, J. Rothberg 138, D. Rousseau 117, A. Rozanov 86, Y. Rozen 152, X. Ruan 145c, F. Rubbo 143, M.S. Rudolph 158, F. Rühr 50, A. Ruiz-Martinez 31, Z. Rurikova 50, N.A. Rusakovich 66, A. Ruschke 100, H.L. Russell 138, J.P. Rutherford 7, N. Ruthmann 32, Y.F. Ryabov 123, M. Rybar 165, G. Rybkin 117, S. Ryu 6, A. Ryzhov 130, G.F. Rzechorz 56, A.F. Saavedra 150, G. Sabato 107, S. Sacerdoti 29, H.F-W. Sadrozinski 137, R. Sadykov 66, F. Safai Tehrani 132a, P. Saha 108, M. Sahinsoy 59a, M. Saimpert 136, T. Saito 155, H. Sakamoto 155, Y. Sakurai 170, G. Salamanna 134a,134b, A. Salamon 133a,133b, J.E. Salazar Loyola 34b, D. Salek 107, P.H. Sales De Bruin 138, D. Salihagic 101, A. Salnikov 143, J. Salt 166, D. Salvatore 39a,39b, F. Salvatore 149, A. Salvucci 61a, A. Salzburger 32, D. Sammel 50, D. Sampsonidis 154, A. Sanchez 104a,104b, J. Sánchez 166, V. Sanchez Martinez 166, H. Sandaker 119, R.L. Sandbach 77, H.G. Sander 84, M. Sandhoff 174, C. Sandoval 21, D.P.C. Sankey 131, M. Sannino 52a,52b, A. Sansoni 49, C. Santoni 36, R. Santonico 133a,133b, H. Santos 126a, I. Santoyo Castillo 149, K. Sapp 125, A. Sapronov 66, J.G. Saraiva 126a,126d, B. Sarrazin 23, O. Sasaki 67, K. Sato 160, E. Sauvan 5, G. Savage 78, P. Savard 158,^d, N. Savic 101, C. Sawyer 131, L. Sawyer 80,^q, J. Saxon 33, C. Sbarra 22a, A. Sbrizzi 22a,22b, T. Scanlon 79, D.A. Scannicchio 162, M. Scarcella 150, V. Scarfone 39a,39b, J. Schaarschmidt 171, P. Schacht 101, B.M. Schachtner 100, D. Schaefer 32, L. Schaefer 122, R. Schaefer 44, J. Schaeffer 84, S. Schaepe 23, S. Schaetzl 59b, U. Schäfer 84, A.C. Schaffer 117, D. Schaile 100, R.D. Schamberger 148, V. Scharf 59a, V.A. Schegelsky 123, D. Scheirich 129, M. Schernau 162, C. Schiavi 52a,52b, S. Schier 137, C. Schillo 50, M. Schioppa 39a,39b, S. Schlenker 32, K.R. Schmidt-Sommerfeld 101, K. Schmieden 32, C. Schmitt 84, S. Schmitt 44, S. Schmitz 84, B. Schneider 159a, U. Schnoor 50, L. Schoeffel 136, A. Schoening 59b, B.D. Schoenrock 91, E. Schopf 23, M. Schott 84, J. Schovancova 8, S. Schramm 51, M. Schreyer 173, N. Schuh 84, A. Schulte 84, M.J. Schultens 23, H.-C. Schultz-Coulon 59a, H. Schulz 17, M. Schumacher 50, B.A. Schumm 137, Ph. Schune 136, A. Schwartzman 143, T.A. Schwarz 90, H. Schweiger 85, Ph. Schwemling 136, R. Schwienhorst 91, J. Schwindling 136, T. Schwindt 23, G. Sciolla 25, F. Scuri 124a,124b, F. Scutti 89, J. Searcy 90, P. Seema 23, S.C. Seidel 105, A. Seiden 137, F. Seifert 128, J.M. Seixas 26a, G. Sekhniaidze 104a, K. Sekhon 90, S.J. Sekula 42, D.M. Seliverstov 123,* , N. Semprini-Cesari 22a,22b, C. Serfon 119, L. Serin 117, L. Serkin 163a,163b, M. Sessa 134a,134b, R. Seuster 168, H. Severini 113, T. Sfiligoj 76, F. Sforza 32, A. Sfyrla 51, E. Shabalina 56, N.W. Shaikh 146a,146b, L.Y. Shan 35a, R. Shang 165, J.T. Shank 24, M. Shapiro 16, P.B. Shatalov 97, K. Shaw 163a,163b, S.M. Shaw 85, A. Shcherbakova 146a,146b, C.Y. Shehu 149, P. Sherwood 79, L. Shi 151,^{aj}, S. Shimizu 68, C.O. Shimmin 162, M. Shimojima 102, S. Shirabe 71, M. Shiyakova 66,^{ak}, A. Shmeleva 96, D. Shoaleh Saadi 95, M.J. Shochet 33, S. Shojaii 92a,92b, D.R. Shope 113, S. Shrestha 111, E. Shulga 98, M.A. Shupe 7, P. Sicho 127, A.M. Sickles 165, P.E. Sidebo 147, O. Sidiropoulou 173, D. Sidorov 114, A. Sidoti 22a,22b, F. Siegert 46, Dj. Sijacki 14, J. Silva 126a,126d, S.B. Silverstein 146a, V. Simak 128, Lj. Simic 14, S. Simion 117, E. Simioni 84, B. Simmons 79, D. Simon 36, M. Simon 84, P. Sinervo 158, N.B. Sinev 116, M. Sioli 22a,22b, G. Siragusa 173, S.Yu. Sivoklokov 99, J. Sjölin 146a,146b, M.B. Skinner 73, H.P. Skottowe 58, P. Skubic 113, M. Slater 19, T. Slavicek 128, M. Slawinska 107, K. Sliwa 161, R. Slovak 129, V. Smakhtin 171, B.H. Smart 5, L. Smestad 15, J. Smiesko 144a, S.Yu. Smirnov 98, Y. Smirnov 98, L.N. Smirnova 99,^{al}, O. Smirnova 82, M.N.K. Smith 37, R.W. Smith 37, M. Smizanska 73, K. Smolek 128, A.A. Snesarev 96, I.M. Snyder 116, S. Snyder 27, R. Sobie 168,^I, F. Socher 46, A. Soffer 153, D.A. Soh 151, G. Sokhrannyi 76, C.A. Solans Sanchez 32, M. Solar 128, E.Yu. Soldatov 98, U. Soldevila 166, A.A. Solodkov 130, A. Soloshenko 66, O.V. Solovyanov 130, V. Solovyev 123, P. Sommer 50, H. Son 161, H.Y. Song 35b,^{am}, A. Sood 16, A. Sopczak 128, V. Sopko 128, V. Sorin 13, D. Sosa 59b, C.L. Sotiropoulou 124a,124b, R. Soualah 163a,163c, A.M. Soukharev 109,^c, D. South 44, B.C. Sowden 78, S. Spagnolo 74a,74b, M. Spalla 124a,124b, M. Spangenberg 169, F. Spanò 78, D. Sperlich 17, F. Spettel 101, R. Spighi 22a, G. Spigo 32, L.A. Spiller 89, M. Spousta 129, R.D. St. Denis 55,* , A. Stabile 92a, R. Stamen 59a, S. Stamm 17, E. Stanecka 41, R.W. Stanek 6, C. Stanescu 134a, M. Stanescu-Bellu 44, M.M. Stanitzki 44, S. Stapnes 119, E.A. Starchenko 130, G.H. Stark 33, J. Stark 57, P. Staroba 127, P. Starovoitov 59a, S. Stärz 32, R. Staszewski 41, P. Steinberg 27, B. Stelzer 142, H.J. Stelzer 32, O. Stelzer-Chilton 159a, H. Stenzel 54, G.A. Stewart 55, J.A. Stillings 23,

- M.C. Stockton 88, M. Stoebe 88, G. Stoica 28b, P. Stolte 56, S. Stonjek 101, A.R. Stradling 8, A. Straessner 46, M.E. Stramaglia 18, J. Strandberg 147, S. Strandberg 146a, 146b, A. Strandlie 119, M. Strauss 113, P. Strizenec 144b, R. Ströhmer 173, D.M. Strom 116, R. Stroynowski 42, A. Strubig 106, S.A. Stucci 27, B. Stugu 15, N.A. Styles 44, D. Su 143, J. Su 125, S. Suchek 59a, Y. Sugaya 118, M. Suk 128, V.V. Sulin 96, S. Sultansoy 4c, T. Sumida 69, S. Sun 58, X. Sun 35a, J.E. Sundermann 50, K. Suruliz 149, G. Susinno 39a, 39b, M.R. Sutton 149, S. Suzuki 67, M. Svatos 127, M. Swiatlowski 33, I. Sykora 144a, T. Sykora 129, D. Ta 50, C. Taccini 134a, 134b, K. Tackmann 44, J. Taenzer 158, A. Taffard 162, R. Tafirout 159a, N. Taiblum 153, H. Takai 27, R. Takashima 70, T. Takeshita 140, Y. Takubo 67, M. Talby 86, A.A. Talyshov 109.c, K.G. Tan 89, J. Tanaka 155, M. Tanaka 157, R. Tanaka 117, S. Tanaka 67, R. Tanioka 68, B.B. Tannenwald 111, S. Tapia Araya 34b, S. Tapprogge 84, S. Tarem 152, G.F. Tartarelli 92a, P. Tas 129, M. Tasevsky 127, T. Tashiro 69, E. Tassi 39a, 39b, A. Tavares Delgado 126a, 126b, Y. Tayalati 135e, A.C. Taylor 105, G.N. Taylor 89, P.T.E. Taylor 89, W. Taylor 159b, F.A. Teischinger 32, P. Teixeira-Dias 78, K.K. Temming 50, D. Temple 142, H. Ten Kate 32, P.K. Teng 151, J.J. Teoh 118, F. Tepel 174, S. Terada 67, K. Terashi 155, J. Terron 83, S. Terzo 13, M. Testa 49, R.J. Teuscher 158.l, T. Theveneaux-Pelzer 86, J.P. Thomas 19, J. Thomas-Wilsker 78, E.N. Thompson 37, P.D. Thompson 19, A.S. Thompson 55, L.A. Thomsen 175, E. Thomson 122, M. Thomson 30, M.J. Tibbetts 16, R.E. Ticse Torres 86, V.O. Tikhomirov 96.an, Yu.A. Tikhonov 109.c, S. Timoshenko 98, P. Tipton 175, S. Tisserant 86, K. Todome 157, T. Todorov 5.*, S. Todorova-Nova 129, J. Tojo 71, S. Tokár 144a, K. Tokushuku 67, E. Tolley 58, L. Tomlinson 85, M. Tomoto 103, L. Tompkins 143.ao, K. Toms 105, B. Tong 58, P. Tornambe 50, E. Torrence 116, H. Torres 142, E. Torró Pastor 138, J. Toth 86.ap, F. Touchard 86, D.R. Tovey 139, T. Trefzger 173, A. Tricoli 27, I.M. Trigger 159a, S. Trincaz-Duvold 81, M.F. Tripiana 13, W. Trischuk 158, B. Trocmé 57, A. Trofymov 44, C. Troncon 92a, M. Trottier-McDonald 16, M. Trovatelli 168, L. Truong 163a, 163c, M. Trzebinski 41, A. Trzupek 41, J.-C.-L. Tseng 120, P.V. Tsiareshka 93, G. Tsipolitis 10, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 50, E.G. Tskhadadze 53a, K.M. Tsui 61a, I.I. Tsukerman 97, V. Tsulaia 16, S. Tsuno 67, D. Tsybychev 148, Y. Tu 61b, A. Tudorache 28b, V. Tudorache 28b, A.N. Tuna 58, S.A. Tupputi 22a, 22b, S. Turchikhin 66, D. Turecek 128, D. Turgeman 171, R. Turra 92a, 92b, P.M. Tuts 37, M. Tyndel 131, G. Ucchielli 22a, 22b, I. Ueda 155, M. Ughetto 146a, 146b, F. Ukegawa 160, G. Unal 32, A. Undrus 27, G. Unel 162, F.C. Ungaro 89, Y. Unno 67, C. Unverdorben 100, J. Urban 144b, P. Urquijo 89, P. Urrejola 84, G. Usai 8, L. Vacavant 86, V. Vacek 128, B. Vachon 88, C. Valderanis 100, E. Valdes Santurio 146a, 146b, N. Valencic 107, S. Valentineti 22a, 22b, A. Valero 166, L. Valery 13, S. Valkar 129, J.A. Valls Ferrer 166, W. Van Den Wollenberg 107, P.C. Van Der Deijl 107, H. van der Graaf 107, N. van Eldik 152, P. van Gemmeren 6, J. Van Nieuwkoop 142, I. van Vulpen 107, M.C. van Woerden 32, M. Vanadia 132a, 132b, W. Vandelli 32, R. Vanguri 122, A. Vaniachine 130, P. Vankov 107, G. Vardanyan 176, R. Vari 132a, E.W. Varnes 7, T. Varol 42, D. Varouchas 81, A. Vartapetian 8, K.E. Varvell 150, J.G. Vasquez 175, G.A. Vasquez 34b, F. Vazeille 36, T. Vazquez Schroeder 88, J. Veatch 56, V. Veeraraghavan 7, L.M. Veloce 158, F. Veloso 126a, 126c, S. Veneziano 132a, A. Ventura 74a, 74b, M. Venturi 168, N. Venturi 158, A. Venturini 25, V. Vercesi 121a, M. Verducci 132a, 132b, W. Verkerke 107, J.C. Vermeulen 107, A. Vest 46.ap, M.C. Vetterli 142.d, O. Viazlo 82, I. Vichou 165.*, T. Vickey 139, O.E. Vickey Boeriu 139, G.H.A. Viehauser 120, S. Viel 16, L. Vigani 120, M. Villa 22a, 22b, M. Villaplana Perez 92a, 92b, E. Vilucchi 49, M.G. Vincter 31, V.B. Vinogradov 66, C. Vittori 22a, 22b, I. Vivarelli 149, S. Vlachos 10, M. Vlasak 128, M. Vogel 174, P. Vokac 128, G. Volpi 124a, 124b, M. Volpi 89, H. von der Schmitt 101, E. von Toerne 23, V. Vorobel 129, K. Vorobev 98, M. Vos 166, R. Voss 32, J.H. Vossebeld 75, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 127, M. Vreeswijk 107, R. Vuillermet 32, I. Vukotic 33, Z. Vykydal 128, P. Wagner 23, W. Wagner 174, H. Wahlberg 72, S. Wahrmund 46, J. Wakabayashi 103, J. Walder 73, R. Walker 100, W. Walkowiak 141, V. Wallangen 146a, 146b, C. Wang 35c, C. Wang 35d, 86, F. Wang 172, H. Wang 16, H. Wang 42, J. Wang 44, J. Wang 150, K. Wang 88, R. Wang 6, S.M. Wang 151, T. Wang 23, T. Wang 37, W. Wang 35b, X. Wang 175, C. Wanotayaroj 116, A. Warburton 88, C.P. Ward 30, D.R. Wardrobe 79, A. Washbrook 48, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19, G. Watts 138, S. Watts 85, B.M. Waugh 79, S. Webb 84, M.S. Weber 18, S.W. Weber 173, S.A. Weber 31, J.S. Webster 6, A.R. Weidberg 120, B. Weinert 62, J. Weingarten 56, C. Weiser 50, H. Weits 107, P.S. Wells 32, T. Wenaus 27, T. Wengler 32, S. Wenig 32, N. Wermes 23, M. Werner 50, M.D. Werner 65, P. Werner 32, M. Wessels 59a, J. Wetter 161, K. Whalen 116, N.L. Whallon 138, A.M. Wharton 73, A. White 8, M.J. White 1, R. White 34b, D. Whiteson 162, F.J. Wickens 131, W. Wiedenmann 172, M. Wielers 131, C. Wiglesworth 38, L.A.M. Wiik-Fuchs 23, A. Wildauer 101, F. Wilk 85, H.G. Wilkens 32, H.H. Williams 122, S. Williams 107,

C. Willis⁹¹, S. Willocq⁸⁷, J.A. Wilson¹⁹, I. Wingerter-Seez⁵, F. Winklmeier¹¹⁶, O.J. Winston¹⁴⁹, B.T. Winter²³, M. Wittgen¹⁴³, J. Wittkowski¹⁰⁰, T.M.H. Wolf¹⁰⁷, M.W. Wolter⁴¹, H. Wolters^{126a,126c}, S.D. Worm¹³¹, B.K. Wosiek⁴¹, J. Wotschack³², M.J. Woudstra⁸⁵, K.W. Wozniak⁴¹, M. Wu⁵⁷, M. Wu³³, S.L. Wu¹⁷², X. Wu⁵¹, Y. Wu⁹⁰, T.R. Wyatt⁸⁵, B.M. Wynne⁴⁸, S. Xella³⁸, D. Xu^{35a}, L. Xu²⁷, B. Yabsley¹⁵⁰, S. Yacoob^{145a}, D. Yamaguchi¹⁵⁷, Y. Yamaguchi¹¹⁸, A. Yamamoto⁶⁷, S. Yamamoto¹⁵⁵, T. Yamanaka¹⁵⁵, K. Yamauchi¹⁰³, Y. Yamazaki⁶⁸, Z. Yan²⁴, H. Yang^{35e}, H. Yang¹⁷², Y. Yang¹⁵¹, Z. Yang¹⁵, W-M. Yao¹⁶, Y.C. Yap⁸¹, Y. Yasu⁶⁷, E. Yatsenko⁵, K.H. Yau Wong²³, J. Ye⁴², S. Ye²⁷, I. Yeletskikh⁶⁶, A.L. Yen⁵⁸, E. Yildirim⁸⁴, K. Yorita¹⁷⁰, R. Yoshida⁶, K. Yoshihara¹²², C. Young¹⁴³, C.J.S. Young³², S. Youssef²⁴, D.R. Yu¹⁶, J. Yu⁸, J.M. Yu⁹⁰, J. Yu⁶⁵, L. Yuan⁶⁸, S.P.Y. Yuen²³, I. Yusuff^{30,ar}, B. Zabinski⁴¹, R. Zaidan⁶⁴, A.M. Zaitsev^{130,ad}, N. Zakharchuk⁴⁴, J. Zalieckas¹⁵, A. Zaman¹⁴⁸, S. Zambito⁵⁸, L. Zanello^{132a,132b}, D. Zanzi⁸⁹, C. Zeitnitz¹⁷⁴, M. Zeman¹²⁸, A. Zemla^{40a}, J.C. Zeng¹⁶⁵, Q. Zeng¹⁴³, K. Zengel²⁵, O. Zenin¹³⁰, T. Ženiš^{144a}, D. Zerwas¹¹⁷, D. Zhang⁹⁰, F. Zhang¹⁷², G. Zhang^{35b,am}, H. Zhang^{35c}, J. Zhang⁶, L. Zhang⁵⁰, R. Zhang²³, R. Zhang^{35b,as}, X. Zhang^{35d}, Z. Zhang¹¹⁷, X. Zhao⁴², Y. Zhao^{35d}, Z. Zhao^{35b}, A. Zhemchugov⁶⁶, J. Zhong¹²⁰, B. Zhou⁹⁰, C. Zhou¹⁷², L. Zhou³⁷, L. Zhou⁴², M. Zhou¹⁴⁸, N. Zhou^{35f}, C.G. Zhu^{35d}, H. Zhu^{35a}, J. Zhu⁹⁰, Y. Zhu^{35b}, X. Zhuang^{35a}, K. Zhukov⁹⁶, A. Zibell¹⁷³, D. Ziemińska⁶², N.I. Zimine⁶⁶, C. Zimmermann⁸⁴, S. Zimmermann⁵⁰, Z. Zinonos⁵⁶, M. Zinser⁸⁴, M. Ziolkowski¹⁴¹, L. Živković¹⁴, G. Zobernig¹⁷², A. Zoccoli^{22a,22b}, M. zur Nedden¹⁷, L. Zwalski³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Department of Physics, The University of Texas at Austin, Austin, TX, United States¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁷ Department of Physics, Humboldt University, Berlin, Germany¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey; ^(e) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²³ Physikalisches Institut, University of Bonn, Bonn, Germany²⁴ Department of Physics, Boston University, Boston, MA, United States²⁵ Department of Physics, Brandeis University, Waltham, MA, United States²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁷ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁸ ^(a) Transilvania University of Brasov, Brasov, Romania; ^(b) National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(d) University Politehnica Bucharest, Bucharest; ^(e) West University in Timisoara, Timisoara, Romania²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³¹ Department of Physics, Carleton University, Ottawa, ON, Canada³² CERN, Geneva, Switzerland³³ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; ^(f) Physics Department, Tsinghua University, Beijing 100084, China³⁶ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁷ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁸ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁹ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy⁴⁰ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland⁴¹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland⁴² Physics Department, Southern Methodist University, Dallas, TX, United States⁴³ Physics Department, University of Texas at Dallas, Richardson, TX, United States⁴⁴ DESY, Hamburg and Zeuthen, Germany⁴⁵ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁷ Department of Physics, Duke University, Durham, NC, United States

- ⁴⁸ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
⁴⁹ INFN Laboratori Nazionali di Frascati, Frascati, Italy
⁵⁰ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
⁵¹ Section de Physique, Université de Genève, Geneva, Switzerland
⁵² ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵³ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵⁴ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵⁵ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁶ II. Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁷ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁸ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
⁵⁹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁶⁰ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶¹ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
⁶² Department of Physics, Indiana University, Bloomington, IN, United States
⁶³ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶⁴ University of Iowa, Iowa City, IA, United States
⁶⁵ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
⁶⁶ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁷ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁸ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁹ Faculty of Science, Kyoto University, Kyoto, Japan
⁷⁰ Kyoto University of Education, Kyoto, Japan
⁷¹ Department of Physics, Kyushu University, Fukuoka, Japan
⁷² Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷³ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷⁴ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷⁵ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁶ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁷ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁸ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁹ Department of Physics and Astronomy, University College London, London, United Kingdom
⁸⁰ Louisiana Tech University, Ruston, LA, United States
⁸¹ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸² Fysiska Institutionen, Lunds Universitet, Lund, Sweden
⁸³ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸⁴ Institut für Physik, Universität Mainz, Mainz, Germany
⁸⁵ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁶ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁷ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁸ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁹ School of Physics, University of Melbourne, Victoria, Australia
⁹⁰ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁹¹ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁹² ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹³ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹⁴ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹⁵ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁶ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
⁹⁷ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁸ National Research Nuclear University MEPhI, Moscow, Russia
⁹⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
¹⁰⁰ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰¹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰² Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰³ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰⁴ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁵ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁶ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁷ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁸ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹¹⁰ Department of Physics, New York University, New York, NY, United States
¹¹¹ Ohio State University, Columbus, OH, United States
¹¹² Faculty of Science, Okayama University, Okayama, Japan
¹¹³ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹⁴ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹⁵ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁶ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁷ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹¹⁸ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁹ Department of Physics, University of Oslo, Oslo, Norway
¹²⁰ Department of Physics, Oxford University, Oxford, United Kingdom
¹²¹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²² Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²³ National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
¹²⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

- ¹²⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁶ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹²⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁸ Czech Technical University in Prague, Praha, Czech Republic
¹²⁹ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹³⁰ State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
¹³¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³² ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
¹³³ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
¹³⁵ ^(a) Facult des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁴ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
¹⁴⁵ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁶ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁸ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
¹⁴⁹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁰ School of Physics, University of Sydney, Sydney, Australia
¹⁵¹ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵² Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵³ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁴ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁵ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁶ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁷ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁸ Department of Physics, University of Toronto, Toronto, ON, Canada
¹⁵⁹ ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
¹⁶⁰ Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
¹⁶¹ Department of Physics and Astronomy, Tufts University, Medford, MA, United States
¹⁶² Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
¹⁶³ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁴ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁵ Department of Physics, University of Illinois, Urbana, IL, United States
¹⁶⁶ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
¹⁶⁷ Department of Physics, University of British Columbia, Vancouver, BC, Canada
¹⁶⁸ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
¹⁶⁹ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷⁰ Waseda University, Tokyo, Japan
¹⁷¹ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷² Department of Physics, University of Wisconsin, Madison, WI, United States
¹⁷³ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁴ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁵ Department of Physics, Yale University, New Haven, CT, United States
¹⁷⁶ Yerevan Physics Institute, Yerevan, Armenia
¹⁷⁷ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Novosibirsk State University, Novosibirsk, Russia.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States.^f Also at Department of Physics, California State University, Fresno, CA, United States.^g Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.^h Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.ⁱ Also at Departamento de Física e Astronomía, Facultade de Ciencias, Universidade do Porto, Portugal.^j Also at Tomsk State University, Tomsk, Russia.^k Also at Universita di Napoli Parthenope, Napoli, Italy.^l Also at Institute of Particle Physics (IPP), Canada.^m Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.ⁿ Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^o Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.^p Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

- ^q Also at Louisiana Tech University, Ruston, LA, United States.
^r Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
^s Also at Graduate School of Science, Osaka University, Osaka, Japan.
^t Also at Department of Physics, National Tsing Hua University, Taiwan.
^u Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
^v Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.
^w Also at CERN, Geneva, Switzerland.
^x Also at Georgian Technical University (GTU), Tbilisi, Georgia.
^y Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
^z Also at Manhattan College, New York, NY, United States.
^{aa} Also at Hellenic Open University, Patras, Greece.
^{ab} Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ac} Also at School of Physics, Shandong University, Shandong, China.
^{ad} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{ae} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
^{af} Also at Eotvos Lorand University, Budapest, Hungary.
^{ag} Also at Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States.
^{ah} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
^{ai} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
^{aj} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
^{ak} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
^{al} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
^{am} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{an} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{ao} Also at Department of Physics, Stanford University, Stanford, CA, United States.
^{ap} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{aq} Also at Flensburg University of Applied Sciences, Flensburg, Germany.
^{ar} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
^{as} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
^{at} Also affiliated with PKU-CHEP.

* Deceased.