Spatiotemporal Changes in Ecosystem Services Values in Dongguan, China: Implications for Urban Sustainability

January 2019

Xinmin ZHANG

Spatiotemporal Changes in Ecosystem Services Values in Dongguan, China: Implications for Urban Sustainability

A Dissertation Submitted to the Graduate School of Life and Environmental Sciences, the University of Tsukuba in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in Science (Doctoral Program in Geoenvironmental Sciences)

Xinmin ZHANG

Abstract

Land use/cover change is a proxy for quantifying ecosystem service values. This study examined ecosystem service values based on land use/cover changes and exemplified the implications for sustainability in the rapidly urbanizing city of Dongguan, China. This city has experienced rapid urban expansion for more than twenty years, and it had a compound annual urban growth rate of 9.57% and 2.51% during the periods 1994–2005 and 2005–2015, respectively. The urban land increased from 11.77% in 1994 to 32.16% in 2005 and 41.20% in 2015.

In the study area, agricultural land was in a decreasing trend; it decreased from 48.05% in 1994 to 35.47% in 2005 and 29.50% in 2015. More interestingly, the bare land changed from 14.51% in 1994 to 5.84% in 2005 and 1.20% in 2015. It should be noted that agricultural land and bare land were the major contributors to urban expansion from 1994 to 2015. Specifically, agricultural land contributed more land conversion to urban expansion than bare land during the period 1994–2005. During the period 2005–2015, both agricultural land and bare land contributed equally to urban expansion. Forest land increased from 12.50% in 1994 to 14.05% in 2005 and 17.69% in 2015, meaning that the forest land was in an increasing trend in Dongguan.

Urban land will increase to more than 50% of the total area in two scenarios in 2030. Agricultural land will be the main contributor to urban expansion. Agricultural land will decrease from 29.50% in 2015 to 18.27% in 2030 according to the Spontaneous Scenario and to 18.85% according to the Ecological Protection Scenario. However, the forest is in an increasing trend due to ecological protections. It will grow from 17.69% in 2015 to 19.31% in 2030 based on the Ecological Protection Scenario.

The total ecosystem service values decreased from 4148.24×10^6 Yuan in 1994 to 3749.86×10^6 Yuan in 2005 and 3529.26×10^6 Yuan in 2015. The decline of ecosystem service values in the city for all years is due to urban expansion. From 1994 to 2015, ecosystem service functions, mainly waste treatment, water supply, soil formation, and food production, also declined. The regulating services were heavily affected by urban expansion. During the period 2015–2030, the ecosystem service functions of soil formation, waste treatment, and food production will seriously decline. Notably, these issues needs to gain much attention for landscape conservation. The scenarios of land use/cover changes also reflect the future decline of total ecosystem service values, and especially can make the land use/cover distribution more reasonable. Strict ecological protection can help save the total ecosystem service values. In the context of rapid urbanization, agricultural land needs to gain more attention for achieving sustainable development.

Spatially, the high ecosystem service values areas were located on the west coastal areas, the south and east high elevated mountain areas. The ecosystem service values per unit area for forest and water were higher than that other land use/cover categories. However, north, southwest, and southeast regions had low ecosystem service values.

Hotspot areas of ecosystem service values were located especially in forest and water areas where the relatively high ecosystem service values have accumulated over the past 20+ years. Furthermore, the hotspots of ecosystem service values increased especially during the period of 1994–2005. In addition, the contributions to urban expansion were mainly from agricultural land and bare land and because the increase of forest land contributed to the total ecosystem service value although the total ecosystem service value was decreasing. Hotspot and coldspot mapping is an effective method for ecosystem management. The hotspots of ecosystem service values closely matched the distribution of water and forest.

From 1994 to 2015, the decline of the total ecosystem service values was 618.98×10^6 Yuan. In 1994, the human to ecosystem service value (H-ESV) ratio was about 1:1404 (Yuan/Year), but it decreased to around 1:572 in 2005 and 1:428 in 2015. Additionally, the ecosystem service values will decline to about 217.06 × 10⁶ Yuan in 2030 under the Spontaneous Scenario and will have an H-ESV ratio of 1:401. Under the Ecological Protection Scenario, the ecosystem service values will decline to about 201.10×10^6 Yuan in 2030 and will have an H-ESV ratio of 1:403. The rapidly increasing city population influences the H-ESV ratio.

The urban to ESV (U-ESV) ratio changed from 1.60 in the 1994–2005 period to 2.20 in the 2005–2015 period. This indicates that the decline in ecosystem service values was affected mainly by urban expansion during the period 1994–2005. The U-ESV ratio will be 1.59 during the period 2015–Spontaneous Scenario 2030 and 1.71 during the period 2015–Ecological Protection Scenario 2030. However, during the period 2015–Spontaneous Scenario 2030, the decline of total ecosystem service values will be mainly affected by urban expansion.

Keywords: Land Use/Cover Changes; Ecosystem Service Values; Scenario Analysis; Spatial Pattern; Dongguan

Contents

Abstracti
List of Tablesvii
List of Figuresix
Acronyms/Abbreviationsxi
Chapter 1. Introduction1
1.1 Literature reviews
1.1.1 Ecosystem services1
1.1.2 Urban expansion4
1.2 Background and problem statement
1.3 Framework
1.4 Research objectives10
Chapter 2. Study Area and Data Used11
2.1 Geographical setting
2.2 Overview of the urban development14
2.3 Population growth and economic growth15
2.4 Landsat images
Chapter 3. Land Use/Cover Changes in Dongguan City22
3.1 Introduction
3.2 Methods
3.3 Results and discussion

3.3.1 Accuracy assessment	
3.3.2 Spatial patterns of land use/cover changes	27
3.3.3 Land use/cover changes	
Chapter 4. Multiple Scenarios of Land Use/Cover Changes	
4.1 Introduction	36
4.2 Methods	
4.2.1 Multi-layer perceptron neural network	
4.2.2 Validation based on Figure of Merit	
4.2.3 Multi scenarios	
4.3 Results and discussion	42
4.3.1 Spatial variables	42
4.3.2 Simulation and validation	48
4.3.3 Simulation in 2030	48
Chapter 5. Ecosystem Services Valuation in Dongguan City	56
5.1 Introduction	56
5.2 Methods	
5.2.1 The modified value coefficient	57
5.2.2 ESV calculation	64
5.2.3 Coefficient of sensitivity	64
5.3 Results and discussion	65
5.3.1 Ecosystem service values in 1994, 2005 and 2015	65
5.3.2 Ecosystem service functions in 1994, 2005 and 2015	66
5.3.3 Ecosystem service values in 2030	70

5.3.4 Ecosystem service functions in 203070		
5.3.5 Sensitivity analysis74		
Chapter 6. Ecosystem Services Assessment in Dongguan City77		
6.1 Introduction77		
6.2 Methods		
6.2.1 Fishnet-based mapping78		
6.2.2 Hot and cold spot analysis79		
6.2.3 H-ESV and U-ESV ratio80		
6.3 Results and discussion		
6.3.1 Spatial patterns of ecosystem service values		
6.3.2 Spatial changes of ecosystem service values		
6.3.3 Spatial patterns and changes of ecosystem service values based on scenarios87		
6.3.4 Spatial analysis based on hotspots and cold spots91		
6.3.5 H-ESV and U-ESV ratio analysis95		
Chapter 7. Conclusions		
Acknowledgements104		
References106		

List of Tables

2-1 Landsat images of Dongguan used in this study21
3-1 Land use/cover types and their descriptions25
3-2 Accuracy assessment of Landsat images in 2005 and 201526
3-3 Land use/cover of Dongguan in 1994, 2005 and 2015
3-4 Land use/cover changes of Dongguan (1994-2005, 2005-2015)35
4-1 Driving forces of urban expansion used in this study45
4-2 Hectare of land use/cover in Dongguan in 203054
5-1 Equivalent weight factor of ecosystem services per hectare of terrestrial ecosystems in
China60
5-2 The biomass factor of different provinces in China
5-3 Ecosystem service value per unit area for the different land use/cover types in Dongguan
(Yuan/ha/year)63
5-4 Ecosystem service values of Dongguan in 1994, 2005 and 2015 (10 ⁶ Yuan)68
5-5 The value of ecosystem service functions of Dongguan in 1994, 2005 and 2015 (10^6)
Yuan)69
5-6 The estimated ecosystem service values of Dongguan in 2030 based on two scenarios (10^6)
Yuan)
5-7 The value of ecosystem service functions of Dongguan in 2030 (10 ⁶ Yuan)73
5-8 Percentage changes in the estimated ecosystem service values and coefficient of sensitivity76
6-1 Percentage of ecosystem services value per unit (puESV) in 1994, 2005 and 2015

6-2 Percentage of ecosystem services value per unit (puESV) in 203090
6-3 H-ESV ratio for Dongguan City in each year and U-ESV ratio for Dongguan City in each
period97

List of Figures

1-1 Framework of the study9
2-1 Location of the study area13
2-2 Total population and economic growth trend of Dongguan City18
2-3 Household population growth trend of Dongguan City19
3-1 Land use/cover maps of Dongguan in 1994, 2005 and 2015 and the detected urban landscape
changes
3-2 The observed land use/cover changes of Dongguan from 1994 to 2005
3-3 The observed land use/cover changes of Dongguan from 2005 to 2015
4-1 Flowchart of the scenario-based land use/cover change modeling41
4-2 Spatial variables for urban expansion in Dongguan47
4-3 Simulation of land use/cover changes in 2015
4-4 Ecological protected areas in Dongguan (2016-2030)
4-5 Simulation of land use/cover changes in 2030
4-6 Comparison between two scenarios in 2030
5-1 Average food production in Dongguan City and Guangdong Province
6-1 Spatial patterns of ecosystem service values of Dongguan in (a) 1994, (b) 2005, and (c)
2015
6-2 Spatial changes of ecosystem service values of Dongguan in (a) 1994-2005 period, and (b)
2005-2015 period

6-3	Spatial patterns and changes of ecosystem service values of Dongguan in 2030	89
6-4	Hotspots and coldspots of ecosystem service values of Dongguan in (a) 1994, (b) 2005,	and
	(c) 2015	93
6-5	Hotspots and coldspots of ecosystem service values of Dongguan based on	two
	scenarios	94

Acronyms/Abbreviations

Chinese Yuan
Coefficient of Sensitivity
Digital Elevation Model
Ecosystem Service Value
Figure of Merit
Food Production
Gross Domestic Product
Geographical Information Science
Human-to-Ecosystem Service Value ratio
Land Use/Cover
Millennium Ecosystem Assessment
Multi-Layer Perceptron
Multi-Layer Perceptron
Normalied Difference of Built-up Index
Normalized Difference of Vegetation Index
Ecosystem Service Value per unit area
Support Vector Machine
Urban-to-Ecosystem Service Value ratio
United Nations
U.S. Dollar

GR	Gas Regulation
CR	Climate Regulation
WS	Water Supply
SFR	Soil Formation and Retention
WT	Waste Treatment
BP	Biodiversity Protection
FP	Biodiversity Production
RM	Raw Material
RC	Recreation and Culture