REFERENCES

[B]   M.D. Bronštein, The Cauchy problem for hyperbolic operators with charac-
         teristics of variable multiplicity, *Trudy Moskov. Mat. Obšč.* 41 (1980), 87-103
         (Trans. *Moscow Math. Soc.*, 1 (1982), 87-103).

[C]   M. Cicognani, On the strictly hyperbolic equations which are Hölder continuous
         with respect to time, Preprint.

[CDS]   F. Colombini, E. De Giorgi and S. Spagnolo, Sur les équations hyperboliques
         avec des coefficients qui ne dépendent que du temps, *Ann. Scuola Norm Sup.
         Pisa*, 6 (1979), 511-559.

[CJS]   F. Colombini, E. Jannelli and S. Spagnolo, Wellposedness in the Gevrey classes
         of the Cauchy problem for a non strictly hyperbolic equation with coefficients
         depending on time, *Ann. Scuola Norm Sup. Pisa*, 10 (1983), 291-312.

[CK]   F. Colombini and T. Kinoshita, On the weakly hyperbolic equation of 4th order,
         preprint.

[CO1]   F. Colombini and N. Orrú, Quelques remarques sur le problème de Cauchy pour
         des équations faiblement hyperboliques, *Exposé aux Journées sur les Equations
         aux Dérivées Partielles - St. Jean des Monts*, (1992).

[CO2]   F. Colombini and N. Orrú, On the strong hyperbolicity in the Gevrey classes
         for some hyperbolic equations, in preparation.

[CO3]   F. Colombini and N. Orrú, Well posedness in C^∞ for some weakly hyperbolic
         equations, preprint.

[D]   P. D'Ancona, Gevrey well posedness of an abstract Cauchy problem of weakly
         hyperbolic type, *Publ. RIMS Kyoto Univ.*, 24 (1988), 433-449.

[DR1]   M. Dreher and M. Reissig, About the C^∞-well posedness of fully nonlinear
         weakly hyperbolic equations of second order with spatial degency, *Adv. Diff.
         Eq.*, 2 (1997), 1029-1058.

[DR2]   M. Dreher and M. Reissig, Local solutions of fully nonlinear weakly hyperbolic
         differential equations in Sobolev spaces, *Hokkaido Math. J.*, 27 (1998), 337-
         381.

[DS1]   P. D'Ancona and S. Spagnolo, Small analytic solutions to nonlinear weakly hyperbolic systems, *Ann. Scu. Norm. Sup. Pisa*, **22** (1995), 469-491.

[DS2]   P. D'Ancona and S. Spagnolo, On pseudosymmetric hyperbolic systems, *Ann. Scuola Norm Sup. Pisa*, **25** (1997), 397-417.

[I1]   V. Ya. Ivrii, Correctness of the Cauchy problem in Gevrey classes for non strictly hyperbolic operators, *Mat. Sb.*, **96** (1975), 390-413 (*Math. USSR-Sb*, **25** (1975), 365-387).

[I2]   V. Ya. Ivrii, Cauchy problem conditions for hyperbolic operators with characteristics of variable multiplicity for Gevrey classes, *Siberian. Math.*, **17** (1976), 921-931.

[J1]   E. Jannelli, Gevrey well-posedness for a class of weakly hyperbolic equations. *J. Math. Kyoto. Univ.*, **24-4** (1984), 763-778.

[J2]   E. Jannelli, Linear Kovalevskian systems with time dependent coefficients. *Comm P.D.E.*, **9** (1984), 1373-1406.

[J3]   E. Jannelli, Regularly hyperbolic systems and Gevrey classes, *Ann. Mat. Pura Appl.*, **CXL** (1985), 133-145.

[Ka1]   K. Kajitani, Cauchy problem for non strictly hyperbolic systems in Gevrey classes, *J. Math. Kyoto Univ.*, **23** (1983), 599-616.

[Ka2]   K. Kajitani, Global real analytic solution of the Cauchy problem for linear differential equations, *Comm. P.D.E.*, **11** (1984), 1489-1513.

[Ka3]   K. Kajitani, Le problème de Cauchy pour les systèmes hyperboliques linéaires avec un symètriseur non règulier, Calcul d'operateurs et fronts d'ondes, *J. Vaillant. Travaux en cours.*, **29**. Hermann. Paris. 1988.

[Ka4]   K. Kajitani, The well posed Cauchy problem for hyperbolic operators, *Exposé au Séminaire de Vaillant du 8 février* (1989).

[Ki1]   T. Kinoshita, On the Cauchy problem with small analytic data for nonlinear weakly hyperbolic systems, *Tsukuba Journal of Mathematics*, **21** (1997), 397-420.

[Ki2]   T. Kinoshita, On the wellposedness in the Gevrey classes of the Cauchy problem for weakly hyperbolic shstems with Hölder continuous coefficients in t , *Osaka Journal of Mathematics*, **35** (1998), 3-18.

[Ki3]   T. Kinoshita, On the wellposedness in the Gevrey classes of the Cauchy problem for weakly hyperbolic equations whose coefficients are Hölder continuous in t and degenerate in t=T, *Rend. Sem. Mat. Univ. Padova,* **100** (1998).

[Ki4]   T. Kinoshita, On the wellposedness in the ultradifferentiable classes of the Cauchy problem for a weakly hyperbolic equation of second order , *Tsukuba Journal of Mathematics,* **22** (1998), 241-271.

[Ki5]   T. Kinoshita, Gevrey wellposedness of the Cauchy problem for the hyperbolic equations of third order with coefficients depending only on time, *Publ. RIMS Kyoto Univ.,* **34** (1998), 249-270.

[Ki6]   T, Kinoshita, On the third order hyperbolic equations, *Journal D'Analyse Mathématique.,* **77** (1999), 287-314.

[Ki7]   T. Kinoshita, On the Cauchy problem in Gevrey classes for dispersive equations, to appear in *Differential and Integral Equations.*

[KN]   T. Kinoshita and H. Nakazawa, On the Gevrey wellposedness of the Cauchy problem for some non-Kowalewskian equation, to appear in Jounal de Mathématiques Pures et Appliquées.

[M]   S. Mizohata, Le problème de Cauchy pour les systèmes hyperboliques et paraboliques, *Memoirs of College of Sciences University of Kyoto,* **32** (1959), 181-212.

[N]   T. Nishitani, Sur les équations hyperboliques à coefficients hölderiens en t et de classes de Gevrey en x, *Bull. Sci. Math.,* **107** (1983), 739-773.

[OT]   Y. Ohya and S. Tarama, Le problème de Cauchy à caractéristiques multiples -coefficients hölderiens en t- , (*Proc. Taniguchi Intern. Sympos. on Hyperbolic Equations and Related Topics* 1984), *Kinokuniya,* 1986, 273-306.

[Orr]   N. Orrù, The Cauchy problem in the Gevrey classes for hyperbolic equations with singular coefficients, *Bollettino U. M. I.* (7) 6-B (1992), 193-204.

[Ort]   J. M. Ortega: Matrix Theory, Plenum Press, New York, 1987.

[Ov]   V. Ovciannikov, Singular operators in Banach scales, *Dokl. Akad. Nauk. SSSR.,* **163** (1965), 819-822 (*Soviet. Math. Dokl.,* **6** (1965), 1025-1028).

[RY]   M. Reissig and K. Yagdjian, Levi conditions and global Gevrey regularity for the solutions of quasilinear weakly hyperbolic equations, *Mathematische Nachrichten,* **178** (1996), 285-307.

[S]   G. Strang: Linear algebra and its applications, Academic Press, New York, 1976.

[Tar]   S. Tarama, On the initial value problem for the weakly hyperbolic operators in the Gevrey classes, (*Proc. of the conference on hyperbolic equations, university of Pisa*, 1987), *Longman Scientific and Technical*, 1988, 322-339.

[Tag]   G. Taglialatela, Conditions d'hyperbolicité pour un opérateur matriciel à caractéristiques de multiplicit é constante, *Bollettino U. M. I.* (**7**) 11-B (1997), 917-959.

[Tr]   J-M. Trépreau, Le probléme de Cauchy hyperbolique dans les classes d'ultrafonctions et d'ultradistributions, *Comm. P.D.E.*, 4 (1979), 339-387.

[V]   J. Vaillant, Caractéristiques multiples et bicaractéristiques des systémes d'équations aux dérivées partielles linéaires et à coefficients constants, *Ann. Inst. Fourier (Grenoble)* (**51**) (1965), 225-311.

[W]   S. Wakabayashi, Remarks on hyperbolic polynomials, *Tsukuba Journal of Mathematics*, **10** (1986), 17-28.

[Yh]   H. Yamahara, Cauchy problem for hyperbolic systems in Gevrey classes -a note on Gevrey indeces-, preprint.

[Yn]   H. Yamane, Branching of singularities for some second or third order microhyperbolic operators, *J. Math. Sci. Univ. Tokyo*, 2 (1995), 671-749.