

## References

- Aguirre, E. and Pasini, G., 1985. The Pliocene-Pleistocene boundary. *Episodes*, **8**, 116-120.
- Akutsu, J., 1957a. On the Kanto Loam (Ash) Formation in the environs of Utsunomiya City, Tochigi Prefecture (*in Japanese with English abstract*). *Earth Science*, **11**, 1-11.
- Akutsu, J. 1957b. The Kanto Loam Formation in the southern part of Nasunogahara (*in Japanese; original title translated*). *Communicated Paper of Synthetic Research (Kanto Loam)*, (9), 10-12.
- Amano, K., Takahashi, H., Tachikawa, T., Yokoyama, K., Yokota, C. and Kikuchi, J., 1986. Geology of Ashigara Group — Collision tectonics of Izu micro-continent with Eurasian Plate — (*in Japanese with English abstract*). *Mem. Vol. Prof. Nobu Kitamura*. 7-29.
- Ando, K. and Fujimoto, K., 1990. Paleo-environmental history and sea-level records based on the assemblages in the Middle Part of the Arakawa Lowland, central Japan (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, **29**, 427-437.
- Aoki, R. 1930. Possibility of a permanence of structural movements for the formation of the basin in the Kwanto District (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, **37**, 255-258.
- Aoki, R. and Tayama, R., 1929. On the geomorphology and geology of the Kwanto structural basin, particularly of its western margin (*in Japanese; original title translated*). *Japan Science Society*, (5), 105-115.
- Aoki, R. and Tayama, R., 1930. On the geomorphology and geology of the Kwanto structural basin, particularly of its western margin (*in Japanese; original title translated*). *Saito Ho-on Kai Monogr.*, (8), 1-13.
- Arai, F., 1962. The Quaternary chronology of the northern Kanto District, Japan (*in Japanese with English abstract*). *Jour. Nat. Sci. Gunma Univ.*, (10), 1-79.
- Arai, F., Machida, H. and Sugihara, S., 1977. Characteristics of the late

- Pleistocene marker-tephras of South Kanto, Central Japan (*in Japanese with English abstract*). *The Quaternary Research* (Japan) **16**, 19-40.
- Asai, J., 1925. Geomorphology of the Tama Hills (*in Japanese; original title translated*). *Geogr. Rev. Japan*, **1**, 562-582.
- Asami, J., 1988. Subsurface geology of the Hanno Plateau, particularly the free groundwater and its aquifer (*in Japanese; original title translated*). *Fac. Litt. Hosei Univ.*, 1-109.
- Bloom, A., Broecker, W., Chappell, J., Matthews, R. and Mesolella, K., 1974. Quaternary sea level fluctuation on a tectonic coast: New  $^{230}\text{Th}/^{234}\text{U}$  dates from the Huon Peninsula, New Guinea. *Quaternary Research*, **4**, 185-205.
- Board of Education of Sayama City, 1982. Journal of excavation of fossil woods in Sasai (*in Japanese; original title translated*). *Board of Educ. Sayama City*, 1-42.
- Board of Education of Yorii Town, 1983. Nature of Yorii Town (geology) (*in Japanese; original title translated*). *Board of Educ. Yorii Town*, 1-93.
- Browns, D., 1881. Geology of the environs of Tokio. *Mem. Sci. Dept., Tokio Daigaku*, (4) 1-82, pls. 1-8.
- Chappell, J., 1974. Geology of coral terraces, Huon Peninsula, New Guinea : A study of Quaternary tectonic movements and sea level changes. *Bull. Geol. Soc. America*, **85**, 553-570.
- Chujo, J., 1961. Buried river — investigation of the Paleo-Tokyo River of the Würm Stage made up by the sonic prospection — (*in Japanese; original title translated*). *Chishitsu News*, **85**, 16-17.
- Chujo, J., 1962. On the Paleo-Tokyo Bay — Prospected by the sonic prospection — (*in Japanese with English abstract*). *Earth Science*, **16**, (59), 30-39.
- Department of Agriculture and Forestry of Saitama Pref., 1968. Geology of Chichibu, Iruma and Hiki Districts, Saitama Pref., (*in Japanese; original title translated*). *Dep. Agric. Forestry, Saitama Pref.*, 1-89.
- Emiliani, C., Mayeda, T. and Selli, R., 1961. Paleotemperature analysis of the Plio-Pleistocene section at le Castella, Calabrian, southern Italy. *Geol.*

- Soc. America Bull.*, **72**, 679-688.
- Endo, K. and Uesugi, Y., 1972. On the older tephra of Oiso and Yokohama areas (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, **11**, 15-28.
- Forbes, E., 1846. On the connexion between the distribution of the existing fauna and flora of the British Isles, and the geological changes which have affected their area, especially during the epoch of the northern drift. *G. B. Geol. Surv., Mem.*, **1**, 402-403.
- Fujimoto, H., 1926. Geological consideration of the eastern margin of the Kanto Mountains (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, **33**, 119-142.
- Fujimoto, H., 1930. Geomorphology and geology of the Musashino Plateau and the Tama Hills, and concerning their correlation (*in Japanese; original title translated*). *Jour. Geogr.*, **42**, 65-84, 142-151.
- Fujimoto, H., 1933. Geology of Kanto — revised and 5th edition — (*in Japanese; original title translated*). *Nikkokan*, 1-278.
- Fujimoto, H. 1939. Fossil elephant tusk discovered at Bushi, Saitama Prefecture (*in Japanese; original title translated*). *Journal of Natural History*, **35**, 14-16.
- Fujimoto, H., 1977. Geology of the hills in the western margin of the Kanto Plain and the fossil plants of *Metasequoia* discovered in these areas (*in Japanese; original title translated*). *Jour. Educational Inst., Private School of Japan*, (12), 97-110.
- Fujita, Y., 1977. On the island arc disturbance (*in Japanese with English abstract*). *Assoc. Geol. Collab. Japan Monogr.*, (24), 1-32.
- Fukuta, O., 1950. Geology of northeastern part of Tokyo, Japan (*in Japanese with English resume*). *Natural Science and Museums*, (17), 1-14, 24-27.
- Fukuta, O. and Ando, Y. 1951. On the Tokumaru Shell-Bed, a new Pleistocene molluscan fauna from Tokyo (*in Japanese with English resume*). *Natural Science and Museums*, (18), 179-194, 226-227.
- Fukuta, O. and Hatori, H., 1952. Geomorphological and geological studies of the

- Musashino Terrace-land (*in Japanese with English resume*). *Natural Science and Museums* (19), 171-191, 200.
- Fukuta, O. and Takano, T., 1951. Geology of the Azuyama Hills (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **57**, 459-472.
- Hara, Y. and Nirei, H., 1988. Fission track ages of the Kioroshi and Semata Formations (*in Japanese; original title translated*). *Abstract for the Annual Meeting of Japan Association for Quaternary Research*, (18), 122-123.
- Hara, Y. and Sugihara, S., 1990. Fission track ages of the lower part of the Kiwada Formation (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, **96**, 397-400.
- Harada, M., 1943. On the creation of Kanto Loam (brown-colored soil originated in volcanic ashes)(*in Japanese; original title translated*). *Bull. Soil and Fertilizer Sciences, Tokyo Imperial University*, (3), 1-140.
- Harmon, R., Schwarcz, H., Ford, D. and Koch, D., 1979. An isotopic paleotemperature record for late Wisconsinan time in northeast Iowa. *Geol. Soc. Amer. Geology*, **7**, 430-433.
- Hashirimizu Research Group, 1965. On the Quaternary System in the district of Obaradai Upland, Miura Peninsula, Kanagawa Prefecture (*in Japanese with English abstract*). *Earth Science*, **19**, (80), 3-11.
- Hatori, K. and Juen, S., 1958. The Quaternary history of the western margin of Kanto Basin (II) — The geology and topography of the Sayama, Kazumi Hilly-lands — (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **77**, 153-164.
- Horiguchi, M., Nagano, I. and Kobayashi, K., 1976. Paleoenvironment of the eastern lowland of Higashimatsuyama-shi, Saitama-ken, Japan (*in Japanese with English abstract*). *Jour. College Lib. Arts, Saitama Univ. (Natural Science)*, **12**, 173-189.
- Horiguchi, M., Tsunoda, F., Shimizu, Y., Komai, K., Bando, H. and Kurihara, Y., 1977. Restudy of the so-called Bushi Clay developed at the Iruma River Valley

- in the western part of the Kanto Plain, Central Japan (*in Japanese with English abstract*). *Jour. College Lib. Arts Saitama Univ. (Natural Science)*, **13**, 93-98.
- Igo, H., Kanno, S., Shindo, S. and Watanabe, K. (*edit.*), 1980. Geology of the Kanto District, Japan — a revised edition — (*in Japanese; original title translated*). *Asakura Shoten, Tokyo*, 1-493.
- Iguchi, M., 1951. The gravel beds in the vicinity of Ome, Tokyo Prefecture — A mode of deposition of gravel bed at the Eastern Foot of the Kanto-Mountainland (*in Japanese with English abstract*). *Geol. Rev. Japan*, **24**, 131-134.
- Institute of Civil Engineering of Tokyo Metropolitan Government, 1996. Deep underground map within the 23 wards of Tokyo Metropolis — A collection of geological map of Tokyo Metropolis — (*in Japanese; original title translated*) *Inst. Civil. Engin. Tokyo Metropolis*, 1-
- International Geological Congress, 1950. The Pliocene- Pleistocene boundary; Report of the 18th Session, Great Britain, 1948, Part 9 (section H), 1-130.
- Investigation Committee of the Underground Geology in Tokyo. 1959. The underground map of Tokyo (*in Japanese; original title translated*). *Gihodo*.
- Itsukaichi *Stegodon* Research Group, 1980. On the fossil elephant *Stegodon* excavated from Itsukaichi-machi, Nishitama-gun, Tokyo (*in Japanese; original title translated*). *Protection of the Cultural Properties*, **12**, 76-91.
- Juen, S., 1951. Geomorphology and geology of Kokubunji-machi and Fuchumachi areas (*in Japanese; original title translated*). *Musashino Jidobunko Kenkyujo*, 1-16.
- Juen, S., 1966a,b. Geology of the Musashino Upland along the River Tama (*in Japanese with English abstract*). *Jour. Geogr*, **73**, 185-199, 266-281.
- Kaizuka, S., 1954. What is the Kanto Loam Formation ? — Former knowledge about the Kanto Loam Formation — (*in Japanese; original title translated*). *Earth Science*, **8**, (16), 11-12.
- Kaizuka, S., 1957. Deformation of the Diluvial Musashino, and its significance

- on the movements of Kanto Tectonic Basins (*in Japanese with English abstract*). *The Quaternary Research* (Japan), 1, 20-30.
- Kaizuka, S., 1964. Natural history of Tokyo (*in Japanese; original title translated*). *Kinokuniya Shoten*, 1-186.
- Kaizuka, S. 1979. Natural history of Tokyo — 2nd edition — (*in Japanese; original title translated*). *Kinokuniya Shoten*, 1-239.
- Kaizuka, S., Naruse, Y. and Kigoshi, K., 1962. Absolute age of the Alluvial Deposit in the eastern coast of Tokyo Bay (*in Japanese; original title translated*). *Earth Science* 16, (63), 35-36.
- Kaizuka, S., Naruse, Y. and Matsuda, I., 1977. Recent formations and their basal topography in and around Tokyo Bay, central Japan. *The Quaternary Research* (Japan), 8. 32-50.
- Kaizuka, S. and Toya, H., 1953. Geomorphology and geology of eastern Musashino and tephrochronology of Diluvial uplands in southern Kanto (*in Japanese with English abstract*). *Jour. Geogr.*, 63, 59-68.
- Kakimi, T. and Suzuki, Y., (edit.), 1974. Earthquakes and crustal movements of the Kanto district (*in Japanese; original title translated*). *Maruzen*, 1-279.
- Kamata, T., 1966. The 10th meeting of Paleolithic Culture of the northeastern Japan (preprint) (*in Japanese ; original title translated*). *Tohoku Univ. of Art & Design* 1-147.
- Kanto Loam Research Group, 1954. Problems on the Kanto Loam (*in Japanese; original title translated*). *Communicated Paper of Japan Branch. of INQUA* (9), 1-76.
- Kanto Loam Research Group. 1956. Problems on the Kanto Loam (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, 62, 302-338.
- Kanto Loam Research Group. 1958. Same problems of the Kanto Loam (II) (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, 64, 293-307.
- Kanto Loam Research Group, 1960. Same problems of the Kanto Loam (III) (*in Japanese with English abstract*). *Earth Science*, 14, (46), 1-18.
- Kanto Loam Research Group, 1964. Absolute age of the fossil plant bed of Taguro

- $^{14}\text{C}$  age of the Quaternary Formations in Japan (IV) — (*in Japanese; original title translated*). *Earth Science*, **18**, (71), 36-37.
- Kanto Loam Research Group, 1965. Kanto Loam — its origin and properties — (*in Japanese; original title translated*). *Tsukiji Shokan, Tokyo*, 1-378.
- Kanto Quaternary Research Group, 1980. Stratigraphy and some geologic characteristics of the Middle Pleistocene in the South Kanto, Japan (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, **19**, 203-216.
- Kasuya, M., 1990. Fission-track ages of tuff layers related to the Pliocene-Pleistocene boundary on the Boso Peninsula, Japan. *The Quaternary Research (Japan)*, **33**, 86-93.
- Kawai, K., 1952. On natural gas geology of the western end area of the Mobarra gas field, Chiba Prefecture (*in Japanese with English abstract*). *Jour. Jap. Assoc. Petroleum Technologists*, **7**, 1-21.
- Kimura, T., Yoshiyama, H. and Ohana, T., 1981. Fossil plants from the Tama and Azuyama Hills, southern Kwanto Japan. *Trans. Proc. Paleont. Soc. Japan, N.S.*, (122), 87-104.
- King, W. B. R. and Oaklry, K. P., 1949. Definition of the Pliocene-Pleistocene boundary. *Nature*, (163), 186-187.
- Kinosaki, C., Kobayashi, I., Mori, Y., Sugiyama, Y. and Suzuki, M., 1963. The Quaternary flora in the Kanto district (Part 1) — The fossil flora of the Taguro plant bed, Tamagawa-mura, Hiki-gun, Saitama Prefecture — (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **69**, 353-361.
- Kitabayashi, Y. and Saito, K., 1995. Formation and development of fans (*in Japanese; original title translated*). *Kokin Shoin, Tokyo*, 1-186.
- Kobayashi, K. and Shimizu, H., 1962. Pleistocene tephra in the northern part of Ina Valley, central Japan. *Jour. Fac. Liberal Arts Sci., Shinshu Univ.*, (12), 20-45.
- Kobayashi, K., Minagawa, K., Machida, M., Shimizu, H. and Kitazawa, K., 1968a. The Ontake pumice-fall deposit Pm-I as a Late Pleistocene Time-Marker in

- central Japan. *Jour. Fac. Sci. Shinshu Univ.*, (3), 171-198.
- Kobayashi, K., Shimizu, H., Kitazawa, K., Minagawa, K. and Machida, M., 1968b. Discovery of the pumice-fall deposit Pm-I in South Kanto and its significance (abstract). (*in Japanese; original title translated*). *The Quaternary Research (Japan)*, 7, 62.
- Koike, K., 1952. Structural evolution of southern Kanto (*in Japanese with English resume*). *Report of Geographical Condition for Natural Science of Tokyo University*, 10, 5-11.
- Koike, K., 1957. Geotectonic development of the southern Kanto region, Japan (*in Japanese with English abstract*). *Earth Science*, 11, (34), 1-16.
- Kurakawa, H. and Majima, N., 1982. Stratigraphy of the northern part of the Kasumi Hills (*in Japanese; original title translated*). *The Quaternary of Kanto*, (9), 39-48.
- Machida, H., 1971. Tephrochronological study in south Kanto. Part I, Stratigraphy of tephra and its relation to the history of volcano (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, 10, 1-20.
- Machida, H., 1973. Tephrochronology of coastal terraces and their tectonic deformation in South Kanto (*in Japanese with English abstract*). *Jour. Geogr.*, 82, 53-76.
- Machida, H. and Arai, F., 1976. Volcanic ashes distributed over wide distribution — discovery of the Aira Tn Volcanic Ash and its significance — (*in Japanese; original title translated*). *Kagaku (Science)*, 46, 339-347.
- Machida, H., Arai, F., Murata, A. and Hakamada, K., 1974. Correlation and chronology of the Middle Pleistocene tephra layers in South Kanto (*in Japanese with English abstract*). *Jour. Geogr.*, 83, 302-338.
- Machida, H. and Kawachi, T., 1969. Stratigraphic position of the paleo-soils in South Kanto and its significance (abstract of a lecture) (*in Japanese; original title translated*). *The Quaternary Research (Japan)*, 8, 68.
- Machida, H. and Moriyama, A. 1968. The development of Mt. Fuji and Mt. Hakone Volcanoes analysed from the tephrochronological study in the Oiso

- Hills (*in Japanese with English abstract*). *Geogr. Rev. Japan*, **41**, 241-257.
- Machida, H. and Suzuki, M., 1971. Absolute ages of tephros and chronology of the Late Quaternary (*in Japanese; original title translated*). *Kagaku*, **41**, 263-270.
- Machida, M., 1973. Tephrochronological study of the northern part of the Musashino Plateau and its adjacent areas (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **79**, 167-180.
- Machida, M., 1984. On the Terraces of the Hino Plateau. (*in Japanese; original title translated*). *Bull. Saitama Mus. Nat. Hist.*, (2), 99-100.
- Machida, M., 1986. Quaternary history of the western part of the Kanto Plain in Saitama, Japan (*in Japanese with English abstract*). *Mem. Vol. Prof. Nobu Kitamura*, 193-203.
- Machida, M., 1988. On the Hanno Formation and its equivalents (*in Japanese with English abstract*). *Mem. Vol. Prof. Seizo Kondo*, 109-117.
- Machida, M., 1995. <sup>14</sup>C Age of the riverbed of Oppe in Akao, Sakado City, Saitama Prefecture (*in Japanese; original title translated*). *Bull. Saitama Mus. Nat. Hist.*, (13), 37-38.
- Machida, M., Murakami, M. and Saito, K., 1983. The alteration mineral "iddingsite" in the tephra layers of the South Kanto (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, **22**, 69-76.
- Makiyama, J., 1930. Diluvial deposits in the southern part of Kanto (*in Japanese; original title translated*). *Mem. Sixty-first Birthday Dr. Takuji Ogawa*, 307-382.
- Masuda, F., 1971. Geology of the Tama Hills (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **77**, 153-164.
- Matsuda, H. and Hatano, S., 1975. A linear structure in the western margin of the Kanto Plain (*in Japanese; original title translated*). *Preprint for the Association of Japanese Geographers*, **8**, 76-77.
- Minagawa, K. and Machida, M., 1971. Stratigraphy of Tama Loam in South Kanto (*in Japanese with English abstract*). *Earth Science* **25**, 164-176.
- Mitomo, K., Machida, M. and Totsuka, A., 1986. On the latest information from the Yaoroshi Tuff and the Hanno Gravel (*in Japanese with English abstract*).

- Bull. Saitama Mus. Nat. Hist.*, (4), 73-86.
- Mori, K., Kakimi, T., Oyama, K., Ishida, M., Akutsu, J. and Tajiri, T., 1974. Surface and subsurface geology in and around the Niiza and Tokorozawa test wells, Saitama Prefecture (*in Japanese with English abstract*). *Bull. Geol. Surv. Japan*, 25, 379-395.
- Murata, T., 1931. The theoretical consideration concerning the shape of fans (*in Japanese; original title translated*). *Geogr. Rev. Japan*, 7, 47-64.
- Nakao, S., 1940. Mechanical components and mineral compositions seen from the so-called Kanto Loam — difference with the lower formation — (the seventh information) (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, 47, 49-61.
- Nakagawa, H., 1960. Yabu and Jizodo Formation (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, 66, 305-310.
- Nakagawa, H., 1961. Pleistocene eustasy and glacial chronology along the Pacific coastal region of Japan (*in Japanese with English abstract*). *Contrib. Inst. Geol. Paleont, Tohoku Univ.*, (54), 1-61.
- Nakagawa, H., 1962. Structural growth of the Kanto Tectonic Basin. *Sci. Rep., Tohoku Univ., 2nd Ser. (Geol.), Spec.* (5), 373-393.
- Nakagawa, H., 1970. Lower limit of the Pleistocene in Ie Castella Area and the Boso Peninsula (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, 9, 67-73.
- Nakagawa, H., 1971. Early Pleistocene correlation between Europe and Japan (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, 77, 9-22.
- Nakagawa, H., 1977. Current opinions on the Pliocene-Pleistocene boundary (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, 15, 187-192.
- Nakagawa, H., 1988a. Marine Quaternary System in Tohoku and Kanto region, Japan (*in Japanese with English abstract*). *Mem. Geol. Soc. Japan*, 30, 25-38.
- Nakagawa, H., 1988b. Events of the Tertiary-Quaternary boundary in South Kanto (*in Japanese; original title translated*). *Chikyu*, 10, 544-550.

- Nakagawa, H., Niitsuma, N., and Elmi, C. 1971. Pliocene and Pleistocene magnetic stratigraphy in le Castella area, southern Italy — A preliminary report. *Quaternary Research*, **1**, 360-368.
- Nakamura, K. and Fukuta, O., 1953. Topography and geology of the Hitachi Plateau (abstract) (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, **59**, 319.
- Narahara Fossil Plant Research Group, 1967. On the Neogene fossils of upright trunks and plants discovered in the bottom of the Asakawa River, Hachioji City, Tokyo — prediction — (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, **73**, 441-442.
- Naruse, Y., 1966. The Quaternary geology of Tokyo (guidebook for geologic trip — no. 1). *Japan Association for Quaternary Research*, 1-25.
- Obata, K., 1997. Molluscan fossil assemblage and the trace fossil, paleo-environments of the Early Pleistocene Bushi Formation at Ushizawa-cho, Iruma City in Saitama Prefecture, Japan (*in Japanese with English abstract*). *Bull. Saitama Mus. Nat. Hist.*, **15**, 33-41.
- Oda, S., 1985. An aspect of the ruins of non-ceramic age in Tama New Town — An archaeological study of the area concentrated many valleys(II) — (*in Japanese; original title translated*). *Jour. Lib. Arts Study Sec. Culture Depar. Social Educ. Tokyo*, **2**, 49-79.
- Ohyama, K., Miyasaka, M. and Ikegami, K., 1933. Vorläufiger bericht ueber die chronologie der Jômon-Kultur der Steinzeit im Kwanto (Mittel-Japan.) (*in Japanese with German abstract*). *Jour. Shizen-gaku*, **3**, 1-84.
- Oka, S., 1991. Geology of the middle-upper Pleistocene Series in southwestern Kanto district, Japan (*in Japanese with English abstract*). *Bull. Geol. Surv. Japan*, **42**, 553-653.
- Oka, S. and Unozawa, A., 1989. Geological map of the Kanto Loam in the northwestern part of the Tama Hills (*in Japanese; original title translated*). *The Quaternary of Kanto*, **15**, 25-43.
- Oka, S., Unozawa, A. and Kuroda, K., 1971. Surface geology along the west line

- of Musashino Railway — the cross section of the Musashino Plateau — (*in Japanese; original title translated*). *Chishitsu News*, (206), 22-26.
- Otuka, Y., 1931. The Quaternary Epoch (*in Japanese; original title translated*). *Iwanami Shoten* 1-107.
- Otuka, Y., 1948. History of the Japanese Islands (*in Japanese; original title translated*). *Oyashima Shuppan*, 1-133.
- Ozaki, H. and Akishima Earth Science Research Group, 1962. On the occurrence of the fossil *Cetacea* at Akishima City, Tokyo (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, **68**, 419.
- Penny, L., Coope, G. and Catt, J., 1969. Age and insect fauna of the Dimlington Silts, East Yorkshire. *Nature*, **224**, 65-67.
- Regional Geology of Japan, Kanto, 1986. Regional geology of Japan, Kanto (*in Japanese*). *Kyoritsu Shuppan*, 1-335.
- Reserch Group for Geology of the Western Hills of the Kanto Plain, 1995. Geology of the western hills of the Kanto Plain, central Japan (I) — Stratigraphy, structure and geological age of Kasumi Hills — (*in Japanese with English abstract*). *Earth Science*, **49**, 391-405.
- Saitama Research Group and Kanto Quaternary Research Group, 1970. Discovery of *Metasequoia* flora from the Quaternary system in Sayama Hills (*in Japanese*). *Jour. Geol. Soc. Japan*, **76**, 315-316.
- Sakamoto, T., Sakai, A., Hata, M., Unozawa, A., Oka, S., Hiroshima, T., Komazawa, M. and Murata, Y., 1987. Geological map of Tokyo drawn on a scale of 1:200,000 (*in Japanese; original title translated*). *Geol. Surv. Japan*.
- Sasai Fossil Research Group, 1984. Geology of the Sasai fossil forest in the bedrock of Iruma River (*in Japanese with English abstract*). *Bull. Saitama Mus. Nat. Hist.*, (2), 67-80.
- Selli, R., 1962. Le Quaternaire marin du versant Adriatique-Ionien de la peninsule italienne. *Quaternaria* **6**, 391-413.
- Shimakura, M., 1936. On the fossil wood of *Torreya nucifera* Sieb. et Zucc. from the Pleistocene of Kanagawa-ken Japan (*in Japanese with English abstract*).

- Jour. Geol. Soc. Japan*, **43**, 269-297.
- Shimizu, Y. and Horiguchi, M. 1993. Tama Loam located in the western part of the Kanto Plain (*in Japanese*). *Jour. Coll. Lib. Arts, Saitama Univ.*, (29), 107-119.
- Shindo, S., 1969. Subsurface geology of the Musashino Terrace (*in Japanese with English abstract*). *Jour. Geogr.*, **78**, 449-470.
- Sugihara, S., 1970. Geomorphological developments of the western Shimosa Upland, Chiba Prefecture, Japan (*in Japanese with English abstract*). *Geogr. Rev. Japan*, **43**, 703-718.
- Suzuki, A. 1959. Cenozoic Formation in the Southeast Area of Shiobara Mountain Region (*in Japanese with English abstract*). *Sci. Rep. Utsunomiya Univ.* (9), 63-75.
- Suzuki, A. and Yoshida, Y., 1969. Result of the pollen analysis of the Bushi Clay Bed — study of the hydrographic geology concerning the permeation of water — (*in Japanese; original title translated*). *A special study of scientific research of the Education Ministry in Fiscal Year, 1969* (The first report). 25-26.
- Suzuki, K. and Kitazaki, U., 1953. On the Pleistocene Clay Deposits of Tokyo (*in Japanese with English Summary*). *Misc. Rep. Res. Inst. Nat. Resources*, **32**, 102-112.
- Suzuki, M. and Sugihara, S., 1983. The Plio-Pleistocene boundary existed in the Kazusa Group estimated from the fission track ages (*in Japanese; original title translated*). *Abstracts for the Annual Meeting of Japan Association for Quaternary Research*, **13**, 69-70.
- Suzuki, T. and Hayakawa, Y., 1990. The age and stratigraphic horizon of the Omachi APM Tephra Beds, Middle Pleistocene Time-markers in central Japan (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, **29**, 105-120.
- Tada, F., 1946. Science of Musashino (Origin of the Kanto Loam) (*in Japanese; original title translated*). *Kagakusekai*, **21**, 6-7.
- Tagami, M., 1954. The mineral assemblage of the Kanto-Loam (Volcanic

- decomposed ash deposit) and its stratigraphy (*in Japanese with English resume*). *Bull. Fac. Lib. Arts, Kagawa Univ.*, II, 4-165.
- Takahara, I. (*edit.*), 1995. Research of History of Urawa City (*in Japanese; original title translated*). *Board of Educ. Urawa City*, (10), 1-177.
- Takegoshi, S., Ishigaki, S., Adachi, H. and Fujita, Y., 1979. On the process of formation of Plio-Pleistocene sedimentary basin around the east part of Kanto mountains (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **85**, 557-569.
- Takegoshi, S. and Muramatsu, T., 1994. Fission track ages of volcanic ashes obtained from drilling cores in central Kanto Plain (*in Japanese with English abstract*). *Assoc. Geol. Collab. Japan Monogr.*, **42**, 151-153.
- Taruno, H., 1991. Systematic revision of genus "*Parastegodon*" from the Japanese Islands (Mammalia: Proboscidea) (*in Japanese with English abstract*). *Bull. Osaka Mus. Nat. Hist.*, **45**, 5-16.
- Tayama, R., 1930. Geomorphology of the Boso Peninsula, particularly on the correlation of the erosion surfaces (*in Japanese; original title translated*). *Saito Ho-on Kai, Annual Report*, **9**, 11-64.
- Togi, R., 1926. Paleo-shoreline of the Kanto Lowland investigated from topography and distribution of shell mounds (II) (*in Japanese; original title translated*). *Geogr. Rev. Japan*, **2**, 659-678.
- Togi, R. 1928. Developmental history of the erosion surface at Yamanote area, Tokyo (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan* **85**, 557-569.
- Tokuhashi, S., 1976. Sedimentological study of the flysch-type alternation of Hk horizon in the Kiyosumi Formation (Part II) — Depositional processes and circumstances of sandstone beds — (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **82**, 757-764.
- Tokuhashi, S., Danhara, T., Endo, H., Isoda, K. and Nishimura, S., 1983. Some experiments and problems on fission-track dating of geologically younger-age samples: with special reference to several volcanic ash layers in Kazusa and

- Shimosa Groups, Boso Peninsula, central Japan (*in Japanese with English abstract*). *Bull. Geol. Surv. Japan*, **34**, 241-256.
- Tokunaga, S. and Iizuka, M., 1926. On the east part of the Kanto Mountains bearing the coal seams (Part 2) (*in Japanese*). *Sekitanjiho*, **2**, 1078-1091.
- Tsurumi, E. and Ohmura, A., 1966. Some remarks on the topography and "Kanto Loam" (Volcanic Ash Beds) in the eastern part of the Tama Hills, Southwest of Tokyo (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, **5**, 59-64.
- Uesugi, Y., Nagataki, T. and Mori, S., 1978. The age of the buried soil in the Shimosueyoshi Loam (*in Japanese; original title translated*). *The Quaternary of Kanto*, (5), 10-21.
- Van Couvering J. A. (*edit.*), 1997. The Pleistocene boundary and the beginning of the Quaternary. *Cambridge University*, 1-206.
- Watanabe, M. and Danhara, T., 1996. Fission track ages of volcanic ash layers of the Kazusa Group in the Boso Peninsula, central Japan (*in Japanese with English abstract*). *Jour. Geol. Soc. Japan*, **102**, 545-556.
- Woldstedt, P. 1935. Geologisch-morphologische Übersichtskarte des norddeutschen Vereisungsgebietes in Maß. 1:1,500,000 mit Erläuterungen. *Berlin*.
- Yabe, H., 1911. An new Pleistocene fauna from Tokyo. *Geol. Mag. London*, **7**, 210-217.
- Yabe, H., 1920. Geological structure in the northeastern part of the Kwanto Mountains (I), (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan* **7**, 129-149.
- Yabe, H., 1925. The great Kwanto Earthquake of September 1, 1923, Geologically considered. the second preliminally report. *Saito Ho-on Kai Annual Report*, **2**, 33-44, 3 pls.
- Yabe, H., 1931. Geological growth of the Tokyo Bay. *Bull. Earthq. Res. Inst.*, **9**, 333-339.
- Yabe, H., 1951. On the Paleo-Tokyou Bay (*in Japanese; original title translated*).

- Natural Science and Museums*, 18, 142-146.
- Yabe, H. and Aoki, R., 1927. Geological age of the terraces along the mountain foot surrounding the Kwanto Structural Basin (*in Japanese; original title translated*). *Geogr. Rev. Japan*, 3, 79-87.
- Yamakawa, S., 1909. Alluvial fossil shells in the Yurakucho Formation (*in Japanese; original title translated*). *Jour. Geol. Soc. Japan*, 16, 166-168
- Yamazaki, H. 1978. Tachikawa fault on the Musashiino Upland, central Japan and its Late Quaternary movement (*in Japanese with English abstract*). *The Quaternary Research (Japan)*, 16, 231-246.