


Neuroethological Studies on Neuromodulation of  
the Silkworm Brain

A Dissertation Submitted to  
the Graduate School of Life and Environmental Sciences,  
the University of Tsukuba  
in Partial Fulfillment of the Requirements  
for the Degree of Doctor of Philosophy in Science  
(Doctoral Program in Functional Biosciences)

Laureline GATELLIER



05009515

# Acknowledgements

After 5 years of challenging and fascinating research, I must first express my sincere gratitude to my advisor, Professor Ryohei Kanzaki. He supported me during these long years, believing in me and giving me helpful advices. He also gave me the passion for scientific research.

A scholarship from the Ministry of Education, Culture, Sports, Science and Technology (Monbusho), Government of Japan, gave me the opportunity and means to accomplish this long work.

I also thank Professor Takashi Nagao for the chance he gave me to learn the techniques of high performance liquid chromatography with electrochemical detection.

I am particularly grateful to Dr. Evan S. Hill for his continuous advice, and also his constant encouragements during 5 years. Furthermore, I would like to thank Dr. Koutaroh Okada, Mr. Tomoki Kazawa and all the members in the Lab., who made these few years enjoyable, helped me in any circumstances, gave me advices, not only about research but also about Japanese customs and also taught me the true meaning of Ganbaru.

I am also deeply thankful to my mother, Mrs. Thi-Thuc-Trinh Nguyen, who always believed in me and who is my model in life, and also Christopher J. M. Alexander who enthusiastically supported me day by day.

Finally, I would like to dedicate my PhD thesis to my grandparents, Mr. Nguyen Van Khanh and Mrs. Nguyen Thuy Hoang.

# Table of Contents

Acknowledgements . . . . .	i
Table of Contents . . . . .	ii
List of Figures . . . . .	v
List of Tables . . . . .	viii
List of Abbreviations . . . . .	ix
Abstract . . . . .	ix
<b>1 Introduction</b>	<b>1</b>
1.1 Internal cues . . . . .	4
1.1.1 Role of serotonin . . . . .	4
1.1.2 Nitric oxide . . . . .	6
1.2 External cues . . . . .	8
1.3 Objective of the present work . . . . .	9
<b>2 Materials and Methods</b>	<b>11</b>
2.1 Animals . . . . .	11
2.2 Procedure for application of substances . . . . .	11
2.2.1 Serotonin and its antagonists . . . . .	12
2.2.2 Nitric oxide cascade . . . . .	12
Behavioral experiments . . . . .	12
Biogenic amines experiments . . . . .	13
2.3 Behavioral experiments . . . . .	13
2.3.1 Effects of serotonin and nitric oxide . . . . .	13
2.3.2 Circadian variation . . . . .	15
2.3.3 Habituation . . . . .	15
Short term habituation . . . . .	15

TABLE OF CONTENTS

iii

Long term habituation . . . . .	17
2.4 Intracellular recordings . . . . .	17
2.4.1 Physiology . . . . .	17
2.4.2 Confocal microscopy observation . . . . .	19
2.5 Biogenic amine analysis with HPLC . . . . .	19
2.5.1 Serotonin circadian variation . . . . .	20
2.5.2 Drug application, pheromone exposure and habituation . . . . .	22
2.6 Data analysis . . . . .	23
<b>3 Results</b>	<b>25</b>
3.1 Variation of internal cues . . . . .	25
3.1.1 Circadian variation . . . . .	25
Behavior and circadian variation . . . . .	25
Serotonin and circadian variation . . . . .	26
3.1.2 Serotonin immunoreactive neuron . . . . .	28
Morphology . . . . .	28
Physiology . . . . .	28
3.1.3 Serotonin and sensitivity to pheromone . . . . .	36
Behavior . . . . .	36
Levels of serotonin in the brain after bath application . . . . .	41
3.1.4 Nitric oxide and sensitivity to pheromone . . . . .	42
Sensitivity to pheromone and nitric oxide . . . . .	42
Biogenic amines and nitric oxide . . . . .	45
3.2 Variation of external cues . . . . .	49
3.2.1 Exposure to pheromone . . . . .	49
3.2.2 Short term habituation . . . . .	51
Short term habituation: behavior . . . . .	52
Short term habituation: biogenic amines . . . . .	53
3.2.3 Long term habituation . . . . .	56
Long term habituation: behavior . . . . .	58
Long term habituation: biogenic amines . . . . .	59
<b>4 Discussion</b>	<b>63</b>
4.1 Major findings . . . . .	63

TABLE OF CONTENTS

iv

4.2	Variation of internal cues . . . . .	64
4.2.1	Serotonin . . . . .	64
	Serotonin and circadian rhythm . . . . .	64
	Serotonin and sensitivity to pheromone . . . . .	67
4.2.2	Serotonin immunoreactive neuron . . . . .	72
4.2.3	Nitric oxide . . . . .	73
	Nitric oxide and pheromone sensitivity . . . . .	74
	Nitric oxide and biogenic amines . . . . .	76
4.3	Variation of external cues . . . . .	83
4.3.1	Exposure to pheromone . . . . .	83
4.3.2	Habituation . . . . .	85
	Short term habituation . . . . .	86
	Long term habituation . . . . .	89
4.4	Concluding remarks . . . . .	92
	References . . . . .	94