

List of Figures

1.1	Nitric oxide pathway and drugs related with nitric oxide	7
2.1	Experimental setup	14
2.2	Short term habituation protocol	16
2.3	Long term habituation protocol	18
2.4	High performance liquid chromatography (HPLC) system with electrochemical detection	21
3.1	Daily variation of the male moth's behavior	26
3.2	Daily variation of serotonin in <i>B. mori</i> 's brain	27
3.3	Serotonin immunoreactive neuron in the antennal lobe	29
3.4	Antennal lobes of the serotonin-immunoreactive neuron	30
3.5	Lateral accessory lobe of the serotonin-immunoreactive neuron	31
3.6	Calyces of mushroom bodies of the serotonin-immunoreactive neuron	32
3.7	Central body of the serotonin-immunoreactive neuron	33
3.8	Physiological responses of the serotonin-immunoreactive neuron	34
3.9	Instantaneous spike frequency of the serotonin-immunoreactive neuron	35
3.10	Effect of serotonin (10^{-4} M) on the moth's sensitivity to pheromone	36
3.11	Effect of different concentrations of serotonin on the moth's sensitivity to pheromone	38
3.12	Effects of serotonin antagonists on the moth's sensitivity to pheromone	39
3.13	Difference of means between the percentage of moths responding to pheromone before and after serotonin antagonist application	40
3.14	Levels of serotonin in the moth's protocerebrum and antennal lobe after application of different concentrations of serotonin	41

3.15	Effects of L-NAME (10^{-4} M and 10^{-5} M) and D-NAME (10^{-4} M) on the moth's sensitivity to pheromone	42
3.16	Difference of means between the percentage of moths responding to pheromone before and after D-NAME 10^{-4} M, L-NAME 10^{-5} M and L-NAME 10^{-4} M application	43
3.17	Effects of NOR3 (5×10^{-4} M) on the moth's sensitivity to pheromone	44
3.18	Spontaneous wing fluttering following NOR3 (5×10^{-4} M), control and wash	45
3.19	Levels of 5-HTP, serotonin and Nac-5HT in brains exposed to different combinations of nitric oxide related drugs	46
3.20	Levels of tyramine in brains exposed to different combinations of nitric oxide related drugs	47
3.21	Levels of dopamine and <i>N</i> -acetyldopamine in brains exposed to different combinations of nitric oxide related drugs	48
3.22	Levels of 5-HTP, serotonin and Nac-5HT of virgin males, males exposed to pheromone and mated males	49
3.23	Levels of tyramine of virgin males, males exposed to pheromone and mated males	50
3.24	Levels of biogenic amines in virgin females and females after mating	51
3.25	Effect of short term habituation, dishabituation and sensitization on the moth's response to pheromone	52
3.26	Means of behavioral response after short term habituation, dishabituation and sensitization	53
3.27	Levels of serotonin in the antennal lobes and protocerebrum of male moths after short term habituation, dishabituation and sensitization.	54
3.28	Levels of 5-HTP, Nac-5HT in the antennal lobes and protocerebrum of male moths after short term habituation, dishabituation and sensitization.	55
3.29	Levels of dopamine and NADA in the antennal lobes and protocerebrum of male moths after short term habituation, dishabituation and sensitization.	57
3.30	Effect of long term habituation and dishabituation on the moth's response to pheromone	58

3.31	Means of behavioral response after long term habituation and dishabituation	59
3.32	Levels of serotonin in the antennal lobes and protocerebrum of male moths after long term habituation and dishabituation	60
3.33	Levels of 5-HTP, Nac-5HT, NADA in the antennal lobes and protocerebrum of male moths after long term habituation and dishabituation	62
4.1	Possible metabolic pathway of indolealkylamines in insects	77
4.2	Possible metabolic pathway of catecholamines in insects	79

List of Tables

4.1	Summary of the modifications induced in the pheromone-searching behavior	64
4.2	Summary of the relationship between the behavior and neuroactive substances in the brain of the male moth	65