References

Adams, J.M., H. Faure, L. Faure-Denard, J.M. McGlade, and F.I. Woodward. 1990. Increases in terrestrial carbon storage from the last glacial maximum to the present. *Nature* **348**:711-714.

Amthor, J.S., M.L. Goulden, J.W. Munger, and S.C. Wofsy. 1994. Testing a mechanistic model of forest-canopy mass and energy exchange using eddy correlation: carbon dioxide and ozone uptake by a mixed oak-maple stand. *Australian Journal of Plant Physiology* **21**:623-651.

Anderson, D.E., S.B. Verma. 1986. Carbon dioxide, water vapor and sensible heat exchanges of a grain sorghum canopy. *Boundary-Layer Meteorology* **34**:317-331.

Anderson, D.E., S.B. Verma, and N.J. Rosenberg. 1984. Eddy correlation measurements of CO_2, latent heat, and sensible heat fluxes over a crop surface. *Boundary-Layer Meteorology* **29**:263-272.

Anderson, D.E., S.B. Verma, R.J. Clement, D.D. Baldocchi, and D.R. Matt. 1986. Turbulent spectra of CO_2, water vapor, temperature and velocity over a deciduous forest. *Agricultural and Forest Meteorology* **38**:81-99.

André, J.C. J.P. Goutorbe, and A. Perrie. 1986. HAPEX-MOBILHY: A hydrolic atmospheric experiment for the study of water budget and evaporation flux at the climatic scale. *Bulletin of American Meteorological Society* **67**:138-144.

Baldocchi, D.D. 1992. A Lagrangian random-walk model for simulating water vapor, CO_2 and sensible heat flux densities and scalar profiles over and within a soybean canopy. *Boundary-layer Meteorology* **61**:113-144.

Baldocchi, D.D. 1994a. A comparative study of mass and energy exchange rates over a closed C3 (wheat) and an open C4 (corn) crop: Ⅰ. The partitioning of available energy into latent heat and sensible heat exchange. *Agricultural and Forest Meteorology* **67**:191-220.

Baldocchi, D.D. 1994b. A comparative study of mass and energy exchange rates over a closed C3 (wheat) and an open C4 (corn) crop: Ⅱ. CO_2 exchange and water use efficiency. *Agricultural and Forest Meteorology* **67**:291-321.

Baldocchi, D.D. 1997. Measuring and modeling carbon dioxide and water vapor exchange over a temperate broad-leaved forest during the 1995 summer drought. *Plant, Cell and Environment* **20**:1108-1122.

Baldocchi, D.D., and P.C. Harley. 1995. Scaling carbon dioxide and water vapor exchange from leaf to canopy in a deciduous forest: II .model testing and application. *Plant, Cell and Environment* **18**:1157-1173.

Baldocchi, D.D., B.B. Hicks, and T.P. Meyers. 1988. Measuring biosphere-atmosphere exchanges of biologically related gases with micrometeorological methods. *Ecology* **69**:1331-1340.

Baldocchi, D.D., B.E. Law, and P.M. Anthoni. 2000. On measuring and modeling energy fluxes above the floor of a homogeneous and heterogeneous conifer forest. *Agricultural and Forest Meteorology* **102**:187-206.

Baldocchi, D.D., R.J. Luxmore, and J.L. Hatfield. 1991. Discerning the forest from the trees: an essay on scaling canopy stomatal conductance. *Agricultural and Forest Meteorology* **54**:197-226.

Baldocchi, D.D., and T.P. Meyers. 1988a. Turbulence structure in a deciduous forest. *Boundary-Layer Meteorology* **43**:345-364.

Baldocchi, D.D., and T. P. Meyers. 1988b. A spectral and lag-correlation analysis of turbulence in a deciduous forest. *Boundary-Layer Meteorology* **45**:31-58.

Baldocchi, D.D., and T.P. Meyers. 1998. On using eco-physiological, micrometeorological and biogeochemical theory to evaluate carbon dioxide, water vapor and trace gas fluxes over vegetation: a perspective. *Agricultural and Forest Meteorology* **90**:1-25.

Baldocchi, D.D., and K.S. Rao. 1995. Intra-field variability of scalar flux densities across a transition between a desert and an irrigated potato field. *Boundary-Layer Meteorology* **76**:109-136.

Baldocchi, D.D., R. Valentini, S. Running, W. Oechel, and R. Dahlman. 1996. Strategies for measuring and modeling carbon dioxide and water vapor fluxes over terrestrial ecosystems. *Global Change Biology* **2**:159-168.

Baldocchi, D.D., S.B. Verm, and D.E. Anderson. 1987. Canopy photosynthesis and water-use efficiency in a deciduous forest. *Journal of Applied Ecology* **24**:251-260.

Baldocchi, D.D., S.B. Verm, and N.J. Rosenberg. 1981a. Seasonal and diurnal variation in the CO_2 flux and CO_2-water flux ratio of alfalfa. *Agricultural Meteorology* **23**:231-244.

Baldocchi, D.D., S.B. Verm, and N.J. Rosenberg. 1981b. Environmental effects on the CO_2 flux and CO_2-water flux ratio of alfalfa. *Agricultural Meteorology* **24**:175-184.

Baldocchi, D.D., S.B. Verm, and N.J. Rosenberg. 1981c. Mass and energy exchanges of a soybean canopy under various environmental regimes. *Agronomy Journal* **73**:706-710.

Baldocchi, D.D., S.B. Verm, and N.J. Rosenberg. 1985. Water use efficiency in a soybean field: influence of plant water stress. *Agricultural Meteorology* **34**:53-65.

Baldocchi, D.D., and C.A. Vogel. 1996. A comparative study of water vapor, energy and CO_2 flux densities above and below a temperate broadleaf and boreal pine forest. *Tree Physiology* **16**:5-16.

Baldocchi, D.D., C.A. Vogel, and B. Hall. 1997a. Seasonal variation of energy and water exchange rates above and below a boreal jack pine forest. *Journal of Geophysical Research* **102(D24)**:28939-28951.

Baldocchi, D.D., C.A. Vogel, and B. Hall. 1997b. Seasonal variation of carbon dioxide exchange rates above and below a boreal jack pine forest. *Agricultural and Forest Meteorology* **83**:147-170.

Bastiaanssen, W.G.M., H. Pelgrum, P. Droogers, H.A.R. de Bruin, and M. Menenti. 1997. Area-average estimates of evaporation, wetness indicators and top soil moisture during two golden days in EFEDA. *Agricultural and Forest Meteorology* **87**:119-137.

Bazzaz, F.A., S.L. Bassow, G.M. Berntson, and S.C. Thomas. 1996. Elevated CO_2 and terrestrial vegetation: implications for and beyond the global carbon budget. Pages 43-76 *in* B. Walker and W. Steffen, editors, *Global Change and Terrestrial Ecosystems*. The University Press, Cambridge.

Berry, J., and O. Björkman. 1980. Photosynthetic response and adaptation to temperature in higher plants. *Annual Review of Plant Physiology* **31**:491-543.

Black, T.A., G. den Hartog, H. Neumann, P. Blanken, P. Yang, C. Russel, Z. Nesic, X. Lee, S. Chen, P. Voroney, R. Stabeler, and M. Novak. 1996. Annual cycles of water vapor and carbon dioxide fluxes in and above a boreal aspen forest. *Global Change Biology* **2**:219-230.

Blanken, P.D., T.A. Black, P.C. Yang, H.H. Neumann, Z. Nesic, R. Staebler, G. den Hartog, M.D. Novak, and X. Lee, 1997. Energy balance and canopy conductance of a boreal aspen forest: Partioning overstory and understory components. *Journal of Geophysical Research* **102(D24)**:28915-28927.

Bolle, H.J. 1995. Identification and observation of desertification processes with the aid of measurements from space: Results from the European field experiment in desertification-threatened areas (EFEDA). *Environmental Monitoring and Assessment* **37**:93-101.

Bonan, G.B., D. Pollar, and S.L. Thompson. 1992. Effects of boreal forest vegetation on global climate. *Nature* **359**:716-718.

Boulet, G., I. Braud, and M.Vauclin. 1997. Study of the mechanisms of evaporation under arid conditions using a detailed model of the soil-atmosphere continuum. Application to the **EFEDA** I experiment. *Journal of Hydrology* **193**:114-141.

Boutton, T.W., A.T. Harrison, and B.N. Smith. 1980a. Distribution of biomass of species differing in photosynthetic pathway along an altitudinal transect in southeastern Wyoming grassland. *Oecologia* **45**:287-298.

Boutton, T.W., B.N. Smith, and A.T. Harrison. 1980b Monson. Carbon isotope ratios and crop analyses of Arphia (Orthoptera: Acrididae) species in southeastern Wyoming grassland. *Oecologia* **45**:299-306.

Box, E.O. 1995. Factors determining distributions of tree species and plant functional types. *Vegetatio* **121**:101-116.

Box, E.O. 1996. Plant functional types and climate at the global scale. *Journal of Vegetation Science* 7:309-320.

Brutsaert, W. 1975. The roughness length for water vapor, sensible heat, and other scalars. *Journal of Atmospheric Science* **32**:2028-2031.

Brutsaert, W. 1982. *Evaporation into the Atmosphere: Theory, History, and Applications*. D. Reidel Publishing Company, London, England, 299 pp.

Cavagnaro, J.B. 1988. Distribution of C3 and C4 grasses at different altitudes in a temperate arid region of Argentina. *Oecologia* **76**:273-277.

Ceulemans,R. X.N. Jiang, and B.Y. Shao.1995. Effects of elevated atmospheric CO_2 on growth, biomass production and nitrogen allocation of two Populus clones. *Journal of Biogeography* **22**:261-268.

Chen, D.X, H.W. Hunt, and J.A. Morgan. 1996. Responses of C3 and C4 perennial grasses to CO_2 enrichment and climate change: Comparison between model prediction and experimental data. *Ecological Modelling* **87**:11-27.

Ciais, P., P.P. Tans, M. Troller, J.W.C. White, and R.J. Francey. 1995. A large northern hemisphere terrestrial CO_2 sink indicated by $^{13}C/^{12}C$ ratio of atmospheric CO_2. *Science* **269**:1098-1102.

Ciais, P. 1999. Restless carbon pool. *Nature* **398**:111-112.

Cienciala, E., and A. Lindroth. 1999. Analysis of carbon and water fluxes from the NOPEX boreal forest: comment. *Journal of Hydrology* **218**:92-94.

Cienciala, E., S.W. Running, A. Lindroth, A. Grelle, M.G. Ryan. 1998. Analysis of carbon and water fluxes from the NOPEX boreal forest: comparison of measurements with FOREST-BGC simulations. *Journal of Hydrology* **212-213**:62-78.

Colello, G.D., C. Grivet, P.J. Sellers, and J.A. Berry. 1998. Modeling of energy, water, and CO_2 flux in a temperate grassland ecosystem with SiB2: May-October 1987. *Journal of the Atmospheric Sciences* **55**:1141-1169.

Coleman, J.S., and F.A. Bazzaz. 1992. Effects of CO_2 and temperature effects on growth and resource use of co-occurring C3 and C4 annuals. *Ecology* **73**:1244-1259.

Coughenour, M.B., and D.X. Chen. 1997. Assessment of grassland ecosystem responses to atmospheric change using linked plant-soil process models. *Ecological Applications* 7:802-827.

Cowling, S.A., and R.F. Sage. 1998. Interactive effects of low atmospheric CO_2 and elevated temperature on growth, photosynthesis and respiration in *Phaseolus vulgaris. Plant, Cell and Environmnet* **21**:427-435.

Curtis, P.S. 1996. A meta-analysis of leaf gas exchange and nitrogen in trees grown under elevated carbon dioxide. *Plant, Cell and Environment* **19**:127-137.

Dabberdt, W.F., D.H. Lenschow, T.W. Horst, P.R. Zimmerman, S.P. Oncley, and A.C. Delany. 1993. Atmosphere-surface exchange measurements. *Science* **260**:1472-1481.

Denning, A.S., I.Y. Fung, and D. Randall. 1995. Latitudinal gradient of atmospheric CO_2 due to seasonal exchange with land biota. *Nature* **376**:240-243.

Denning, A.S., T. Takahashi, and P. Friedlingstein. 1999. Can a strong atmospheric CO_2 rectifier effect be reconciled with a "reasonable" carbon budget? *Tellus*(B) **51**:249-253.

Desjardins, R.L. 1991. Review of techniques to measure CO_2 flux densities from surface and airborne sensors. Pages 1-23 *in* G. Stunhill, editor, *Advances in Bioclimatology*. Springer-Verlag, Berlin, Germany.

Dixon, R.K., S. Brown, R.A. Houghton, A.M. Solomon, M.C. Trexler, and J. Winiewski. 1994. Carbon pools and flux of global forest ecosystems. *Science* **263**:185-190.

Dugas, W.A., M.L. Heuer, and H.S. Mayeux. 1999. Carbon dioxide fluxes over bermudagrass, native prairie, and sorghum. *Agricultural and Forest Meteorology* **93**:121-139.

Dugas, W.A., D.C. Reicosky, and J.R. Kiniry. 1997. Chamber and micrometeorological measurements of CO_2 and H_2O fluxes for three C4 grasses. *Agricultural and Forest Meteorology* **83**:113-133.

Dyer, A.J., J.R. Garratt, R.J. Francey, I.C. McIlroy, N.E. Bacon, P. Hyson, E.F. Bradley, O.T. Denmead, L.R. Tsvang, Y.A. Volkov, B.M. Koprov, L.G. Elagina, K. Sahashi, N. Monji, T. Hanafusa, O. Tsukamoto, P. Frenzen, B.B. Hicks, M.Wesley, M. Miyake, and W. Shaw. 1982. An international turbulence comparison experiment (ITCE 1976). *Boundary-Layer Meteorology* **24**:181-209.

Eamus, D. 1991. The interaction of rising CO_2 and temperature swith water use efficiency. *Plant, Cell and Environment* **14**:843-852.

Eamus, D. 1996. Tree responses to CO_2 enrichment: CO_2 and temperature interactions, biomass allocation and stand-scale modeling. *Tree Physiology* **16**:43-47.

Ehleringer, J.R., T.E. Cerling, and B.R. Helliker. 1997. C4 photosythensis, atmospheric CO_2, and climate. *Oecologia* **112**:285-299.

Ellsworth, D.S., R. Oren, C. Huang, N. Phillips, and G.R. Hendrey. 1995. Leaf and canopy responses to elevated CO_2 in a pine forest under free-air CO_2 enrichment. Oecologia **104**:139-146.

Fan, S.-M. Gloor, J. Mahlman, S. Pacala, J. Sarmiento, T. Takahashi, P. Tans. 1998. A large terrestrial carbon sink in north America implied by atmospheric and oceanic carbon dioxide data and models. *Science* **282**:442-446.

Fan, S.-M., S.C. Wofsy, P.S. Bakwin, and D.J. Jacob. 1990. Atmosphere-Biosphere exchange of CO_2 and O_3 in the Central Amazon forest. *Journal of Geophysical Research* **95**:16851-16864.

Farrar, J.F. 1991. The effects of increased atmospheric carbon dioxide and temperature on carbon parttioning, source-sink relations and respiration. *Plant, Cell and Environment* **14**:819-830.

Field, C.B., R.B. Jackson, and H.A. Mooney. 1995. Stomatal responses to increased CO_2: Implications from the plant to the global scale. *Plant, Cell and Environment* **18:**1214-1225.

Fisher, M.J., I.M. Rao, M.A. Ayarza, C.E. Lascano, J.I. Sanz, R.J. Thomas, and R.R. Vera. 1994. Carbon storage by introduced deep-rooted grasses in South American savannas. *Nature* **371**:236-238.

Flint, A.L., and S.W. Childs. 1991. Use of Priestley-Taylor evaporation equation for soil water limited conditions in a small forest clearcut. *Agricultural and Forest Meteorology* **56**:247-260.

Francey, R.J., P.P. Tans, C.E. Allison, I.G. Enting, J.W.C. White, and M. Troller. 1995. Changes in oceanic and terrestrial carbon uptake since 1982. *Nature* **373**:326-330.

Friborg, T., E. Boegh, and H. Soegaard. 1997. Carbon dioxide flux, transpiration and light response of millet in the Sahel. *Journal of Hydrology* **188-189**:633-650.

Friend, A.D., and P.M. Cox. 1995. Modeling the effects of atmospheric CO_2 on vegetation-atmosphere interactions. *Agricultural and Forest Meteorology* **73**:285-295.

Gerard, J.C., B. Nemry, L.M. Francois, and P. Warnant. 1999. The interannual change of atmospheric CO_2: contribution of subtropical ecosystems? *Geophysical Research Letters* **26**:243-246.

Gifford, R.M. 1994. The global carbon cycle: aviewpoint on the missing sink. *Australian Journal of Plant Physiology* **21**:1-15.

Goulden, M.L., J.W. Munger, S.-M. Fan, B.C. Daube, and S.C. Wofsy. 1996a. Exchange of carbon dioxide by a deciduous forest: Response to interannual climate variability. *Science* **271**:1576-1578.

Goulden, M.L., J.W. Munger, S.-M. Fan, B.C. Daube, and S.C. Wofsy. 1996b. Measurements of carbon sequestration by long-term eddy covariance: methods and a critical evaluation of accuracy. *Global Change Biology* **2**:169-182.

Goutorbe, J.-P., T. Lebel, A. Tinga, P. Bessemoulin, J. Brouwer, A.J. Dolman, E.T. Engman, J.H.C. Gash, M. Hoepffner, P. Kabat, Y.H. Kerr, B. Monteny, S. Prince, F. Said, P. Sellers, and J.S. Wallace. 1994. HAPEX-Sahel: a large scale study of land atmosphere interactions in the semi-arid tropics. *Annales Geophysicae* **12**:53-64.

Goutorbe, J.-P., T. Lebel, A.J. Dolman, J.H.C. Gash, P. Kabat, Y.H. Kerr, B. Monteny, S.D. Prince, J.N.M. Stricker, A. Tinga, and J.S. Wallace. 1997. An overview of HAPEX-Sahel: a study in climate and desertification. *Journal of Hydrology* **188-189**:1017-1039.

Gower, S.T., J.G. Vogel, J.M. Norman, C.J. Kucharik, S.J. Steele, and T.K. Stow. 1997. Carbon distribution and aboveground net primary production in aspen, jack pine, and black spruce stands in Saskatchewan and Manitoba, Canada. *Journal of Geophysical Research* **102(D24)**:29029-29041.

Grace, J., J. Lloyd, J. McIntyre, A.C. Miradna, P. Meir, H.S. Miranda, C. Nobre, J. Moncrieff, J. Massheder, Y. Malhi, I. Wright, and J. Gash. 1995a. Carbon dioxide uptake by an undisturbed tropical rain forest in south-west Amazonia, 1992 to 1993. *Science* **270**:778-780.

Grace, J., J. Lloyd, J. McIntyre, A.C. Miradna, P. Meir, H.S. Miranda, J. Moncrieff, J. Massheder, I. Wright, and J. Gash. 1995b. Fluxes of carbon dioxide and water vapor over an undisturbed tropical forest in south-west Amazonia. *Global Change Biology* **1**:1-12.

Grace, J., Y. Malhi, J. Lloyd, J. McIntyre, A.C. Miradna, P. Meir, and H.S. Miranda. 1996. The use of eddy covariance to infer the net carbon dioxide uptake by of a Brazilian rain forest. *Global Change Biology* **2**:209-217.

Grant, R.F., R.L. Garcia, P.J. Pinter, D. Hunsaker, G.W. Wall, B.A. Kimball, and R.L. LaMorte. 1995a. Interaction between atmospheric CO_2 concentration and water deficit on gas exchange and crop growth: Testing of ecosys with data from the Free Air CO_2 Enrichment (FACE) experiment. *Global Change Biology* **1**:443-454.

Grant, R.F., B.A. Kimball, P.J. Pinter, G.W. Wall, R.L. Garcia, R.L. LaMorte, and D. Hunsaker. 1995b. Carbon dioxide effects on crop energy balance: Testing ecosys with a free-air CO_2 enrichment (FACE) experiment. *Agronomy Journal* **87**:446-457.

Grant, R.F., G.W. Wall, B.A. Kimball, K.F.A. Frumau, P.J. Pinter, D. Hunsaker, and R.L. LaMorte. 1999. Crop water relations under different CO_2 and irrigation:

testing of ecosys with the free air CO_2 enrichment (FACE) experiment. *Agricultural and Forest Meteorology* **95**:27-51.

Greco, S., and D.D. Baldocchi. 1996. Seasonal variations of CO_2 and water vapor exchange rates over a temperate deciduous forest. *Global Change Biology* **2**:183-197.

Halldin, S., S.-E. Gryning, L. Gottschalk, A. Jochum, L.C. Lundin, and A.A. Van de Griend. 2000. Energy, water and carbon exchange in a boreal forest landscape-NOPEX experiences. *Agricultural and Forest Meteorology* **98-99**:5-29.

Hall, F.G., and P.J. Sellers. 1995. First International Satellite Land Surface Climatology Project (ISLSCP) Field Experiment (FIFE) in 1995. *Journal of Geophysical Research* **100**:25383-25395.

Halldin, S., L.C. Lundin, A. Jochum, A.A. Van de Griend, L. Gottschalk, M. Heikinheimo, S.-E. Gryning, and U. Högström. 1998. Boreal forests and climate, perspectives on NOPEX. *Journal of Hydrology* **212-213**:172-187.

Ham, J.M., and A.K. Knapp. 1998. Fluxes of CO_2, water vapor, and energy from a prairie ecosystem during the seasonal transition from carbon sink to carbon source. *Agricultural and Forest Meteorology* **89**:1-14.

Ham, J.M., C.E. Owensby, P.I. Coyne, and D. J. Bremer. 1995. Fluxes of CO_2 and water vapor from a prairie ecosystem exposed to ambient and elevated atmospheric carbon dioxide. *Agricultural and Forest Meteorology* **77**:73-93.

Harley, P.C., and D.D. Baldocchi. 1995a. Scaling carbon dioxide and water vapor exchange from leaf to canopy in a deciduous forest: I. leaf level parameterization. *Plant, Cell and Environment* **18**:1146-1156.

Harley, P.C., and D.D. Baldocchi. 1995b. Scaling carbon dioxide and water vapor exchange from leaf to canopy in a deciduous forest: II. Model testing and application. *Plant, Cell and Environment* **18**:1157-1173.

den Hartog, G., H.H. Neumann, K.K. King, and A.C. Chipanshi. 1994. Energy budget measurements using eddy correlation and Bowen ratio techniques at the Kinosheo Lake tower site during the Northern Wetlands Study. *Journal of Geophysical Research* **99**:1539-1549.

Hasselman, K. 1997. Are we seeing global warming? *Science* **276**:914-915.

Hattersley, P.W. 1983. The distribution of C3 and C4 grasses in Australia in relation to climate. *Oecologia* **57**:113-128.

Heilman, J.L., C.L. Brittin, and C.M.U. Neale. 1989. Fetch requirements for Bowen ratio measurements of latent and sensible heat fluxes. *Agricultural and Forest Meteorology* **44**:261-273.

Hendrey, G.R., D.S. Ellsworth, K.F. Lewin, and J. Nagy. 1999. A free-air enrichment system for exposing tall forest vegetation to elevated atmospheric CO_2. *Global Change Biology* **5**:293-309.

Hendrey, G.R., K.F. Lewin, and J. Nagy. 1993. Free air carbon dioxide enrichment: Development, progress, results. *Vegetatio* **104/105**: 17-31.

Higuchi, A., M. Sugita, and S. Iida. 1999. Improved data acquisition system for use in energy and water balance experimental field at envirionmental research center. *Bulletin of Environmental Research Center, University of Tsukuba* **24**:135-141-53. (In Japanese)

Higuchi, A., M. Sugita, and S. Iida. 1999. Improved data acquisition system for use in energy and water balance experimental field at envirionmental research center. *Bulletin of Environmental Research Center, University of Tsukuba* **24**:135-141-53. (In Japanese)

Higuchi, A., K. Nishida, S. Iida, N. Niimura, and A. Kondoh. 2000. Preliminary global imager experiment at environmental research center, University of Tsukuba (PGLIERC): Its overview. *Journal of Japanese Association of Hydrological Sciences*. (In press)

Hiyama, T., M. Sugita, and I. Kayane. 1995. Variability of surface fluxes within a complex area observed during TABLE 92. *Agricultural and Forest Meteorology* **73**:189-207.

Hiyama, T., M. Sugita, and I. Kayane. 1995. Variability of surface fluxes within a complex area observed during TABLE 92. *Agricultural and Forest Meteorology* **73**:189-207.

Hiyama, T., M. Sugita, and K. Kotoda. 1996. Regional roughness parameters and momentum fluxes over a complex area. *Journal of Applied Meteorology* **35**:2179-2190.

Hollinger, D.Y., S.M. Goltz, E.A. Davidson, J.T. Lee, K. Tu, and H.T. Valentine. 1999. Seasonal patterns and environmental control of carbon dioxide and water vapor exchange in an ecotonal boreal forest. *Global Change Biology* **5**:891-902.

Hollinger, D.Y., F.M. Kelliher, J.N. Byers, J.E. Hunt, T.M. McSeveny, and P.L. Weir. 1994. Carbon dioxide exchange between an undisturbed old-growth temperature forest and the atmosphere. *Ecology* **75**:134-150.

Hollinger, D.Y., F.M. Kelliher, E.-D. Schulze, G. Bauer, A. Arneth, J.N. Byers, , J.E. Hunt, T.M. McSeveny, K.I. Kobak, I. Milukova, A. Sogatchev, F. Tatarinov, A. Varlargin, W. Ziegler, and N.N. Vygodskaya. 1998. Forest-atmosphere carbon dioxide exchange in eastern Siberian. *Agricultural and Forest Meteorology* **90**:291-306.

Horst, T.W. 1999. The footprint for estimation of atmosphere-surface exchange fluxes by profile techniques. *Boundary-Layer Meteorology* **90**:171-188.

Horst, T.W., and J.C. Weil. 1992. Footprint estimation for scalar flux measurement in the atmospheric surface layer. *Boundary-Layer Meteorology* **59**:279-296.

Horst, T.W., and J.C. Weil. 1994. How far is far enough?: the fetch requirements for micrometeorological measurement of surface fluxes. *Journal of Atmospheric and Oceanic Techmology* **11**:1018-1025.

Houghton, R.A. 1996. Converting terrestrial ecosystems from sources to sinks of carbon. *Ambio* **25**:267-272.

Houghton, R.A., E.A. Davidson, and G.M.Woodwell. 1998. Missing sinks, feedbacks, and understanding the role of terrestrial ecosystems in the global carbon balance. *Global Biological Cycles* **12**:25-34.

Hunt, R., D.W. Hand, M.A. Hannah, and A.M. Neal. 1991. Response to CO_2 enrichment in 27 herbaceous species. *Functional Ecology* **5**:410-421.

Hunt, H., E. Elliott, J. Detling, J. Morgan, and D.-X. Chen. 1996. Responses of a C3 and a C4 perennial grass to elevated CO_2 and temperature under different water regimes. *Global Change Biology* **2**:35-47.

Huntingford, C., S.J. Allen, and R.J. Harding. 1995. An intercomparison of single and dual-source vegetation-atmosphere transfer models applied to transpiration from Sahelian savannah. *Boundary-Layer Meteorology* **74**:397-418.

Idso, K., and S. Idso. 1994. Plant responses to atmospheric CO_2 enrichment in the face of environmental constrains: A review of the past 10 years' research. *Agricultural and Forest Meteorology* **69**:153-203.

Iida, S. 2000. Seasonal changes of stem water storage and its role in transpiration processes of a Japanese red pine. *MS thesis in the Graduate Course of Geosciences*, University of Tsukuba, Tsukuba, Japan. 128pp.

IPCC (Intergovernmental Panel on Climate Change). 1996. *Climate Change 1995: The Science of Climate Change*. Cambridge University Press, Cambridge.

Jackson, R.B., O.E. Sala, C.B. Field, and H.A. Mooney. 1994. CO_2 alters water use, carbon gain, and yield for the dominant species in a natural grassland. *Oecologia* **98**:257-262.

Jarvis, P.G. 1981. Stomatal conductance, gaseous exchange, and transpiration. Pages 175-204 *in* J. Grace, E.D. Ford, and P.G. Jarvis, editors, *Plants and Their Atmospheric Environment*. Oxford, Blackwell Scientific.

Jarvis, P.G. 1995a. The role of temperate trees and forests in CO_2 fixation. *Vegetatio* **121**:157-174.

Jarvis, P.G. 1995b. Scaling processes and problems. *Plant, Cell and Environment* **18**:1079-1089.

Jarvis, P.G., and R.C. Dewar. 1993. Forests in the global carbon balance: from stand to region. Pages 191-221 *in* J. Ehleringer, and C.B. Field, editors, *Scaling Physiological Processes: Leaf to Globe.* Academic Press, New York.

Jarvis, P.G., J.M. Massheder, S.E. Hale, J.B. Moncrieff, M. Rayment, and S.L. Scott. 1997. Seasonal variation of carbon dioxide, water vapor, and energy exchanges of a boreal black spruce forest. *Journal of Geophysical Research* **102(D24)**:28953-28966.

Jarvis, P.G., and McNaughton K.G. 1986. Stomatal control of transpiration: scaling up from leaf to region. *Advances in Ecological Research* **15**:1-48.

Jones, G.J. 1992. *Plant and Microclimate*: a quantitative approach to environmental plant physiology. University Press, Cambridge.

Jordan, D.N., S.F. Zitzer, G.R. Hendrey, K.F. Lewin, J. Nagy, R.S. Nowak, S.D. Smith, J.S. Coleman, and J.R. Seeman. 1999. Biotic, abiotic and performance aspects of the Nevada Desert Free-Air CO_2 Enrichment (FACE) Facility. *Global Change Biology* **5**:659-668.

Kaimal, J.C. 1975. Sensors and techniques for direct measurement of turbulent fluxes and profiles in the atmospheric surface layer. *Atmospheric Technology* 7:7-14.

Katul, G., and J. Albertson. 1999. Modeling CO_2 sources, sinks, and fluxes within a forest canopy. *Journal of Geophysical Research* **104(d6)**:6081-6091.

Keeling, C.D., J.F.S. Chin, and T.P. Whorf. 1996a. Increased activity of northern vegetation inferred from atmospheric CO_2 measurements. *Nature* **382**:146-149.

Keeling, R.F., S.C. Piper, and M. Heimann. 1996b. Global and hemispheric CO_2 sinks deduced from changes in atmospheric O2 concentration. *Nature* **381**:218-221.

Keeling, C.D., T.P. Whorf, M. Wahlen, and J. van der Plicht. 1995. International extremes in the rate of rise of atmospheric carbon dioxide since 1980. *Nature* **375**:666-670.

Kelliher, F.M., R. Leuning, and E.-D. Schulze. 1993. Evaporation and canopy characteristics of coniferous forests and grassland. *Oecologia* **95**:153-163.

Kelliher, F.M., R. Leuning, M.R. Raupach, and E.-D. Schulze. 1995. Maximum conductances for evaporation from global vegetation types. *Agricultural and Forest Meteorology* **73**:1-16.

Kelliher, F.M., J. Lloyd, A. Arneth, J.N. Byers, T.M. McSeveny, I. Milukova, S. Grigoriev, M. Panfyorov, A. Sogatchev, A. Varlargin, W. Ziegler, G. Bauer, and E.-D. Schulze. 1998. Evaporation from a central Siberian pine forest. *Journal of Hydrology* **205**:279-296.

Kelliher, F.M., J. Lloyd, A. Arneth, B. Luhker, J.N. Byers, T.M. McSeveny, I. Milukova, S. Grigoriev, M. Panfyorov, A. Sogatchev, A. Varlargin, W. Ziegler, G. Bauer, S.C. Wong, and E.-D. Schulze. 1999. Carbon dioxide efflux density from

the floor of a central Siberian pine forest. *Agricultural and Forest Meteorology* **94**:217-232.

Kelliher, F.M., D.Y. Hollinger, E.-D. Schulze, N.N. Vygodskaya, J.N. Byers, J.E. Hunt, T.M. McSeveny, I. Milukova, A. Sogatchev, A. Varlargin, W. Ziegler, A. Arneth, and G. Bauer. 1997. Evaporation from an eastern Siberian larch forest. *Agricultural and Forest Meteorology* **85**:135-147.

Kemp, P.R., and G.J. Williams III. 1980. A physiological basis for niche separation between agropyron smithii (C3) and bouteloua gracilis (C4). *Ecology* **61**:846-858.

Kerr, R.A. 1992. Fugitive carbon dioxide: it's not hiding in the ocean. *Science* **256**:80.

Kim, J., and S.B. Verma. 1990a. Components of surface energy balance in a temperate grassland ecosystem. *Boundary-Layer Meteorology* **51**:401-417.

Kim, J., and S.B. Verma. 1990b. Carbon dioxide exchange in a temperate grassland ecosystem. *Boundary-Layer Meteorology* **52**:135-149.

Kim, J., S.B. Verma, and R.J. Clement. 1992. Carbon dioxide budget in a temperate grassland ecosystem. *Journal of Geophysical Research* **97**:6057-6063.

Kim, J., S.B. Verma, and N.J. Rosenberg. 1989. Energy balance and water use of cereal crops. *Agricultural and Forest Meteorology* **48**:135-147.

Kimball, B.A., R.L. LaMorte, R.S. Seay, P.J. Pinter, R.R. Rokey, D.J. Hunsaker, W.A. Dugas, M.L. Heuer, J.R. Mauney, C.G. Hendrey, K.F. Lewin, and J. Nagy. 1994. Effects of free-air CO_2 enrichment on energy balance and evapotranspiration of cotton. *Agricultural and Forest Meteorology* **70**:259-278.

Kimball, B.A., J.R. Mauney, F.S. Nakayama, and S.B. Idso. 1993. Effects of increasing atmospheric CO_2 on vegetation. *Vegetatio* **104/105**:65-75.

Kimball, B.A., P.J. Pinter, R.L. Garcia, R.L. LaMorte, G.W. Wall, D.J. Hunsaker, G. Wechsung, G., F. Wechsung, and T. Kartschall. 1995. Productivity and water use of wheat under free-air CO_2 enrichment. *Global Change Biology* **1**:429-442.

Körner, K., and J.A. Arnone III. 1992. Responses to elevated carbon dioxide in artificial tropical ecosystems. *Science* **257**:1672-1675.

Köstner, B.M.M., E.-D. Schulze, F.M. Kelliher, D.Y. Hollinger, J.N. Beyers, J.E. Hunt, T.M. McSeveny, R. Meserth, and P.L. Weir. 1992. Transpiration and canopy conductance in a pristine broad-leaved forest of Nothofagus: an analysis of xylem sap flow and eddy correlation measurements. *Oecologia* **91**:350-359.

Kristensen, L., and D.R. Fitzjarrald. 1984. The effect of line averaging on scalar flux measurements with a sonic anemometer near the surface. *Journal of Atmospheric and Oceanic Technology* **1**:138-146.

Lafleur, P.M. 1999. Growing season energy and CO_2 exchange at a subarctic boreal woodland. *Journal of Geophysical Research* **104(D8)**:9571-9580.

Lafleur, P.M., J.H. McCaughey, D.W. Joiner, P.A. Bartlett, and D.J. Jelinski. 1997. Seasonal trends in energy, water, and carbon dioxide fluxes at a northern boreal wetland. *Journal of Geophysical Research* **102(D24)**:29009-29020.

Larcher, W. 1995. *Physiological Plant Ecology –Ecophysiology and Stress Physiology of Functional Groups* (3rd ed.), Springer-Verlag, Berlin, Germany. 506pp.

Lashof, D.A., B.J. DeAngelo, S.R. Saleska, and J. Harte. 1997. Terrestrial ecosystem feedbacks to global climate change. *Annual Review of Energy and The Environment* **22**:75-118.

Laubach, J., M. Raschendorfer, H. Kreilein, and G. Gravenhorst. 1994. Determination of heat and water vapor fluxes above a spruce forest by eddy correlation. *Agricultural and Forest Meteorology* 71:373-401.

Leadley P.W., and B.G. Drake.1993. Open top chambers for exposing plant canopies to elevated CO_2 concentration and for measuring net gas exchange. *Vegetatio* **104/105**:3-15.

Lee, X., and T.A. Black. 1993. Atmospheric turbulence within and above a Douglas-fir stand. Part II: Eddy fluxes of sensible heat and water vapor. *Boundary Layer Meteorology* **64**:369-389.

Lee, X., and T.A. Black. 1994. Relating eddy correlation sensible heat flux to horizontal sensor separation in the unstable atmospheric surface layer. *Journal of Geophysical Research* **99**:18545:18553.

Lee, X., T.A. Black, and M.D. Novak. 1994. Comparison of flux measurements with open- and closed-path gas analyzers above an agricultural field and forest floor. *Boundary Layer Meteorology* **67**:195-202.

Lee, X., J.D. Fuentes, R.W. Staebler, and H.H. Neumann. 1999. Long-term observation of the atmospheric exchange of CO_2 with a temperate deciduous forest in southern Ontario, Canada. *Journal of Geophysical Research* **104(D13)**:15975-15984.

Lee, X., H.H. Neumann, G. den Hartog, J.D. Fuentest, T.A. Black, R.E. Mickle, P.C. Yang, and P.D. Blanken. 1997. Observation of gravity waves in a boreal forest. *Boundary Layer Meteorology* **84**:383-398.

Leuning, R., and K.M. King. 1992. Comparison of eddy covariance measurements of CO_2 fluxes by open- and closed-path CO_2 analyzers. *Boundary-Layer Meteorology* **59**:297-311.

Leuning, R., and J. Moncrieff. 1990. Eddy covariance CO_2 flux measurements using open- and closed-path analyzers: corrections for analyzer water vapor sensitivity and damping fluctuations in air sampling tubes. *Boundary-Layer Meteorology* **53**:63-76.

Li, S.G., Y. Harazono, T. Oikawa, H.L. Zhao, Z.Y. He, X.L. Chang. 2000. Grassland desertification by grazing and the resulting micrometeorological changes in Inner Mongolia. *Agricultural and Forest Meteorology* **102**:125-137.

LI-COR. 1992. LAI-2000 Plant Canopy Analyzer: Operating Manual. Lincoln, Nebraska, USA.

Liu, S., and T. Oikawa. 1993. Seasonal changes of the biomass in grassland and the environmental conditions at the ERC, University of Tsukuba. *Bulletin of Environmental Research Center, University of Tsukuba* **18**:69-75. (in Japanese)

Lundin, L.-C., and S. Halldin. 1994a. Experimental plan for NOPEX. Part 1. Continuous Climate Monitoring (CCM), Regional Climate Survey (RSC). NOPEX Central Office, Uppsala, 59pp.

Lundin, L.-C., and S. Halldin. 1994b. Experimental plan for NOPEX. Part 2. Concentrated Field Effort 1 (CFE1). NOPEX Central Office, Uppsala, 122pp.

Lüscher, A., G.R. Hendrey, and J. Nösberger. 1998. Long-term responsiveness to free air CO_2 enrichment of functional types, species and genotypes of plants from fertile permanent grassland. *Oecologia* **113**:37-45.

Malhi, Y., D.D. Baldocchi, and P.G. Jarvis. 1999. The carbon balance of tropical, temperate and boreal forests. *Plant, Cell and Environment* **22**:715-740.

Malhi, Y., A.D. Nobre, J. Grace, B. Kruijt, M.G.P. Pereira, A. Culf, and S. Scott. 1998. Carbon dioxide transfer over a Central Amazonian rain forest. *Journal of Geophysical Research* **103(D24)**:31593-31612.

McCaughey, J.H., P.M. Laufleur, D.J. Bartlett, C.A. M., D.E. Jelinski, and M.G. Ryan. 1997. Magnitudes and seasonal patterns of energy, water, and carbon exchanges at a boreal young jack pine forest in the BOREAS northern study. *Journal of Geophysical Research* **102(D24)**:28997-29907.

McGinn, S.M., and K.M. King. 1990. Simultaneous measurements of heat, water vapor and CO_2 fluxes above alfalfa and maize. *Agricultural and Forest Meteorology* **49**:331-349.

McMillen, R.T. 1988. An eddy correlation technique with extended applicability to non-simple terrain. *Boundary Layer Meteorology* **43**:231-245.

McNaughton, K.G., and P.G. Jarvis 1983. Predicting the effects of vegetation changes on transpiration and evaporation. Pages 1-47 *in* T. T. Kozlowski, editor, *Water Deficits and Plant Growth, Vol. VII.* Academic Press, New York.

Meyers, T., and K.T. Paw U. 1986. Testing of a higher-order closure model for modeling airflow within and above plant canopies. *Boundary-Layer Meteorology* **37**:297-311.

Michels, B.I., and A.M. Jochum. 1995. Heat and moisture flux profiles in a region with inhomogeneous surface evaporation. *Journal of Hydrology* **166**:383-407.

Miranda, A.C., H.S. Miranda, J. Lloyd, J. Grace, R.J. Francey, J.A. Mcintyre, P. Meir, P. Riggan, R. Lockwood, and J. Brass. 1997. Fluxes of carbon, water and energy over Brazilian cerrado: an analysis using eddy covariance and stable isotopes. *Plant, Cell and Environment* **20**:315-328.

Moncrieff, J.B., B. Monteny, A. Verhoef, Th. Friborg, J. Elbers, P. Kabat, H. de Bruin, H. Soegaard, P.G. Jarvis, and J.D. Taupin. 1997. Spatial and temporal variations in net carbon flux during HAPEX-Sahel. *Journal of Hydrology* **188-189**:563-588.

Monson, R.K., R.O. Littlejohn, and G. J. Williams. 1983. Photosynthetic adaptation to temperature in four species from the Colorado shortgrass steppe: a physiological model for coexistence. *Oecologia* **58**:43-51.

Monson, R.K., and G.J. Williams. 1982. A correlation between photosynthetic temperature adaptation and seasonal phenology patterns in the shortgrass prairie. *Oecologia* **54**:58-62.

Monteith, J.L. 1995. Accommodation between transpiring vegetation and the convective boundary layer. *Journal of Hydrology* **166**:251-263.

Monteith, J.L., and M.H. Unsworth. 1990. *Principles of Environmental Physics*. Arnold, London.

Moore, C.J. 1986. Frequency response corrections for eddy correction systems. *Boundary-Layer Meteorology* **37**:17-35.

Newton, P.C.D., H. Clark, C.C. Bell, E,M.Glasgow, and B.D.Campbell. 1994. Effects of elevated CO_2 and simulated seasonal changes in temperature on the species composition and growth rates of pasture turves. *Annals of Botany* **73**:53-59.

Niimura, N., and M. Sugita. 1999. Erratic observation of evapotranspiration by the weighing lysimeter with a replaced measurement system and its improvement. *Bulletin of Environmental Research Center, University of Tsukuba* **24**:107-115.

Niu, G.Y., S.F. Sun, and Z.X. Hong. 1997. Water and heat transport in the desert soil and atmospheric boundary layer in western China. *Boundary-Layer Meteorology* **85**:175-195.

Norman, J.M., R. Garcia, and S.B. Verma 1992. Soil surface CO_2 fluxes and the carbon budget of a grassland. *Journal of Geophysical Research* **97**:18845-18853.

Norris, T.S., B.J. Bailey, M. Lees, and P. Young. 1996a. Design of a controlled-ventilation open-top chamber for climate change research. *Journal of Agricultural Engineering Research* **64**:279-288.

Norris,T., D. Wilkinson, A. Lockwood, A. Belay, J.J. Colls, and B.J. Bailey.1996b. Performance of a controlled-ventilation open-top chamber for climate change research. *Agricultural and Forest Meteorology* **78**:239-257.

Norton, L.R., L.G. Firbank, and H. Blum. 1999. Effects of free-air CO_2 Enrichment (FACE) on experimental grassland communities. *Functional Ecology* **13**(Suppl. 1):38-44.

Oechel, W.C., S.J. Hastings, G.L. Vourlitis, M. Jenkins, G. Riechers, and N. Gloser. 1993. Recent change of Arctic tundra ecosystems from a net carbon dioxide sink to source. *Nature* **361**:520-523.

Oechel, W.C., G.L. Vourlitis, S.J. Hastings, and S.A. Bochkarev. 1995. Change in carbon dioxide flux at the US Tundra International Biological Program Sites at Barrow, AK. *Ecological Application* **5**:846-855.

Ohtaki, E. 1984. Application of an infrared carbon dioxide and humidity instrument to studies of turbulent transport. *Boundary-Layer Meteorology* **29**:85-107.

Ohtaki, E., and T. Matsui. 1982. Infrared device for simultaneous measurement of fluctuations of atmospheric carbon dioxide and water vapor. *Boundary-Layer Meteorology* **24**:109-119.

Ohtaki, E., and T. Oikawa. 1991. Fluxes of carbon dioxide and water vapor above paddy fields. *International Journal of Biometeorology* **35**:1187-194.

Oikawa, T. 1995. A simulation study of grassland carbon dynamics as influenced by atmosphere CO_2 concentration. In S. Murai (ed.) *Toward Global Planning of Sustainable Use of The Earth*. Elsevier Science, Amsterdam, 97-112.

Oikawa, T. 1998. Modeling carbon dynamics of a lucidophyll forest under monsoon climates. *Global Environmental* 1:25-33.

Oikawa, T., and S. Liu. 1993. Ecophysiological analysis of the effect of the global warming on grassland ecosystem. Heisei 4 Year's University Report on IGBP. 29-32.

Parton, W.J., J.M.O.Scurlock, D.S.Ojima, D.S.Schimel, and D.O.Hall. 1995. Impact of climate change on grassland production and soil carbon worldwide. *Global Change Biology* **1**:13-22.

Paruelo, J.M., and W.K. Lauenroth. 1996. Relative abundance of plant functional types in grasslands and shrublands of North America. *Ecological Applications* **6**:1212-1224.

Pattey, E., R.L. Desjardins, and G. St-Amour. 1997. Mass and energy exchanges over a black spruce forest during key periods of BOREAS 1994. *Journal of Geophysical Research* **102(D24)**:28967-28975.

Pattey, E., P. Rochette, R.L. Desjardins, and P.A. Dubé. 1991. Estimation of the net CO_2 assimilation rate of a maize (Zea mays L.) canopy from leaf chamber measurements. *Agricultural and Forest Meteorology* **55**:37-57.

Phillips, O.L., Y. Malhi, N. Higuchi, W.F. Laurance, P.V. Núñez, R.M. Vásquez, S.G. Laurance, L.V. Ferreira, M. Stern, S. Brown, and J. Grace. 1998. Changes in the

carbon balance of tropical forests: evidence from long-term plots. *Science* **282**:439-441.

Polley, H.W., H.B. Johnson, and H.S. Mayeux. 1992. Carbon dioxide and water fluxes of C3 annuals and C3 and C4 perennialls at subambient CO_2. *Functional Ecology* **6**:693-703.

Price, D.T., and T.A. Black. 1990. Effects of short-term variation in weather on diurnal canopy CO_2 flux and evapotranspiration of a juvenile Douglas-fir stand. *Agricultural and Forest Meteorology* **50**:139-158.

Price, D.T., and T.A. Black. 1991. Effects of summertime changes in weather and root-zone soil water storage on canopy CO_2 flux and evapotranspiration of two juvenile Douglas-fir stands. *Agricultural and Forest Meteorology* **53**:303-323.

Priestley, C.H.B., and R.J. Taylor. 1972. On the assessment of surface heat flux and evaporation using large-scale parameters. *Monthly Weather Review* **100**:81-92.

Rawson, H.M. 1995. Yield responses of two wheat genotypes to carbon dioxide and temperature in field studies using temperature gradient tunnels. *Australian Journal of Plant Physiology* **22**:23-32.

Read, J.J., and J.A. Morgan. 1996. Growth and partitioning in *Pascopyrum smithii* (C3) and *Bouteloua gracilis* (C4) as influenced by carbon dioxide and temperature. *Annuals of Botany* 77:487-496.

Rosenberg, N.J., B.L. Blad, and S.B. Verma. 1983. *Microclimate: the Biological Environment*, 2nd edn. John Wiley & Sons, New York.

Rosenberg, N.J., M. S. McKenney, and P. Martin. 1989. Evapotranspiration in a greenhouse-warmed world: a review and a simulation. *Agricultural and Forest Meteorology* **47**:303-320.

Ruimy, A., P.G. Jarvis, D.D. Baldocchi, and B. Saugier. 1995. CO_2 fluxes over plant canopies and solar radiation: a review. *Advances in Ecological Research* **26**:1-68.

Rundel, P.W. 1980. The ecological distribution of C4 and C3 grasses in the Hawaiian Islands. *Oecologia* **45**:354-359.

Ryan, M.G., M.B. Lavigne, and S.T. Gower. 1997. Annual carbon costs of autotrophic respiration in boreal forest ecosystems in relation to species and climate. *Journal of Geophysical Research* **102(D24)**:28871-28883.

Saigusa, N., S. Liu, T. Oikawa, and T. Watanabe. 1996. Seasonal change in CO_2 and H_2O exchange between grassland and atmosphere. *Annales Geophysicae* **14**:342-350.

Saigusa, N., T. Oikawa, and S. Liu. 1998. Seasonal variations of the exchange of CO_2 and H_2O between a grassland and the atmosphere: an experimental study. *Agricultural and Forest Meteorology* **89**:131-139.

Saleska, S.R. J. Harte, and M.S. Torn.1999. The effect of experimental ecosystem warming on CO_2 fluxes in a montane meadow. *Global Change Biology* **5**:125-141.

Savage, M.J., K J. McInnes, and J.L. Heilman. 1995. Placement height of eddy correlation sensors above a short turfgrass surface. *Agricultural and Forest Meteorology* **74**:195-204.

Savage, M.J., K J. McInnes, and J.L. Heilman. 1996. The 'footprints' of eddy correlation sensible heat flux density, and other micrometeorological measurements. *South African Journal of Science.* **92**:137-142.

Schimel, D.S. 1995. Terrestrial ecosystem and the carbon cycle. *Global Change Biology* **1**:77-91.

Schimel, D.S., T.G.F. Kittel, and W.J.Parton. 1991. Terrestrial Biogeochemical cycles: Global interactions with the atmosphere and hydrology. *Tellus* **43AB**:188-203.

Schindler, D.W. 1999. The mysterious missing sink. *Nature* **398**:105-106.

Schlesinger, W.H. 1993. Response of the terrestrial biosphere to global climate change and human perturbation. *Vegetatio* **104/105**:295-305.

Schlesinger, W.H., J.F. Reynolds, G.L. Cunningham, L.F. Huenneke, W.M. Jarrell, R.A. Virginia, and W.G. Whitford. 1990. Biological feedbacks in global desertification. *Science* **247**:1043-1048.

Schotanus, P., F.T.M. Nieuwstadt, and H.A.R. de Bruin. 1983. Temperature measurement with a sonic anemometer and its application to heat and moisture fluxes. *Boundary-Layer Meteorology* **26**:81-93.

Schuepp, P.H., M.Y. LeClerc, J.L. MacPherson, and R.L. Desjardin. 1990. Footprint predictions of scalar fluxes from analytical solutions of the diffusion equation. *Boundary-Layer Meteorology* **50**:355-373.

Schulze, E.-D., F.M. Kelliher, Ch. Körner, J. Lloyd, D.Y. Hollinger, and N.N. Vygodskaya. 1996. The role of vegetation in controlling carbon dioxide and water exchange between land surface and the atmosphere. Pages 77-92 *in* B. Walker and W. Steffen, editors, *Global Change and Terrestrial Ecosystems.* The University Press, Cambridge.

Schulze, E.-D., J. Lloyd, F.M. Kelliher, C. Wirth, C. Rebmann, B. Lühker, M. Mund, A. Knohl, I.M. Milyukova, W. Schulze, W. Ziegler, A.B. Varlagin, A.F. Sogachev, R. Valentini, S. Dore, S. Grigoriev, O. Kolle, M.I. Panfyorov, N. Tchebakova, and N.N. Vygodskaya. 1999. Productivity of forests in the Eurosiberian boreal region and their potential to act as a carbon sink – a synthesis. *Global Change Biology* **5**:703-722.

Scurlock, J.M.O., and D.O. Hall. 1998. The global carbon sink: a grassland perspective. *Global Change Biology* **4**:229-233.

Sellers, P.J., L. Bounoua, G.J. Collatz, D.A. Randall, D.A. Dazlich, and S.O. Los. 1996a. Comparison of radiative and physiological effects of doubled atmospheric CO_2 on climate. *Science* **271**:1402-1406.

Sellers, P.J., R.E. Dickinson, D.A. Randall, A.K. Betts, F.G. Hall, J.A. Berry, G.J. Collatz, A.S. Denning, H.A. Mooney, C.A. Nobre, N. Sato, C.B. Field, and A. Henderson-Sellers. 1997a. Modeling the exchanges of energy, water, and carbon between continents and the atmosphere. *Science* **275**:502-509.

Sellers, P.J., and J.L. Dorman. 1987. Testing the Simple Biosphere model (SiB) using point micrometeorological and biophysical data. *Journal of Climate and Applied Meteorology* **26**:622-651.

Sellers, P.J., and F.G. Hall. 1992. FIFE in 1992: Results, scientific gains, and future research directions. *Journal of Geophysical Research* **97**:19091-19109.

Sellers, P.J., F.G. Hall, G. Asrar, D.E. Strebel, and R.E. Murphy. 1992. An overview of the First International Satellite Land Surface Climatology Project (ISLSCP) Field Experiment (FIFE). *Journal of Geophysical Research* **97**:18343-18371.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzarrald, P.G. Jarvis, S.T.Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997b. BOREAS in 1997: Experiment overview, scientific results, and future directions. *Journal of Geophysical Research* **102(D24)**:28731-28769.

Sellers, P.J., F.G. Hall, H. Margolis, R.D. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.J. Ryan, B. Goodison, P.M. Crill, K.J. Ranson, D.P. Lettenmaier, and D.E. Wickland. 1995. The Boreal Ecosystem-Atmosphere Study (BOREAS). *Bulletin of the American Meteorological Society* **76(9)**:1549-1577.

Sellers, P.J., M.D. Heiser, F.G. Hall, S.J. Goetz, D.E. Strebel, S.B. Verma, R.L. Desjardins, P.M. Schuepp, and J.I. MacPherson. 1995. Effects of spatial variability in topography, vegetation cover and soil moisture on area-averaged surface fluxes: A case study using the FIFE 1989 data. *Journal of Geophysical Research* **100**:25607-25629.

Sellers, P.J., Y. Mintz, Y.C. Sud, and A. Dalcher. 1986. A simple biosphere model (SiB) for use within general circulation models. *Journal of the Atmospheric Sciences* **43**:505-531.

Sellers, P.J., D.A. Randall, G.J. Collatz, J.A. Berry, C.B. Field, D.A. Dazlich, C. Zhang, and G.D. Colello. 1996b. A revised land surface parameterization (SiB2) for atmospheric GCMs. Part I: Model formulation. *Journal of Climate* **9**:676-705.

Sellers, P.J., S.O. Los, C.J. Tucker, C.O. Justice, D.A. Dazlich, G.J. Collatz, and D.A. Randall. 1996c. A revised land surface parameterization (SiB2) for atmospheric GCMs. Part II: The generation of global fields of terrestrial biophysical parameters from satellite data. *Journal of Climate* **9**:706-737.

Shimada, T., K. Hara, and M. Koike. 1992. Cold adaptation of Miscanthus sinensis and its distribution limits. *Journal of Japanese Grassland Science* **38** (Suppl.):7-8.

Shuttleworth, W.J. 1976. A one-dimensional theoretical description of the vegetation-atmosphere interaction. *Boundary-Layer Meteorology* **10**:273-302.

Smith, E.A., W.L. Crosson, and B.D. Tanner. 1992. Estimation of surface heat and moisture fluxes over a prairie grassland 1. In situ energy budget measurements incorporating a cooled mirror dew point hygrometer. *Journal of Geophysical Research* **97**:18557-18582.

Smith, T.M., H.H. Shugart, and F. I. Woodward. 1997. *Plant Functional Types: Their relevance to ecosystem properties and global change.* International Geosphere-Biosphere Program Book Series. Cambridge University Press, Cambridge, UK.

Stannards, D.I. 1997. A theoretical based determination of Bowen-ratio fetch requirements. *Boundary-Layer Meteorology* **83**:375-406.

Steduto, P., and T.C. Hsaio. 1998a. Maize canopies under two soil water regimes. Ⅰ. Diurnal patterns of energy balance, carbon dioxide flux, and canopy conductance. *Agricultural and Forest Meteorology* **89**:169-184.

Steduto, P., and T.C. Hsaio. 1998b. Maize canopies under two soil water regimes. Ⅱ. Seasonal trends of evapotranspiration, carbon dioxide assumilation and canopy conductance, and as related to leaf area index. *Agricultural and Forest Meteorology* **89**:185-200.

Steduto, P., and T.C. Hsaio. 1998c. Maize canopies under two soil water regimes. Ⅲ. Variation in coulpling with the atmosphere and the role of leaf area index. *Agricultural and Forest Meteorology* **89**:201-213.

Stewart, J.B., and W.R. Rouse. 1977. Substantiation of the Priestley and Taylor parameter $\alpha = 1.26$ for potential evaporation in high latitudes. *Journal of Applied Meteorology* **30**:111-127.

Stewart, J.B., and S.B. Verma. 1992. Comparison of surface fluxes and conductances at two contrasting sites within the FIFE area. *Journal of Geophysical Research* **97**:18623-18628.

Sugita, M. 1984. Energy and water balance of a pine forest during a Bai-u and a summer season. *Journal of Agricultural Meteorology* **40**:263-267.

Sugita, M., S. Ueda, N. Endo, N. Ohto, T. Oki, K. Kai, I. Kayane, T. Koike, A. Kondoh, J. Shimada, T. Tanaka, M. Tsujimura, S.-F. Tian, H. Nirasawa, Y. Harazono, T. Hiyama, K. Fukami, and T. Yasunari. 1993. Tsukuba 92: an intensive field campaign to address scale issues in hydrology and boundary layer meteorology. (1) fluxes from land surfaces into the atmosphere. *Journal of Japan Association of Hydrology Science* **23**:127-137.

Sundquist, E.T. 1993. The global carbon dioxide budget. *Science* **259**:934-941.

Susuki, M., N. Goto, A. Sakoda. 1993. Simplified dynamic model on carbon exchange between atmosphere and terrestrial ecosystems. *Ecological Modeling* **70**:161-194.

Suyker, A.E., and S.B. Verma. 1993. Eddy correlation measurement of CO_2 flux using a closed-path sensor: theory and field tests against an open-path sensor. *Boundary Layer Meteorology* **64**:391-407.

Swinbank, W.C. 1951. The measurement of vertical transfer of heat and water vapor by eddies in the lower atmosphere. *Journal of Meteorology* **8**:135-145.

Takeda, T., and S. Hakoyama. 1985. Studies on the ecology and geographical distribution of C3 and C4 grasses. II. Geographical distribution of C3 and C4 grasses in Far East and South East Asia. *Japanese Journal of Crop Science* **54**:65-71. (In Japanese with English summary)

Takeda, T., T. Tanikawa, W. Agata, and S. Hakoyama. 1985. Studies on the ecology and geographical distribution of C3 and C4 grasses. I. Taxonomic and geographical distribution of C3 and C4 grasses in Japan with special reference to climatic conditions. *Japanese Journal of Crop Science* **54**:54-64. (In Japanese)

Tamagawa, I. 1996. Turbulent characteristics and bulk transfer coefficients over the desert in the Heife area. *Boundary Layer Meteorology* **77**:1-20.

Tanaka, K. 1999. Experimental analysis of effects of the global warming on seasonal dynamics of a C3/C4 co-existing grassland. *MS thesis in the Graduate Course of Environmental Sciences*, University of Tsukuba, Tsukuba, Japan. 68pp.

Tanaka, K., and T. Oikawa. 1999. Seasonal changes of biomass and LAI of a C3/C4 mixed grassland at the Environmental Research Center, University of Tsukuba. *Bulletin of Environmental Research Center, University of Tsukuba* **24**:121-124. (in Japanese)

Taniguchi, M., R. Kawamura, and J. Shimada. 1989. Observational data of heat balance and water balance (3): Water balance. *Bulletin of Environmental Research Center, University of Tsukuba* **13**:1-80. (in Japanese)

Tans, P.P., and P.S. Balkwin. 1995. Climate change and CO_2 forever. *Ambio* **24**:376-378.

Tans, P.P., I.Y. Fung, and T. Takahashi. 1990. Observational constraints on the global atmospheric CO_2 budget. *Science* **247**:1431-1438.

Teeri, J.A., and L.G. Stowe. 1976. Climatic patterns and the distribution of C4 grasses in North America. *Oecologia* **23**:1-12.

Teeri, J.A., L.G. Stowe, and D.A. Livingstone. 1980. The distribution of C4 species of the Cyperaceae in North America in relation to climate. Oecologia **47**:307-310.

Thom, A.S. 1972. Momentum, mass, and heat exchange of vegetation. *Quarterly Journal of the Royal Meteorological Society* **98**:124-134.

Thornley, J.H.M. 1976. *Mathematical Models in Plant Physiology. A Quantitative Approach to Problems in Crop and Plant Physiology*. Academic Press, New York, 318pp.

Tieszen, L.L., M.M. Senyimba, S.K. Imbamba, and J.H. Troughton. 1979. The distribution of C3 and C4 grasses and carbon isotope discrimination along an altitudinal and moisture gradient in Kenya. *Oecologia* **37**:337-350.

Toritani, H., R. Kawamura, J. Shimada, M. Taniguchi, and T. Nishimoto. 1989. On the new system of real time data processor for meteorological and hydrological measurements. *Bulletin of Environmental Research Center, University of Tsukuba* **13**:147-158.

Valentini, R., J.A. Gamon, and C.B. Field. 1995. Ecosystem gas exchange in a California grassland: seasonal patterns and implications for scaling. *Ecology* **76**:1940-1952.

Verhoef, A., S. Allen, H.A.R. de Bruin, M.J. Jacobs, and B.G. Heusinkveld. 1996. Fluxes of carbon dioxide and water vapor from a sahelian savanna. *Agricultural and Forest Meteorology* **80**:231-248.

Verma, S.B., D.D. Baldocchi, J. Kim, D.E. Anderson, D.R. Matt, and R.J. Clement. 1986. Eddy fluxes of CO_2, water vapor and sensible heat over a deciduous forest. *Boundary-Layer Meteorology* **36**:71-91.

Verma, S.B., J. Kim, and R.J. Clement. 1989. Carbon dioxide, water vapor, and sensible heat fluxes over a tallgrass prairie. *Boundary-Layer Meteorology* **46**:53-67.

Verma, S.B., J. Kim, and R.J. Clement. 1992a. Momentum, water vapor, and carbon dioxide exchange at a centrally located prairie site during FIFE. *Journal of Geophysical Research* **97**:18629-18639.

Verma, S.B., F.G. Ullman, D. Billesbach, R.J. Clement, J. Kim, and E.S. Verry. 1992b. Eddy correlation measurements of methane flux in a northern peatland ecosystem. *Boundary-Layer Meteorology* **58**:289-304.

Vogel, J.C., A. Fuls, and A. Danin. 1986. Geographical and environmental distribution of C3 and C4 grasses in the Sinai, Negev, and Judean deserts. *Oecologia* **70**:258-265.

Vourlitis, G.L., and W.C. Oechel. 1997. Landscape-scale CO_2, H_2O vapor and energy flux of moist-wet coastal tundra ecosystems over two growing seasons. *J. Ecology* **85**:575-590.

Vourlitis, G.L., and W.C. Oechel. 1999. Eddy covariance measurements of CO_2 and energy fluxes of an Alaskan tussock tundra ecosystem. *Ecology* **80**:686-701.

Wang, J. W.G.M. Bastiaanssen, Y.M. Ma, and H. Pelgrum. 1998. Aggregation of land surface parameters in the oasis-desert systems of north-west China. *Hydrological Processes* **12**:2133-2147.

Wang, Y.P., and P.J. Polglase. 1995. Carbon balance in the tundra, boreal forest and humid tropical forest during climate change: Scaling up from leaf physiology and soil carbon dynamics. *Plant, Cell and Environment* **18**:1226-1244.

Webb, E.K., G.I. Pearman, and R. Leuning. 1980. Correction of flux measurements for density effects due to heat and water vapor transfer. *Quarterly Journal of the Royal Meteorological Society* **106**:85-100.

Whiting, G.J., D.S. Bartlett, S.-M. Fan, P.S. Bakwin, and S.C. Wofsy. 1992. Biosphere/atmosphere CO_2 exchange in tundra ecosystems: community characteristics and relationships with multispectral surface reflectance. *Journal of Geophysical Research* **97(D15)**:16671-16680.

Williams III, G.J. 1974. Photosynthetic adaptation to temperature in C3 and C4 grasses. *Plant Physiology* **54**:709-711.

Wolfe, D.W., R.M. Gifford, D. Hilbert, and Y.Q. Luo. 1998. Integration of photosynthetic acclimation to CO_2 at the whole-plant level. *Global Change Biology* **4**:879-893.

Wofsy, S.C., M.L. Goulden, J.W. Munger, S.-M. Fan, P.S. Bakwin, B.C. Daube, S.L. Bassow, and F.A. Bazzaz. 1993. Net exchange of CO_2 in a mid-latitude temperate forest. *Science* **260**:1314-1317.

Zur, B., and J.W. Jones. 1984. Diurnal changes in the instantaneous water use efficiency of a soybean crop. *Agricultural and Forest Meteorology* **33**:41-51.