

References

- Ai H, Kanzaki R (2004) Modular organization of the silkworm moth antennal lobe macroglomerular complex revealed by voltage-sensitive dye imaging. *J Exp Biol* 207:633-644
- Ai H, Okada K, Hill ES, Kanzaki R (1998) Spatio-temporal activities in the antennal lobe analyzed by an optical recording method in the male silkworm moth *Bombyx mori*. *Neurosci Lett* 258:135-138
- Anton S, Homberg U (1999) Antennal lobe structure. In "Insect olfaction" Ed by BS Hansson, Springer-Verlag, Berlin, pp97-124
- Arbas EA, Calabrese RL (1987) Ionic conductances underlying the activity of interneurons that control heartbeat in the medical leech. *J Neurosci* 7: 3945-3952
- Beat C, Bornhauser E, Meyer P (1997) Histamine immunoreactivity in the visual system and brain of an orthoptera and a hymenoptera insect. *Cell Tissue Res* 287:211-221
- Boeckh J, Distler P, Ernst K-D, Hosl M, Malun D (1990) Olfactory bulb and antennal lobe. In "Chemosensory information processing. NATO ASI Ser H 39 Cell Biology" Ed by D Schild, Springer, Berlin Heidelberg New York, pp201-228
- Bornhauser BC, Meyer EP (1997) Histamine-like immunoreactivity in the visual system and brain of an orthopteran and a hymenopteran insect. *Cell Tissue Res* 287:211-221
- Brown TG (1914) On the nature of the fundamental activity of the nervous centers;

- together with an analysis of the conditioning of rhythmic activity in progression, and a theory of the evolution of function in the nervous system. *J Physiol (Lond)* 48:18-46
- Brown WL, Eisner T, Whittaker RH (1970) Allomones and kairomones: transspecific chemical messengers. *Bio Science* 20: 21–22
- Christensen TA, Hildebrand JG (1987) Male specific sex pheromone selective projection neurons in the antennal lobes of the moth *Manduca sexta*. *J Comp Physiol A* 160: 553-569
- Christensen TA, Heinbockel T, Hildebrand JG (1996) Olfactory information processing in the brain: encoding chemical and temporal features of odors. *J Comp Neurobiol* 30:82-91
- Christensen TA, Waldrop BR, Hildebrand JG (1998) GABAergic mechanisms that shape the temporal response to odors in the moth olfactory projection neurons. In “Olfaction and taste X II” Ed by C Murphy, *Ann N Y Acad Sci* pp855: 475-481
- Christensen TA, Wardrop BR, Harrow ID, Hildebrand JG (1993) Local inter neurons and information processing in the olfactory glomeruli of the moth *Manduca sexta*. *J Comp Physiol A* 173:385-399
- Distler P (1990) Synaptic connections of dopamine-immunoreactive neurons in the antennal lobes of *Periplaneta americana*. Colocalization with GABA-like immunoreactivity. *Histochemistry* 93:401-408

- Gatellier L, Nagao T, Kanzaki R (2004) Serotonin modifies the sensitivity of the male silkmoth to pheromone. *J Exp Biol* 207:2487-2496
- Hammer M (1993) An identified neuron mediates the unconditioned stimulus in associative olfactory learning in honeybees. *Nature* 366:59-63
- Hangartner W (1967) Spezifität und interaktivierung des spurpheromons von *Lasius fuliginosus* latr. und orientierung der arbeiterinnen im dufifeld. *Z. Vergl. Physiol* 57: 103-136
- Hildebrand JG (1996) Olfactory control of behavior in moths: central processing of odor information and the functional significance of olfactory glomeruli. *J Comp Physiol A* 178:5-19
- Hildebrand JG, Shepherd GM (1997) Mechanisms of olfactory discrimination: converging evidence for common principles across phyla. *Annu Rev Neurosci* 20: 595-631
- Hill ES, Iwano M, Gatellier L, Kanzaki R (2002) Morphology and physiology of the serotonin-immunoreactive putative antennal lobe feedback neuron in the male silkmoth *Bombyx mori*. *Chem Senses* 27:475-483
- Hill ES, Okada K, Kanzaki R (2003) Visualization of modulatory effects of serotonin in the silkmoth antennal lobe. *J Exp Biol* 206:345-352
- Homberg U (1994) Flight-correlated activity changes in neurons of the lateral accessory lobes in the brain of the locust *Schistocerca gregaria*. *J Comp Physiol A* 175:597-610

- Homberg U, Hildebrand JG (1991) Histamine-immunoreactive neurons in the midbrain and suboesophageal ganglion of the sphinx moth *Manduca sexta*. *J Comp Neurol* 307: 647-657
- Homberg U, Montague RA, Hildebrand JG (1988) Anatomy of antenno-cerebral pathways in the brain of the sphinx moth *Manduca sexta*. *Cell Tissue Res* 254:255-281
- Homberg U, Kingan TG, Hildebrand JG (1990) Distribution of FMRFamide-like immunoreactivity in the brain and suboesophageal ganglion of the sphinx moth *Manduca sexta* and colocalization with SCP_B-, BPP-, and GABA-like immunoreactivity. *Cell Tissue Res* 259:401-419
- Homberg U, Müller U (1999) Neuroactive substances in the antennal lobe. In: "Insect olfaction" Ed by BS Hansson, Springer-Verlag, Berlin, pp181-206
- Ignell R (2001) Monoamines and neuropeptides in the antennal lobe interneurons of the desert locust, *Schistocerca gregaria*: an immunocytochemical study. *Cell Tissue Res* 306:143-156
- Kanzaki R (1998) Coordination of wing motion and walking suggests common control of zigzag motor program in a male silkworm moth. *J Comp Physiol A* 182: 267-276
- Kanzaki R, Shibuya T (1983) Olfactory neural pathway and sexual pheromone responses in the deutocerebrum of the male silkworm moth, *Bombyx mori* (Lepidoptera: Bombycidae). *Appl Ent Zool* 18: 131-133
- Kanzaki R, Shibuya T (1986a) Identification of the deutocerebral neurons responding to the

- sexual pheromone in the male silkworm moth brain. *Zool Sci* 3:409-418
- Kanzaki R, Shibuya T (1986b) Descending protocerebral neurons related to the mating dance of the male silkworm moth. *Brain Res* 377: 378-382
- Kanzaki R, Arbas EA, Strausfeld, NJ, Hildebrand JG (1989) Physiology and morphology of projection neurons in the antennal lobe of the male moth, *Manduca sexta*. *J Comp Physiol A* 165:427-453
- Kanzaki R, Arbas EA, Hildebrand JG (1991a) Physiology and morphology of protocerebral olfactory neurons in the male moth *Manduca sexta*. *J Comp Physiol A* 168:281-298
- Kanzaki R, Arbas EA, Hildebrand JG (1991b) Physiology and morphology of descending neurons in pheromone-processing olfactory pathways in the male moth *Manduca sexta*. *J Comp Physiol A* 169: 1-14
- Kanzaki R, Shibuya T (1992) Long-lasting excitation of protocerebral bilateral neurons in the pheromone-processing pathways of the male moth *Bombyx mori*. *Brain Res* 587: 211-215
- Kanzaki R, Sugi N, Shibuya T (1992) Self-generated zigzag turning of *Bombyx mori* males during pheromone-mediated upwind walking. *Zool Sci* 9: 515-527
- Kanzaki R, Ikeda A, Shibuya T (1994) Morphology and physiology of pheromone-triggered flip-flop descending interneurons of the male silkworm moth, *Bombyx mori*. *J Comp Physiol A* 175: 1-14

- Kanzaki R, Mishima T (1996) Pheromone-triggered 'flipflopping' neural signals correlated with activities of neck motor neurons of a male moth, *Bombyx mori*. *Zool Sci* 13: 79-87
- Kanzaki R, Soo K, Seki Y, Wada S (2003) Projection to higher olfactory centers from subdivision of the antennal lobe macroglomerular complex of the male silkworm. *Chem Senses* 28:113-130
- Kent KS, Hoskins SG, Hildebrand JG (1987) A novel serotonin-immunoreactive neuron in the antennal lobe of the sphinx moth *Manduca sexta* persists throughout postembryonic life. *J Neurobiol* 18:451-465
- Kerkut GA, Pitman RM, Walker RJ (1969) Ionophoretic application of acetylcholine and GABA onto insect central neurons. *Comp Biochem Physiol* 31:611-633
- Klemm N (1974) Vergleichend-histochemische Untersuchungen über die Verteilung monoaminhaltiger Strukturen im Oberschlundganglion von Angehörigen verschiedener Insekten Ordnungen. *Entomol Germ* 1:24-49
- Klemm N (1976) Histochemistry of putative transmitter substance in the insect brain. *Prog Neurobiol* 7:99-169
- Kloppenburg P, Fern D, Mercer AR (1999) Serotonin enhances central olfactory neuron responses to female sex pheromone in the male sphinx moth *Manduca sexta*. *J Neurosci* 19: 8172-8181
- Kloppenburg P, Heinbockel T (2000) 5-hydroxytryptamine modulates pheromone-evoked

- local field potentials in the macroglomerular complex of the sphinx moth *Manduca sexta*. *J Exp Biol* 203: 1701-1709
- Koontz MA, Schneider D (1987) Sexual dimorphism in neural projection from the antennae of silk moths (*Bombyx mori*, *Antheraea polyphemus*) and the gypsy moth (*Lymantria dispar*). *Cell Tissue Res* 249: 39-50
- Lei H, Anton S, Hansson BS (2001) Olfactory protocerebral pathways processing sex pheromone and plant odor information in the male moth *Agrotis segetum*. *J Comp Neurol* 432: 356-370
- Malun D, Waldow U, Kraus D, Boeckh J (1993) Connections between the deutocerebrum and the protocerebrum, and neuroanatomy of several classes of deutocerebral projection neurons in the brain of male *Periplaneta americana*. *J Comp Neurol* 329:143-162
- Manor Y, Nadim F, Epstein S, Ritt J, Marder E, Kopell N (1999) Network oscillations generated by balancing graded asymmetric reciprocal inhibition in passive neurons. *J Neurosci* 19(7): 2765-2779
- Matsumoto SG, Hildebrand JG (1981) Olfactory mechanisms in the moth *Manduca sexta*: response characteristics and morphology of central neurons in the antennal lobes. *Proc R Soc Lond B* 213: 249-277
- Mishima T, Kanzaki R (1998) Coordination of flipflopping neural signals and head turning during pheromone-mediated walking in a male silkworm moth, *Bombyx mori*. *J*

Comp Physiol A 183: 273-282

Mishima T, Kanzaki R (1999) Physiological and morphological characterization of olfactory descending interneurons of the male silkworm moth, *Bombyx mori*. J

Comp Physiol A 184:143-160

Mobbs PG (1982) The brain of the honeybee *Apis mellifera*. I. The connections and spatial organization of the mushroom bodies. Philos Trans R Soc Lond B 298:309-354.

Nakamura K (1982) Switchover in searching behavior of *Coccinella septempunctata* L. (Coleoptera : Coccinellidae) caused by prey consumption. Appl. Ent. Zool.

17(4):501-506

Namiki S, Kanzaki R (2004) Plant odor representation in the silkworm antennal lobe. Zool Sci Abstr 21:1312

Nicholls JG, Martin AR, Wallace BG, Fuchs PA (2001) From Neuron to Brain. Sinauer Associatesn Inc. Publishers

Okada K, Kanzaki R, Kawachi K (1996) High-speed voltage-sensitive dye imaging of an in vivo insect brain. Neurosci Lett 209:197-200

Olberg RM (1983) Pheromone-triggered flip-flopping interneurons in the ventral nerve cord of the silkworm moth, *Bombyx mori*. J Comp Physiol A 152: 297-307

Pearson KG, Ramirze JM (1990) Influence of input from the forewing stretch receptors on motoneurons in flying locusts. J Exp Biol 151:317-340

Perkel DH, Mulloney (1974) Motor pattern production in the reciprocally inhibitory

- neurons exhibiting postinhibitory rebound. *Science* 185: 181-183
- Pirvola U, Tuomisto L, Yamatodani A, Paunla P (1988) Distribution of histamine in the cockroach brain and visual system: an immunocytochemical and biochemical study. *J Comp Neurol* 276:514-526
- Salecker I, Distler P (1990) Serotonin-immunoreactive neurons in the antennal lobes of the American cockroach *Periplaneta americana*: light- and electron microscopic observations. *Histochemistry* 94:463-473
- Saraswati S, Fox LE, Soll DR, Wu CF (2003) Tyramine and octopamine have opposite effects on the locomotion of *Drosophila* larva. *J Neurobiol* 58: 425-41
- Schildberger K (1983) Local interneurons associated with the mushroom bodies and the central body in the brain of *Acheta domesticus*. *Cell Tissue Res* 230:573-586
- Schürmann FW, Elekes K, Geffard M (1989) Dopamine-like immunoreactivity in the bee brain. *Cell Tissue Res* 256:399-410
- Seki Y, Kanzaki R (2002) Classification of the local interneurons in the antennal lobe of the silkworm *Bombyx mori*. *Zool Sci Abstr* 19:1478
- Seki Y, Aonuma H, Kanzaki R (2005) Pheromone processing center in the protocerebrum of *Bombyx mori* revealed by nitric oxide-induced anti-cGMP immunocytochemistry. *J Comp Neurol* 481:340-351
- Stengl M, Ziegelberger G, Boekhoff I, Krieger J (1999) Perireceptor events and transduction mechanisms in insect olfaction. In: "Insect olfaction" Ed by BS

Hansson, Springer-Verlag, Berlin, pp49-66

Waldrop B, Christensen TA, Hildebrand JG (1987) GABA-mediated synaptic inhibition of projection neurons in the antennal lobes of the sphinx moth, *Manduca sexta*. *J Comp Physiol A* 161:23-32

Waston ADH, Hardt M (1996) Distribution of synapses on two local auditory interneurons, ON1 and ON2, in the prothoracic ganglion of the cricket: relationships with GABA-immunoreactive neurons. *Cell Tissue Res* 283:231-246

Wolf H, Wehner R (2000) Pinpointing food sources: olfactory and anemotactic orientation in desert ants, *Cataglyphis fortis*. *J Exp Biol* 203, 857-868