

References

- Adams J. M., Faure H., Faure-Denard L., McGlade J. M., and Woodward F. I. (1990) Increase in terrestrial carbon storage from the Last Glacial Maximum to the present. *Nature* **348**, 711-714.
- Alados-Arboledas L., Olmo F. J., Ohvail H. O., Teral H., Arak M., and Teral K. (1997) Evolution of solar radiative effects of Mount Pinatubo at ground level. *Tellus* **49B**, 190-198.
- Alexandrov G. A. and Oikawa T. (1995) Net ecosystem production resulted from CO₂ enrichment: evaluation of potential response of a savannah ecosystem to global changes in atmospheric composition. *The Tsukuba Global Carbon Cycle Workshop -Global Environment Tsukuba '95-*, 161-168.
- Amthor J. S. (1989) *Respiration and crop productivity*. Springer, New York, 215 pp.
- Amthor J. S. (1991) Respiration in a future, higher CO₂ world. *Plant, Cell and Environment* **14**, 13-20.
- Amthor J. S. (1994) Plant respiratory responses to the environmental and their effects on the carbon balance. In *Plant-Environment Interactions* (ed. R. E. Wilkinson), pp. 501-554. Marcel Dekker, New York.
- Amthor J. S., Koch G. W., and Bloom A. J. (1992) CO₂ inhibits respiration in leaves of *Rumex crispus* L. *Plant Physiology* **98**, 757-760.
- Arp W. J. (1991) Effects of source-sink relations on photosynthetic acclimation to elevated CO₂. *Plant, Cell and Environment* **14**, 869-875.
- Asner G. P., Braswell B. H., Schimel D. S., and Wessman C. A. (1998) Ecological research needs from multiangle remote sensing data. *Remote Sensing of Environment* **63**, 155-165.
- Atkins C. A. and Pate J. S. (1987) Integration of carbon and nitrogen metabolism. In *Progress in Photosynthesis Research*, Vol. III (ed. J. Biggens), pp. 535-544. Martinus Nijhoff, Dordrecht.
- Avissar R. and Pielke R. A. (1991) The impact of plant stomatal control on mesoscale atmospheric circulations. *Agricultural and Forest Meteorology* **54**, 353-372.
- Bacastow R. B. (1976) Modulation of atmospheric carbon dioxide by the southern oscillation. *Nature* **261**, 116-118.
- Bakwin P. S., Tans P. P., White J. W. C., and Andres R. J. (1998) Determination of the isotopic (¹³C/¹²C) discrimination by terrestrial biology from a global network of observations. *Global Biogeochemical Cycles* **12**, 555-562.

- Baldocchi D., Valentini R., Running S., Oechel W., and Dahlman R. (1996) Strategies for measuring and modelling carbon dioxide and water vapour fluxes over terrestrial ecosystems. *Global Change Biology* **2**, 159-168.
- Baldocchi D. D., Hicks B. B., and Meyers T. P. (1988) Measuring biosphere-atmosphere exchanges of biologically related gases with micrometeorological methods. *Ecology* **69**, 1331-1340.
- Ball J. T., Woodrow I. E., and Berry J. A. (1987) A model predicting stomatal conductance and its contribution to the control of photosynthesis under different environmental conditions. In *Progress in Photosynthesis Research*, Vol. IV (ed. J. Biggens), pp. 221-224. Martinus Nijhoff, Dordrecht.
- Bazzaz F. A., Bassow S. L., Berntson G. M., and Thomas S. C. (1996) Elevated CO₂ and terrestrial vegetation: implications for and beyond the global carbon budget. In *Global change and terrestrial ecosystems*, Vol. 2 (eds. B. Walker and W. Steffen), pp. 43-76. Cambridge University Press, Cambridge.
- Beerling D. J., Woodward F. I., Lomas M., and Jenkins A. J. (1997) Testing the responses of a dynamic global vegetation model to environmental change: a comparison of observations and predictions. *Global Ecology and Biogeography Letters* **6**, 439-450.
- Berner R. A., Lasaga A. C., and Garrels R. M. (1983) The carbonate-silicate geochemical cycle and its effect on atmospheric carbon dioxide over the past 100 million years. *American Journal of Science* **283**, 641-683.
- Berry J. and Björkman O. (1980) Photosynthetic response and adaptation to temperature in higher plants. *Annual Review of Plant Physiology* **31**, 491-543.
- Bolin B., Degens E. T., Duvigneaud P., and Kempe S. (1979) The global biogeochemical carbon cycle. In *The Global Carbon Cycle, SCOPE 13* (eds. B. Bolin, E. T. Degens, S. Kempe, and P. Ketner), pp. 1-53. John Wiley & Sons, New York.
- Bonan G. B., Pollard D., and Thompson S. L. (1992) Effects of boreal forest vegetation on global climate. *Nature* **359**, 716-718.
- Bondeau A., Kicklighter D. W., Kaduk J., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): importance of vegetation structure on seasonal NPP estimates. *Global Change Biology* **5**(Suppl.1), 35-45.
- Bormann F. H. and Likens G. E. (1979) *Pattern and process in a forested ecosystem*. Springer, Berlin, 253 pp.
- Bousquet P., Ciais P., Peylin P., Ramonet M., and Monfray P. (1999) Inverse modeling of annual atmospheric CO₂ sources and sinks 1. method and control inversion. *Journal of Geophysical Research* **104**, 26161-26178.
- Bouwman A. F., Fung I., Matthews E., and John J. (1993) Global analysis of the

- potential for N₂O production in natural soils. *Global Biogeochemical Cycles* 7, 557-597.
- Box E. O., Holden B. N., and Kalb V. (1989) Accuracy of the AVHRR vegetation index as a predictor of biomass, primary productivity and net CO₂ flux. *Vegetatio* 80, 71-89.
- Boysen-Jensen P. (1932) *Die Stoffproduktion der Pflanzen*. Fischer, Jena, 108 pp.
- Braswell B. H., Schimel D. S., Linder E., and Moore III B. (1997) The response of global terrestrial ecosystems to interannual temperature variability. *Science* 278, 870-872.
- Bredemeier M., Tiktak A., and van Heerden K. (1995) The Solling Norway Spruce site. *Ecological Modelling* 83, 7-15.
- Brooks A. and Farquhar G. D. (1985) Effect of temperature on the CO₂/O₂ specificity of ribulose-1,5-bisphosphate carboxylase/oxygenase and the rate of respiration in the light. *Planta* 165, 397-406.
- Buchmann N. and Ehleringer J. R. (1998) CO₂ concentration profiles, and carbon and oxygen isotopes in C₃ and C₄ crop canopies. *Agricultural and Forest Meteorology* 89, 45-58.
- Bunce J. A., Wilson K. B., and Carlson T. N. (1997) The effect of elevated CO₂ on water use by alfalfa and orchard grass: simulating evapotranspiration using canopy conductance measurements. *Global Change Biology* 3, 81-87.
- Cannell M. G. R. and Dewar R. C. (1994) Carbon allocation in trees: a review of concepts for modelling. *Advances in Ecological Research* 24, 59-104.
- Cao M. and Woodward F. I. (1998a) Dynamic responses of terrestrial ecosystem carbon cycling to global climate change. *Nature* 393, 249-252.
- Cao M. and Woodward F. I. (1998b) Net primary and ecosystem production and carbon stocks of terrestrial ecosystems and their responses to climate change. *Global Change Biology* 4, 185-198.
- Cess R. D., Zhang M.-H., Potter G. L., Barker H. W., Colman R. A., Dazlich D. A., Del Genio A. D., Esch M., Fraser J. R., Galin V., Gates W. L., Hack J. J., Ingram W. J., Kiehl J. T., Lacis A. A., Le Treut H., Li Z.-X., Liang X.-Z., Mahfouf J.-F., McAvaney B. J., Meleshko V. P., Morcrette J.-J., Randall D. A., Roeckner E., Royer J.-F., Sokolov A. P., Sporyshev P. V., Taylor K. E., Wang W.-C., and Wetherald R. T. (1993) Uncertainties in carbon dioxide radiative forcing in atmospheric general circulation models. *Science* 262, 1252-1255.
- Ceulemans R. and Mousseau M. (1994) Effects of elevated atmospheric CO₂ on woody plants. *New Phytologist* 127, 425-446.
- Chapin F. S. III. (1991) Integrated responses of plants to stress: a centralized system of physiological responses. *BioScience* 41, 29-36.
- Chapin F. S. III., Shaver G. R., Giblin A. E., Nadelhoffer K. J., and Laundre J. A. (1995)

- Response of arctic tundra to experimental and observed changes in climate. *Ecology* **76**, 694-711.
- Christensen T. R., Jonasson S., Callaghan T. V., and Havstrom M. (1999) On the potential CO₂ release from tundra soils in a changing climate. *Applied Soil Ecology* **11**, 127-134.
- Churkina G., Running S. W., Schloss A. L., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): the importance of water availability. *Global Change Biology* **5** (Suppl.1), 46-55.
- Ciais P., Tans P. P., Trolier M., White J. W. C., and Francey R. J. (1995a) A large Northern Hemisphere terrestrial CO₂ sink indicated by the ¹³C/¹²C ratio of atmospheric CO₂. *Science* **269**, 1098-1102.
- Ciais P., Tans P. P., White J. W. C., Trolier M., Francey R. J., Berry J. A., Randall D. R., Sellers P. J., Collatz J. G., and Schimel D. S. (1995b) Partitioning of ocean and land uptake of CO₂ as inferred by $\delta^{13}\text{C}$ measurements from the NOAA Climate Monitoring and Diagnostics Laboratory Global Air Sampling Network. *Journal of Geophysical Research* **100**, 5051-5070.
- Ciais P., Denning A. S., Tans P. P., Berry J. A., Randall D. A., Collatz G. J., Sellers P. J., White J. W. C., Trolier M., Meijer A. J., Francey R. J., Monfray P., and Heimann M. (1997a) A three-dimensional synthesis study of $\delta^{18}\text{O}$ in atmospheric CO₂ 1. Surface fluxes. *Journal of Geophysical Research* **102**, 5857-5872.
- Ciais P., Tans P. P., Denning A. S., Francey R. J., Trolier M., Meijer A. J., White J. W. C., Berry J. A., Randall D. A., Collatz G. J., Sellers P. J., Monfray P., and Heimann M. (1997b) A three-dimensional synthesis study of $\delta^{18}\text{O}$ in atmospheric CO₂ 2. Simulations with the TM2 transport model. *Journal of Geophysical Research* **102**, 5873-5883.
- Clements F. E. (1916) Plant succession, an analysis of the development of vegetation. *Carnegie Institute of Washington Publication* **242**, 1-512.
- Collatz G. J., Berry J. A., and Clark J. S. (1998) Effects of climate and atmospheric CO₂ partial pressure on the global distribution of C₄ grasses: present, past, and future. *Oecologia* **114**, 441-454.
- Conway T. J., Tans P. P., Waterman L. S., Thoning K. W., Kitzis D. R., Masarie K. A., and Zhang N. (1994) Evidence for interannual variability of the carbon cycle from the National Oceanic and Atmospheric Administration/Climate Monitoring and Diagnostics Laboratory global air sampling network. *Journal of Geophysical Research* **99**, 22831-22855.
- Cowan I. R. (1977) Stomatal behavior and environment. *Advances in Botanical Research* **4**, 117-228.
- Cowan I. R. (1986) Economics of carbon fixation in higher plants. In *On the economy of plant form and function* (ed. T. J. Givnish), pp. 133-170. Cambridge University Press,

Cambridge.

- Cramer W., Kicklighter D. W., Bondeau A., Moore B. I., Churkina G., Ruimy A., and Scloss A. (1997) Comparing Global Models of Terrestrial Net Primary Productivity (NPP): Overview and Key Results. Potsdam Institute for Climate Impact Research, Potsdam.
- Cramer W., Kicklighter D. W., Bondeau A., Moore B. I., Churkina G., Nemry B., Ruimy A., Schloss A. L., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): overview and key results. *Global Change Biology* **5**(Suppl.1), 1-15.
- Crowley T. J. (1995) Ice age terrestrial carbon changes revisited. *Global Biogeochemical Cycles* **9**, 377-389.
- Curtis P. S. and Wang X. (1998) A meta-analysis of elevated CO₂ effects on woody plant mass, form, and physiology. *Oecologia* **113**, 299-313.
- Dai A. and Fung I. Y. (1993) Can climate variability contribute to the "missing" CO₂ sink? *Global Biogeochemical Cycles* **7**, 599-609.
- Daly C., Bachelet D., Lenihan J. M., Neilson R. P., Parton W., and Ojima D. (2000) Dynamic simulation of tree-grass interactions for global change studies. *Ecological Applications* **10**, 449-469.
- De Pury D. G. G. and Farquhar G. D. (1997) Simple scaling of photosynthesis from leaves to canopies without the errors of big-leaf models. *Plant, Cell and Environment* **20**, 537-557.
- DeFries R. S., Field C. B., Fung I., Collatz G. J., and Bounoua L. (1999) Combining satellite data and biogeochemical models to estimate global effects of human-induced land cover change on carbon emissions and primary productivity. *Global Biogeochemical Cycles* **13**, 803-815.
- Delire C. and Foley J. A. (1999) Evaluating the performance of a land surface/ecosystem model with biophysical measurements from contrasting environments. *Journal of Geophysical Research* **104**, 16895-16909.
- DeLucia E. H., Hamilton J. G., Naidu S. L., Thomas R. B., Andrews J. A., Finzi A., Lavine M., Matamala R., Mohan J. E., Hendrey G. R., and Schlesinger W. H. (1999) Net primary production of a forest ecosystem with experimental CO₂ enrichment. *Science* **284**, 1177-1179.
- den Elzen M. G. J., Beusen A. H. W., and Rotmans J. (1997) An integrated modeling approach to global carbon and nitrogen cycles: balancing their budgets. *Global Biogeochemical Cycles* **11**, 191-215.
- den Hertog J. and Lambers H. (1993) Assimilation, respiration and allocation of carbon in *Plantago major* as affected by atmospheric CO₂ levels, a case study. *Vegetatio* **104/105**, 369-378.

- Dettinger M. D. and Ghil M. (1998) Seasonal and interannual variations of atmospheric CO₂ and climate. *Tellus* **50B**, 1-24.
- Dickinson R. E. and Kennedy P. (1992) Impacts on regional climate of Amazon deforestation. *Geophysical Research Letters* **19**, 1947-1950.
- Dixon R. K., Brown S., Houghton R. A., Solomon A. M., Trexler M. C., and Wisniewski J. (1994) Carbon pools and flux of global forest ecosystems. *Science* **263**, 185-190.
- Dorman J. L. and Sellers P. J. (1989) A global climatology of albedo, roughness length and stomatal resistance for atmospheric general circulation models as represented by the Simple Biosphere Model (SiB). *Journal of Applied Meteorology* **28**, 833-855.
- Drake B. G., Gonzalez-Meler M. A., and Long S. P. (1997) More efficient plants: a consequence of rising atmospheric CO₂? *Annual Review of Plant Physiology and Plant Molecular Biology* **48**, 609-639.
- Drake B. G., Azcon-Bieto J., Berry J., Bunce J., Dijkstra P., Farrar J., Gifford R. M., Gonzalez-Meler M. A., Koch G., Lambers H., Siedow J., and Wullschleger S. (1999) Does elevated atmospheric CO₂ concentration inhibit mitochondrial respiration in green plants? *Plant, Cell and Environment* **22**, 649-657.
- Ehleringer J. R. (1978) Implications of quantum yield differences on the distributions of C₃ and C₄ grasses. *Oecologia* **31**, 255-267.
- Ehleringer J. and Björkman O. (1977) Quantum yields for CO₂ uptake in C₃ and C₄ plants. *Plant Physiology* **59**, 86-90.
- Ehleringer J. R. and Field C. B. (eds.) (1993) Scaling physiological processes: leaf to globe. Academic Press, San Diego, 388 pp.
- Ehleringer J. R., Cerling T. E., and Helliker B. R. (1997) C₄ photosynthesis, atmospheric CO₂, and climate. *Oecologia* **112**, 285-299.
- Emanuel W. R., Killough G. G., Post W. M., and Shugart H. H. (1984) Modeling terrestrial ecosystems in the global carbon cycle with shifts in carbon storage capacity by land-use change. *Ecology* **65**, 970-983.
- Emanuel W. R., Shugart H. H., and Stevenson M. P. (1985) Climatic change and the broad-scale distribution of terrestrial ecosystem complexes. *Climatic Change* **7**, 29-43.
- Enting I. G., Trudinger C. M., and Francey R. J. (1995) A synthesis inversion of the concentration and d¹³C of atmospheric CO₂. *Tellus* **47B**, 35-52.
- Esser G. (1984) The significance of biospheric carbon pools and fluxes for the atmospheric CO₂: a proposed model structure. In *Interaction between climate and biosphere*, Vol. 3 (eds. H. Lieth, R. Fantechi, and H. Schnitzler), pp. 253-294.
- Esser G. (1987) Sensitivity of global carbon pools and fluxes to human and potential climatic impacts. *Tellus* **39B**, 245-260.
- Esser G. (1995) Contribution of Monsoon Asia to the carbon budget of the biosphere, past and

- future. *Vegetatio* **121**, 175-188.
- Esser G. and Lautenschlager M. (1994) Estimating the change of carbon in the terrestrial biosphere from 18000 BP to present using a carbon cycle model. *Environmental Pollution* **83**, 45-53.
- Esser G., Hoffstadt J., Mack F., and Wittenberg U. (1994) High Resolution Biosphere Model, Documentation of Model Version 3. Justus-Liebig-University.
- Evans J. R. (1989) Photosynthesis and nitrogen relationships in leaves of C₃ plant. *Oecologia* **78**, 9-19.
- Farquhar G. D. and von Caemmerer S. (1982) Modelling of photosynthetic response to environmental conditions. In *Physiological Plant Ecology II. Water relations and Carbon Assimilation*, Vol. 12B (eds. O. L. Lange, P. S. Nobel, C. B. Osmond, and H. Ziegler), pp. 549-587. Springer, Berlin.
- Farquhar G. D., O'Leary M. H., and Berry J. A. (1982) On the relationship between carbon isotope discrimination and the intercellular carbon dioxide concentration in leaves. *Australian Journal of Plant Physiology* **9**, 121-137.
- Farquhar G. D., Lloyd J., Taylor J. A., Flanagan L. B., Syvertsen J. P., Hubick K. T., Wong S. C., and Ehleringer J. R. (1993) Vegetation effects on the isotope composition of oxygen in atmospheric CO₂. *Nature* **363**, 439-443.
- Feely R. A., Wanninkhof R., Takahashi T., and Tans P. (1999) Influence of El Nino on the equatorial Pacific contribution to atmospheric CO₂ accumulation. *Nature* **398**, 597-601.
- Field C. (1983) Allocating leaf nitrogen for the maximization of carbon gain: leaf age as a control on the allocation program. *Oecologia* **56**, 341-347.
- Field C. B., Jackson R. B., and Mooney H. A. (1995a) Stomatal responses to increases CO₂: implications from the plant to global scale. *Plant, Cell and Environment* **18**, 1214-1225.
- Field C. B., Randerson J. T., and Malmstrom C. M. (1995b) Global net primary production: combining ecology and remote sensing. *Remote Sensing of Environment* **51**, 74-88.
- Fitter A. H. and Hay R. K. M. (1981) *Environmental Physiology of Plants*. Academic Press.
- Foley J. A. (1994a) Net primary productivity in the terrestrial biosphere: the application of a global model. *Journal of Geophysical Research* **99**, 20773-20783.
- Foley J. A. (1994b) The sensitivity of the terrestrial biosphere to climate change: a simulation of the middle Holocene. *Global Biogeochemical Cycles* **8**, 505-525.
- Foley J. (1995a) An equilibrium model of the terrestrial carbon budget. *Tellus* **47B**, 310-319.
- Foley J. A. (1995b) Numerical models of the terrestrial biosphere. *Journal of Biogeography* **22**, 837-842.
- Foley J. A., Prentice I. C., Ramankutty N., Levis S., Pollard D., Sitch S., and Haxeltine A. (1996) An integrated biosphere model of land surface processes, terrestrial carbon balance, and vegetation dynamics. *Global Biogeochemical Cycles* **10**, 603-628.

- Francey R. J., Tans P. P., Allison C. E., Enting I. G., White J. W. C., and Trolier M. (1995) Changes in oceanic and terrestrial carbon uptake since 1982. *Nature* **373**, 326-330.
- François L., Nemry B., Warnant P., and Gérard J.-C. (1996) Seasonal and interannual influences of the terrestrial ecosystems on atmospheric CO₂: a model study. *Physics and Chemistry of the Earth* **21**, 537-544.
- François L. M., Godderis Y., Warnant P., Ramstein G., de Noblet N., and Lorenz S. (1999) Carbon stocks and isotopic budgets of the terrestrial biosphere at mid-Holocene and last glacial maximum times. *Chemical Geology* **159**, 163-189.
- French N. R. (1979) *Perspectives in grassland ecology*. Springer, Berlin, 204 pp.
- Friedlingstein P., Delire C., and Gerard J. C. (1992) The climate induced variation of the continental biosphere: a model simulation of the last glacial maximum. *Geophysical Research Letters* **19**, 897-900.
- Friedlingstein P., Muller J.-F., and Brasseur G. P. (1994) Sensitivity of the terrestrial biosphere to climatic changes: impact on the carbon cycle. *Environmental Pollution* **83**, 143-147.
- Friedlingstein P., Fung I., John J., Grasseur G., Erickson D., and Schimel D. (1995) On the contribution of CO₂ fertilization to the missing biospheric sink. *Global Biogeochemical Cycles* **9**, 541-556.
- Friedlingstein P., Joel G., Field C. B., and Fung I. Y. (1999) Toward an allocation scheme for global terrestrial carbon models. *Global Change Biology* **5**, 755-770.
- Friend A. D. (1997) A process-based, terrestrial biosphere model of ecosystem dynamics (Hybrid v3.0). *Ecological Modelling* **95**, 249-287.
- Gérard J. C., Nemry B., François L. M., and Warnant P. (1999) The interannual change of atmospheric CO₂: contribution of subtropical ecosystems? *Geophysical Research Letters* **26**, 243-246.
- Giardina C. P. and Ryan M. G. (2000) Evidence that decomposition rates of organic carbon in mineral soil do not vary with temperature. *Nature* **404**, 858-861.
- Giblin A. E., Nadelhoffer K. J., Shaver G. R., Laundre J. A., and McKerrow A. J. (1991) Biogeochemical diversity along a riverside toposequence in arctic Alaska. *Ecological Monographs* **61**, 415-435.
- Gifford R. M. (1992) Implications of the globally increasing atmospheric CO₂ concentration and temperature for the Australian terrestrial carbon budget: integration using a simple model. *Australian Journal of Botany* **40**, 527-543.
- Gifford R. M. (1994) The global carbon cycle: a viewpoint on the missing sink. *Australian Journal of Plant Physiology* **21**, 1-15.
- Goulden M. L., Munger J. W., Fan S.-M., Daube B. C., and Wofsy S. C. (1996) Exchange of carbon dioxide by a deciduous forest: response to interannual climate variability.

Science **271**, 1576-1578.

- Gower S. T., Vogt K. A., and Grier C. C. (1992) Carbon dynamics of Rocky Mountain Douglas-fir: influence of water and nutrient availability. *Ecological Monographs* **62**, 43-65.
- Grace J., Malhi Y., Lloyd J., McIntyre J., Miranda A. C., Meir P., and Miranda H. S. (1996) The use of eddy covariance to infer the net carbon dioxide uptake of Brazilian rain forest. *Global Change Biology* **2**, 209-217.
- Graham R. L. (1990) How increasing CO₂ and climate change affects forests. *BioScience* **40**, 575-587.
- Gray V. (1998) The IPCC future projections: are they plausible? *Climate Research* **10**, 155-162.
- Grulke N. E., Reichers G. H., Oechel W. C., Hjelm U., and Jaeger C. (1990) Carbon balance in tussock tundra under ambient and elevated atmospheric CO₂. *Oecologia* **83**, 485-494.
- Hager C., Würth G., and Kohlmaier G. H. (1999) Biomass of forest stands under climatic change: a German case study with the Frankfurt biosphere model (FBM). *Tellus* **51B**, 385-401.
- Halpert M. S. and Ropelewski C. F. (1992) Surface temperature patterns associated with the southern oscillation. *Journal of Climate* **5**, 577-593.
- Hatch M. D. (1997) Resolving C₄ photosynthesis: trials, tribulations and other unpublished stories. *Australian Journal of Plant Physiology* **24**, 413-422.
- Hattersley P. W. (1982) δ¹³C values of C₄ types in grasses. *Australian Journal of Plant Physiology* **9**, 139-154.
- Haxeltine A. and Prentice I. C. (1996) BIOME3: an equilibrium terrestrial biosphere model based on ecophysiological constraints, resource availability, and competition among functional types. *Global Biogeochemical Cycles* **10**, 693-709.
- Haxeltine A., Prentice I. C., and Creswell I. D. (1996) A coupled carbon and water flux model to predict vegetation structure. *Journal of Vegetation Science* **7**, 651-666.
- Haywood J. M., Stouffer R. J., Wetherald R. T., Manabe S., and Ramaswamy V. (1997) Transient response of a coupled model to estimated changes in greenhouse gas and sulphate concentrations. *Geophysical Research Letters* **24**, 1335-1338.
- Heimann M. (1997) A review of the contemporary global carbon cycle and as seen a century ago by Arrhenius and Hogbom. *Ambio* **26**, 17-24.
- Heimann M. and Keeling C. D. (1989) A three-dimensional model of atmospheric CO₂ transport based on observed winds: 2. model description and simulated tracer experiments. *Geophysical Monograph* **55**, 237-275.
- Heimann M., Esser G., Haxeltine A., Kaduk J., Kicklighter D. W., Knorr W., Kohlmaier G. H., McGuire A. D., Melillo J., Moore B. I., Otto R. D., Prentice I. C., Sauf W.,

- Schloss A., Sitch S., Wittenberg U., and Würth G. (1998) Evaluation of terrestrial carbon cycle model through simulations of the seasonal cycle of atmospheric CO₂: First results of a model intercomparison study. *Global Biogeochemical Cycles* **12**, 1-24.
- Henderson S., Hattersley P., von Caemmerer S., and Osmond C. B. (1995) Are C₄ pathway plants threatened by global climatic change? In *Ecophysiology of photosynthesis* (eds. E.-D. Schulze and M. M. Caldwell), pp. 529-549. Springer, Berlin.
- Henderson-Sellers A. (1993) A factorial assessment of the sensitivity of the BATS land-surface parameterization scheme. *Journal of Climate* **6**, 227-247.
- Henderson-Sellers A., McGuffie K., and Gross C. (1995) Sensitivity of global climate model simulations to increased stomatal resistance and CO₂ increases. *Journal of Climate* **8**, 1738-1756.
- Hikosaka K. (1997) Modelling optimal temperature acclimation of the photosynthetic apparatus in C₃ plants with respect to nitrogen use. *Annals of Botany* **80**, 721-730.
- Hiroi T. and Monsi M. (1964) Physiological and ecological analysis of shaded tolerance of plants 4. Effect of shading on distribution of photosynthate in *Helianthus annuus*. *Botanical Magazine* **77**, 1-9.
- Hirose T. and Werger M. J. A. (1987) Maximizing daily canopy photosynthesis with respect to the leaf nitrogen allocation pattern in the canopy. *Oecologia* **72**, 520-526.
- Houghton R. A. (1999) The annual net flux of carbon to the atmosphere from changes in land use 1850-1990. *Tellus* **51B**, 298-313.
- Houghton R. A., Hobbie J. E., Melillo J. M., Moore B., Peterson B. J., Shaver G. R., and Woodwell G. M. (1983) Changes in the carbon content of terrestrial biota and soils between 1860 and 1980: a net release of CO₂ to the atmosphere. *Ecological Monographs* **53**, 235-262.
- Houghton J. T., Filho L. G. M., Bruce J., Lee H., Callander B. A., Haites E., Harris N., and Maskell K. (1995) Climate Change 1994: radiative forcing of climate change, Cambridge University Press, Cambridge, 339 pp.
- Houghton R. A., Davidson E. A., and Woodwell G. M. (1998) Missing sinks, feedbacks, and understanding the role of terrestrial ecosystems in the global carbon balance. *Global Biogeochemical Cycles* **12**, 25-34.
- Hozumi H. and Krita H. (1970) Estimation of the rate of total photosynthesis in forest canopies. *Botanical Magazine* **83**, 144-151.
- Hudson R. J. M., Gherini S. A., and Goldstein R. A. (1994) Modeling the global carbon cycle: nitrogen fertilization of the terrestrial biosphere and the "missing" CO₂ sink. *Global Biogeochemical Cycles* **8**, 307-333.
- Hunt E. R. J., Piper S. C., Nemani R., Keeling C. D., Otto R. D., and Running S. W. (1996) Global net carbon exchange and intra-annual atmospheric CO₂ concentrations predicted

- by an ecosystem process model and three-dimensional atmospheric transport model. *Global Biogeochemical Cycles* **10**, 431-456.
- Idso K. E. and Idso S. B. (1994) Plant responses to atmospheric CO₂ enrichment in the face of environmental constraints: a review of the past 10 years' research. *Agricultural and Forest Meteorology* **69**, 153-203.
- Idso S. B. and Brazel A. J. (1984) Rising atmospheric carbon dioxide concentrations may increase streamflow. *Nature* **312**, 51-53.
- IGBP Terrestrial Carbon Working Group. (1998) The terrestrial carbon cycle: implications for the Kyoto Protocol. *Science* **280**, 1393-1394.
- IPCC. (1992) *Climate Change 1992: the supplementary report to the IPCC scientific assessment*. Cambridge University Press, Cambridge, 200 pp.
- IPCC. (1994) *Climate Change 1994: radiative forcing of climate change and an evaluation of the IPCC IS92 emission scenarios*. Cambridge University Press, Cambridge, 339 pp.
- IPCC. (1996) *Climate Change 1995: the science of climate change*. Cambridge University Press, Cambridge, 572 pp.
- Iqbal M. (1983) *An introduction to solar radiation*. Academic Press, Toronto, 390 pp.
- Ito A. and Oikawa T. (1999) Geographical distribution of vegetation and global environment. *Nagare* **18**, 83-88. (in Japanese)
- Ito A. and Oikawa T. (2000) A model analysis of the relationship between climate perturbations and carbon budget anomalies in global terrestrial ecosystems: 1970-1997. *Climate Reserach* **15**, 161-183.
- Janecek A., Benderoth G., Lüdeke M. K. B., Kindermann J., and Kohlmaier G. H. (1989) Model of the seasonal and perennial carbon dynamics in deciduous-type forests controlled by climatic variables. *Ecological Modelling* **49**, 101-124.
- Japan Meteorological Agency (JMA) (1999) *Climate Change Monitoring Report 1998*. 49 pp.
- Jarvis P. G. (1976) The interpretation of the variations in leaf water potential and stomatal conductance found in canopies in the field. *Philosophical Transactions of the Royal Society of London* **B273**, 593-610.
- Jarvis P. G. (1995) Scaling processes and problems. *Plant, Cell and Environment* **18**, 1079-1089.
- Jenkinson D. S., Adams D. E., and Wild A. (1991) Model estimates of CO₂ emissions from soil in response to global warming. *Nature* **351**, 304-306.
- Jones H. G. (1985) Partitioning stomatal and non-stomatal limitations to photosynthesis. *Plant, Cell and Environment* **8**, 95-104.
- Jones H. G. (1992) *Plants and microclimate*. Cambridge University Press, Cambridge, 428 pp.
- Jones P. D. and Kelly P. M. (1996) The effect of tropical explosive volcanic eruptions on surface air temperature. In *The mount Pinatubo eruption: effects on the atmosphere and*

- climate*, Vol. 42 (eds. G. Fiocco, D. Fua, and G. Visconti), pp. 95-111. Springer, Berlin.
- Jones P. D., New M., Parker D. E., Martin S., and Rigor I. G. (1999) Surface air temperature and its changes over the past 150 years. *Reviews of Geophysics* **37**, 173-199.
- Joos F. and Bruno M. (1998) Long-term variability of the terrestrial and oceanic carbon sinks and the budgets of the carbon isotopes ^{13}C and ^{14}C . *Global Biogeochemical Cycles* **12**, 277-295.
- Joos F., Meyer R., Bruno M., and Leuenberger M. (1999) The variability in the carbon sinks as reconstructed for the last 1000 years. *Geophysical Research Letters* **26**, 1437-1440.
- Kacholia K. and Reck R. A. (1997) Comparison of global climate change simulations for 2xCO_2 induced warming. *Climatic Change* **35**, 53-69.
- Kaduk J. and Heimann M. (1994) The climate sensitivity of the osnabruck biosphere model on the ENSO time scale. *Ecological Modelling* **75**, 239-256.
- Kaduk J. and Heimann M. (1996) A prognostic phenology scheme for global terrestrial carbon cycle models. *Climate Research* **6**, 1-19.
- Kalnay E., Kanamitsu M., Kistler R., Collins W., Deaven D., Gandin L., Iredell M., Saha S., White G., Woollen J., Zhu Y., Chelliah M., Ebisuzaki W., Higgins W., Janowiak J., Mo K. C., Ropelewski C., Wang J., Leetmaa A., Reynolds R., Jenne R., and Joseph D. (1996) The NCEP/NCAR 40-year reanalysis project. *Bulletin of the American Meteorological Society* **77**, 437-471.
- Kaminski T., Heimann M., and Giering R. (1999) A coarse grid three-dimensional global inverse model of the atmospheric transport. 1. Adjoint model and jacobian matrix. *Journal of Geophysical Research* **104**, 18535-18553.
- Keeling R. F. and Shertz S. R. (1992) Seasonal and interannual variations in atmospheric oxygen and implications for the global carbon cycle. *Nature* **358**, 723-727.
- Keeling C. D. and Whorf T. P. (2000) Atmospheric CO₂ concentrations - Mauna Loa Observatory, Hawaii, 1958-1999. Oak Ridge National Laboratory.
- Keeling C. D., Carter A. F., and Mook W. G. (1984) Seasonal, latitudinal, and secular variations in the abundance and isotopic ratios of atmospheric CO₂ 2. Results from oceanographic cruises in the tropical pacific ocean. *Journal of Geophysical Research* **89**, 4615-4628.
- Keeling C. D., Whorf T. P., Wahlen M., and van der Plicht J. (1995) Interannual extremes in the rate of atmospheric carbon dioxide since 1980. *Nature* **375**, 666-670.
- Keeling R. F., Piper S. C., and Heimann M. (1996) Global and hemispheric CO₂ sinks deduced from changes in atmospheric O₂ concentration. *Nature* **381**, 218-221.
- Keeling C. D., Bacastow R. B., Carter A. F., Piper S. C., Whorf T. P., Heimann M., Mook W. G., and Roeloffzen H. (1989) A three-dimensional model of atmospheric CO₂

- transport based on observed winds: 1. Analysis of observational data. *Geophysical Monograph* 55, 165-236.
- Kelliher F. M., Leuning R., Raupach M. R., and Schulze E.-D. (1995) Maximum conductances for evaporation from global vegetation types. *Agricultural and Forest Meteorology* 73, 1-16.
- Kicklighter D. W., Bondeau A., Schloss A. L., Kaduk J., McGuire A. D., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): global pattern and differentiation by major biomes. *Global Change Biology* 5(Suppl.1), 16-24.
- Kimball J. S., White M. A., and Running S. W. (1997) BIOME-BGC simulations of stand hydrologic processes for BOREAS. *Journal of Geophysical Research* 102, 29043-29051.
- Kindermann J., Lüdeke M. K. B., Badeck F.-W., Otto R. D., Klaudius A., Hager C., Würth G., Lang T., Dönges S., Habermehl S., and Kohlmaier G. H. (1993) Structure of a global and seasonal carbon exchange model for the terrestrial biosphere, the Frankfurt Biosphere Model (FBM). *Water, Air, and Soil Pollution* 70, 675-684.
- Kindermann J., Würth G., Kohlmaier G. H., and Badeck F.-W. (1996) Interannual variation of carbon exchange fluxes in terrestrial ecosystems. *Global Biogeochemical Cycles* 10, 737-755.
- King A. W., Emanuel W. R., Wullschleger S. D., and Post W. M. (1995) In search of the missing carbon sink: a model of terrestrial biospheric response to land-use change and atmospheric CO₂. *Tellus* 47B, 501-519.
- Kira T. (1987) Primary production and carbon cycling in a primeval lowland rainforest of Peninsular Malaysia. In *Tree Crop Physiology* (eds. M. K. Sethurat and A. S. Raghavendra), pp. 99-119. Elsevier, Amsterdam.
- Kira T., Ogawa H., and Sakazaki N. (1953) Intraspecific competition among higher plants. I. Competition-density-yield interrelationships in regularly dispersed populations. *J. Inst. Polytech. Osaka City Univ.* D4, 1-16.
- Kira T., Ogawa H., Yoda K., and Ogino K. (1967) Comparative ecological studies on three main types of forest vegetation in Thailand IV. Dry matter production, with special reference to the Khao Chong rain forest. *Nature and Life in Southeast Asia* 5, 149-174.
- Kira T. and Yabuki K. (1978) Primary production rates in the Minamata forest. In *Biological production in a warm-temperate evergreen oak forest of Japan*, Vol. 18 (eds. T. Kira, Y. Ono, and T. Hosokawa), pp. 131-138. University of Tokyo Press.
- Kirschbaum M. U. F. (1995) The temperature dependence of soil organic matter decomposition, and the effects of global warming on soil organic C storage. *Soil Biology and Biochemistry* 27, 753-760.

- Kirschbaum M. U. F. (1999) CenW, a forest growth model with linked carbon, energy, nutrient and water cycles. *Ecological Modelling* **118**, 17-59.
- Kirschbaum M. U. F. (2000) Will changes in soil organic carbon act as a positive or negative feedback on global warming? *Biogeochemistry* **48**, 21-51.
- Kirschbaum M. U. F. and Farquhar G. D. (1984) Temperature dependence of whole-leaf photosynthesis in *Eucalyptus pauciflora* Sieb. ex Spreng. *Australian Journal of Plant Physiology* **11**, 519-538.
- Knorr W. and Heimann M. (1995) Impact of drought stress and other factors on seasonal land biosphere CO₂ exchange studies through an atmospheric tracer transport model. *Tellus* **47B**, 471-489.
- Kohlmaier G. H., Brohl H., Sire E. O., Plöchl M., and Revelle R. (1987) Modelling stimulation of plants and ecosystem response to present levels of excess atmospheric CO₂. *Tellus* **39B**, 155-170.
- Kohlmaier G. H., Hager C., Nadler A., Würth G., and Lüdeke M. K. B. (1995) Global carbon dynamics of higher latitude forest during an anticipated climate change: ecophysiological versus biome-migration view. *Water, Air, and Soil Pollution* **82**, 455-464.
- Kohlmaier G. H., Badeck F.-W., Otto R. D., Häger C., Dönges S., Kindermann J., Würth G., Lang T., Jakel U., Nadler A., Ramge P., Klaudius A., Habermehl S., and Lüdeke M. K. B. (1997) The Frankfurt Biosphere Model: a global process-oriented model of season and long-term CO₂ exchange between terrestrial ecosystems and the atmosphere. II. Global results for potential vegetation in an assumed equilibrium state. *Climate Research* **8**, 61-87.
- Körner C. (1993) CO₂ fertilization: the great uncertainty in future vegetation development. In *Vegetation Dynamics and Global Change* (ed. A. M. Solomon and H. H. Shugart), pp. 53-70. Chapman and Hall.
- Kurachi N., Hagihara A., and Hozumi K. (1992) Canopy photosynthetic production in a Japanese larch stand. I. Seasonal and vertical changes of leaf characteristics along the light gradient in a canopy. *Ecological Research* **7**, 255-265.
- Kuroiwa S. (1966) Dry matter production of plants. In *Ecology and Evolution*, Vol. 9, pp. 71-100. Iwanami Shoten. (in Japanese)
- Kuroiwa S. and Monsi M. (1963a) Theoretical analysis of light factor and photosynthesis in plant communities. (1) Relationship between foliage structure and direct and total solar radiations. *Journal of Agricultural Meteorology* **18**, 143-151.
- Kuroiwa S. and Monsi M. (1963b) Theoretical analysis of light factor and photosynthesis in plant communities. (2) Diurnal changes of extinction coefficient and photosynthesis. *Journal of Agricultural Meteorology* **19**, 15-21.

- Larcher W. (1995) *Physiological Plant Ecology, ecophysiology and stress physiology of functional groups*. Springer, Berlin. 506 pp.
- Leemans R. and Cramer W. P. (1991) The IIASA database for mean monthly values of temperature, precipitation and cloudiness of a global terrestrial grid. IIASA, Laxenberg.
- Leuning R. (1990) Modelling stomatal behavior and photosynthesis of eucalyptus grandis. *Australian Journal of Plant Physiology* **17**, 159-175.
- Levis S., Foley J. A., and Pollard D. (2000) Large-scale vegetation feedbacks on a doubled CO₂ climate. *Journal of Climate* **13**, 1313-1325.
- Lieth H. (1975) Modeling the primary productivity of the world. In *Primary productivity of the biosphere* (ed. H. Lieth and R. H. Whittaker), pp. 237-263. Springer, Berlin.
- Likens G. E. and Bormann F. H. (1995) *Biogeochemistry of a forested ecosystem*. Springer, Berlin. 159 pp.
- Liski J., Ilvesniemi H., Makela A., and Westman C. J. (1999) CO₂ emissions from soil in response to climatic warming are overestimated - the decomposition of old soil organic matter is tolerant of temperature. *Ambio* **28**, 171-174.
- Lloyd J. and Farquhar G. D. (1994) ¹³C discrimination during CO₂ assimilation by the terrestrial biosphere. *Oecologia* **99**, 201-215.
- Lloyd J. and Taylor J. A. (1994) On the temperature dependence of soil respiration. *Functional Ecology* **8**, 315-323.
- Lloyd J. and Farquhar G. D. (1996) The CO₂ dependence of photosynthesis, plant growth responses to elevated atmospheric CO₂ concentrations and their interaction with soil nutrient status. I. general principles and forest ecosystems. *Functional Ecology* **10**, 4-32.
- Long S. P. (1991) Modification of the response of photosynthetic productivity to rising temperature by atmospheric CO₂ concentrations: has its importance been underestimated? *Plant, Cell and Environment* **14**, 729-739.
- Lüdeke M. K. B., Badeck F.-W., Otto R. D., Hager C., Dönges S., Kindermann J., Würth G., Lang T., Jäkel U., Klaudius A., Ramge P., Habermehl S., and Kohlmaier G. H. (1994) The Frankfurt Biosphere Model: a global process-oriented model of seasonal and long-term CO₂ exchange between terrestrial ecosystems and the atmosphere. I. Model description and illustrative results for cold deciduous and boreal forests. *Climate Research* **4**, 143-166.
- Lüdeke M. K. B., Dönges S., Otto R. D., Kindermann J., Badeck F.-W., Ramge P., Jäkel U., and Kohlmaier G. H. (1995) Responses in NPP and carbon stores of the northern biomes to a CO₂-induced climate change, as evaluated by the Frankfurt biosphere model (FBM). *Tellus* **47B**, 191-205.
- Lüdeke M. K. B., Ramge P. H., and Kohlmaier G. H. (1996) The use of satellite NDVI data

- for the validation of global vegetation phenology models: application to the Frankfurt Biosphere Model. *Ecological Modelling* **91**, 255-270.
- Luo Y. and Mooney H. A. (1996) Stimulation of global photosynthetic carbon influx by an increase in atmospheric carbon dioxide concentration. In *Carbon Dioxide and Terrestrial Ecosystems* (eds. G. W. Koch and H. A. Mooney), pp. 381-397. Academic Press, San Diego.
- Luo Y. and Reynolds J. F. (1999) Validity of extrapolating field CO₂ experiments to predict carbon sequestration in natural ecosystems. *Ecology* **80**, 1568-1583.
- Mabuchi K., Sato Y., Kida H., Saigusa N., and Oikawa T. (1997) A biosphere-atmosphere interaction model (BAIM) and its primary verification using grassland data. *Papers in Meteorology and Geophysics* **47**, 115-140.
- Maisongrande P., Ruimy A., Dedieu G., and Saugier B. (1995) Monitoring seasonal and interannual variations of gross primary productivity, net primary productivity and net ecosystem productivity using a diagnostic model and remotely-sensed data. *Tellus* **47B**, 178-190.
- Manabe S. (1969) Climate and the ocean circulation I. the atmospheric circulation and the hydrology of the earth's surface. *Monthly Weather Review* **97**, 739-774.
- Manabe S. (1983) Carbon dioxide and climatic change. *Advances in Geophysics* **25**, 39-82.
- Manabe S. and Wetherald R. T. (1987) Large-scale changes of soil wetness induced by an increase in atmospheric carbon dioxide. *Journal of Atmospheric Sciences* **44**, 1211-1235.
- Manabe S., Stouffer R. J., Spelman M. J., and Bryan K. (1991) Transient responses of a coupled ocean-atmosphere model to gradual changes of atmospheric CO₂. Part I: Annual mean response. *Journal of Climate* **4**, 785-818.
- Manabe S., Spelman M. J., and Stouffer R. J. (1992) Transient responses of a coupled ocean-atmospheric model to gradual changes of atmospheric CO₂. Part II: Seasonal response. *Journal of Climate* **5**, 105-126.
- Martin P. (1993) Vegetation responses and feedbacks to climate: a review of models and processes. *Climate Dynamics* **8**, 201-210.
- Matthews E. (1983) Global vegetation and land use: new high resolution data bases for climate studies. *Journal Climate and Applied Meteorology* **22**, 474-487.
- McAllister C. A., Knapp A. K., and Maragni L. A. (1998) Is leaf-level photosynthesis related to plant success in a highly productive grassland? *Oecologia* **117**, 40-46.
- McCormick M. P., Thomason L. W., and Trepte C. R. (1995) Atmospheric effects of the Mt. Pinatubo eruption. *Nature* **373**, 399-404.
- McCree K. J. (1970) An equation for the rate of respiration of white clover plants grown under controlled conditions. In *Prediction and measurements of photosynthetic productivity* (ed.

I. Setlik). PUDOC, London.

- McGuire A. D., Melillo J. M., Joyce L. A., Kicklighter D. W., Grace A. L., Moore III B., and Vörösmarty C. J. (1992) Interactions between carbon and nitrogen dynamics in estimating net primary productivity for potential vegetation in North America. *Global Biogeochemical Cycles* **6**, 101-124.
- McGuire A. D., Joyce L. A., Kicklighter D. W., Melillo J. M., Esser G., and Vörösmarty C. J. (1993) Productivity response of climax temperate forests to elevated temperature and carbon dioxide: a North American comparison between two global models. *Climatic Change* **24**, 287-310.
- McGuire A. D., Melillo J. M., and Joyce L. A. (1995) The role of nitrogen in the response of forest net primary production to elevated atmospheric carbon dioxide. *Annual Review of Ecology and Systematics* **26**, 473-503.
- McGuire A. D., Melillo J. M., Kicklighter D. W., Pan Y., Xiao X., Helfrich J., Moore III B., Vörösmarty C. J., and Schloss A. L. (1997) Equilibrium responses of global net primary production and carbon storage to doubled atmospheric carbon dioxide: sensitivity to changes in vegetation nitrogen content. *Global Biogeochemical Cycles* **11**, 173-189.
- McMurtrie R. and Wolf L. (1983) A model of competition between trees and grass for radiation, water and nutrients. *Annals of Botany* **52**, 449-458.
- McMurtrie R. E., Comins H. N., Kirschbaum M. U. F., and Wang Y.-P. (1992a) Modifying existing forest growth models to take account of effects of elevated CO₂. *Australian Journal of Botany* **40**, 657-677.
- McMurtrie R. E., Leuning R., Thompson W. A., and Wheeler A. M. (1992b) A model of canopy photosynthesis and water use incorporating a mechanistic formulation of leaf CO₂ exchange. *Forest Ecology and Management* **52**, 261-278.
- McNaughton K. G. and Jarvis P. G. (1991) Effects of spatial scale on stomatal control of transpiration. *Agricultural and Forest Meteorology* **54**, 279-301.
- McWilliam A.-L. C., Roberts J. M., Cabral O. M. R., Leitao M. V. B. R., de Costa A. C. L., Maitelli G. T., and Zamparoni C. A. G. P. (1993) Leaf area index and above-ground biomass of terra firma rain forest and adjacent clearings in Amazonia. *Functional Ecology* **7**, 310-317.
- Meentemeyer V. (1984) The geography of organic decomposition rates. *Annals of the Association of American Geographers* **74**, 551-560.
- Melillo J. M. (1996) Carbon and nitrogen interactions in the terrestrial biosphere: anthropogenic effects. In *Global change and terrestrial ecosystems*, Vol. 2 (eds. B. Walker and W. Steffen), pp. 431-450. Cambridge University Press.
- Melillo J. M., Aber J. D., and Muratore J. F. (1982) Nitrogen and lignin control of hardwood leaf litter decomposition dynamics. *Ecology* **63**, 621-626.

- Melillo J. M., Aber J. D., Linkins A. E., Ricca A., Fry B., and Nadelhoffer K. J. (1989) Carbon and nitrogen dynamics along the decay continuum: plant litter to soil organic matter. *Plant and Soil* **115**, 189-198.
- Melillo J. M., McGuire A. D., Kicklighter D. W., Moore III B., Vorosmarty C. J., and Schloss A. L. (1993) Global climate change and terrestrial net primary production. *Nature* **363**, 234-240.
- Melillo J. M., Prentice I. C., Farquhar G. D., Schulze E.-D., and Sala O. E. (1996) Terrestrial biotic responses to environmental change and feedbacks to climate. In *Climate Change 1995 - The science of climate change* (eds. J. T. Houghton, L. G. Meira Filho, B. A. Callander, N. Harris, A. Kattenberg, and K. Maskell), pp. 445-482. Cambridge University Press, Cambridge.
- Meyer R., Joos F., Esser G., Meimann M., Hooss G., Kohlmaier G., Sauf W., Voss R., and Wittenberg U. (1999) The substitution of high-resolution terrestrial biosphere models and carbon sequestration in response to changing CO₂ and climate. *Global Biogeochemical Cycles* **13**, 785-802.
- Miller P. C., Miller P. M., Blake-Jacobson M., Chapin F. S. I., Everett K. R., Hilbert D. W., Kummerow J., Linkins A. E., Marion G. M., Oechel W. C., and Roberts S. W. (1984) Plant-soil processes in *Eriophorum vaginatum* tussock tundra in Alaska: a systems modeling approach. *Ecological Monographs* **54**, 361-405.
- Mitchell J. F. B., Johns T. C., Gregory J. M., and Tett S. F. B. (1995) Climate response to increasing levels of greenhouse gases and sulphate aerosols. *Nature* **376**, 501-504.
- Mitchell J. F. B. and Johns T. C. (1997) On modification of global warming by sulfate aerosols. *Journal of Climate* **10**, 245-267.
- Monsi M. (1960) Dry-matter reproduction in plants. I. Schemata of dry-matter reproduction. *Botanical Magazine* **73**, 81-90.
- Monsi M. and Saeki T. (1953) Über den Lichtfaktor in den Pfanzengesellschaften und seine Bedeutung für die Stoffproduktion. *Japanese Journal of Botany* **14**, 22-52.
- Monsi M., Uchijima Z., and Oikawa T. (1973) Structure of foliage canopies and photosynthesis. *Annual Review of Ecology and Systematics*, 301-327.
- Monteith J. L. (1981) Evaporation and surface temperature. *Quarterly Journal of the Royal Meteorological Society* **107**, 1-27.
- Monteith J. L. (1988) Does transpiration limit the growth of vegetation or vice versa? *Journal of Hydrology* **100**, 57-68.
- Mooney H. A. (1991) Predicting ecosystem responses to elevated CO₂ concentration. *BioScience* **41**, 96-104.
- Moore B. d., Cheng S.-H., Rice J., and Seemann J. R. (1998) Sucrose cycling, Rubisco expression, and prediction of photosynthetic acclimation to elevated atmospheric CO₂.

Plant, Cell and Environment **21**, 905-915.

- Morison J. I. L. and Gifford R. M. (1983) Stomatal sensitivity to carbon dioxide and humidity: a comparison of two C₃ and two C₄ grass species. *Plant Physiology* **71**, 789-796.
- Mott K. A. (1990) Sensing of atmospheric CO₂ by plants. *Plant, Cell and Environment* **13**, 731-737.
- Myneni R. B., Keeling C. D., Tucker C. J., Asrar G., and Nemani R. R. (1997) Increased plant growth in the northern high latitudes from 1981 to 1991. *Nature* **386**, 698-702.
- Nadelhoffer K. J., Emmett B. A., Gundersen P., Kjonaas O. J., Koopmans C. J., Schleppi P., Tietema A., and Wright R. F. (1999) Nitrogen deposition makes a minor contribution to carbon sequestration in temperate forests. *Nature* **398**, 145-148.
- Nakazawa T., Miyashita K., Aoki S., and Tanaka M. (1991) Temporal and spatial variations of upper tropospheric and lower stratospheric carbon dioxide. *Tellus* **43B**, 106-117.
- Nakazawa T., Morimoto S., Aoki S., and Tanaka M. (1993) Time and space variations of the carbon isotopic ratio of tropospheric carbon dioxide over Japan. *Tellus* **45B**, 258-274.
- Nakazawa T., Murayama S., Toi M., Ishizawa M., Otonashi K., Aoki S., and Yamamoto S. (1997) Temporal variations of the CO₂ concentration and its carbon and oxygen isotopic ratios in a temperate forest in the central part of the main island of Japan. *Tellus* **49B**, 364-381.
- Navas M.-L., Sonie L., Richarte J., and Roy J. (1997) The influence of elevated CO₂ on species phenology, growth and reproduction in a Mediterranean old-field community. *Global Change Biology* **3**, 523-530.
- Neftel A., Moore E., Oeschger H., and Stauffer B. (1985) Evidence from polar ice cores for the increase in atmospheric CO₂ in the past two centuries. *Nature* **315**, 45-47.
- Neilson R. P. (1993) Vegetation redistribution: a possible biosphere source of CO₂ during climatic change. *Water, Air, and Soil Pollution* **70**, 659-373.
- Nemry B., Francois L., Gerard J.-C., Bondeau A., Heimann M., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): analysis of the seasonal atmospheric CO₂ signal. *Global Change Biology* **5**(Suppl.1), 65-76.
- New M., Hulme M., and Jones P. (1999) Representing twentieth-century space-time climate variability. Part 1: Development of a 1961-1990 mean monthly terrestrial climatology. *Journal of Climate* **12**, 829-856.
- National Oceanic and Atmospheric Administration (NOAA). (1999) Current monthly atmospheric and SST index values. In <http://www.elnino.noaa.gov/>.
- Nobel P. S. (1999) *Physicochemical and environmental plant physiology*. Academic Press, San

- Diego, 474 pp.
- Noilhan J. and Planton S. (1989) A simple parameterization of land surface processes for meteorological models. *Monthly Weather Review* **117**, 536-549.
- Norby R. J., Pastor J., and Melillo J. M. (1986) Carbon-nitrogen interactions in CO₂-enriched oak: physiological and long-term perspectives. *Tree Physiology* **2**, 233-241.
- Norby R. J., Wullschleger S. D., Gunderson C. A., Johnson D. W., and Ceulemans R. (1999) Tree responses to rising CO₂ in field experiments: implications for the future forest. *Plant, Cell and Environment* **22**, 683-714.
- Oechel W. C., Hastings S. J., Vourlistis G., Jenkins M., Riechers G., and Grulke N. (1993) Recent change of Arctic tundra ecosystems from a net carbon dioxide to a source. *Nature* **361**, 520-523.
- Oeschger H., Siegenthaler U., Schotterer U., and Gugelmann A. (1975) A box diffusion model to study the carbon dioxide exchange in nature. *Tellus* **27**, 168-192.
- Ogawa H., Yoda K., Kira T., Ogino K., Shidei T., Ratanawongse D., and Apasutaya C. (1965a) Comparative ecological study on three main types of forest vegetation in Thailand I. Structure and floristic composition. *Nature and Life in Southeast Asia* **4**, 13-48.
- Ogawa H., Yoda K., Ogino K., and Kira T. (1965b) Comparative ecological study on three main types of forest vegetation in Thailand II. Plant Biomass. *Nature and Life in Southeast Asia* **4**, 49-80.
- Oikawa T. (1985) Simulation of forest carbon dynamics based on dry-matter production model: 1. Fundamental model structure of a tropical rainforest ecosystem. *Botanical Magazine* **98**, 225-238.
- Oikawa T. (1986a) Simulation of forest carbon dynamics based on dry-matter production model: 2. Effects of dry season upon a tropical rainforest ecosystem. *Botanical Magazine* **99**, 213-223.
- Oikawa T. (1986b) Simulation of forest carbon dynamics based on dry-matter production model: 3. Effects of increasing CO₂ upon a tropical rainforest ecosystem. *Botanical Magazine* **99**, 419-430.
- Oikawa T. (1987) Studies on the dynamic properties of terrestrial ecosystems based on a simulation model I. Critical light conditions for stability of a tropical rainforest ecosystem. *Ecological Research* **2**, 289-300.
- Oikawa T. (1989) Studies on the dynamic properties of terrestrial ecosystems based on a simulation model II. Tropical rainforest dynamics and stability as influenced by stem mortality. *Ecological Research* **4**, 117-130.
- Oikawa T. (1993) Comparison of ecological characteristics between forest and grassland ecosystems based on a dry-matter production model. *Journal of Environmental Science* **7**, 67-78.

- Oikawa T. (1995) A simulation study of grassland carbon dynamics as influenced by atmospheric CO₂ concentration. In *Toward Global Planning of Sustainable Use of the Earth: Development of Global Eco-Engineering* (ed. S. Murai), pp. 97-112. Elsevier, Amsterdam.
- Oikawa T. (1998) Modeling carbon dynamics of a lucidophyll forest under monsoon climates. *Global Environmental Research* 1, 25-33.
- Oikawa T. and Saeki T. (1977) Light regime in relation to plant population geometry I. A monte carlo simulation of light microclimates within a random distribution foliage. *Botanical Magazine* 90, 1-10.
- Ojima D. S., Parton W. J., Schimel D. S., Scurlock J. M. O., and Kittel T. G. F. (1993) Modeling the effects of climatic and CO₂ changes on grassland storage of soil C. *Water, Air, and Soil Pollution* 70, 643-657.
- Olson J. S., Watts J. A., and Allison L. J. (1983) Carbon in live vegetation of major world ecosystems. ORNL-5862. Oak Ridge National Laboratory, Oak Ridge.
- Olson R. J., Briggs J. M., Porter J. H., Mah G. R., and Stafford S. G. (1999) Managing data from multiple disciplines, scales, and sites to support synthesis and modeling. *Remote Sensing of Environment* 70, 99-107.
- Omasa K., Hashimoto Y., Kramer P. J., Strain B. R., Aiga I., and Kondo J. (1985) Direct observation of reversible and irreversible stomatal responses of attached sunflower leaves to SO₂. *Plant Physiology* 79, 153-158.
- Paembongan S. A., Hagihara A., and Hozumi K. (1992) Long-term respiration in relation to growth and maintenance processes of the aboveground parts of a hinoki forest tree. *Tree Physiology* 10, 101-110.
- Pan Y., Melillo J. M., McGuire A. D., Kicklighter D. W., Pitelka L. F., Hibbard K., Pierce L. L., Running S. W., Ojima D. S., Parton W. J., Schimel D. S., and members O. V. (1998) Modeled responses of terrestrial ecosystems to elevated atmospheric CO₂: a comparison of simulations by the biogeochemistry models of the Vegetation/Ecosystem Modeling and Analysis Project (VEMAP). *Oecologia* 114, 389-404.
- Parton W. J., Ojima D. S., and Schimel D. S. (1994) Environmental change in grasslands: assessment using models. *Climatic Change* 28, 111-141.
- Parton W. J., Scurlock J. M. O., Ojima D. S., Gilmanov T. G., Scholes R. J., Schimel D. S., Kirchner T., Menaut J.-C., Seastedt T., Moya E. G., Kamnalrut A., and Kinyamario J. I. (1993) Observations and modeling of biomass and soil organic matter dynamics for the grassland biome worldwide. *Global Biogeochemical Cycles* 7, 785-809.
- Parton W. J., Stewart J. W. B., and Cole C. V. (1988) Dynamics of C,N,P and S in grassland soils: a model. *Biogeochemistry* 5, 109-131.
- Pearcy R. W. and Ehleringer J. R. (1984) Comparative ecophysiology of C₃ and C₄ plants.

- Peng C. H., Guiot J., van Campo E., and Cheddadi R. (1995) The variation of terrestrial carbon storage at 6000 yr BP in europe: reconstruction from pollen data using two empirical biosphere models. *Journal of Biogeography* 22, 863-873.
- Penning de Vries F. W. T. (1972) A model for simulating transpiration of leaves with special attention to stomatal functioning. *Journal of Applied Ecology* 9, 57-77.
- Pettersson R. and McDonald J. S. (1994) Effects of nitrogen supply on the acclimation of photosynthesis to elevated CO₂. *Photosynthesis Research* 39, 389-400.
- Plöchl M. and Cramer W. (1995) Possible impacts of global warming on tundra and boreal forest ecosystems: comparison of some biogeochemical models. *Journal of Biogeography* 22, 775-783.
- Polglase P. J. and Wang Y. P. (1992) Potential CO₂-enhanced carbon storage by terrestrial biosphere. *Australian Journal of Botany* 40, 641-656.
- Pollard D. and Thompson S. L. (1995) Use of a land-surface-transfer scheme (LSX) in a global climate model: the response to doubling stomatal resistance. *Global and Planetary Change* 10, 129-161.
- Poorter H. (1993) Interspecific variation in the growth response of plants to an elevated ambient CO₂ concentration. *Vegetatio* 104/105, 77-97.
- Poorter H., Roumet C., and Campbell B. D. (1996) Interspecific variation in the growth response of plants to elevated CO₂: a search for functional types. In *Carbon dioxide, Populations, and Communities* (eds. C. Körner and F. A. Bazzaz), pp. 375-412. Academic Press, San Diego.
- Potosnak M. J., Wofsy S. C., Denning A. S., Conway T. J., Munger J. W., and Barnes D. H. (1999) Influence of biotic exchange and combustion sources on atmospheric CO₂ concentrations in New England from observations at a forest flux tower. *Journal of Geophysical Research* 104, 9561-9569.
- Potter C. S. (1999) Terrestrial biomass and the effects of deforestation on the global carbon cycle: results from a model of primary production using satellite observations. *BioScience* 49, 769-778.
- Potter C. S., Davidson E. A., Klooster S., Nepstad D. C., De Negreiros G. H., and Brooks V. (1998) Regional application of an ecosystem production model for studies of biogeochemistry in Brazilian Amazonia. *Global Change Biology* 4, 315-333.
- Potter C. S. and Klooster S. A. (1998) Interannual variability in soil trace gas (CO₂, N₂O, NO) fluxes and analysis of controllers on regional to global scales. *Global Biogeochemical Cycles* 12, 621-635.
- Potter C. S. and Klooster S. A. (1999) Dynamic global vegetation modelling for prediction of plant functional types and biogenic trace gas fluxes. *Global Ecology and Biogeography*

- 8, 473-488.
- Potter C. S., Randerson J. T., Field C. B., Matson P. A., Vitousek P. M., Mooney H. A., and Klooster S. A. (1993) Terrestrial ecosystem production: a process model based on global satellite and surface data. *Global Biogeochemical Cycles* 7, 811-841.
- Potter C. S., Klooster S., and Brooks V. (1999) Interannual variability in terrestrial net primary production: exploration of trends and controls on regional to global scales. *Ecosystems* 2, 36-48.
- Prentice I. C., Cramer W., Harrison S. P., Leemans R., Monserud R. A., and Solomon M. (1992) A global biome model based on plant physiology and dominance, soil properties and climate. *Journal of Biogeography* 19, 117-134.
- Prince S. D. and Goward S. N. (1995) Global primary production: a remote sensing approach. *Journal of Biogeography* 22, 815-835.
- Raich J. W., Rastetter E. B., Melillo J. M., Kicklighter D. W., Grace A. L., Moore III B., and Vörösmarty C. J. (1991) Potential net primary productivity in South America: application of a global model. *Ecological Applications* 1, 399-429.
- Raich J. W. and Schlesinger W. H. (1992) The global carbon dioxide flux in soil respiration and its relationship to vegetation and climate. *Tellus* 44B, 81-99.
- Ramankutty N. and Foley J. A. (1999) Estimating historical changes in global land cover: croplands from 1700 to 1992. *Global Biogeochemical Cycles* 13, 997-1027.
- Rastetter E. B., Ryan M. G., Shaver G. R., Melillo J. M., Nadelhoffer K. J., Hobbie J. E., and Aber J. D. (1991) A general biogeochemical model describing the responses of the C and N cycles in terrestrial ecosystems to changes in CO₂, climate, and N deposition. *Tree Physiology* 9, 101-126.
- Rastetter E. B. and Sgaver G. R. (1992) A model of multiple-element limitation for acclimating vegetation. *Ecology* 73, 1157-1174.
- Rawat Y. S. and Singh J. S. (1988) Structure and function of oak forests in Central Himalaya. I. Dry matter dynamics. *Annals of Botany* 62, 397-411.
- Rayner P. J. and Law R. M. (1999) The interannual variability of the global carbon cycle. *Tellus* 51B, 210-212.
- Rayner P. J., Law R. M., and Dargaville R. (1999) The relationship between tropical CO₂ fluxes and the El Niño-Southern Oscillation. *Geophysical Research Letters* 26, 493-496.
- Reich P. B., Walters M. B., and Ellsworth D. S. (1992) Leaf life-span in relation to leaf, plant, and stand characteristics among diverse ecosystems. *Ecological Monographs* 62, 365-392.
- Reich P. B., Walters M. B., Ellsworth D. S., Vose J. M., Volin J. C., Gresham C., and Bowman W. D. (1998) Relationships of leaf dark respiration to leaf nitrogen, specific leaf area and leaf life-span: a test across biomes and functional groups. *Oecologia* 114,

- Revelle R. and Suess H. E. (1957) Carbon dioxide exchange between atmosphere and ocean and the question of an increase of atmospheric CO₂ during the past decades. *Tellus* **9**, 18-27.
- Reynolds J. F., Kemp P. R., Acock B., Chen J.-L., and Moorhead D. L. (1996) Progress, limitations, and challenges in modeling the effects of elevated CO₂ on plants and ecosystem. In *Carbon Dioxide and Terrestrial Ecosystems* (eds. G. W. Koch and H. A. Mooney), pp. 347-380. Academic Press, San Diego.
- Robock A. and Mao J. (1995) The volcanic signal in surface temperature observations. *Journal of Climate* **8**, 1086-1103.
- Ropelewski C. F. and Halpert M. S. (1987) Global and regional precipitation patterns associated with the El Niño/Southern Oscillation. *Monthly Weather Review* **115**, 1606-1626.
- Ruimy A., Jarvis P. G., Baldocchi D. D., and Saugier B. (1995) CO₂ fluxes over plant canopies and solar radiation: a review. *Advances in Ecological Research* **26**, 1-68.
- Ruimy A., Saugier B., and Dedieu G. (1994) Methodology for the estimation of terrestrial net primary production from remotely sensed data. *Journal of Geophysical Research* **99**, 5263-5283.
- Ruimy A., Dedieu G., and Saugier B. (1996a) TURC: A diagnostic model of continental gross primary productivity and net primary productivity. *Global Biogeochemical Cycles* **10**, 269-285.
- Ruimy A., Kergoat L., Field C. B., and Saugier B. (1996b) The use of CO₂ flux measurements in models of the global terrestrial carbon budget. *Global Change Biology* **2**, 287-296.
- Ruimy A., Kergoat L., Bondeau A., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): analysis of differences in light absorption and light-use efficiency. *Global Change Biology* **5** (Suppl.1), 56-64.
- Running S. W. and Coughlan J. C. (1988) A general model of forest ecosystem process for regional applications I. hydrologic balance, canopy gas exchange and primary production processes. *Ecological Modelling* **42**, 125-154.
- Running S. W. and Nemani R. R. (1988) Relating seasonal patterns of the AVHRR vegetation index to simulated photosynthesis and transpiration of forests in different climates. *Remote Sensing of Environment* **24**, 347-367.
- Running S. W. and Hunt E. R. J. (1993) Generalization of a forest ecosystem process model for other biomes, BIOME-BGC, and an application for global-scale models. In *Scaling Physiological Processes* (eds. J. R. Ehleringer and C. B. Field), pp. 141-158. Academic Press, San Diego.

- Running S. W., Baldocchi D. D., Turner D. P., Gower S. T., Bakwin P. S., and Hibbard K. A. (1999) A global terrestrial monitoring network integrating tower fluxes, flask sampling, ecosystem modeling and EOS satellite data. *Remote Sensing of Environment* **99**, 108-127.
- Runyon J., Waring R. H., Goward S. N., and Welles J. M. (1994) Environmental limits on net primary production and light-use efficiency across the oregon transect. *Ecological Applications* **4**, 226-237.
- Russel G. L., Miller J. R., and Rind D. (1995) A coupled atmosphere-ocean model for transient climate change studies. *Atmosphere-Ocean* **33**, 683-730.
- Ryan M. G. (1991) Effects of climate change on plant respiration. *Ecological Applications* **1**, 157-167.
- Ryan M. G. (1995) Foliar maintenance respiration of subalpine and boreal trees and shrubs in relation to nitrogen content. *Plant, Cell and Environment* **18**, 765-772.
- Saeki T. (1960) Interrelationships between leaf amount, light distribution and total photosynthesis in a community. *Botanical Magazine* **73**, 55-63.
- Sage R. F., Wedin D. A., and Li M. (1999) The biogeography of C₄ photosynthesis: patterns and controlling factors. In *C₄ Plant Biology* (eds. R. F. Sage and R. K. Monson), pp. 313-373. Academic Press, San Diego.
- Sarmiento J. L. (1993) Atmospheric CO₂ stalled. *Nature* **365**, 697-698.
- Schimel D. S., Braswell B. H., Holland E. A., McKeown R., Ojima D. S., Painter T. H., Parton W. J., and Townsend A. R. (1994) Climatic, edaphic, and biotic controls over storage and turnover of carbon in soils. *Global Biogeochemical Cycles* **8**, 279-293.
- Schimel D. S., VEMAP participants, and Braswell B. H. (1997) Continental scale variability in ecosystem processes: models, data, and the role of disturbance. *Ecological Monographs* **67**, 251-271.
- Schindler D. W. (1999) The mysterious missing sink. *Nature* **398**, 105-107.
- Schlesinger M. E. and Mitchell J. F. B. (1987) Climate model simulations of the equilibrium climatic response to increased carbon dioxide. *Reviews of Geophysics* **25**, 760-798.
- Schlesinger W. H. (1997) *Biogeochemistry: An Analysis of Global Change*. Academic Press, San Diego, 588 pp.
- Schloss A. L., Kicklighter D. W., Kaduk J., Wittenberg U., and intercomparison participants. (1999) Comparing global NPP models of terrestrial net primary productivity (NPP): comparison of NPP to climate and the Normalized Difference Vegetation Index (NDVI). *Global Change Biology* **5**(Suppl.1), 25-34.
- Schulze E.-D., Kelliher F. M., Körner C., Lloyd J., and Leuning R. (1994) Relationships among maximum stomatal conductance, ecosystem, carbon assimilation rate, and plant nitrogen nutrition: a global ecology scaling exercise. *Annual Review of Ecology and*

Systematics **25**, 629-660.

- Schulze E.-D., Schulze W., Kelliher F. M., Vygodskaya N. N., Ziegler W., Kobak K. I., Koch H., Arneth A., Kusnetsova W. A., Sogatchev A., Issajev A., Bauer G., and Hollinger D. Y. (1995) Aboveground biomass and nitrogen nutrition in a chronosequence of pristine Dahurian *Larix* stands in eastern Siberia. *Canadian Journal of Forest Research* **25**, 943-960.
- Schulze E.-D., Lloyd J., Kelliher F. M., Wirth C., Rebmann C., Luhker B., Mund M., Knohl A., Milyukova I. M., Schulze W., Ziegler W., Varlagin A. B., Sogachev A. F., Valentini R., Dore S., Grigoriev S., Kolle O., Panfyorov M. I., Tchebakova N., and Vygodskaya N. N. (1999) Productivity of forests in the Eurosiberian boreal region and their potential to act as a carbon sink - a synthesis. *Global Change Biology* **5**, 703-722.
- Scurlock J. M. O., Cramer W., Olson R. J., Parton W. J., and Prince S. D. (1999) Terrestrial NPP: toward a consistent data set for global model evaluation. *Ecological Applications* **9**, 913-919.
- Sellers P. J., Meeson B. W., Hall F. G., Asrar G., Murphy R. E., Schiffer R. A., Bretherton F. P., Dickinson R. E., Ellingson R. G., Field C. B., Huemmrich K. F., Justice C. O., Melack J. M., Roulet N. T., Schimel D. S., and Try P. D. (1995) Remote sensing of the land surface for studies of global change: models - algorithms - experiments. *Remote Sensing of Environment* **51**, 3-26.
- Sellers P. J., Randall D. A., Collatz G. J., Berry J. A., Field C. B., Dazlich D. A., Zhang C., Collelo G. D., and Bounoua L. (1996) A revised land surface parameterization (SiB2) for atmospheric GCMs. part I: model formulation. *Journal of Climate* **9**, 676-705.
- Sellers P. J., Dickinson R. E., Randall D. A., Betts A. K., Hall F. G., Berry J. A., Collatz G. J., Denning A. S., Mooney H. A., Nobre C. A., Sato N., Field C. B., and Henderson-Sellers A. (1997) Modelling the exchanges of energy, water, and carbon between continents and the atmosphere. *Science* **275**, 502-509.
- Shaver G. R. and Chapin F. S. I. (1980) Response to fertilization by various plant growth forms in an Alaskan tundra: nutrient accumulation and growth. *Ecology* **61**, 662-675.
- Shaver G. R. and Chapin F. S. I. (1986) Effect of fertilizer on production and biomass of tussock tundra, Alaska, U.S.A. *Arctic and Alpine Research* **18**, 261-268.
- Shaver G. R. and Chapin F. S. I. (1991) Production:biomass relationships and element cycling in contrasting arctic vegetation types. *Ecological Monographs* **61**, 1-31.
- Shinozaki K. and Kira T. (1961) The C-D rule, its theory and practical uses. *Journal of Biology, Osaka City University* **12**, 69-82.
- Sims P. L. and Coupland R. T. (1979) Natural temperate grasslands: producers. In *Grassland Ecosystems of the World: Analysis of Grasslands and Their Use*, Vol. 18 (ed. R. T. Coupland), pp. 49-72. Cambridge University Press, Cambridge.

- Sims D. A., Seemann J. R., and Luo Y. (1998) The significance of differences in the mechanisms of photosynthetic acclimation to light, nitrogen and CO₂ for return on investment in leaves. *Functional Ecology* **12**, 185-194.
- Singh L. and Singh J. S. (1991) Species structure, dry matter dynamics and carbon flux of a dry tropical forest in India. *Annals of Botany* **68**, 263-273.
- Starr G., Oberbauer S. F., and Pop E. W. (2000) Effects of lengthened growing season and soil warming on the phenology and physiology of *Polygonum bistorta*. *Global Change Biology* **6**, 357-369.
- Suzuki M. (1992) Theory of forest evapotranspiration. In *Forest Hydrology* (ed. Y. Tsukamoto), pp. 54-78. Bunn-ei-do, Tokyo. (in Japanese)
- Taguchi S. (1996) A three-dimensional model of atmospheric CO₂ transport based on analyzed winds: model description and simulated results for TRANSCOM. *Journal of Geophysical Research* **101**, 15099-15109.
- Tamiya H. (1951) Some theoretical notes on the kinetics of algal growth. *Botanical Magazine* **64**, 167-173.
- Tans P. P. (1998) Oxygen isotopic equilibrium between carbon dioxide and water in soils. *Tellus* **50B**, 163-178.
- Teeri J. A. and Stowe L. G. (1976) Climatic patterns and the distribution of C₄ grasses in North America. *Oecologia* **23**, 1-12.
- Tenhunen J. D., Lange O. L., Gebel J., Beyschlag W., and Weber J. A. (1984) Changes in photosynthetic capacity, carboxylation efficiency, and CO₂ compensation point associated with midday stomatal closure and midday depression of net CO₂ exchange of leaves of *Quercus suber*. *Planta* **162**, 193-203.
- Terashima I. and Hikosaka K. (1995) Comparative ecophysiology of leaf and canopy photosynthesis. *Plant, Cell and Environment* **18**, 1111-1128.
- Thomas R. B. and Strain B. R. (1991) Root restriction as a factor in photosynthetic acclimation of cotton seedlings grown in elevated carbon dioxide. *Plant Physiology* **96**, 627-634.
- Thornley J. H. M. (1991) A model of leaf tissue growth, acclimation and senescence. *Annals of Botany* **67**, 219-228.
- Thornley J. H. M., Fowler D., and Cannell M. G. R. (1991) Terrestrial carbon storage resulting from CO₂ and nitrogen fertilization in temperate grasslands. *Plant, Cell and Environment* **14**, 1007-1011.
- Tian H., Melillo J. M., Kicklighter D. W., McGuire A. D., Helfrich J. V. K. I., Moore B. I., and Vörösmarty C. J. (1998) Effect of interannual climate variability on carbon storage in Amazonian ecosystems. *Nature* **396**, 664-667.
- Tian H., Melillo J. M., Kicklighter D. W., McGuire A. D., and Helfrich J. (1999) The sensitivity of terrestrial carbon storage to historical climate variability and atmospheric

- CO₂ in the United States. *Tellus* **51B**, 414-452.
- Tiktak A., Bredemeier M., and van Heerden K. (1995) The Soling dataset: site characteristics, monitoring data and deposition scenarios. *Ecological Modelling* **83**, 17-34.
- Tiktak A. and van Grinsven M. J. M. (1995) Review of sixteen forest-soil-atmosphere models. *Ecological Modelling* **83**, 35-53.
- Tokioka T., Noda A., Kitoh A., Nokaidou Y., Nakagawa S., Motoi T., Yukimoto S., and Takara K. (1995) A transient CO₂ experiment with the MRI CGCM -quick report-. *Journal of Meteorological Society of Japan* **73**, 817-826.
- Trolier M., White J. W. C., Tans P. P., Masarie K. A., and Gemery P. A. (1996) Monitoring the isotopic composition of atmospheric CO₂: measurements from the NOAA Global Air Sampling Network. *Journal of Geophysical Research* **101**, 25897-25916.
- Uchijima Z. and Seino H. (1985) Agroclimatic evaluation of net primary productivity of natural vegetations (1) Chikugo model for evaluating net primary productivity. *Journal Agricultural Meteorology* **40**, 353-352.
- Valentine H. T. (1988) A carbon-balance model of stand growth: a derivation employing pipe-model theory and the self-thinning rule. *Annals of Botany* **62**, 389-396.
- Valentini R., Gamon J. A., and Field C. B. (1995) Ecosystem gas exchange in a California grassland: seasonal patterns and implications for scaling. *Ecology* **76**, 1940-1952.
- Van Oosten J.-J. and Besford R. (1996) Acclimation of photosynthesis to elevated CO₂ through feedback regulation of gene expression: climate of opinion. *Photosynthesis Research* **48**, 353-365.
- Van Oosten J.-J., Wilkins D., and Besford R. T. (1994) Regulation of the expression of photosynthetic nuclear genes by CO₂ is mimicked by regulation by carbohydrates: a mechanism for the acclimation of photosynthesis to high CO₂? *Plant, Cell and Environment* **17**, 913-923.
- Vitousek P. M. (1994) Beyond global warming: ecology and global change. *Ecology* **75**, 1861-1876.
- Vitousek P. M. and Howarth R. W. (1991) Nitrogen limitation on land and in the sea: How can it occur? *Biogeochemistry* **13**, 87-115.
- Walker B. and Steffen W. (1996) Global Change and Terrestrial Ecosystems, Cambridge University Press. Cambridge. 619 pp.
- Warnant P., François L., Strivay D., and Gérard J.-C. (1994) CARAIB: a global model of terrestrial biological productivity. *Global Biogeochemical Cycles* **8**, 255-270.
- World Data Center for Greenhouse Gases (WDCGG). (1998) WMO WDCGG Data Report (WDCGG No.17). Japan Meteorological Agency.
- Webb R. S., Rosenzweig C. E., and Levine E. R. (1993) Specifying land surface characteristics in general circulation models: soil profile data set and derived water-

- holding capacities. *Global Biogeochemical Cycles* **7**, 97-108.
- White M. A., Thronton P. E., and Running S. W. (1997) A continental phenology model for monitoring vegetation responses to interannual climatic variability. *Global Biogeochemical Cycles* **11**, 217-234.
- Whittaker R. H. (1975) *Communities and Ecosystems*. Macmillan, New York, 363 pp.
- Whittaker R. H. and Likens G. E. (1973) Primary production: the biosphere and man. *Human Ecology* **1**, 357-369.
- Whittaker R. H., Bormann F. H., Likens G. E., and Siccamo T. G. (1974) The Hubbard Brook ecosystem study: forest biomass and production. *Ecological Monographs* **44**, 233-252.
- Wirth C., Schulze E.-D., Schulze W., von Stunzner-Karbe D., Miljukova I. M., Sogatchev A., Varlagin A. B., Panvyorov M., Grigoriev S., Kusnetzova W., Siry M., Hardes G., Zimmermann R., and Vrgodskaya N. N. (1999) Above-ground biomass and structure of pristine Siberian scots pine forests as controlled by competition and fire. *Oecologia* **121**, 66-80.
- Witcamp M. (1966) Decomposition of leaf litter in relation to environment, microflora, and microbial respiration. *Ecology* **47**, 194-201.
- Wittenberg U., Heimann M., Esser G., McGuire A. D., and Sauf W. (1998) On the influence of biomass burning on the seasonal CO₂ signal as observed at monitoring stations. *Global Biogeochemical Cycles* **12**, 531-544.
- World Meteorological Organization (WMO). (1999) World climate NEWS.
- Wolfe D. W., Gifford R. M., Hilbert D., and Luo Y. (1998) Integration of photosynthetic acclimation to CO₂ at the whole-plant level. *Global Change Biology* **4**, 879-893.
- Woodward F. I. (1987) *Climate and Plant Distribution*. Cambridge University Press, Cambridge.
- Woodward F. I., Thompson G. B., and McKee I. F. (1991) The effects of elevated concentrations of carbon dioxide on individual plants, populations, communities and ecosystems. *Annals of Botany* **67**, 23-38.
- Woodward F. I., Smith T. M., and Emanuel W. R. (1995) A global land primary productivity and phytogeography model. *Global Biogeochemical Cycles* **9**, 471-490.
- Woodward F. I., Lomas M. R., and Betts R. A. (1998) Vegetation-climate feedbacks in a greenhouse world. *Philosophical Transactions of the Royal Society of London* **B353**, 29-39.
- Wullschleger S. D., Ziska L. H., and Bunce J. A. (1994) Respiratory responses of higher plants to atmospheric CO₂ enrichment. *Physiologia Plantarum* **90**, 221-229.
- Wullschleger S. D., Post W. M., and King A. W. (1995) On the potential for a CO₂ fertilization effect in forests: estimates of the biotic growth factor based on 58 controlled-

- exposure studies. In *Biotic feedbacks in the global climatic system. Will warming feed the warming?* (eds. G. M. Woodwell and F. T. Mackenzie), pp. 85-107. Oxford University Press, New York.
- Xiao X., Kicklighter D. W., Melillo J. M., McGuire A. D., and Stone P. H. (1997) Linking a global terrestrial biogeochemical model and a 2-dimensional climate model: implications for the global carbon budget. *Tellus* **49B**, 18-37.
- Xiao X., Melillo J. M., Kicklighter D. W., McGuire A. D., Prinn R. G., Wang C., Stone P. H., and Sokolov A. (1998) Transient climate change and net ecosystem production of the terrestrial biosphere. *Global Biogeochemical Cycles* **12**, 345-360.
- Yakir D., Berry J. A., Giles L., and Osmond C. B. (1994) Isotopic heterogeneity of water in transpiring leaves: identification of the component that controls the $\delta^{18}\text{O}$ of atmospheric O₂ and CO₂. *Plant, Cell and Environment* **17**, 73-80.
- Yamamoto S., Murayama S., Saigusa N., and Kondo H. (1999) Seasonal and inter-annual variability of CO₂ flux between a temperate and the atmosphere in Japan. *Tellus* **51B**, 402-413.
- Yoda K. (1971) *Forest Ecology*. Tsukiji Shokan, Tokyo, 331 pp. (in Japanese)
- Yokota T. and Hagihara A. (1996) Seasonal change in the temperature coefficient Q₁₀ for respiration of field-grown hinoki cypress (*Chamaecyparis obtusa*) trees. *Journal of Forest Research* **1**, 165-168.
- Yokota T. and Hagihara A. (1998) Changes in the relationship between tree size and aboveground respiration in field-grown hinoki cypress (*Chamaecyparis obtusa*) trees over tree years. *Tree Physiology* **18**, 37-43.
- Yokota T., Ogawa K., and Hagihara A. (1994) Dependence of the aboveground respiration of hinoki cypress (*Chameacyparis obtusa*) on tree size. *Tree Physiology* **14**, 467-479.
- Zhang S., Hennessey T. C., and Heinemann R. A. (1997) Acclimation of loblolly pine (*Pinus taeda*) foliage to light intensity as related to leaf nitrogen availability. *Canadian Journal of Forest Research* **27**, 1032-1040.
- Ziska L. H. and Bunce J. A. (1994) Direct and indirect inhibition of single leaf respiration by elevated CO₂ concentrations: interaction with temperature. *Physiologia Plantarum* **90**, 130-138.
- Ziska L. H., Hogan K. P., Smith A. P., and Drake B. G. (1991) Growth and photosynthetic response of nine tropical species with long-term exposure to elevated carbon dioxide. *Oecologia* **86**, 383-389.
- Zobler L. (1986) A world soil file for global climate modeling. TM-87802. NASA Goddard Institute for Space Studies, Washington, D.C.