

REFERENCES

- Berleth, T., Burri, M., Thoma, G., Bopp, D., Richstein, S., Frigerio, G., Noll, M. and Nüsslein-Volhard, C. (1988). The role of localization of bicoid RNA in organizing the anterior pattern of the Drosophila embryo. EMBO J. **7**, 1749-1756.
- Boswell, R. E. and Mahowald, A. P. (1985). tudor, a gene required for assembly of the germ plasm in Drosophila melanogaster. Cell **43**, 97-104.
- Campos-Ortega, J. A. and Hartenstein, V. (1985). The Embryonic Development of Drosophila melanogaster. Heidelberg: Springer-Verlag.
- Cheney, C. M., Miller, K. G., Lang, T. J. and Shearn, A. (1984). Specific protein modifications are altered in a temperature-sensitive Drosophila developmental mutant. Proc. Natl. Acad. Sci. U.S.A. **81**, 6422-6426.
- Cheney, C. M. and Lang, T. J. (1986). Defects in protein modification precede developmental defects in l(3)c21R^{RW630}, a temperature-sensitive Drosophila developmental mutant. Devl Biol. **114**, 34-41.

Counce, S. J. (1973). The causal analysis of insect embryogenesis. In Developmental Systems: Insects, vol.2 (ed. S. J. Counce and C. H. Waddington), pp.1-156. New York: Academic Press.

Eberl, D. F. and Hilliker, A. J. (1988). Characterization of X-linked recessive lethal mutations affecting embryonic morphogenesis in Drosophila melanogaster. Genetics **118**, 109-120.

Edgar, B. A., Kiehle, C. P. and Schubiger, G. (1986). Cell cycle control by the nucleo-cytoplasmic ratio in early Drosophila development. Cell **44**, 365-372.

Foe, V. E. and Alberts, B. M. (1983). Studies of nuclear and cytoplasmic behaviour during the five mitotic cycles that precede gastrulation in Drosophila embryogenesis. J. Cell Sci. **61**, 31-70.

Freeman, M., Nüsslein-Volhard, C. and Glover, D. M. (1986). The dissociation of nuclear and centrosomal division in gnu, a mutation causing giant nuclei in Drosophila. Cell **46**, 457-468.

Frohnhöfer, H. G., Lehmann, R. and Nüsslein-Volhard, C. (1986). Manipulating the anteroposterior pattern of the Drosophila embryo. J. Embryol. Exp. Morphol. **97 Suppl.** 169-179.

Fyrberg, E. A., Kindle, K. L. and Davidson, N. (1980). The actin genes of Drosophila: a dispersed multigene family. Cell **19**, 365-378.

Fyrberg, E. (1989). Study of contractile and cytoskeletal proteins using Drosophila genetics. Cell Motility and the Cytoskeleton **14**, 118-127.

Gans, M., Audit, C. and Masson, M. (1975). Isolation and characterization of sex-linked female-sterile mutants in Drosophila melanogaster. Genetics **81**, 683-704.

Hatanaka, K. and Okada, M. (1991a). Retarded nuclear migration in Drosophila embryos with aberrant F-actin reorganization caused by maternal mutations and by cytochalasin treatment. Development **111**, 909-920.

Hatanaka, K. and Okada, M. (1991b). Mutations affecting embryonic F-actin reorganization also affect separation of nuclei from their sisters and from the cortex in Drosophila cleavage embryos. Develop. Growth and Differ. **33**, 535-542.

Illmensee, K. and Mahowald, A. P. (1974). Transplantation of posterior polar plasm in Drosophila. Induction of germ cells at the anterior pole of the egg. Proc. Natl. Acad. Sci. U.S.A. **71**, 1016-1020.

Illmensee, K. and Mahowald, A. P. (1976). The autonomous function of germ plasm in a somatic region of the Drosophila egg. Expl Cell Res. **97**, 127-140.

Johnston, D., Driever, W., Berleth, T., Richstein, S. and Nüsslein-Volhard, C. (1989). Multiple steps in the localization of bicoid RNA to the anterior pole of the Drosophila oocyte. Development Suppl. 13-19.

Karr, T. L. and Alberts, B. M. (1986). Organization of the cytoskeleton in early Drosophila embryos. J. Cell Biol. **102**, 1494-1509.

Komitopoulou, K., Gans, M., Margaritis, L. H., Kafatos, F. C. and Masson, M. (1983). Isolation and characterization of sex-linked female-sterile mutants in Drosophila melanogaster with special attention to eggshell mutants. Genetics **105**, 897-920.

Lefevre, G., Jr. (1969). The eccentricity of vermillion deficiencies in Drosophila melanogaster. Genetics **63**, 589-600.

Limbourg, B. and Zalokar, M. (1973). Permeabilization of Drosophila eggs. Devl Biol. **35**, 382-387.

Lindsley, D. L. and Grell, E. H. (1968). Genetic variations of Drosophila melanogaster. Carnegie Inst. Washington, Publ. No. 627.

Lindsley, D. L. and Zimm, G. (1987). The genome of Drosophila melanogaster, part 3: rearrangements (ed. P. W. Hedrick). Drosophila Information Service **65**.

Mahowald, A. P., Allis, C. D. and Caulton, J. H. (1981). Rapid appearance of multivesicular bodies in the cortex of Drosophila eggs at ovulation. Devl Biol. **86**, 505-509.

Mahowald, A. P., Goralski, T. J. and Caulton, J. H. (1983). In vitro activation of Drosophila eggs. Devl Biol. **98**, 437-445.

Maruo, F. and Okada, M. (1984). Functions of a maternal gene are required for the synchronous nuclear division during early development of Drosophila melanogaster. Analyses on a ts-mutant. Zool. Sci. **1**, 405-414.

Merrill, P. T., Sweeton, D. and Wieschaus, E. (1988). Requirements for autosomal gene activity during precellular stages of Drosophila melanogaster. Development **104**, 495-509.

Miller, K. G., Karr, T. L., Kellogg, D. R., Mohr, I. J., Walter, M. and Alberts, B. M. (1985). Studies on the cytoplasmic organization of early Drosophila embryos. In Molecular Biology of Development. Cold Spring Harbor Symposia on Quantitative Biology, vol.50, pp.79-90. New York: Cold Spring Harbor Laboratory.

Mohler, J. D. (1977). Developmental genetics of the Drosophila egg. I. Identification of 59 sex-linked cistrons with maternal effects on embryonic development. Genetics **85**, 259-272.

Niki, Y. and Okada, M. (1981). Isolation and characterization of grandchildless-like mutants in Drosophila melanogaster. Wilhelm Roux's Arch. devl Biol. **190**, 1-10.

Niki, Y. (1984). Developmental analysis of the grandchildless (gs(1)N26) mutation in Drosophila melanogaster: Abnormal cleavage patterns and defects in pole cell formation. Devl Biol. **103**, 182-189.

Nüsslein-Volhard, C. and Wieschaus, E. (1980). Mutations affecting segment number and polarity in Drosophila. Nature **287**, 795-801.

Nüsslein-Volhard, C., Frohnhöfer, H. G. and Lehmann, R. (1987). Determination of anteroposterior polarity in Drosophila. Science **238**, 1675-1681.

Okada, M., Kleinman, I. A. and Schneiderman, H. A. (1974). Restoration of fertility in sterilized Drosophila eggs by transplantation of polar cytoplasm. Devl Biol. **37**, 43-54.

Okada, M. (1982). Loss of the ability to form pole cells in Drosophila embryos with artificially delayed nuclear arrival at the posterior pole. In Embryonic Development Pt. A: Genetic Aspects (ed. M. M. Burger and G. Weber), pp.363-372. New York: Alan R. Liss.

Parks, H. B. (1936). Cleavage patterns in Drosophila and mosaic formation. Annals of the Entomological Society of America, **29**, 350-392.

Raff, J. W. and Glover, D. M. (1989). Centrosomes, and not nuclei, initiate pole cell formation in Drosophila embryos. Cell **57**, 611-619.

Rice, T. B. and Garen, A. (1975). Localized defects of blastoderm formation in maternal effect mutants of Drosophila. Devl Biol. **43**, 277-286.

Savoini, A., Micali, F., Marzari, R., de Cristini, F. and Graziosi, G. (1981). Low variability of the protein species synthesized by Drosophila melanogaster embryos. Wilhelm Roux's Arch. devl Biol. **190**, 161-167.

Sonnenblick, B. P. (1950). The early embryology of Drosophila melanogaster. In Biology of Drosophila (ed. M. Demerec), pp.62-167. New York: John Wiley and Sons.

Stephenson, E. C., Chao, Y.-C. and Fackenthal, J. D. (1988). Molecular analysis of the swallow gene of Drosophila melanogaster. Genes and Development **2**, 1655-1665.

Thierry-Mieg, D. (1976). Study of a temperature-sensitive mutant grandchildless-like in Drosophila melanogaster. J. Microsc. Biol. Cell. **25**, 1-6.

Thierry-Mieg, D. (1982). Paralog, a control mutant in Drosophila melanogaster. Genetics **100**, 209-237.

Tobin, S. L., Zulauf, E., Sánchez, F., Craig, E. A. and McCarthy, B. J. (1980). Multiple actin-related sequences in the Drosophila melanogaster genome. Cell **19**, 121-131.

Van der Meer, J. (1977). Optical clean and permanent whole mount preparations for phase-contrast microscopy of cuticular structures of insect larva. Drosophila Information Service 52, 160.

Warn, R. M. and Magrath, R. (1983). F-actin distribution during the cellularization of the Drosophila embryo visualized with FL-phalloidin. Expl Cell Res. 143, 103-114.

Warn, R. M., Magrath, R. and Webb, S. (1984). Distribution of F-actin during cleavage of the Drosophila syncytial blastoderm. J. Cell Biol. 98, 156-162.

Warn, R. M., Smith, L. and Warn, A. (1985). Three distinct distributions of F-actin occur during the divisions of polar surface caps to produce pole cells in Drosophila embryos. J. Cell Biol. 100, 1010-1015.

Warn, R. M. and Warn, A. (1986). Microtubule arrays present during the syncytial and cellular blastoderm stage of the early Drosophila embryo. Expl Cell Res. 163, 201-210.

Warn, R. M. (1986). The cytoskeleton of the early Drosophila embryo. J. Cell Sci. Suppl. 5, 311-328.

Wharton, R. P. and Struhl, G. (1989). Structure of the Drosophila Bicaudal-D protein and its role in localizing the posterior determinant nanos. Cell **59**, 881-892.

Wieschaus, E. and Sweeton, D. (1988). Requirements for X-linked zygotic gene activity during cellularization of early Drosophila embryos. Development **104**, 483-493.

Wolf, R. (1969). Kinematik und Feinstruktur plasmatischer Faktorenbereiche des Eies von Wachtliella persicariae L. (Diptera). I. Das Verhalten ooplasmatischer Teilsysteme im normalen Ei. Wilhelm Roux's Arch. devl Biol. **162**, 121-160.

Wolf, R. (1978). The cytaster, a colchicine-sensitive migration organelle of cleavage nuclei in an insect egg. Devl Biol. **62**, 464-472.

Zalokar, M., Audit, C. and Erk, I. (1975). Developmental defects of female-sterile mutants of Drosophila melanogaster. Devl Biol. **47**, 419-432.

Zalokar, M. (1976). Autoradiographic study of protein and RNA formation during early development of Drosopila eggs. Devl Biol. **49**, 425-437.

Zalokar, M. and Erk, I. (1976). Division and migration of nuclei during early embryogenesis of Drosophila melanogaster. J. Microsc. Biol. Cell. **25**, 97-106.

Zalokar, M. and Erk, I. (1977). Phase-partition fixation and staining of Drosophila eggs. Stain Technol. **52**, 89-95.

Zhimulev, I. F., Pokholkova, G. V., Bgatov, A. V., Semeshin, V. F. and Belyaeva, E. S. (1981). Fine cytogenetical analysis of the band 10A1-2 and the adjoining regions in the Drosophila melanogaster X chromosome. II. Genetical analysis. Chromosoma **82**, 25-40.