

DA
23/2 (H6)
,999

Dynamic Properties and Phase Transition
Mechanisms in Incommensurate Cs_2MX_4
Studied by ^{133}Cs Solid State NMR

Koh-ichi SUZUKI

A dissertation submitted to the Doctoral Program
in Chemistry, the University of Tsukuba
in partial fulfillment of the requirements for the
degree of Doctor of Philosophy (Science)

寄贈
鈴木浩一氏

January, 2000

00301836

Contents

1. General Introduction	1
2 The Group of Cs_2MX_4-type Crystals with Incommensurate (IC) Phases: Cs_2CdBr_4, Cs_2HgBr_4, Cs_2CdI_4 and Cs_2HgCl_4 -Dynamic Properties at Normal-Incommensurate Phase Transitions and in IC Phases-	
2.1 Introduction	7
2.2 Theory	9
2.2.1 NMR spin-lattice relaxation time T_1	9
• Contribution from Normal Lattice Vibrations	10
• Relaxation Caused by Critical Fluctuation	12
• Relaxation Caused by Incommensurate Fluctuation	16
2.2.2 ^{133}Cs NMR spectrum	24
• Quadrupolar Perturbed NMR Spectrum	24
• ^{133}Cs NMR Lineshape in the Incommensurate phase	27
2.3 Cesium tetrabromocadmate Cs_2CdBr_4	31
2.3.1 Introduction	31
2.3.2 Experimental	33
2.3.3 Results	34
2.3.4 Discussion	40
2.4 Cesium tetrabromomercurate Cs_2HgBr_4	44
2.4.1 Introduction	44
2.4.2 Experimental	45
2.4.3 Results	46
2.4.4 Discussion	52
2.5 Cesium tetraiodocadmate Cs_2CdI_4	56
2.5.1 Introduction	56
2.5.2 Experimental	56

2.5.3 Results	57
2.5.4 Discussion	65
2.6 Cesium tetrachloromercurate Cs_2HgCl_4	71
2.6.1 Introduction	71
2.6.2 Experimental	72
2.6.3 Results	73
2.6.4 Discussion	78
2.7 Interionic interaction and transition mechanism	86
2.8 Conclusion	87
 3. Cs_2MX_4 Groups Forming no IC Phase -Temperature Dependences of Covalency between Ions in β - K_2SO_4 -type Cs_2ZnX_4 ($X = Cl, Br$ and I) and Sr_2GeS_4 -type Cs_2MI_4 ($M = Cd$ and Hg) Crystals-	
3.1 Introduction	93
3.2 Theory	97
3.2.1 ^{133}Cs NMR spectra	97
3.2.1(a) Frequency shift caused by second order perturbation of nuclear quadrupole interaction	97
3.2.1(b) Relations between chemical shift and the total degree of covalency in ionic bonds	98
3.2.2 Thermal expansion of crystal lattice	103
3.3 Cesium tetrachlorozincate Cs_2ZnCl_4	106
3.3.1 Introduction	106
3.3.2 Experimental	106
3.3.3 Result	107
3.4 Cesium tetrabromozincate Cs_2ZnBr_4	113
3.4.1 Introduction	113
3.4.2 Experimental	113
3.4.3 Result	114
3.5 Cesium tetraiodozincate Cs_2ZnI_4	119

3.5.1 Introduction	119
3.5.2 Experimental	120
3.5.3 Result	121
3.6 Modification-B of Cesium tetraiodocadmate Cs_2CdI_4	126
3.6.1 Introduction	126
3.6.2 Experimental	126
3.6.3 Result	127
3.7 Modification-B of cesium tetraiodomercurate Cs_2HgI_4	131
3.7.1 Introduction	131
3.7.2 Experimental	131
3.7.3 Result	133
3.8 Discussion	140
3.8.1 Thermal expansion	140
3.8.2 ^{133}Cs NMR relaxation caused by lattice vibrations and temperature dependence of covalency	141
3.8.3 The total degree of covalency and chemical shifts of ^{133}Cs NMR lines	143
3.9 Conclusion	150
4. Comparison of Cs_2MX_4 Crystals of the $\beta\text{-K}_2\text{SO}_4$-type Structure with and without the IC Phase -Microscopic Mechanisms Inducing the IC Phase Transition-	
4.1 Introduction	156
4.2 The microscopic mechanism for the one-dimensional modulation in the discrete pseudo-spin system	157
4.3 Experimental Results and Discussion	159
4.4 Conclusion	175
5. Phase Transition and Cation Dynamics in $(\text{CH}_3\text{ND}_3)_5\text{Bi}_2\text{Cl}_{11}$ Crystal as Studied by ^1H and ^2H NMR	
5. 1 Introduction	177

5.2	Experimental	178
5.3	Result and Discussion	179
5.3.1	DSC and ^2H NMR spectra measurements	179
5.3.2	^1H NMR T_1 measurements	181
5.4	Conclusion	184

Acknowledgments