

# **Studies on Structure and Function of Clathrin Adaptor Proteins**

**Yoko SHIBA**

**A dissertation submitted to the Doctoral Program  
in Biological Sciences, the University of Tsukuba  
in partial fulfillment of the requirements  
for the degree of Doctor of Philosophy in Science**



**February 2004**

04011098

# TABLE OF CONTENTS

ABBREVIATIONS .....	3
ABSTRACT.....	4
GENERAL INTRODUCTION .....	6
FIGURES .....	12
<b>CHAPTER I: <math>\gamma</math>1-ADAPTIN INTERACTS DIRECTLY WITH RABAPTIN-5 THROUGH ITS EAR</b>	
<b>DOMAIN.....</b>	<b>17</b>
ABSTRACT.....	18
INTRODUCTION .....	19
MATERIALS AND METHODS.....	21
RESULTS.....	27
DISCUSSION .....	33
FIGURES.....	37
<b>CHAPTER II: STRUCTURAL BASIS FOR THE ACCESSORY PROTEIN RECRUITMENT BY THE</b>	
<b><math>\gamma</math>-ADAPTIN EAR DOMAIN.....</b>	<b>45</b>
ABSTRACT.....	46
INTRODUCTION .....	47
MATERIALS AND METHODS.....	49
RESULTS AND DISCUSSION.....	52
FIGURES.....	56
<b>CHAPTER III: GAT (GGA AND TOM1) DOMAIN RESPONSIBLE FOR UBIQUITIN BINDING</b>	
<b>AND UBIQUITINATION.....</b>	<b>63</b>
ABSTRACT.....	64
INTRODUCTION .....	65
MATERIALS AND METHODS.....	67
RESULTS .....	70
DISCUSSION .....	75
FIGURES .....	81
<b>GENERAL DISCUSSION.....</b>	<b>90</b>
FIGURES.....	93
<b>REFERENCES.....</b>	<b>95</b>

## ABBREVIATIONS

ACLL	<u>a</u> cidic amino acid <u>c</u> luster-dileucine ( <u>LL</u> )
AP	<u>a</u> daptor <u>p</u> rotein
ARF	<u>A</u> DP- <u>r</u> ibosylation <u>f</u> actor
BFA	<u>b</u> refeldin <u>A</u>
CUE	<u>c</u> oupling of <u>u</u> biquitin to <u>e</u> ndoplasmic reticulum <u>d</u> egradation
EEA1	<u>e</u> arly <u>e</u> ndosomal <u>a</u> utoantigen 1
ER	<u>e</u> ndoplasmic <u>r</u> eticulum
GAE	$\gamma$ - <u>a</u> daptin <u>e</u> ar homology
GAT	<u>G</u> GA and <u>T</u> om1
GGA	<u>G</u> olgi-localizing, $\gamma$ - <u>a</u> daptin ear domain homology, <u>A</u> RF-binding protein
GST	<u>g</u> lutathione <u>S</u> - <u>t</u> ransferase
HA	<u>h</u> emagglutinin
MVB	<u>m</u> ulti <u>v</u> esicular <u>b</u> ody
MPR	<u>m</u> annose-6- <u>p</u> hosphate <u>r</u> eceptor
NRK	<u>n</u> ormal <u>r</u> at <u>k</u> idney
NZF	<u>N</u> pl4 <u>z</u> inc <u>f</u> inger
NSF	<u>N</u> -ethylmaleimide- <u>s</u> ensitive <u>f</u> actor
PBS	<u>p</u> hosphate- <u>b</u> uffered <u>s</u> aline
PCR	<u>p</u> olymerase <u>c</u> hain <u>r</u> eaction
SNARE	<u>s</u> oluble <u>N</u> -ethylmaleimide-sensitive factor <u>a</u> ttachment protein <u>r</u> eceptor
TGN	<i>trans</i> - <u>G</u> olgi <u>n</u> etwork
Tom1	<u>t</u> arget of <u>M</u> yb 1
UBA	<u>u</u> biquitin- <u>a</u> ssociated
UEV	<u>u</u> biquitin <u>E</u> 2 <u>v</u> ariant
UIM	<u>u</u> biquitin- <u>i</u> nteracting <u>m</u> otif
VHS	<u>Y</u> ps27p/ <u>H</u> rs/ <u>S</u> tam