

References

Abd-el Baki GK, Siefritz F, Man HM, Weiner H, Kaldenhoff R, Kaiser WM

(2000) Nitrate reductase in *Zea mays* L. under salinity. *Plant Cell Environ.* **23**: 515–521

Allen AK (1979) A lectin from the exudates of the fruit of the vegetable marrow

(*Cucubita pepo*) that has aspecificity for 1,4-linked *N*-acetylglucosamine oligosaccharaide. *Biochem. J.* **183**: 133-137

Asahina M, Iwai H, Kikuchi A, Yamaguchi S, Kamiya Y, Kamada H, Satoh S

(2002) Gibberellin produced in the cotyledon is required for cell division during tissue-reunion in the cortex of cut cucumber and tomato hypocotyls. *Plant Physiol.* **129**: 201–210

Bangerth F (1994) Response of cytokinin concentration in the xylem exudate of bean

(*Phaseolus vulgaris* L.) plants to decapitation and auxin treatment, and relationship to apical dominance. *Planta* **194**: 439–442

Beanziger JU, Fiete D (1979) Structural determinations of *Richinus communis*

agglutinin and toxin specificity for oligosaccharides. *J. Biol. Chem.* **254**: 9795-9799

Bergey DR, Howe, GA, Ryan CA (1996) Polypeptide signaling for plant defensive

genes exhibits analogies to defense signaling in animals. *Proc. Nat. Acad. Sci. USA* **93**: 12053–12058

Bernier G (1988) The control of floral evocation and morphogenesis. *Annu. Rev. Plant Physiol. Plant. Mol. Biol.* **39**: 175–219

Beveridge CA, Murfet IC, Kerhoas L, Sotta B, Miginiac E, Rameau C (1997) The shoot controls zeatin riboside export from pea roots - evidence from the branching mutant *rms4*. *Plant J.* **11**: 339–345

Biles CL, Abeles FB (1991) Xylem sap proteins. *Plant Physiol.* **96**: 597–601

Campbell JA, Loveys BR, Lee VWK, Strother S (1995) Growth-inhibiting properties of xylem exudate from *Vitis vinifera*. *Aust. J. Plant Physiol.* **22**: 7–13

Corlett JE, Wilkinson S, Thompson AJ (1998) Diurnal control of the drought-inducible putative histone H1 gene in tomato. *J. Exp. Bot.* **49**: 945–952

Diaz CL, Spaink HP, Kijne JW (2000) Heterologous rhizobial lipochitin oligosaccharides and chitin oligomers induce cortical cell divisions in red clover roots, transformed with the pea lectin gene. *Mol. Plant Microbe Interact.*, **13**: 268–276

- Dorland L, van Halbeek H, Vliegenthart JFG (1981)** Primary structure of the carbohydrate chain of soybean agglutinin. *J. Biol. Chem.*, **256**: 7708-7711
- Else MA, Hall KC, Arnold GM, Davies WJ, Jackson MB (1995)** Export of abscisic acid, 1-aminocyclopropane-1-carboxylic acid phosphate, and nitrate from roots to shoots of flooded tomato plants. *Plant Physiol.* **107**: 377-384
- Enyedi AJ, Yalpani N, Silverman P, Raskin I (1992)** Localization, conjugation, and function of salicylic acid in tobacco during the hypersensitive reaction to tobacco mosaic virus. *Proc. Nat. Acad. Sci. USA* **89**:2480-2484
- Gershoni JM, Palade GE (1982)** Electrophoretic transfer of proteins from sodium dodecyl sulfate-polyacrylamide gels to a positively charged membrane filter. *Anal. Biochem.* **124**: 396-405
- Golecki B, Schulz A, Thompson GA (1999)** Translocation of structural P protein in the phloem. *Plant Cell* **11**: 127-140
- Gray JS, Montgomery R (1996)** The glycans of soybean peroxidase. *Glycobiol.* **6**: 23-32

- Gubler F, Kalla R, Roberts JK, Jacobsen JV (1995)** Gibberellin-regulated expression of a myb gene in barley aleurone cells: evidence for Myb transactivation of a high-pI alpha-amylase gene promoter. *Plant Cell* **7**:1879-1891
- Hamburger D, Rezzonico E, Petetot JM, Somerville C, Poirier Y (2002)** Identification and Characterization of the *Arabidopsis PHO1* Gene Involved in Phosphate Loading to the Xylem. *Plant Cell* **14**: 889-902
- Harmer SL, Hogenesch JB, Straume M, Chang H, Han B, Zhu T, Wang X, Kreps JA, Kay SA (2000)** Orchestrated transcription of key pathway in *Arabidopsis* by the circadian clock. *Science* **290**: 2110-2113
- Hengel AJV, Tadesse Z, Immerzeel P, Schols H, Kammen AV (2001)** *N*-acetylglicosamine and glucosamine-containing arabinogalactan proteins control somatic embryogenesis. *Plant Physiol.* **125**: 1880-1890
- Iwai H, Ishii T, Satoh S (2001)** Absence of arabinan in the side chains of the pectic polysaccharides strongly associated with cell walls of *Nicotiana plumbaginifolia* non-organogenic callus with loosely attached constituent cells. *Planta* **213**: 9007-915
- Jefferson RA, Kavanagh TA, Bevan MW (1987)** GUS fusion : β -glucuronidase as a

sensitive and versatile gene fusion marker in higher plants. *EMBO J.* **6**: 3901-3907

Jouve L, Gaspar T, Kevers C, Greppin H, Agosti RD (1999) Involvement of indole-3-acetic acid in the circadian growth of the first internode of *Arabidopsis*. *Planta* **209**; 136-142

Kamada H, Tachikawa Y, Saitou T, Harada H (1995) Effects of light and growth-regulators on adventitious bud formation in horseradish (*Armoracia-rusticana*). *Plant Cell Rep.* **14**: 611-615

Kato C, Kato H, Asami T, Yoshida S, Noda H, Kamada H, Satoh S (2002)
Involvement of xylem sap zeatin-O-glucoside in cucumber shoot greening. *Plant Physiol. Biochem.* **40**: 949-954

Kinet JM, Lejeune P, Bernier G (1993) Shoot-root interactions during floral transition: a possible role for cytokinins. *Environ. Exp. Bot.* **33**: 459-469

Kolek J, Kozinka V (1991) Physiology of the plant root system. In "Development in Plant and Soil Sciences". Vol. 46. Edited by Kolek, J. and Kozinka, V. pp. 130-202. Kluwer Academic Press, London.

Kuroha, T, Kato H, Asami T, Yoshida S, Kamada H, Satoh S (2002) A *trans*-zeatin

riboside in root xylem sap negatively regulates adventitious root formation on cucumber hypocotyls. *J. Exp. Bot.* **53**: 2193-2200

Laemmli UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**: 680–685

Lejay L, Tillard P, Lepetit M, Olive FD, Filleur S, Daniel-Vedele F, Gojon A (1999) Molecular and functional regulation of two NO₃⁻ uptake systems by N- and C- status of *Arabidopsis* plants. *Plant J.* **18**: 509-519

Liang J, Zhang J, Wong MH (1997) How do roots control xylem sap ABA concentration in response to soil drying? *Plant Cell Physiol.* **38**: 10–16

Liu Y, Mitsukawa N, Oosumi T, Whittier RF (1995) Efficient isolation and mapping of *Arabidopsis thaliana* T-DNA insert junctions by thermal asymmetric interlaced PCR. *Plant J.* **8**: 457-463

Lord JM, Roberts LM, Robertus JD (1994) Ricin: structures, mode of action, and some current applications. *FASEB J.* **8**: 201-208

Makino S, Matsushika A, Kojima M, Yamashino T, Mizuno T (2002) The APRR1/TOC1 quintet implicated in circadian rhythms of *Arabidopsis thaliana*: I.

Characterization with APRR1-overexpressing plants. *Plant Cell Physiol.* **43**: 58-69

Martre P, North GB, Nobel PS (2001) Hydraulic conductance and mercury-sensitive water transport for roots of *Opuntia acanthocarpa* in relation to soil drying and rewetting. *Plant Physiol.* **126**: 352-362

Masuda S, Sakuta C, Satoh S (1999) cDNA cloning of a novel lectin-like xylem sap protein and its root-specific expression in cucumber. *Plant Cell Physiol.* **40**: 1177-1181

Masuda S, Kamada H, Satoh S (2001) Chitinase in cucumber xylem sap. *Biosci. Biotechnol. Biochem.* **65**: 1183-1885

McClung CR (2001) Circadian clock in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **52**: 139-162

Montgomery J, Goldman S, Deikman J, Margossian L, Fischer RL (1993) Identification of an ethylene-responsive region in the promoter of a fruit ripening gene. *Proc. Natl. Acad. Sci. USA* **90**:5939-5943

Motose H, Sugiyama M, Fukuda H (2001) An arabinogalactan protein(s) is a key component of a fraction that mediates local intercellular communication involved

in tracheary element differentiation of zinnia mesophyll cells. *Plant Cell Physiol.* **42**: 129-137

Mouradov A, Cremer F, Coupland G (2002) Control of flowering time: interacting pathways as a basis for diversity. *Plant Cell, Supplement 2002*: 111-130

Murdock LL, Huesing JE, Nielsen SS, Pratt RC, Shade RE (1990) Biological effects of plant lectin on the cowpea weevil. *Phytochem.* **29**: 85-89

Nahalkova J, Asiegbu FO, Daniel G, Harb J, Vookova B, Pribulova B, Gemeiner P (2001) Isolation and immunolocalization of a *Pinus nigra* lectin (PNL) during interaction with the necrotrophs-*Heterobasidion annosum* and *Fusarium avenaceum*. *Physiol. Mol. Plant Pathol.* **59**: 153-163

Naismith JH, Field RA (1996) Structural basis of trimannoside recognition by concanavalin A. *J. Biol. Chem.* **271**: 972-976

Nilsson B, Norden NE, Svenson S (1979) Structural studies on the carbohydrate portion of fetuin. *J. Biol. Chem.* **254**: 4545-4553

Nooden LD, Singh S, Letham DS (1990) Correlation of xylem sap cytokinin levels with monocarpic senescence in soybean. *Plant Physiol.* **93**: 33-39

- Oda A, Sakuta C, Masuda S, Mizoguchi T, Kamada H, Satoh S (2003a)** Possible Involvement of Gibberellins in the Clock-Controlled Expression of XSP30, a Gene Encoding a Xylem Sap Lectin, in Cucumber Roots. *Plant Physiol.* in press.
- Oda A, Sakuta C, Kamada H, Satoh S (2003b)** Xylem Sap Lectin, XSP30, Recognizes GlcNAc Sugar Chains of Glycoproteins in Cucumber Leaf. *Plant Biotechnol.* **20**: 67-74
- Oda, Y, Nakayama K, Abdul-Rahman B, Kinoshita M, Hashimoto O, Hyakawa T, Kakehi K, Tomiya N, Lee YC (2000)** *Crocus sativas* lectin recognizes Man3GlcNAc in *N*-glycan core structure. *J. Biol. Chem.* **275**: 26772-26779
- Okamoto-Nakazato A, Takahashi K, Katoh-Semba R, Katou K (2001)** Distribution of yieldin, a regulatory protein of the cell wall yield threshold, in etiolated cowpea seedlings. *Plant Cell Physiol.* **42**: 952-958
- Peumans WJ, Van Damme EJ (1995)** Lectin as plant defense protein. *Plant Physiol.* **109**: 347-352
- Rhijn P, Fujishige NA, Lim PO, Hirsch AM (2001)** Sugar-binding activity of pea lectin enhances heterologous infection of transgenic alfalfa plants by *Rhizobium leguminosarum* biovar *viciae*. *Plant Physiol.* **126**: 133-144

Piechulla B, Merforth N, Rudolph B (1998) Identification of tomato Lhc promoter regions necessary for circadian expression. *Plant Mol. Biol.* **38**:655-662

Sakuta C, Oda A, Yamakawa S, Satoh S (1998) Root-specific expression of genes for glycine-rich proteins cloned by use of an antiserum against xylem sap proteins of cucumber. *Plant Cell Physiol.* **39**: 1330-1336

Sakuta C, Satoh S (2000) Root-specific gene expression of novel glycine-rich proteins and their systemic delivery to the wall of metaxylem vessels via the xylem sap in cucumber. *Plant Cell Physiol.* **41**: 627-638

Satoh S, Iizuka C, Kikuchi A, Nakamura N, Fujii T (1992) Protein and carbohydrates in xylem sap from squash root. *Plant Cell Physiol.* **33**: 841-847

Satoh S (1996) Inhibition of flowering of cucumber grafted on rooted squash stock. *Physiol. Plant.* **97**: 440-444

Satoh S, Kuroha T, Wakahoi T, Inouye Y (1998) Inhibition of the formation of adventitious roots on cucumber hypocotyls by the fractions and methoxybenzylglutamine from xylem sap of squash root. *J. Plant Res.* **111**: 541-546

- Schurr U, Schulze ED (1995)** The concentration of xylem sap constituents in root exudate, and in sap from intact, transpiring castor bean plants (*Ricinus communis* L.). *Plant Cell Environ.* **18**: 409–420
- Smith MW, Yamaguchi S, Tahar AA, Kamiya Y (1998)** The first step of gibberellin biosynthesis in pumpkin is catalyzed by at least two copalyl-diphosphate synthases encoded by differentially regulated genes. *Plant Physiol.* **118**: 1411–1419
- Smith VA, Knatt CJ, Gaskin P, Reid JB (1992)** The distribution of gibberellins in vegetative tissues of *Pisum sativum* L. *Plant Physiol.* **99**: 368-371
- Soejima H, Sugiyama T, Ishihara K (1992)** Changes in cytokinin activities and mass spectrometric analysis of cytokinins in root exudates of rice plant (*Oryza sativa* L.). *Plant Physiol.* **100**: 1724–1729
- Somers DE (1999)** The physiology and molecular basis of the plant circadian clock. *Plant Physiol.* **121**: 9-19
- Takano J, Noguchi K, Yasumori M, Kobayashi M, Gajdos Z, Miwa K, Hayashi H, Yoneyama T, Fujiwara T (2002)** *Arabidopsis* boron transporter for xylem loading. *Nature* **420**: 337-340

- Tanimoto E** (1994) Interaction of gibberellin A₃ and ancymidol in the growth and cell wall extensibility of dwarf pea roots. *Plant Cell Physiol.* **35**: 1019-1028
- Terzaghi WB, Cashmore AR** (1995) Light-regulated transcription. *Annu. Rev. of Plant Physiol. and Plant Mol. Biol.* **46**:445-474
- Ulmasov T, Hagen G, Guilfoyle TJ** (1999) Dimerization and DNA binding of auxin response factors. *Plant J.* **19**:309-319
- Yamaguchi S, Kamiya Y** (2000) Gibberellin biosynthesis: its regulation by endogenous and environmental signals. *Plant Cell Physiol.* **41**: 251-257
- Yamashita K, Tachibana Y, Kobata A** (1978) The structures of the galactose-containing sugar chains of ovalbumin. *J. Biol. Chem.* **253**: 3862-3869
- Yaxley JR, Ross JJ, Sherriff LJ, Reid J** (2001) Gibberellin biosynthesis, mutation and root development in pea. *Plant Physiol.* **125**: 627-633
- Yegorenkova IV, Konnova SA, Sachuk VN, Ignatov VV** (2001) *Azospirillum brasilense* colonization of wheat roots and the role of lectin-carbohydrate interaction in bacterial adsorption and root-hair deformation. *Plant Soil* **231**: 275-

Zahm P, Hohmeyer C, Geider K (1984) Site specific mutagenesis of the Ti plasmid by transformation of *Agrobacterium tumefaciens* with mutagenized T-DNA fragments cloned in *E. coli* plasmids. *Mol. Gen. Genet.* **194**: 188-194

Zornoza P, Gonzalez M, Serrano S, Carpena O (1996) Inter-varietal differences in xylem exudate composition and growth under contrasting forms of N supply in cucumber. *Plant Soil* **178**: 311–317