

Acknowledgment

The studies described in this dissertation have been carried out under the direction of Professor Akira Sekiguchi at the Department of Chemistry, University of Tsukuba. These works were supported by Research Fellowships of the Japan Society for the Promotion of Science for Young Scientist and 21st century COE (Center of Excellence) program.

The author sincerely wishes to express great thanks to Professor Akira Sekiguchi for his continuing guidance and valuable discussions throughout the course of the studies. The author wishes to thank Dr. Vladimir Ya. Lee for his discussions and collaborations. Grateful acknowledgment is made to Associate Professor Yoshio Kabe, Dr. Masaaki Ichinohe, Dr. Masato Nanjo, Dr. Tsukasa Matsuo, Dr. Masaaki Nakamoto, Dr. Norihisa Fukaya, and Dr. Norio Nakata for their helpful discussions and suggestions. The author is also very grateful to Mr. Nobuyuki Takahashi for his generous instruction in handling basic organosilicon compounds. The author also pays regards to Dr. Takeaki Iwamoto for his valuable advices.

The author wishes to thank Mr. Kazunori Takanashi for his discussions and collaboration in the research of 'heavy' cyclobutadiene dianions. The author also thanks all members of Professor Sekiguchi's group for their providing the exciting environment in research.

Finally, the author would like to thank his parents Mr. Tadayuki Matsuno and Mrs. Yoshiko Matsuno for their kindly continuous encouragements and supports. The author pays his respects Ms. Nobue Matsuura for her remarkable assistances to his mind.

December, 2003

Tadahiro MATSUNO