

Bibliography

- [1] L. Bérard-Bergery, Sur de nouvelles variétés riemanniennes d'Einstein, *Publ. Inst. E. Cartan* **6** (1982), 1–60.
- [2] J. Berndt, Lie group actions on manifolds, Lecture notes of a graduate course given at Sophia University in Tokyo during October 2002, 59 pp.
- [3] C. S. Chen, On the Kinematic Formula of Square of Mean Curvature Vector, *Indiana Univ. Math. J.* **22** (1973), 1163–1169.
- [4] S. S. Chern, On the kinematic formula in the Euclidean space of n dimensions, *Amer. J. Math.* **74** (1952), 227–236.
- [5] S. S. Chern, On the Kinematic Formula in Integral Geometry, *J. Math. Mech.* **16** (1966), 101–118.
- [6] J. Dadok, Polar coordinates induced by actions of compact Lie groups, *Trans. Amer. Math. Soc.* **288** (1985), 125–137.
- [7] H. Federer, Curvature measure, *Trans. Amer. Math. Soc.* **69** (1959), 418–491.
- [8] E. Heintze and C. Olmos, Normal holonomy groups and s -representations, *Indiana Univ. Math. J.* **41** (1992), 869–874.
- [9] S. Helgason, Differential geometry, Lie groups, and symmetric spaces, Academic Press, New York, San Francisco, London, 1978.
- [10] R. Hermann, Variational completeness for compact symmetric spaces, *Proc. Amer. Math. Soc.* **11** (1960), 544–546.
- [11] D. Hirohashi, O. Ikawa and H. Tasaki, Orbits of isotropy groups of compact symmetric spaces, *Tokyo J. Math.* **24** (2001), no. 2, 407–428.

- [12] D. Hirohashi, H. Song, R. Takagi and H. Tasaki, Minimal orbits of the isotropy groups of symmetric spaces of compact type, *Differential Geom. Appl.* **13** (2000), no. 2, 167–177.
- [13] R. Howard, *The Kinematic Formula in Riemannian Homogeneous Spaces*, Mem. Amer. Math. Soc. **106** (1993), no. 509, vi+69 pp.
- [14] W. Y. Hsiang, On the compact homogeneous minimal submanifolds, *Proc. Nat. Acad. Sci. U.S.A.* **56** (1966), 5–6.
- [15] O. Ikawa, T. Sakai and H. Tasaki, Orbits of Hermann actions, *Osaka J. Math.* **38** (2001), no. 4, 923–930.
- [16] H. J. Kang, Integral geometry on product of spheres, *Tsukuba J. Math.* **26** (2002), no. 1, 61–68.
- [17] H. J. Kang and T. Sakai, Kinematic formulas for hypersurfaces in real space forms, preprint.
- [18] H. J. Kang, T. Sakai, M. Takahashi and H. Tasaki, Poincaré formulas of complex submanifolds, preprint.
- [19] H. J. Kang and H. Tasaki, Integral geometry of real surfaces in complex projective spaces, *Tsukuba J. Math.* **25** (2001), no. 1, 155–164.
- [20] H. J. Kang and H. Tasaki, Integral geometry of real surfaces in the complex projective plane, *Geom. Dedicata* **90** (2002), 99–106.
- [21] K. Kawakubo, *The theory of transformation groups*, Oxford University Press, 1991.
- [22] Y. Kitagawa and Y. Ohnita, On the mean curvature of R -spaces, *Math. Ann.* **262** (1983), 239–243.
- [23] S. Kobayashi and K. Nomizu, *Foundations of differential geometry*, Vol. I, Interscience Publishers, New York, London, 1963.
- [24] A. Kollross, A classification of hyperpolar and cohomogeneity one actions, *Trans. Amer. Math. Soc.* **354** (2002), no. 2, 571–612.
- [25] H. B. Lawson, Jr., *Lectures on minimal submanifolds*, Vol. I, Publish or Perish, Inc., 1980.

- [26] P. S. Mostert, On a compact Lie group acting on a manifold, *Ann. Math.* **65** (1957), 447–455.
- [27] Y. Ohnita, The degrees of the standard imbeddings of R -spaces, *Tôhoku Math. J.* **35** (1983), 499–502.
- [28] R. S. Palais and C. L. Terng, Critical point theory and submanifold geometry, Springer-Verlag, 1988.
- [29] T. Sakai, Poincaré formula in irreducible Hermitian symmetric spaces, preprint.
- [30] L. A. Santaló, Integral geometry in Hermitian spaces, *Amer. J. Math.* **74** (1952), 423–434.
- [31] L. A. Santaló, Integral Geometry and Geometric Probability, Addison-Wesley, Reading, Mass., 1976.
- [32] H. Tasaki, Generalization of Kähler angle and integral geometry in complex projective spaces, in Steps in Differential Geometry, Proceedings of Colloquium on Differential Geometry, Debrecen, 2000 (edited by L. Kozma, P. T. Nagy and L. Tamássy), Published by the Institute of Mathematics and Informatics, University of Debrecen, 2001, pp.349–361. Available electronically at: <http://www.emis.de/proceedings/CDGD2000/>
- [33] H. Tasaki, Integral geometry of submanifolds of real dimension two and codimension two in complex projective spaces, to appear in Proceedings of MSJ-IRI 2000.
- [34] H. Tasaki, Generalization of Kähler angle and integral geometry in complex projective spaces II, preprint.
- [35] H. Weyl, On the volume of tubes, *Amer. J. Math.* **61** (1939), 461–472.
- [36] J. Zhou, Kinematic formula for square mean curvature of hypersurfaces, *Bull. Inst. Math. Acad. Sinica* **22** (1994), no. 1, 31–47.
- [37] J. Zhou, Kinematic formulas for mean curvature powers of hypersurfaces and Hadwiger’s theorem in \mathbb{R}^{2n} , *Trans. Amer. Math. Soc.* **345** (1994), no. 1, 243–262.