

References

- Baldin, V., Lukas, J., Marcote, M.J., Pagano, P. and Draetta, G. (1993)
Cyclin D1 is a nuclear protein required for cell cycle progression in G1.
Genes Dev. 7: 812-821.
- Bates, S.E., Davidson, N.E., Valverius, E.M., Freter, C.E., Dickson, R.B.,
Tam, J.P., Kudlow, J.E., Lippman, M.E. and Salomon, D.S. (1988)
Expression of transforming growth factor-alpha and its mRNA in human
breast cancer: Its regulation by oestrogen and its possible functional
significance. *Molecular Endocrinology* 2: 543-555.
- Bellincampi, D. and Morpurgo, G. (1987) Conditioned factor affecting
growth in plant cells in culture. *Plant Sci.* 51: 83-91.
- Bellincampi, D. and Morpurgo, G. (1989) Evidence for the presence of a
second conditioning factor in plant cell culture. *Plant Sci.* 65: 125-130.
- Berthois, Y., Dong, X.F. and Martin, P.M. (1989) Regulation of epidermal
growth factor receptor by oestrogen and antioestrogen in the human
breast cancer cell line MCF-7. *Biochem. Biophys. Res. Commun.* 159:
126-131.

- Birnberg, P.R., Somers, D.A. and Brenner, M.L. (1988) Characterization of conditioning factors that increase colony formation from 'Black mexican sweet corn' protoplast. *J. Plant Physiol.* 132: 316-321.
- Brand, U., Fletcher, J.C., Hobe, M., Meyerowitz, E.M. and Simmon, R. (2000) Dependence of stem cell fate in *Arabidopsis* on a feedback loop regulated by CLV3 activity. *Science* 289: 617-619.
- Brunner, N., Yee, D., Kern, F.G., Spang-Thomsen, M., Lippman, M.E. and Cullen, K.J. (1993) Effect of endocrine therapy on growth of T61 human breast cancer xenografts is directly correlated to a specific down-regulation of insulin-like growth factor II (IGF-II). *Eur. J. Cancer* 29: 562-569.
- Chen, Y.F., Matsubayashi, Y. and Sakagami, Y. (2000) Peptide growth factor phytosulfokine- α contributes to the pollen population effect. *Planta* 211: 752-755.
- Chrysogelos, S.A., Yarden, R.I., Lauber, A.H. and Murphy, J.M. (1994) Mechanisms of EGF receptor regulation in breast cancer cells. *Breast Cancer Res. Treat.* 31: 227-236.

- Clark, S.E., Williams, R.W. and Meyerowitz, E.M. (1997) The *CLAVATA1* gene encodes a putative receptor kinase that controls shoot and floral meristem size in *Arabidopsis*. *Cell* 89: 577-585.
- Cock, J.M. and McCormick, S. (2001) A large family of genes that share homology with *CLAVATA3*. *Plant Physiol.* 126: 939-942.
- Cockcroft, C.E., den Boer, B.G.W., Healy, J.M.S. and Murray, J.A.H. (2000) Cyclin D control of growth rate in plants. *Nature* 405: 575-579.
- Cohn, J., Day, R.B. and Stacy, G. (1998) Legume organogenesis. *Trends in Plant Sci.* 3: 105-110.
- Doerner, P., Jorgensen, J.E., You, R., Steppuhn, J. and Lamb, C. (1996) Control of root growth and development by cyclin expression. *Nature* 380: 520-523.
- Fang, Y. and Hirsch, A.M. (1998) Studying early nodulin gene *ENOD40* expression and induction by nodulating factor and cytokinin in transgenic alfalfa. *Plant Physiol.* 116: 53-68.

- Fletcher, J.C., Brand, U., Running, M.P., Simon, R. and Meyerowitz, E.M. (1999) Signaling of cell fate decisions by CLAVATA3 in *Arabidopsis* shoot meristems. *Science* 283:1911-1914.
- Freiss, G., Prebois, C., Rochefort, H. and Vignon, F. (1990) Anti-steroidal and anti-growth factor activities of anti-oestrogens. *J. Steroid Biochem. Mol. Biol.* 37: 777-781.
- Galbraith, D.W., Harkins, K.R., Maddox, J.M., Ayres, N.M., Sharma, D.P. and Firoozabady, E. (1983) Rapid flow cytometric analysis of the cell cycle in intact plant tissues. *Science* 220: 1049-1051.
- Gee, J.W.M., McClelland, R.A. and Nicholson, R.I. (1996) Growth factors and endocrine sensitivity in breast cancer. In *Hormone Dependent Cancer* (Pasqualini, J.R. and Katzenellenbogen, B.S., eds.), pp. 169-197, Marcel Dekker Publishing.
- Gonthier, R., Jacquard, A. and Bernier, G. (1987) Changes in cell cycle duration and growth fraction in the shoot meristems of *Sinapis* during floral transition. *Planta* 170: 55-59.

- Hanai, H., Matsuno, T., Yamamoto, M., Matsubayashi, Y., Kobayashi, T., Kamada, H. and Sakagami Y. (2000) A secreted peptide growth factor, phytosulfokine, acting as a stimulatory factor of carrot somatic embryo formation. *Plant Cell Physiol.* 41: 27-32.
- Heath, J.K. (1993) An introduction to cell proliferation. In *Growth Factors* (Rickwood, D., ed.), pp. 3-5, Oxford University Press.
- Hemerly, A.S., Ferreira, P., Engler, J.A., Van Montagu, M., Engler, G. and Inzé, D. (1993) *cdc2a* expression in *Arabidopsis* is linked with competence for cell division. *Plant Cell* 5: 1711-1723.
- Hilde, S. and Dirk, I. (2001) When plant cells decide to divide. *Trends in Plant Sci.* 6: 350-364.
- Horvath, B., Heidstra, R., Lados, M., Moerman, M., Spalink, H.P., Prome, J. C., van Kommen, A. and Bisseling, T. (1993) Lipooligosaccharides of *Rhizobium* induce infection-related early nodulin gene expression in pea root hairs. *Plant J.* 4: 727-733.
- Huang, B., Bird, S., Kemble, R., Simmonds, D., Keller, W. and Miki, B. (1990) Effects of culture density, conditioned medium and feeder

cultures on microspore embryogenesis in *Brassica napus* L. cv. Topas.
Plant Cell Rep. 8: 594-597.

Jeffrey, P.D., Russo, A.A., Polyak, K., Gibbs, E., Hurwitz, J., Massague, J. and Pavletich, N. P. (1995) Mechanism of CDK activation revealed by the structure of a cyclin A-CDK2 complex. *Nature* 376: 313-320.

Kiyosue, T., Dong, J.G., Satoh, S., Kamada, H. and Harada, H. (1990) Detection of an embryogenic cell antigen in carrot. *Plant Cell Physiol.* 31: 947-950.

Kiyosue, T., Satoh, S., Kamada, H. and Harada, H. (1991) Purification and immunohistochemical detection of an embryogenic cell protein in carrot. *Plant Physiol.* 95: 1077-1083.

Kobayashi, T., Eun, C.H., Hanai, H., Matsubayashi, Y., Sakagami, Y. and Kamada, H. (1999) Phytosulfokine- α , a peptidyl plant growth factor, stimulates somatic embryogenesis in carrot. *J. Exp. Bot.* 50: 1123-1128.

Koens, K.B., Nicoloso, F.T., Harteveld, M., Libbenga, K.R. and Kijne, J.W. (1995) Auxin starvation results in G2-arrest in suspension cultured tobacco cells. *J. Plant Physiol.* 147: 391-396.

- Kouchi, H. and Hata, S. (1993) Isolation and characterization of novel nodulin cDNAs representing genes expressed at early stages of soybean nodule development. *Mol. Gen. Genet.* 238: 106-119.
- Kouchi, H., Takane, K., So, R.B., Ladha, J.K. and Reddy, P.M. (1999) Rice *ENOD40*: isolation and expression analysis in rice and transgenic soybean root nodules. *Plant J.* 18: 121-129.
- Lee, E.M. and Harlow, E. (1993) Sequences within the conserved cyclin box of human cyclin A are sufficient for binding to and activation of CDC2 kinase. *Mol. Cell Biol.* 13: 1194-1201.
- Lyndon, R.F. (1973) The cell cycle in the shoot apex. In *The Cell Cycle in Development and Differentiation* (Balls, M. and Billett, F.S., eds.), pp. 176-183, Cambridge University Press.
- Matsubayashi, Y. and Sakagami, Y. (1996) Phytosulfokine, sulfated peptides that induce the proliferation of single mesophyll cells of *Asparagus officinalis* L. *Proc. Natl. Acad. Sci. USA* 93: 7623-7627.
- Matsubayashi, Y., Takagi, L. and Sakagami, Y. (1997) Phytosulfokine- α , a sulfated pentapeptide, stimulates the proliferation of rice cells by means

of specific high- and low-affinity binding sites. *Proc. Natl. Acad. Sci. USA* 94: 13357-13362.

Matsubayashi, Y. and Sakagami, Y. (1998) Effects of the medium ammonium-nitrate ratio on competence for asparagus cell division induced by phytosulfokine- α . *Plant Cell Rep.* 17: 368-372.

Matsubayashi, Y., Takagi, L., Omura, N., Morita, A. and Sakagami, Y. (1999a) The endogenous sulfated pentapeptide phytosulfokine- α stimulates tracheary element differentiation of isolated mesophyll cells of *Zinnia*. *Plant Physiol.* 120: 1043-1048.

Matsubayashi, Y., Morita, A., Matsunaga, E., Furuya, N. and Sakagami, Y. (1999b) Physiological relationships between auxin, cytokinin, and a peptide growth factor, phytosulfokine- α , in stimulation of asparagus cell proliferation. *Planta* 207: 559-565.

Matsubayashi, Y. and Sakagami, Y. (1999) Characterization of specific-binding sites for a mitogenic sulfated peptide, phytosulfokine- α , in the plasma-membrane fraction derived from *Oryza sativa* L. *Eur. J. Biochem.* 262: 666-671.

Matsubayashi, Y. and Sakagami, Y. (2000) 120- and 160-kDa receptors for endogenous mitogenic peptide, phytosulfokine- α , in rice plasma membranes. *J. Biol. Chem.* 275: 15520-15525.

Matsubayashi, Y., Ogawa, M., Morita, A. and Sakagami, Y. (2002) An LRR receptor kinase involved in perception of a peptide plant hormone, phytosulfokine. *Science* 296: 1470-1472.

Matsushime, H., Roussel, M.F., Ashmun, R.A. and Sherr, C.J. (1991) Colony-stimulated factor I regulates novel cyclins during the G1 phase of the cell cycle. *Cell* 65:701-713.

Michalczuk, L., Cooke, T.J. and Cohen, J.D. (1992) Auxin level at different stages of carrot somatic embryogenesis. *Phytochem.* 31: 1097-1103.

McGurl, B., Pearce, G., Orozco-Cardenas, M. and Ryan C.A. (1992) Structure, expression, and antisense inhibition of the systemin precursor gene. *Science* 225: 1570-1573

Murashige, T. and Skoog, F. (1962) A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant.* 15: 473-497.

- Nagata, R., Wada, M., Satoh, S., Kamada, H. and Harada, H. (1993) A cDNA differentially expressed between embryogenic and nonembryogenic carrot (*Daucus carota* L.) cells. *Plant Physiol.* 103:1021.
- Nagata, T., Nemoto, Y. and Hasezawa, S. (1992) Tobacco BY-2 cell line as the "HeLa" cell in the cell biology of higher plants. *Int. Rev. Cytol.* 132: 1-30.
- Neufeld, T.P. and Edgar, B.A. (1998) Connections between growth and the cell cycle. *Curr. Opin. Cell Biol.* 10: 784-790.
- Nicholson, R.I. and Gee, J.W.M. (1996) Growth factors and modulation of endocrine response in breast cancer. In *Hormones and Cancer* (Vedeckis, W.V., ed.), pp. 227-261, Boston: Birkhauser.
- Nougarede, A., Silveira, C.E. and Rondet, P. (1996) In nature dormant buds and in *vitro* dormant-like buds of *Fraxinus excelsior* L. *Protoplasma* 190: 16-24.
- Pardee, A.B. (1974) A restriction point for control of normal animal cell proliferation. *Proc. Natl. Acad. Sci. USA* 71: 1286-1290.

Pearce G., Strydom D., Johnson S. and Ryan C.A. (1991) A polypeptide from tomato leaves induces wound-inducible proteinase inhibitor proteins. *Science* 253: 895-898.

Pearce G., Moura D.S., Stratmann J. and Ryan C.A. (2001a) RALF, a 5-kDa ubiquitous polypeptide in plants, arrests root growth and development. *Proc. Natl. Acad. Sci. USA* 98: 12843-12847.

Pearce G., Moura D.S., Stratmann J. and Ryan C.A. (2001b) Production of multiple plant hormones from a single polyprotein precursor. *Nature* 411: 817-820.

Renaudin, J.P., Savoure, A., Philippe, H., Van Montague, M., Inzé, D. and Rouze, P. (1998) Characterization and classification of plant cyclin sequences related to A- and B-type cyclins. In *Plant Cell Division* (Francis, D., Dudits, D. and Inzé, D. eds.), pp. 67-98, Portland Press, London.

Rossow, P., Riddle, V. and Pardee, A. (1979) Synthesis of labile, serum-dependent protein in early G1 controls animal cell growth. *Proc. Natl. Acad. Sci. USA* 76: 4446-4450.

- Samuels, A.L., Meehl, J., Lipe, M. and Staehelin, L.A. (1998) Optimizing conditions for tobacco BY-2 cell cycle synchronization. *Protoplasma* 202: 232-236.
- Sasaki, K., Shimomura, K., Kamada, H. and Harada, H. (1994) IAA metabolism in embryogenic and non-embryogenic carrot cells. *Plant Cell Physiol.* 35: 1159-1164.
- Satoh, S., Kamada, H., Harada, H. and Fujii, T. (1986) Auxin-controlled glycoprotein release into the medium of embryogenic carrot cells. *Plant Physiol.* 81: 931-933.
- Schaffler, E. and Koop, H.U. (1990) Single cell nurse culture of tobacco protoplasts: physiological analysis of conditioning factors. *J. Plant Physiol.* 137: 95-101.
- Scheer, J.M. and Ryan, C.A. (1999) A 160-kD systemin receptor on the surface of *Lycopersicon peruvianum* suspension-cultured cells. *Plant Cell* 11: 1525-1536.
- Schopfer, C.R., Nasrallah, M.E. and Nasrallah, J.B. (1999) The male determinant of self-incompatibility in *Brassica*. *Science* 286:1697-1700.

Sewing, A., Burger, C., Brusselbach, S., Schalk, C., Lubicello, F.C. and Muller, R. (1993) Human cyclin D1 encodes a labile nuclear protein whose synthesis is directly induced by growth factors and suppressed by cyclic AMP. *J. Cell Sci.* 104: 545-555.

Sherr, C.J. (1993) Mammalian G1 cyclins. *Cell* 73: 1059-1065.

Sherr, C.J. (1996) Cancer cell cycles. *Science* 274: 1672-1677.

Shirzadegan, M., Christie, P. and Seemann, J.R. (1991) An efficient method for isolation of RNA from tissue cultured plant cells. *Nucleic Acids Res.* 19: 6055.

Somers, D.A., Birnberg, P.R., Petersen, W.L. and Brenner, M.L. (1987) The effect of conditioned medium on colony formation from black mexican sweet corn protoplast. *Plant Sci.* 53: 249-256.

Stuart, R. and Street, H.E. (1969) Studies on the growth in culture of plant cells. IV. The initiation of division in suspensions of stationary-phase cells of *Acer pseudoplatanus* L. *J. Exp. Bot.* 20: 556-571.

- Takayama, S., Shiba, H., Iwano, M., Shimosato, H., Che, F.S., Kai, N., Watanabe, M., Suzuki, G., Hinata, K. and Isogai, A. (2000) The pollen determinant of self-incompatibility in *Brassica campestris*. *Proc. Natl. Acad. Sci. USA* 97: 1920-1925.
- Trotochaud, A.E., Jeong, S. and Clark, S.E. (2000) CLAVATA3, a multimeric ligand for the CLAVATA1 receptor-kinase. *Science* 289: 613-617.
- Vannosthuyse, V., Miege, C., Dumas, C. and Cock, J.M. (2001) Two large *Arabidopsis thaliana* gene families are homologues to the *Brassica* gene superfamily that encodes pollen coat proteins and the male component of the self-incompatibility response. *Plant Mol. Biol.* 46: 17-34.
- Yamakawa, S., Sakuta, C., Matsubayashi, Y., Sakagami, Y., Kamada, H. and Satoh, S. (1998a) The promotive effects of a peptidyl growth factor, phytosulfokine- α , on the formation of adventitious roots and expression of a gene for a root-specific cystatin in cucumber hypocotyls. *J. Plant Res.* 111: 453-458.
- Yamakawa, S., Matsubayashi, Y., Sakagami, Y., Kamada, H. and Satoh, S. (1998b) Promotion by a peptidyl growth factor, phytosulfokine- α , of

chlorophyll formation in etiolated cotyledon of cucumber. *Biosci. Biotechnol. Biochem.* 62: 2441-2443.

Yamakawa, S., Matsubayashi, Y., Sakagami, Y., Kamada, H. and Satoh, S. (1999) Promotive effects of the peptidyl plant growth factor, phytosulfokine- α , on the growth and chlorophyll content of *Arabidopsis* seedlings under high night-temperature conditions. *Biosci. Biotechnol. Biochem.* 63: 2240-2243.

Yang, G., Shen, S., Kobayashi, T., Matsubayashi, Y., Sakagami, Y. and Kamada, H. (1999a) Stimulatory effects of a novel peptidyl plant growth factor, phytosulfokine- α , on the adventitious bud formation from callus of *Antirrhinum majus*. *Plant Biotechnol.* 16: 231-234.

Yang, H., Matsubayashi, Y., Nakamura, K. and Sakagami, Y. (1999b) *Oryza sativa* PSK gene encodes a precursor of phytosulfokine- α , a sulfated peptide growth factor found in plants. *Proc. Natl. Acad. Sci. USA* 96: 13560-13565.

Yang, H., Matsubayashi, Y., Hanai, H., Nakamura, K. and Sakagami, Y. (2000) Molecular cloning and characterization of *OsPSK*, a gene encoding a precursor for phytosulfokine- α , required for rice cell

proliferation. *Plant Mol. Biol.* 635: 635-647.

Yang, H., Matsubayashi, Y., Nakamura, K. and Sakagami, Y. (2001) Diversity of Arabidopsis genes encoding precursors for phytosulfokine, a peptide growth factor. *Plant Physiol.* 127: 842-851.

Yang, W.C., Katinakis, P., Hendriks, P., Smolders, A., de Vries, F., Spee, J., Van Kammen, A., Bisseling, T. and Franssen, H. (1993) Characterization of *GmENOD40*, a gene showing novel patterns of cell-specific expression during soybean nodule development. *Plant J.* 3: 573-585.

Zhang, K., Letham, D.S. and John, P.C.L. (1996) Cytokinin controls the cell cycle at mitosis by stimulating the tyrosine dephosphorylation and activation of p34^{cdc2}-like H1 histone kinase. *Planta* 200: 2-12.