

## **Acknowledgments**

I wish to express my sincere appreciation to Dr. Kazuo Shinozaki of RIKEN, Tsukuba Institute, and Dr. Kazuko Yamaguchi-Shinozaki of JIRCAS (Japan International Research Center for Agricultural Sciences, Ministry of Agriculture, Forestry, and Fisheries) for their invaluable suggestions and encouragement throughout the course of my research and in the preparation of this manuscript.

I am also indebted to Prof. Hiroshi Kamada and Dr. Shinobu Satoh of the University of Tsukuba, Dr. Motoaki Seki, Dr. Satoshi Iuchi and Dr. Masatomo Kobayashi of RIKEN, for their invaluable suggestions, advices, and constructive criticisms of my research.

Special thanks must be accorded to all members of the laboratories, for useful discussions of the results.

I am also grateful to Dr. Chieko Ohsumi of Ajinomoto, for their valuable suggestions for several experimental techniques and the analyses of the results of this research.

## References

- Bachmann, M., Matile, P. and Keller, F.** (1994) Metabolism of the raffinose family oligosaccharides in leaves of *Ajuga reptans* L. Cold acclimation, translocation, sink to source transition: discovery of chain elongation enzyme. *Plant Physiol.* **105**, 1335-1345.
- Blackman, S.A., Obendorf, R.L. and Leopold, A.C.** (1992) Maturation proteins and sugars in desiccation tolerance of developing soybean seeds. *Plant Physiol.* **100**, 225-230.
- Bohnert, H.J., Nelson, D.E. and Jensen, R.G.** (1995) Adaptations to environmental stresses. *Plant Cell*, **7**, 1099-1111.
- Bohnert, H.J. and Jensen, R.G.** (1996a) Metabolic engineering for increased salt tolerance - the next step. *Aust. J. Plant. Physiol.* **23**, 661-667.
- Bohnert, H.J. and Jensen, R.G.** (1996b) Strategies for engineering water-stress tolerance in plants. *Trends Biotech.* **14**, 89-97.
- Bray, E.A.** (1997) Plant responses to water deficit. *Trends Plant Sci.* **2**, 48-54.
- Brenac, P., Horbowicz, M., Downer, S.M., Dickerman, A.M., Smith, M.E. and Obendorf, R.L.** (1997) Raffinose accumulation related to desiccation tolerance during maize (*Zea mays* L.) seed development and maturation. *J. Plant Physiol.* **150**, 481-488.
- Castillo, E.M., de Lumen, B.O., Reyes, P.S. and de Lumen, H.Z.** (1990) Raffinose synthase and galactinol synthase in developing seeds and leaves of legumes. *J. Agric. Food Chem.* **38**, 351-355.
- Crowe, J.H., Hoekstra, F.A. and Crowe, L.M.** (1992) Anhydrobiosis. *Annual Rev. Physiol.* **54**, 579-599.
- Gilmour, S.J., Sebolt, A.M., Salazar, M.P., Everard, J.D. and Thomashow, M.F.** (2000) Overexpression of the *Arabidopsis* *CBF3* transcriptional activator mimics multiple biochemical changes associated with cold acclimation. *Plant Physiol.* **124**, 1854-1865.
- Giraudat, J., Parcy, F., Bertauche, N., Gosti, F., Leung, J., Morris, P-C, Bouvier-Durand, M. and Vartanian, N.** (1994) Current advances in abscisic acid action and signaling. *Plant Mol. Biol.* **26**, 1557-1577.
- Guimarães, V.M, Rezende, S.T., Moreira, M.A., Barros, E.G. and Filix, C.R.** (2001) Characterization of alpha-galactosidases from germinating soybean seed and their use for hydrolysis of oligosaccharides. *Phytochemistry* **58**, 67-73.

- Hayashi, H., Alia, Mustardy, L., Deshnum, P., Ida, M. and Murata, N. (1997)**  
Transformation of *Arabidopsis thaliana* with the *codA* gene for choline oxidase; accumulation of glycinebetaine and enhanced tolerance to salt and cold stress. *Plant J.* **12**, 133-142.
- Hanson, A.D., Rathinasabaoathi, B. and Rivoal, J. (1994)** Osmoprotective compounds in the plumbaginaceae: A natural experiment in metabolic engineering of stress tolerance. *Proc. Natl. Acad. Sci. USA* **91**, 306-310.
- Holmberg, N. and Bülow, L. (1998)** Improving stress tolerance in plants by gene transfer. *Trends Plant Sci.* **3**, 61-66.
- Holmström, K.O., Mäntylä, E., Welin, B., Mandal, A. and Palva, E.T. (1996)** Drought tolerance in tobacco. *Nature* **379**, 683-684.
- Incharoensakdi, A., Takabe, T. and Akazawa, T. (1986)** Role of the small subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase in the activation process. *Plant Cell Physiol.* **39**, 425-432.
- Ingram, J. and Bartels, D. (1996)** The molecular basis of dehydration tolerance in plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **47**, 377-403.
- Iuchi, S., Kobayashi, M., Yamaguchi-Shinozaki, K. and Shinozaki, K. (2000)** A stress-inducible gene for 9-*cis*-epoxycarotenoid dioxygenase involved in abscisic acid biosynthesis under water stress in drought-tolerant cowpea. *Plant Physiol.* **123**, 553-562.
- Iuchi, S., Kobayashi, M., Taji, T., Naramoto, M., Seki, M., Kato, T., Tabata, S., Kakubari, Y., Yamaguchi-Shinozaki, K. and Shinozaki, K. (2001)** Regulation of drought tolerance by gene manipulation of 9-*cis*-epoxycarotenoid dioxygenase, a key enzyme in abscisic acid biosynthesis, in *Arabidopsis*. *Plant J.* (in press)
- Jaglo-Ottosen, K.R., Gilmour, S.J., Zarka, D.G., Schabenberger, O. and Thomashow, M.F. (1998)** *Arabidopsis CBF1* overexpression induces *COR* genes and enhances freezing tolerance. *Science* **280**, 104-106.
- Kasuga, M., Liu, Q., Miura, S., Yamaguchi-Shinozaki, K. and Shinozaki, K. (1999)** Improving plant drought, salt, and freezing tolerance by gene transfer of a single stress-inducible transcription factor. *Nature Biotechnol.* **17**, 287-291.

- Kavi-Kishor, P.B.K., Hong, Z., Miao, G.-H., Hu, C.-A.A. and Verma, D.P.S. (1995)**  
Overexpression of  $\Delta^1$ -pyrroline-5-carboxylate synthetase increases proline production and confers osmotolerance in transgenic plants. *Plant Physiol.* **108**, 1387-1394.
- Kawasaki, S., Borchert, C., Deyholos, M., Wang, H., Brazille, S., Kawai, K., Galbraith, D. and Bohnert, H.J. (2001)** Gene expression profiles during the Initial phase of salt stress in rice. *Plant Cell* **13**, 889-905.
- Kerr, P.S., Pearlstein, R.W., Schweiger, B.J., Becker-Manley, M.F. and Pierce, J.W. (1993)** Nucleotide sequences of galactinol synthase from zucchini and soybean. International Application Number PCT/US92/06057.
- Kiyosue, T., Yoshiba, Y., Yamaguchi-Shinozaki, K. and Shinozaki, K. (1996)** A nuclear gene encoding mitochondrial proline dehydrogenase, an enzyme involved in metabolism, is upregulated by proline but downregulated by dehydration in *Arabidopsis*. *Plant Cell* **8**, 1323-1335.
- Lilius, G., Holmberg, N. and Bülow, L. (1996)** Enhanced NaCl stress tolerance in transgenic tobacco expressing bacterial choline dehydrogenase. *Biotechnol.* **14**, 177-180.
- Liu, J.J., Krenz, D.C., Galvez, A.F. and de Lumen, B.O. (1998)** Galactinol synthase (GS): increased enzyme activity and levels of mRNA due to cold and desiccation. *Plant Sci.* **134**, 11-20.
- Liu, J.J., Odegard, W. and de Lumen, B.O. (1995)** Galactinol synthase from kidney bean cotyledon and zucchini leaf: purification and N-terminal sequences. *Plant Physiol.* **109**, 505-511.
- Liu, Q., Kasuga, M., Sakuma, Y., Abe, H., Miura, S., Yamaguchi-Shinozaki, K. and Shinozaki, K. (1998)** Two transcription factors, DREB1 and DREB2, with an EREBP/AP2 DNA binding domain separate two cellular signal transduction pathways in drought- and low-temperature-responsive gene expression, respectively, in *Arabidopsis*. *Plant Cell*, **10**, 1391-1406.
- McCue, K.F. and Hanson, A.D. (1990)** Drought and salt tolerance: Towards understanding and application. *Biotechnol.* **8**, 358-362.
- Mitsuhara, I., Ugaki, M., Hirochika, H., Ohshima, M., Murakami, T., Gotoh, Y.,**

- Katayose, Y., Nakamura, S., Honkura, R., Nishimiya, S., Ueno, K., Mochizuki, A., Tanimoto, H., Tsugawa, H., Otsuki, Y. and Ohashi, Y. (1996) Efficient promoter cassettes for enhanced expression of foreign genes in dicotyledonous and monocotyledonous plants. *Plant Cell Physiol.* **37**, 49-59.
- Nagy, F., Kay, S.A. and Chua, N.-H. (1988) Analysis of gene expression in transgenic plants. In *Plant Molecular Biology Manual*, S.V. Gelvin and R.A. Schilperoort, eds. (Dordrecht, The Netherlands: Kluwer Academic Publishers), **B4**, pp. 1-29.
- Nakashima, K., Satoh, R., Kiyosue, T., Yamaguchi-Shinozaki, K. and Shinozaki, K. (1998) A gene encoding proline dehydrogenase is not only induced by proline and hypoosmolarity, but is also developmentally regulated in the reproductive organs of *Arabidopsis*. *Plant Physiol.* **118**, 1233-1241.
- Nanjo, T., Kobayashi, M., Yoshiba, Y., Sanada, Y., Wada, K., Tsukaya, H., Kakubari, Y., Yamaguchi-Shinozaki, K. and Shinozaki, K. (1999a) Biological functions of proline in morphogenesis and osmotolerance revealed in antisense transgenic *Arabidopsis thaliana*. *Plant J.* **18**, 185-193.
- Nanjo, T., Kobayashi, M., Yoshiba, Y., Kakubari, Y., Yamaguchi-Shinozaki, K. and Shinozaki, K. (1999b) Antisense suppression of proline degradation improves tolerance to freezing and salinity in *Arabidopsis thaliana*. *FEBS Let.* **461**, 205-210.
- Nomura, M., Hibino, T., Takabe, T., Sugiyama, T., Yokota, A., Miyake, H. and Takabe, T. (1998) Transgenically produced glycinebetaine protects ribulose 1,5-bisphosphate carboxylase/oxygenase from inactivation in *Synechococcus* sp. PCC7942 under salt stress. *Plant Cell Physiol.* **39**, 425-432.
- Nuccio, M.L., Russell, B.L., Nolte, K.D., Rathinasabapathi, B., Gage, D.A. and Hanson, A.D. (1998) The endogenous choline supply limits glycine betaine synthesis in transgenic tobacco expressing choline monooxygenase. *Plant J.* **16**, 487-496.
- Pattanagul, W. and Madore, M.A. (1999) Water deficit effects on raffinose family oligosaccharide metabolism in *Coleus*. *Plant Physiol.* **121**, 987-993.
- Pilon-Smits, E.A.H., Ebskamp, M.J.M., Paul, M.J.J., Jeuken, M.J.W., Weisbeek, P.J. and Smeekens, S.C.M. (1995) Improved performance of transgenic fructan-accumulating

tobacco under drought stress. *Plant Physiol.* **107**, 125-130.

**Rajendrakumar, C.S.V., Suryanarayana, T. and Reddy, A.R.** (1997) DNA helix destabilization by proline and betaine: possible role in the salinity tolerance process. *FEBS Let.* **410**, 201-205.

**Sakamoto, A., Alia, Murata, N. and Murata, A.** (1998) Metabolic engineering of rice leading to biosynthesis of glycinebetaine and tolerance to salt and cold. *Plant Mol. Biol.* **38**, 1011-1019.

**Sambrook, J., Fritsch, E.F. and Maniatis, T.** (1989) *Molecular Cloning: A Laboratory Manual*, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.

**Santarius, K. A. and Milde, H.** (1977) Sugar compartmentation in frost-hardy and partially dehardened cabbage leaf cells. *Planta* **136**, 163-166.

**Santarius, K.A.** (1973) The protective effect of sugars on chloroplast membranes during temperature and water stress and its relationship to frost, desiccation and heat resistance. *Planta* **113**, 105-114.

**Saravitz, D.M., Pharr, D.M. and Carter, T.E.** (1987) Galactinol synthase activity and soluble sugars in developing seeds of four soybean genotypes. *Plant Physiol.* **83**, 185-189.

**Schobert, B. and Tschesche, H.** (1978) Unusual solution properties of proline and its interactions with proteins. *Biochem. Biophys. Acta* **541**, 270-277.

**Seki, M., Carninci, P., Nishiyama, Y., Hayashizaki, Y. and Shinozaki, K.** (1998) High-efficiency cloning of *Arabidopsis* full-length cDNA by biotinylated CAP trapper. *Plant J.* **15**, 707-720.

**Seki, M., Narusaka, M., Abe, H., Kasuga, M., Yamaguchi-Shinozaki, K., Carninci, P., Nishiyama, Y., Hayashizaki, Y. and Shinozaki, K.** (2001) Monitoring the expression pattern of 1300 *Arabidopsis* genes under drought and cold stresses by using a full-length cDNA microarray. *Plant Cell*, **13**, 61-72.

**Shen, B., Jensen, R.G. and Bohnert, H.J.** (1997) Increased resistance to oxidative stress in transgenic plants by targeting mannitol biosynthesis to chloroplasts. *Plant Physiol.* **113**, 1177-1183.

**Sheveleva, E., Chmara, W., Bohnert, H.J. and Jensen, R.G.** (1997) Increased salt and



- drought tolerance by D-ononitol production in transgenic *Nicotiana tabacum* L. *Plant Physiol.* **115**, 1211-1219.
- Shinozaki, K. and Yamaguchi-Shinozaki, K.** (1996) Molecular responses to drought and cold stress. *Current Opinion in Biotech.* **7**, 161-167.
- Shinozaki, K. and Yamaguchi-Shinozaki, K.** (1997) Gene expression and signal transduction in water-stress response. *Plant Physiol.* **115**, 327-334.
- Shinozaki, K. and Yamaguchi-Shinozaki, K.** (1999) Molecular responses to drought stress. In *Molecular Responses to Cold, Drought, Heat and Salt Stress in Higher Plants*. (Shinozaki, K. and Yamaguchi-Shinozaki, K., eds). Austin, Texas, USA: R.G. LANDES Company, pp. 11-28.
- Smirnoff, N. and Cumbes, Q.J.** (1989) Hydroxyl radical scavenging activity of compatible solutes. *Phytochem.* **28**, 1057-1060.
- Smith, N.A., Singh, S.P., Wang, M.-B., Stoutjesdijk, P.A., Green, A.G. and Waterhouse, P.M.** (2000) Total silencing by intronsplined hairpin RNAs. *Nature* **407**, 319-320.
- Sprenger, N. and Keller, F.** (2000) Allocation of raffinose family oligosaccharides to transport and storage pools in *Ajuga reptans*: the roles of two distinct galactinol synthases. *Plant J.* **21**, 249-258.
- Taji, T., Seki, M., Yamaguchi-Shinozaki, K., Kamada, H., Giraudat, J., and Shinozaki, K.** (1999) Mapping of 25 Drought-Inducible Genes, *RD* and *ERD*, in *Arabidopsis thaliana*. *Plant Cell Physiol.* **40**, 119-123.
- Takahashi, R., Joshee, N. and Kitagawa, Y.** (1994) Induction of chilling resistance by water stress, and cDNA sequence analysis and expression of water stress-regulated genes in rice. *Plant Mol. Biol.* **26**, 339-352.
- Tarczynski, M.C., Jensen, R.G. and Bohnert, H.J.** (1993) Stress protection of transgenic tobacco by production of the osmolyte mannitol. *Science* **259**, 508-510.
- Thomas, J.C., Sepahi, M., Arendall, B. and Bohnert, H.J.** (1995) Enhancement of seed germination in high salinity by engineering mannitol expression in *Arabidopsis thaliana*. *Plant Cell Environ.* **18**, 801-806.
- Trossat, C., Nolte, K.D. and Hanson, A.D.** (1996) Evidence that the pathway of

dimethylsulfoniopropionate biosynthesis begins in the cytosol and ends in the chloroplast.  
*Plant Physiol.* **111**, 965-973.

**Valvekens, D., Van Montagu, M. and Van Lijsebettens, M.** (1988) *Agrobacterium tumefaciens*-mediated transformation of *Arabidopsis thaliana* root explants by using kanamycin selection. *Proc. Natl. Acad. Sci. USA* **85**, 5536-5540.

**Yamaguchi-Shinozaki, K. and Shinozaki, K.** (1994) A novel *cis*-acting element in an *Arabidopsis* gene is involved in responsiveness to drought, low-temperature, or high-salt stress. *Plant Cell* **6**, 251-264.