

## 引用文献

- Altabella, T. and Chrispeels, M. J. (1990) Tobacco plants transformed with the bean  $\alpha$ ai gene express an inhibitor of insect  $\alpha$ -amylase in their seeds. *Plant Physiol.* *93*, 805-810.
- Applebaum, S. W., Marco, S. and Birk, Y. (1969) Saponin as possible factors of resistance of legume seeds to the attack of insects. *J. Agri. Food Chem.* *17*, 618-622.
- Applebaum, S. W., Tadmor, U. and Podoler, H. (1970) The effect of starch and of a heteropolysaccharide fraction from *Phaseolus vulgaris* of development and fecundity of *Callosobruchus chinensis* (Coleoptera:Bruchidae). *Entomol. Exp. Appl.* *13*, 61-70.
- Applebaum, S. W. and Guez, M. (1972) Comparative resistance of *Phaseolus vulgaris* beans to *Callosobruchus chinensis* and *Acanthoscelides obtectus* (Coleoptera:Bruchidae): The differential digestion of soluble heteropolysaccharide. *Entomol. Exp. Appl.* *15*, 203-207.
- Beckman, J. S. and Soller, M. (1986) Restriction fragment length polymorphisms and genetic improvement of agricultural species. *Euphytica* *35*, 111-124.
- Bernfeld, P. (1955) Amylases,  $\alpha$ - and  $\beta$ -. In: Colowick, S.P. and Kaplan, N.O. (eds), *Methods in Enzymology*, Vol.1, Academic Press, New York pp, 149-158.
- Brawerman, G., Mandeki, J. and Lee, S. Y. (1972) A procedure for the isolation of mammalian messenger ribonucleic acid. *Biochemistry* *11*, 637-641.
- Cardona, C., Kornegay, J., Posso, C. E., Morales, F. and Ramirez, H. (1990) Comparative value of four arcelin variants in the development of dry bean lines resistant to the Mexican bean weevil. *Entomol. Exp. Appl.* *56*, 197-206.

Chrispeels, M. J. and Raikhel, N. V. (1991) Lectins, lectin genes, and their role in plant defense. *The Plant Cell* 3, 1-9.

Dick, K. M. and Credland, P. F. (1986) Changes in the response of *Callosobruchus maculatus* (Coleoptera:Bruchidae) to a resistant variety of cowpea. *J. Stored Prod. Res.* 22, 227-233.

Draper, J. and Scott, R. (1988) The isolation of plant nucleic acids. In: Draper, J., Scott, R., Armitage, P. and Walden, R. (eds), *Plant genetic transformation and gene expression*. Blackwell Scientific Publications, London pp, 212-214.

Eijk, V. A. G. and Noort, V. W. L. (1976) Isolation of rat transferrin using CNBr-activated Sepharose 4B. *J. Clin. Chem. Clin. Biochem.* 14, 475-478.

Evans, R. J., Pusztai, A., Watt, W. B. and Bauer, D. H. (1973) Isolation and properties of protein fractions from navy beans (*Phaseolus vulgaris*) which inhibit growth of rat. *Biochim. Biophys. Acta* 303, 175-184.

Fujii, K. and Miyazaki, S. (1987) Infestation resistance of wild legumes (*Vigna sublobata*) to azuki bean weevil, *Callosobruchus chinensis* (L.) (Coleoptera:Bruchidae) and its relationship with cytogenetic classification. *Appl. Entomol. Zool.* 22, 229-230.

Gatehouse, A. M. R., Dobie, P., Hodges, R. J., Meik, J., Pusztai, A. and Boulter, D. (1987) Role of carbohydrates in insect resistance in *Phaseolus vulgaris*. *J. Insect Physiol.* 33, 843-850.

Ge, K., Wang, Y., Yuan, X., Huang, P., Yang, J., Nie, Z., Testa, D. and Lee, N. (1989) Plantlet regeneration from protoplasts isolated from mesophyll cells of the azuki bean (*Phaseolus angularis* Weight). *Plant Science* 63, 209-216.

Gepts, p., Osborn, T. C., Rashka, K. and Bliss, F. A. (1986) Phaseolin-protein variability in wild forms and landraces of the common bean (*Phaseolus vulgaris*): evidence for multiple centers of domestication. *Econ. Bot.* 40, 451-468.

Hartweck, L. M., Vogelzang, R. D. and Osborn, T. C. (1991) Characterization and comparison of arcelin seed protein variants from common bean. *Plant Physiol.* 97, 204-211.

Helentjaris, T., King, G., Slocum, M., Siedenstrang, C. and Wegman, S. (1985) Restriction fragment polymorphisms as probes for plant diversity and their development as tools for applied plant breeding. *Plant Mol. Biol.* 5, 109-118.

Hilder, V. A., Gatehouse, A. M. R., Sheerman, S. E., Barker, R. F. and Boulter, D. (1987) A novel mechanism of insect resistance engineered into tobacco. *Nature* 300, 160-163.

Hirano, H. (1989) Microsequence analysis of winged bean seed proteins electroblotted from two-dimensional gel. *J. Protein Chem.* 8, 115-130.

Hoffman, L. M., Ma, Y. and Barker, R. F. (1982) Molecular cloning of *Phaseolus vulgaris* lectin mRNA and use of cDNA as a probe to estimate lectin transcript levels in various tissues. *Nucleic Acids Res.* 10, 7819-7828.

Hoffman, L. M. and Donaldson, D. D. (1985) Characterization of two *Phaseolus vulgaris* phytohemagglutinin genes closely linked on the chromosome. *EMBO Journal* 4, 883-889.

石井象二郎 (1952) アズキノウムシの寄主選好に関する研究. *農技研報告 C 1*, 185-256.

石倉秀次 (1983) 食糧のバイオロスをめぐる技術的諸問題.

食品工業 5 下, 18-22.

Ishimoto, M. and Kitamura, K. (1988) Identification of the growth inhibitor on azuki bean weevil in kidney bean (*Phaseolus vulgaris* L.). Japan. J. Breed. 38, 367-370.

Ishimoto, M. and Kitamura, K. (1989) Growth inhibitory effect of  $\alpha$ -amylase inhibitor from the kidney bean, *Phaseolus vulgaris* (L.) on three species of bruchids (Coleoptera: Bruchidae). Appl. Entomol. Zool. 24, 281-286.

Ishimoto, M. and Kitamura, K. (1991) Effect of absence of seed  $\alpha$ -amylase inhibitor on the growth inhibitory activity to azuki bean weevil (*Callosobruchus chinensis*) in common bean (*Phaseolus vulgaris* L.). Japan. J. Breed. 41, 231-240.

Ishimoto, M. and Kitamura, K. (1992) Tolerance to the seed  $\alpha$ -amylase inhibitor by the two insect pests of the common bean, *Zabrotes subfasciatus* and *Acanthoscelides obtectus* (Coleoptera: Bruchidae). Appl. Entomol. Zool. 27, 243-251.

石本政男 (1992) インゲンマメの貯蔵害虫抵抗性に関する遺伝・育種学的研究. 博士(農学)論文 pp, 103-108.

Ishimoto, M. and Kitamura, K. (1993) Specific inhibitory activity and inheritance of an  $\alpha$ -amylase inhibitor in a wild common bean accession resistant to the Mexican bean weevil. Japan. J. Breed. 43, 69-73.

Ishimoto, M., Suzuki, K., Iwanaga, M., Kikuchi, F. and Kitamura, K. (1995) Variation of seed  $\alpha$ -amylase inhibitors in the common bean. Theor. Appl. Genet. 90, 425-429.

Ishimoto, M., Takahashi, S., Chrispeels, M. J. and Kitamura, K. (1996) Bruchid resistance of transgenic azuki bean expressing seed  $\alpha$ -amylase inhibitor of common bean. Entomol.

Exp. Appl. 79, 309-315.

Jaffe, W. G., Moreno, R. and Wallis, U. (1973) Amylase inhibitor in legume seeds. Nutr. Rep. Int. 7, 169-174.

Janzen, D. H., Juster, H. B. and Liener, I. E. (1976) Insecticidal action of the phytohemagglutinin in black beans on a bruchid beetle. Science 192, 795-796.

Jayne-Williams, D. J. and Burgess, C. D. (1974) Further observations on the toxicity of Navy beans (*Phaseolus vulgaris*) for Japanese quail (*Coturnix coturix japonica*). J. Appl. Bacteriol. 37, 149-156.

Johnson, R., Narvaez, J., An, G. and Ryan, C. (1989) Expression of proteinase inhibitor I and II in transgenic tobacco plants: effects on natural defense against *Manduca sexta* larvae. Pro. Natl. Acad. Sci. USA 86, 9871-9875.

Kijimoto-Ochiai, S., Katagiri, Y. U. and Ochiai, H. (1985) Analysis of N-linked oligosaccharide chains of glycoprotein on nitrocellulose sheets using lectin-peroxidase reagents. Anal. Biochem. 143, 222-229.

喜多村啓介・石本政男 (1988) マメのアズキノウムシ・ホソヘリカメムシの生育阻害因子. 植物防疫 42, 76-79.

Kuroda, M., Ishimoto, M., Suzuki, K., Kondo, H., Abe, K., Kitamura, K. and Arai, S. (1996) Oryzacystatins exhibit growth-inhibitory and lethal effects on different species of bean insect pest, *Callosobruchus chinensis* (Coleoptera) and *Riptortus clavatus* (Hemiptera). Biosci. Biotech. Biochem. 60, 209-212.

Lajolo, F. M. and Finardi-Filho, F. (1985) Partial characterization of the  $\alpha$ -amylase inhibitor

- of black beans (*Phaseolus vulgaris*) variety Rico 23. J. Agric. Food Chem. 33, 132-138.
- Lis, H. and Sharon, N. (1973) The biochemistry of plant lectins (phytohemagglutinins). Ann. Rev. Biochem. 42, 541-574.
- Marshall, J. J. and Lauda, C. M. (1975) Purification and properties of phaseolamin, an inhibitor of  $\alpha$ -amylase, from the kidney bean, *Phaseolus vulgaris*. J. Biol. Chem. 250, 8030-8037.
- Mather, K. (1951) The measurement of linkage in heredity. Wiley and Sons, New York.
- Mendoza, A. B., Hattori, K. and Futsuhara, Y. (1992) Shoot regeneration from callus of immature primary leaves in mungbean *Vigna radiata* (L.) Wilczek. Japan J. Breed. 42, 145-149.
- Minney, B. H. P., Gatehouse, A. M. R., Dobie, P., Dendy, J., Cardona, C. and Gatehouse, J. A. (1990) Biochemical basis of seed resistance to *Zabrotes subfasciatus* (bean weevil) in *Phaseolus vulgaris* (common bean). A mechanism for arcelin toxicity. J. Insect Physiol. 36, 757-767.
- Moreira, M. A., Mahoney, W. C., Larkins, B. A. and Nielsen, N. C. (1981) Comparison of the antigenic properties of the glycinin polypeptides of glycinin. Arch. Biochem. Biophys. 210, 643-646.
- Moreno, J. and Chrispeels, M. J. (1989) A lectin gene encodes the  $\alpha$ -amylase inhibitor of the common bean. Proc. Natl. Acad. Sci. USA 86, 7885-7889.
- Moreno, J., Altabella, T. and Chrispeels, M. J. (1990) Characterization of  $\alpha$ -amylase-inhibitor, a lectin-like protein in the seeds of *Phaseolus vulgaris*. Plant Physiol.

92, 703-709.

中北宏 (1986) 貯蔵食品の害虫防除技術と I P M . 植物防疫  
40, 307-315.

農業白書 (1995) 農林統計協会 pp, 121.

Osborn, T. C., Blake, T., Gepts, P. and Bliss, F. A. (1986) Bean arcelin 2. Genetic variation, inheritance and linkage relationships of a novel seed protein of *Phaseolus vulgaris* L. *Theor. Appl. Genet.* 71, 847-855.

Osborn, T. C., Alexander, D. C., Sun, S. S. M., Cardona, C. and Bliss, F. A. (1988) Insecticidal activity and lectin homology of arcelin seed protein. *Science* 240, 207-210.

Pick, K. H. and Wober, G. (1978) Proteinaceous  $\alpha$ -amylase inhibitor from beans (*Phaseolus vulgaris*). Purification and partial characterization. *Hoppe-Seyler's Z Physiol. Chem.* 359, 1371-1377.

Powers, J. R. and Whitaker, J. R. (1977) Purification and some physical and chemical properties of red kidney bean (*Phaseolus vulgaris*)  $\alpha$ -amylase inhibitor. *J. Food Biochem.* 1, 217-238.

Pueyo, J. J., Hunt, D. C. and Chrispeels, M. J. (1993) Activation of bean (*Phaseolus vulgaris*)  $\alpha$ -amylase inhibitor required proteolytic processing of the proprotein. *Plant Physiol.* 101, 1341-1348.

Romero, A. J., Yandell, B. S. and Bliss, F. A. (1986) Bean arcelin 1. Inheritance of a novel seed protein of *Phaseolus vulgaris* L. and its effect on seed composition. *Theor. Appl. Genet.* 72, 123-128.

- Russell, D. R., Wallace, K. M., Bathe, J. H., Martinell, B. J. and McCabe, D. E. (1993) Stable transformation of *Phaseolus vulgaris* via electric-discharge mediated particle acceleration. *Plant Cell Report* 12, 165-169.
- Sato, T., Asaka, D., Harada, T. and Matsukawa, I. (1993) Plant regeneration from protoplasts of adzuki bean (*Vigna angularis* OHWI and OHASHI). *Japan J. Breed.* 43, 183-191.
- Schoonhoven, A. V. and Cardona, C. (1982) Low levels of resistance to the Mexican bean weevil in dry beans. *J. Econ. Entomol.* 75, 567-569.
- Schoonhoven, A. V., Cardona, C. and Valor, J. (1983) Resistance to the bean weevil and the Mexican bean weevil (Coleoptera: Bruchidae) in noncultivated common bean accessions. *J. Econ. Entomol.* 76, 1255-1259.
- Schroeder, H. E., Schotz, A. H., Wardley-Richrdson, T., Spencer, D. and Higgins, T. J. V. (1993) Transformation and regeneration of two cultivars of pea (*Pisum sativum* L.). *Plant Physiol.* 101, 751-757.
- Schroeder, H. E., Gollash, S., Moore, A., Tabe, L. M., Craig, S., Hardie, D. C., Chrispeels, M. J., Spencer, D. and Higgins, T. J. V. (1995) Bean  $\alpha$ -amylase inhibitor confers resistance to the pea weevils (*Bruchus pisorum*). *Plant Physiol.* 107, 1233-1239.
- Shade, R. E., Schroeder, H. E., Pueyo, J. J., Tabe, L. M., Murdock, L. L., Higgins, T. J. V. and Chrispeels, M. J. (1994) Transgenic peas expressing the  $\alpha$ -amylase inhibitor of the common bean are resistant to bruchid beetles. *Bio/Technology* 12, 793-796.
- Singh, B. B., Singh, S. R. and Adjadi, O. (1985) Bruchid resistance in cowpea. *Crop*



Science 25, 736-739.

寒川一成 (1983) 食植性昆虫のバイオタイプ(1). 植物防疫  
37, 7-11.

末永一・岡本大二郎 (1966) 体系 農学百科事典 第1巻. 農  
政調査委員会発行 pp, 547-557.

Suzuki, K., Ishimoto, M., Kikuchi, F. and Kitamura, K. (1993) Growth inhibitory effect of an  $\alpha$ -amylase inhibitor from the wild common bean resistant to the Mexican bean weevil (*Zabrotes subfasciatus*). Japan. J. Breed. 43, 257-265.

Suzuki, K., Ishimoto, M. and Kitamura, K. (1994) cDNA sequence and deduced primary structure of an  $\alpha$ -amylase inhibitor from a bruchid-resistant wild common bean Biochim Biophys. Acta 1206, 289-291.

Suzuki, K., Ishimoto, M., Iwanaga, M., Kikuchi, F. and Kitamura, K. (1995) Inheritance of seed  $\alpha$ -amylase inhibitor in the common bean and genetic relationship to arcelin. Theor Appl. Genet. 90, 762-766.

Suzuki, K. and Ishimoto, M. (1999) Characterization of the third  $\alpha$ -amylase inhibitor genotype,  $\alpha$ AI-3, in the common bean (*Phaseolus vulgaris* L.). Breeding Science 49, 275-280.

Toro, O., Tohme, J. and Debouck, D. G. (1990) Wild bean (*Phaseolus vulgaris* L.) Description and distribution. International Board for Plant Genetic Resources (IBPGR) and Centro Internacional de Agricultura Tropical (CIAT). CIAT Publication No 181.

Towbin, H., Staehelin, T. and Gordon, J. (1979) Electrophoretic transfer of proteins from

polyacrylamide gels to nitrocellulose sheets. Proc. Natl. Acad. Sci. USA 76, 4350-4354.

Vaeck, M., Reynaerts, A., Hofte, H., Jansens, S., Beuckeleer, M. D., Dean, C., Zabeau, M., Montagu, M. V. and Leemans, J. (1987) Transgenic plants protected from insect attack. Nature 325, 33-37.

梅谷 献二 (1987) マメゾウムシの生物学. 築地書館

Yamaguchi, H. (1991) Isolation and characterization of the subunits of *Phaseolus vulgaris*  $\alpha$ -amylase inhibitor. J. Biochem. 110, 785-789.