

References

- Amada, T., M. Aniya, and T. Matsubara, 1995. GIS application to landslide susceptibility mapping - As a first step toward modeling sediment discharge, *Proceedings of the International Sabo Symposium*, Tokyo, pp. 291-298.
- Anderson, G., and J. Hanson, 1992. Evaluating hand-held radiometer derived vegetation indices for estimating above ground biomass, *Geocarto International* 1:71-77.
- Aniya, M., 1985. Landslide-susceptibility mapping in the Amahata river basin, Japan, *Annals of the Association of American Geographers*, 75(1):102-114.
- Aniya, M., M. Etaya, and H. Shimoda, 1985. Evaluation of Landsat data for landslide identification as a means for watershed management, *Journal of the Japan Society of Photogrammetry and Remote Sensing*, 24(4): 17-21.
- Aronoff, S., 1989. *Geographic Information System: A Management Perspective*, WDL publications, Ottawa, 279 p.
- Binaghi E., L. Luzi, P. Madella, F. Pergalani, and A. Rampini, 1998. Slope instability zonation: a comparison between certainty factor and fuzzy dempster-shafer approaches, *Natural Hazards*, 17:77-97.
- Bishop, Y. M. M., S. E. Feinberg, and P. W. Holland, 1975. *Discrete Multivariate Analysis-Theory and Practice*, MIT press, Cambridge, 450 p.
- Brabb, E. E., 1984. Innovative approach to landslide hazard and risk mapping, *Proceedings of the 4th International Symposium on Landslides*, Toronto, Canada, Volume 1, pp. 307-324.
- Brunori, F., F. Casagli, S. Flaschi, C. A. Garzonio, and S. Moreti, 1995. *Landslide Hazard Mapping in Tuscany, Italy: An Example of Automatic Evaluation*, Geomorphic Hazards (O. Slaymaker, editor), John Wiley and Sons, West Sussex, pp. 55-67.
- Burrough, P.A., 1986. *Principles of Geographical Information Systems for Land Resources Assessment*, Clarendon Press, Oxford, 194 p.
- Byrne, G. F., P. F. Crapper, and K. K. Mayo, 1980. Monitoring land-cover change by principle component analysis of multitemporal Landsat data, *Remote Sensing of Environment*, 10:175-184.
- Cablik. M. E., B. Kjerfve, W. K. Michener, and J. R. Jensen, 1994. Impacts of

- Hurricane Hugo on a coastal forest: Assessment using Landsat TM data, *Geocarto International*, 2:15-24.
- Capecchi, F., and P. Focardi, 1988. Rainfall and landslides: research into a critical precipitation coefficient in an area of Italy, *Proceedings of the 5th International Symposium on Landslides*, Lausanne, Volume 2; pp. 1031-1136.
- Carrara, A., 1983. Multivariate models for landslide hazard evaluation, *Mathematical Geology*, 15(3):403-427.
- Carrara, A., M. Cardinali, R. Detti, F. Guzzetti, N. Pasqui, and P. Reichenbach, 1991, GIS technique and statistical models in evaluating landslide hazard, *Earth Surface Process and Landforms*, 16:427-445.
- Carrara, A., M. Cardinali, R. Detti, F. Guzzetti, 1992, Uncertainty in assessing landslide hazard and risk, *ITC journal* 2:172-183.
- Carrara, A., M. Cardinali, R. Detti, F. Guzzetti, and P. Reichenbach, 1995. *GIS Technology in Mapping Landslide Hazard*, Geographical Information Systems in Assessing Natural Hazards (A. Carrara and F. Guzzetti, editors), Kluwer Academic Publishers, Dordrecht, pp. 135-175.
- Chavez, P. S., and D. J. Mackinnon, 1994. Automatic detection of vegetation changes in the southwestern U.S using remotely sensed images, *Photogrammetric Engineering & Remote sensing*, 60(5):571-583.
- Chung, C. F., A. G. Fabbri, and C. J. Van Westen, 1995. *Multivariate Regression Analysis for Landslide Hazard Zonation*, Geographical Information Systems in Assessing Natural Hazards (A. Carrara and F. Guzzetti, editors), Kluwer Academic Publishers, Dordrecht, pp. 107-134.
- Coates, D. R., 1977. *Landslide perspectives*, Landslides (D. R. Coates, editor), Geological Society of America, pp. 3-28.
- Cohen, W. B., J. D. Khusla, W. J. Ripple, and S. L. Garman, 1996. An introduction to digital methods in remote sensing of forested ecosystems: Focus on the Pacific North West, USA, *Environmental Management*, 20(3):421-435.
- Collins, J. B., and C. E. Woodcock, 1996. An assessment of several linear change detection techniques for mapping forest mortality using multitemporal Landsat TM data, *Remote Sensing of Environment*, 56:66-77.

- Colwell, R.N., 1983. *Manual of Remote Sensing*, Falls Church, Virginia, American Society of Photogrammetry, 1232 p.
- Congalton, R. G., R. G. Oderwald, and R. A. Mead, 1983. Assessing Landsat classification accuracy using discrete multivariate statistical techniques, *Photogrammetric Engineering & Remote sensing*, 49(12):1671-1678.
- Congalton, R. G., 1991. A review of assessing the accuracy of classifications of remotely sensed data, *Remote Sensing of Environment*, 37:35-46.
- Crist, E. P., 1983. The thematic mapper tasseled cap-a preliminary formulation, *Proceedings of Machine Process of Remotely Sensed Data*, West. Lafayette, pp. 357-363.
- Crist, E. P., and R. C. Cocone, 1984. Application of the tasseled cap concept to simulated thematic mapper data, *Photogrammetric Engineering & Remote sensing*, 50(3):343-352.
- Crist, E. P., and R. J. Kauth, 1986. The tasseled cap de-mystified, *Photogrammetric Engineering & Remote sensing*, 52(1):81-86.
- Crozier, J. M., 1986. *Landslides: Causes, Consequences and Environment*, Croom Helm Ltd., London, 252 p.
- Cuny, F.C., 1983. *Disaster and Development*, Oxford University Press, New York, 277 p.
- Davis, J. C., 1986. *Statistics and Data Analysis in Geology*, John Wiley & Sons, New York, 646 p.
- Department of Forest, Nepal, 1991. *Land Use Map of Kulekhani Watershed (1:25,000)*, Finnish International Dev. Agency (FINNIDA) / Department of Forest, 1 sheet.
- Dhakal, A. S., 1995. Disaster of 1993 experienced by Nepal, *Proceedings of the International Sabo Symposium*, Tokyo, pp. 115-122.
- Dhakal, A. S., T. Amada, and M. Aniya, 1997. A GIS approach to landslide susceptibility mapping: A case study from the Kulekhani watershed, Nepal, *Proceedings of the 18th Asian Conference on Remote Sensing*, Kuala Lumpur, JS-6-1-6-6.
- Dikau, R., 1990. Derivatives from detailed geoscientific maps using computer methods, *Z. Geomorph N. F.*, Suppl. Bd, 80:45-50.

- Dikau, R., A Cavallin, and S. Jager, 1996. Databases and GIS for landslide research in Europe, *Geomorphology*, 15:227-239.
- Disaster Prevention Technical Center (DPTC), 1994. *Annual Disaster Review 1993*, Water Induced Disaster Prevention Technical Center, Lalitpur, Nepal, 90 p.
- Dobson, J. E., E. A. Bright, R. L. Ferguson, D. W. Field, L. L. Wood, K. D. Haddad, H. I. Iredale III, J. R. Jensen, V. V. Klemas, R. J. Orth, and J. P. Thomas, 1995. *NOAA Coastwatch Change Analysis Program (C-CAP) Guidance for Regional Implementation*, NOAA Technical Report NMFS123, NOAA Coastal Ocean Program, U. S. Department of Commerce, Washington, D. C.
- Duvernoy, J., and J. Leger, 1980. Karhunen-Loeve analysis of multispectral data from Landscapes, *Optics Communications*, 32(1):39-44.
- Eckhardt, D. W., J. P. Verdin, and G. R. Lyford, 1990. Automated update of an irrigated lands GIS using SPOT HRV imagery. *Photogrammetric Engineering & Remote sensing*, 56(11):1515-1522.
- Foody, G. M., and P. J. Curran, 1994. Estimation of tropical forest extent and regenerative stage using remotely sensed data, *Journal of Biogeography* 21:223-244.
- Fung, T. and E. Ledrew, 1988. The determination of optimal threshold levels for change detection using various accuracy indices. *Photogrammetric Engineering & Remote sensing*, 54(10):1499-1454.
- Gupta, R. P., and B. C. Joshi, 1990. Landslide hazard zoning using the GIS approach - A case study from the Ramganga catchment, Himalayas, *Engineering Geology*, 28:119-131.
- Hall, F. G., D. E. Strebel, J. E. Nickeson, and S. J. Geetz, 1992. Radiometric reflection: toward a common radiometric response among multirate multisensor images, *Remote Sensing of Environment*, 35:11-27.
- Hartle'n, J., and L. Viberg, 1988. General report: Evaluation of landslide hazard, *Proceedings of the 5th International Symposium on Landslides*, Lausanne, Vol. 2, pp. 1037-1057.
- Hayashi, C., 1950, On the quantification of qualitative data from the mathematico-statistical point of view, *Annals of the Institute of Statistical Mathematics*, 1:35-47.
- , 1952. On the prediction of phenomena from qualitative data and the

- quantification of qualitative data from the mathematico-statistical point of view, *Annals of the Institute of Statistical Mathematics*, 3:69-98.
- , 1954a. Multidimensional quantification - with the applications to analysis of social phenomena, *Annals of the Institute of Statistical Mathematics*, 5:121-143.
- , 1954b. Examples of theory of Quantification, *Proceedings of the Institute of Statistical Mathematics*, Tokyo, Vol. 2, No. 1, pp. 11-30 (In Japanese with English abstract).
- , 1980. Quantification of qualitative Data - statistical analysis of categorical data, *Analyse Des Donnees, Actes de la Journee de Travail*, Institut National De Recherche En Informatique Et En Automatique, Naples, pp. 271-281.
- , 1987. *New Developments in Multidimensional Data Analysis*, Recent Developments in Clustering and Data Analysis (C. Hayashi, E. Diday, M. Jambu, and N. Oshumi, editors), Proceedings of the Japanese-French scientific seminar, Academic press, Inc. San Diego, 3-16.
- Howarth, P. J., and E. Boasson, 1983. Landsat digital enhancements for change detection in urban environments, *Remote Sensing of Environment* 13:149-160.
- ICIMOD, 1991. *Risk Engineering in the Hindu Kush-Himalaya*, International Centre for Integrated Mountain Development (ICIMOD), Kathmandu, 106 p.
- Ives, J. D., and B. Messerli, 1981. Mountain hazard mapping in Nepal- introduction to an applied mountain research project, *Mountain Research and Development*, 1 (3-4): 223-230.
- Jacobberger-Jellison, P. A., 1994. Detection of post drought environmental conditions in the Tombouctou region, *International Journal of Remote Sensing*, 15(16):3138-3197.
- Jensen, J. R., 1996. *Introductory Digital Image Processing*, Prentice-Hall, Englewood Cliffs, New Jersey, 316 p.
- Jensen, J. R., K. Rutchey, M. S. Kouch, and S. Narumalani, 1995. Inland wetland change detection in the Everglades water conservation area 2A using a time series of normalized remotely sensed data, *Photogrammetric Engineering & Remote sensing*, 61(2):199-209.

- Jibson, R. W., and D. K. Keefer, 1989. Statistical analysis of factors affecting landslide distribution in the New Madrid seismic zone, Tennessee and Kentucky, *Engineering Geology*, 27:509-542.
- Johnson, R. D., 1994. Change vector analysis for disaster assessment: A case study of Hurricane Andrew, *Geocarto International*, 1:41-45.
- Kauth, R. J., and G. S. Thomas, 1976. The tasseled cap—a graphic description of the spectral-temporal development of agricultural crops seen by Landsat, *Proceedings of Machine Processing of Remotely Sensed Data*, West. Lafayette, pp. 41-51.
- Kienholz, H., G. Schneider, M. Bichsel, M. Grunder, and P. Mool, 1984. Mapping of mountain hazards and slope stability, *Mountain Research and Development*, 4(3):247-266.
- Klecka, R. W., 1980. *Discriminant Analysis*. Sage University Paper series Quantitative Applications in the Social Sciences, series no 07-019, Beverly Hills and London: Sage Publications, 71 p.
- Lambin E. F., Strahler A. H., 1994. Change-vector analysis in multitemporal space: A tool to detect and categorize land-cover change processes using high temporal-resolution satellite data, *Remote Sensing of Environment*, 48:231-244.
- Lambin E. F., Strahler A. H., 1994. Indicators of land-cover change for change-vector analysis in multitemporal space at coarse spatial scales. *International Journal of Remote Sensing*, 15(10):2099-2119.
- Leon J. G. D Yuan, R. S. Lunetta, and C. D. Elvidge, 1998. A change detection experiment using vegetation indices, *Photogrammetric Engineering & Remote sensing*, 64(2):143-150.
- Liebetrau, A. M., 1983. *Measures of Association*. Sage University Paper series Quantitative Applications in the Social Sciences, series no 07-032, Beverly Hills and London: Sage Publications, 95 p.
- Malila, W. A., 1980. Change vector analysis: An approach for detecting forest changes with Landsat, *Proceedings of the LARS Machine Processing of Remotely Sensed Data Symposium*, West Lafayette, Indiana pp. 326-336.
- Mantovani, F., R. Soeters, and C. J. Van Westen, 1996. Remote sensing techniques for landslide studies and hazard zonation in Europe, *Geomorphology*, 15:213-225.

- Marble, D. F., 1990. *Geographic Information Systems: An Overview*, Introductory Readings in Geographic Information Systems (D. J. Peuquet and D. F. Marble, editors), Taylor and Francis, London, pp. 8-17.
- Mark, R. K., and S. D. Ellen, 1995. *Statistical and Simulation Models for Mapping Debris-Flow Hazard*, Geographical Information Systems in Assessing Natural Hazards (A. Carrara and F. Guzzetti, editors), Kluwer Academic Publishers, Dordrecht, pp. 93- 106.
- Mather. P. M. 1986. *Computer Processing of Remotely Sensed Images*, John Wiley & Sons New York, 353 p.
- McKean, J., S. Buechel, and L. Gaydos, 1991. Remote sensing and landslide hazard assessment, *Photogrammetric Engineering & Remote sensing*, 57(9):1185-1193.
- Mejia-Navarro, M., E. E. Wohl, and S. D. Oaks, 1994. Geological hazards, vulnerability, and risk assessment using GIS: model for Glennwood Springs, Colorado, *Proceedings of the 25th Binghampton Symposium in Geomorphology* (M. Morisawa, editor), Elsevier, Amsterdam, pp. 331-354.
- Michalek; J. L., T W. Wagner, J. J. Luczkovich, and R. W. Stoffle, 1993. Multispectral change vector analysis for monitoring coastal marine environments, *Photogrammetric Engineering & Remote sensing*, 59(3):381-384.
- Michener, W. K., and P. F. Houhoulis, 1998. Detection of vegetation changes associated with extensive flooding in a forested ecosystem. *Photogrammetric Engineering & Remote sensing*, 63:1363-1374.
- Mostyn, G. R, and R. Fell, 1997. *Quantitative and semi-quantitative estimation of the probability of landsliding*, Landslide Risk Assessment (D. Cruden and R. Fell, editors), A. A. Balkema, Rotterdam, Brookfield, pp. 297-315.
- Muchoney, D. M., B. N. Haack, 1994. Change detection for monitoring forest defoliation, *Photogrammetric Engineering & Remote sensing*, 60(10):1243-1251.
- Mulder, H.F.H.M., 1991. *Assessment of Landslide Hazard*, Faculty of Geographical Sciences, Univ. of Utrecht, The Netherlands, 150 p.
- Nelson, R.F.1983. Detecting forest canopy change due to insect activity using Landsat MSS. *Photogrammetric Engineering & Remote sensing*, 49(9):1303-1314.

- Nepal Electricity Authority, 1994. *Master Plan Study on Sediment Control for Kulekhani Watershed*, Kulekhani Disaster Prevention Project, Nepal Electricity Authority, Kathmandu, 193 p.
- Neuland, H., 1976. A prediction model for landslips, *Catena*, 3:215-230.
- Okimura, T., 1982. Situation of surficial slope failure based on the distribution of soil layer, *Shin-sabo*, 35:9-18 (in Japanese with English abstract).
- Pachauri, A. K., and M. Pant, 1992. Landslide hazard mapping based on geological attributes, *Engineering Geology*, 32:81-100.
- Peters, A.J., B. C. Reed, M. D. Eve, and K. M. Havstad, 1993. Satellite assessment of drought impact on native plant communities of Southeastern New Mexico, U.S.A., *Journal of Arid environments*, 24:305-319.
- Reeves, R.G., 1975. *Manual of Remote Sensing*, Falls Church, Virginia, American Society of Photogrammetry, 867 p.
- Rengers, N, R. Soeters, R, and C. J. Van Westen. 1992. Remote sensing and GIS applied to Mountain Hazard mapping, *Episodes*, 15(1):36-45.
- Richardson A. J., and J. H Everitt, 1992. Using spectral vegetation indices to estimate rangeland productivity. *Geocarto International*, 1:63-69.
- Ridd M. K. and J. Liu, 1998. A comparison of four algorithms for change detection in an urban environment, *Remote Sensing of Environment*, 63:95-100.
- Sakai, T., H. Nishikawa, S. Fukuyama, and T. Sugimura, 1985. A study of landslides in Hayakawa watershed by using landsat MSS data – Detection of new landslides, *Journal of the Remote Sensing Society of Japan*, 5: 5-15 (in Japanese with English abstract).
- Sarkar. S., D. P. Kanungo, and G. S. Mehotra, 1995. Landslide hazard zonation, a case study in Garhwal Himalaya, India, *Mountain Research and Development* 15(4):301-309.
- Schuster, R.L., 1978. *Introduction*, Landslide Analysis and Control (M Clark, editor), National Research Council, Transportation Board, USA, pp. 1 - 9.
- Sidle, R. C., 1992. A theoretical model of the effects of timber harvesting on slope stability, *Water Resources Research*, 28(7):1897-1910.
- Singh, A., 1989. Digital change detection techniques using remotely-sensed data,

- International Journal of Remote Sensing*, 10(6):989-1003.
- Skempton, A. W., and F. A. Delory 1957. Stability of natural slopes in London clay, *Proceedings of 4th International Conference on Soil Mechanics and Foundation Engineering* 4:379-381.
- Stocklin, J., and K. D. Bhattarai, 1981. *Geology of Kathmandu Area and Central Mahabharat Range, Nepal Himalaya*, United Nations mineral exploration technical report, UNDP/Nepal, 61 p.
- Strahler, A. N. 1957. Quantitative analysis of watershed geomorphology, *Transactions of the American Geophysical Union*, 38:913-20.
- Terlien, M. T. J., C. J. Van Westen and T. W. J. Van Asch, 1995. *Deterministic Modelling in GIS-Based Landslide Hazard Assessment*, Geographical Information Systems in Assessing Natural Hazards (A. Carrara and F. Guzzetti, editors), Kluwer Academic Publishers, Dordrecht, pp. 57-78.
- Tucker, C. J., and E. L. Maxwell, 1976. Sensor design for monitoring vegetation canopies, *Photogrammetric Engineering & Remote sensing*, 42(11):1399-1410.
- Tucker, C. J., 1979. Red and photographic infrared linear combinations for monitoring vegetation, *Remote Sensing of Environment*, 8(2):127-150.
- Van Westen, C. J., 1994. *GIS in Landslide Hazard Zonation: A Review, with Examples from the Columbian Andes*, Mountain Environments and Geographic Information Systems (M.F. Price and D. I. Heywood, editors), Taylor and Francis, London, pp. 135-166.
- Van Westen, C. J., 1993. *Application of Geographic Information System to Landslide Hazard Zonation*, ITC Publication number 15, ITC, Part 1, Enschede, 245 p.
- Varnes, D. J., 1978. *Slope Movement Types and Processes*. Landslide Analysis and Control (M. Clark editor), National Research Council, Transportation Board, USA, pp. 11-33.
- Varnes, D. J., 1984. *Landslide Hazard Zonation: A Review of Principles and Practice*, Commission on the Landslides of the IAEG, UNESCO, *Natural Hazard* No. 3, 61 p.
- Virag, L. A. and J. E. Colwell, 1987. An improved procedure for analysis of change in thematic mapper image-pairs, *Proceedings of the Twenty-First International Symposium on Remote Sensing Environment*, Ann Arbor, Michigan, pp. 1101-1110.

- Wadge, G., A. P. Wislocki, and E. J. Pearson, 1993. *Spatial Analysis in GIS for Natural Hazard Assessment*, Environmental Modelling with GIS (M. F. Goodchild, B. O. Parks and L. T. Steyaert, editors), Oxford University Press, Oxford, pp. 332-338.
- Walsh, S. J., D. R. Butler, E. G. Brown, and L. Bian, 1990. Cartographic modeling of snow avalanche path locations in Glacier National park, Montana, *Photogrammetric Engineering & Remote sensing*, 56(5):615-621.
- Walsh, S. J., and D. R. Butler, 1997. Morphometric and multispectral image analysis of debris flows for natural hazard assessment, *Geocarto International*, 12:59-70.
- Wang, S. Q., and D. J. Unwin, 1992. Modeling landslide distribution on loess soils in China: An Investigation, *International Journal of Geographical Information Systems*, 6:391-405.
- Wu, W., and R. C. Sidle, 1995. A distributed slope stability model for steep forested basins, *Water Resources Research*, 31(8):2097-2110.
- Yamagata Y. and Akiyama, T., 1988. Flood damage analysis using multitemporal Landsat TM data. *International Journal of Remote Sensing*, 9(3):503-514.
- Yin, K. L., and T. Z. Yan, 1988. Statistical prediction model for slope instability of metamorphosed Rocks, *Proceedings of the 5th International Symposium on Landslides*, Lausanne, Volume 2, pp. 1269-1272.
- Zika, P., J. Rubar, and Z. Kudrna, 1988. Empirical approach to the evaluation of the stability on high slopes, *Proceedings of the 5th International Symposium on Landslides*, Lausanne, Volume 2, pp. 1273-1275.
- Zimmermann, M., M. Bichsel, and H. Kienholz, 1986: Mountain hazard mapping in the Khumbu Himal, Nepal with prototype map, scale 1:50,000, *Mountain Research and Development*, 6(1): 29-40.