

Literatures Cited

- Abrahamse, A. J., A. van der Padt, R. M. Boom, and W. B. C. de Heji, Process Fundamentals of Membrane Emulsification: Simulation with CFD, *Am. Inst. Chem. Eng. J.*, **47**, 1285-1291 (2001).
- Adamson, A. W., *Physical Chemistry of Surfaces*, 4th ed., John Wiley & Sons, New York, 664p (1982).
- Bart, S. F., Design Considerations for Microfabricated Electric Actuators, *Sensors Actuators*, **14**, 269-292 (1988).
- Becker, E. W., W. Erfeld, D. Munchmeyer, H. Bets, A. Heuberger, H. J. Michel, and V. R. Siemens, Production of Separation Nozzle Systems for Uranium Enrichment by a Combination of X-Ray Lithography and Gavanoplastics, *Naturwissenschaften*, **69**, 520-523, (1982).
- Beebe, D. J., J. S. Moor, J. M. Bauer, Q. Yu, R. H. Liu, C. Devadoss, and B. H. Jo, Functional Hydrogel Structures for Autonomous Flow Control Inside Microfluidic Channels, *Nature*, **404**, 588-590 (2000).
- Bowen, W. R., and R. J. Cooke, Properties of Microfiltration Membranes: Computer Automated Determination of the Electrokinetic Properties of Polycarbonate Membranes, *J. Coll. Interf. Sci.*, **141**, 280-287 (1991).
- Burns, M. A., B. N. Johnson, S. N. Brahmaandra, K. Handique, J. R. Webster, M. Krishnan, T. S. Sammarco, P. M. Man, D. Jones, D. Heldsinger, C. H. Maserangelo, and D. T. Burke, An Integrated Nanoliter DNA Analysis Device, *Science*, **282**, 484-487 (1998).
- K. Buszello and B. W. Müller, Emulsions as Drug Delivery Systems, In: *Pharmaceutical*

- Emulsions and Suspensions (Drugs and the Pharmaceutical Sciences) (F. Nielloud, G. Marti-Westres eds.), vol. 105, Marcel Dekker, New York, pp. 191-228 (2000).
- Chou, H. P., C. Spence, A. Scherer, and S. Quake, A microfabricated Device for Sizing and Sorting DNA Molecules, *Proc. Natl. Acad. Sci. U.S.A.*, **96**, 11-13 (1999).
- Cleland, J. L., Solvent Evaporation Process for the Production of Controlled Release Biodegradable Microscopic Formulations for Therapeutics and Vaccines, *Biotechnol. Prog.*, **14**, 102-107 (1998).
- Chován T., and A. Guttman, Microfabricated Devices in Biotechnology and Biochemical Processing, *Trends Biotechnol.*, **20**, 116-122 (2002).
- Dickinson, E., Introduction to Food Colloids, Oxford University Press, Oxford, 216p (1992).
- Dickinson, E, and D. J. McClements, Advances in Food Colloids, Chapman & Hall, London, 333p (1995).
- Duffy D. C., J. C. McDonald, O. J. A. Schueller, and G. M. Whitesides, Rapid Prototyping of Microfluidic Systems in Poly(dimethylsiloxane), *Anal. Chem.*, **70**, 4974-4984 (1998).
- Ehrfeld, W., K. Golbig, V. Hessel, H. Löwe, and T. Richer, Characterization of Mixing in Micromixers by a Test Reaction: Single Mixing Units and Mixer Arrays, *Ind. Eng. Chem. Res.*, **38**, 1075-1082 (1999).
- Ehrfeld, W., V. Hessel, and H. Löwe, Microreactor, Wiley VCH, Weinheim, 283p (2000).
- Evison, J., E. Dickinson, R. K. Owusu Apenten, and A. Williams, Formation and Properties of Protein Stabilized Water-in-Oil-in-Water Multiple Emulsions, Food Macromolecules, In: Food Macromolecules and Colloids (E. Dickinson, D. Lorient eds.), Royal Society of Chemistry, Cambridge, 235p, 1995.
- Fujita, H., Fabrication of an Electro-Static Linear Actuator, *IEEE Trans. Electron Devices*,

- ED-35, 731-734 (1989).
- Gad-el-Hak, M., Introduction, in *The MEMS Handbook* (M. Gad-el-Hak ed.), chap 1, CRC Press, New York (2002).
- Harrison, D. J., K. Fluri, K. Seiler, Z. Fan, C. S. Effenhauser, and A. Manz, Micromachining a Miniaturized Capillary Electrophoresis-Based Chemical Analysis System on a Chip, *Science*, **261**, 895-897 (1993).
- Haswell, S. J., and V. Skelton, Chemical and Biochemical Microreactors, *Trends Anal. Chem.*, **19**, 389-395 (2000).
- Hatate, Y., Y. Uemura, K. Ijichi, Kato, and T. Hano, Preparation of GPC Packed Polymer Beads by a SPG Membrane Emulsifier, *J. Chem. Eng. Jpn*, **28**, 656-659 (1995).
- Hatate, Y., H. Ohta, Y. Uemura, K. Ijichi, Kato, and H. Yoshizawa, Preparation of Monodispersed Polymeric Microspheres for Toner Particles by the SPG Membrane Emulsification Technique, *J. Appl. Polym. Sci.*, **64**, 1107-1113 (1996).
- Heydinger, J. A., and K. D. Nakhasi, Medium Chain Tryacylglycerols, *J. Food Lipids*, **3**, 251-257 (1996).
- Higashi, S., N. Tabata, T. Nakashima, K. Iwata, F. Uchiyama, S. Tamura, and T. Setoguti, Arterial-Injection Chemotherapy for Hepatocellular Carcinoma Using Monodispersed Poppy-Seed Oil Microdroplets Containing Fine Aqueous Vesicles of Epirubicin, *Cancer*, **75**, 1245-1254 (1995).
- Higashi, S., N. Tabata, K. Kondo, Y. Maeda, M. Shimizu, T. Nakashima, and T. Setoguti, Size of Lipid Microdroplets Effects Results of Hepatic Arterial Chemotherapy with an Anticancer in Water-in-Oil-in-Water Emulsion to Hepatocellular Carcinoma, *J. Pharmacol. Exp. Therapeutics*, **289**, 816-819 (1999).
- Hosokawa, K., T. Fujii, and I. Endo, Handling of Picoliter Liquid Samples in a

- Ploy(dimethylsiloxane)-Based Microfluidic Device, *Anal. Chem.*, **71**, 4781-4785 (1999).
- Hunter, R. J., Foundations of Colloid Science, Vol. 1, Oxford University Press, Oxford, 752p (1986).
- Israelachvili, J. N., Intermolecular and Surface Forces, Academic Press, London, 450p (1992).
- Jacobson, S. C., R. Hergenröder, L. B. Koutny, R. J. Warmack, and J. Ramsey, Open Channel Electrochromatography on a Microchip, *Anal. Chem.*, **66**, 2369-2373 (1994).
- Joscelyne S. M., and G. Trägårdh, Food Emulsions Using Membrane Emulsification: Conditions for Producing Small Droplets, *J. Food. Eng.*, **39**, 59-64 (1999).
- Joscelyne S. M., and G. Trägårdh, Membrane Emulsification - a Literature Review, *J. Membr. Sci.*, **169**, 107-117 (2000).
- Kage, H., H. Kawahara, H. Ogura, and Y. Matsuno, Complex Coacervation Microencapsulation of Mono-Dispersed Droplets Prepared by Membrane Emulsification, *Kagaku Kogaku Ronbunshu*, **23**, 652-658 (1997a) (in Japanese).
- Kage, H., H. Kawahara, H. Ogura, and Y. Matsuno, Microencapsulation of Mono-Dispersed Droplets by Complex Coacervation Method and Membrane Thickness of Generated Capsules, *Kagaku Kogaku Ronbunshu*, **23**, 659-665 (1997b) (in Japanese).
- Kandori, K., K. Kishi, and T. Ishikawa, Formation Mechanism of Monodispersed W/O Emulsions by SPG Filter Membrane Method, *Coll. Surf.*, **61**, 269-279 (1991).
- Karbstein, H., and H. Schubert, Development in Continuous Mechanical Production of Oil-in-Water Macro-Emulsions, *Chem. Eng. Proc.*, **34**, 205-211 (1995).
- Katoh, R., Y. Asano, A. Fujita, K. Sotoyama, and M. Tomita, Preparation of Food Emulsions Using a Membrane Emulsification Systems, *J. Membr. Sci.*, **113**, 131-135

(1996).

Kawakatsu, T., Y. Kikuchi, and M. Nakajima, Regular-Sized Cell Creation in Microchannel Emulsification by Visual Micro-processing Method, *J. Am. Oil Chem. Soc.*, **74**, 317-321 (1997).

Kawakatsu, T., H. Komori, N. Oda, and T. Yonemoto, Relationship Between Concentration of Surfactant and Pressure for Droplet Creation and Effect on Droplet Size in Microchannel O/W Emulsification, *Kagaku Kogaku Ronbunshu*, **24**, 313-317 (1998) (in Japanese).

Kawakatsu, T., H. Komori, M. Nakajima, Y. Kikuchi, and T. Yonemoto, Production of Monodispersed Oil-in-Water Emulsion Using Crossflow-Type Silicon Microchannel Plate, *J. Chem. Eng. Jpn*, **32**, 241-244 (1999).

Kawakatsu, G. Trägårdh, Y. Kikuchi, M. Nakajima, T., H. Komori, and T. Yonemoto, Effect of Microchannel Structure on Droplet Size During Crossflow Microchannel Emulsification, *J. Surfactant Deterg.*, **3**, 295-302 (2000).

Kawakatsu, T., G. Trägårdh, Ch. Trägårdh, M. Nakajima, N. Oda, and T. Yonemoto, The Effect of Hydrophobicity of Microchannels and Components in Water and Oil Phase on Droplet Formation in Microchannel Water-in-Oil Emulsification, *Coll. Surf. A*, **179**, 29-38 (2001a).

Kawakatsu, T., G. Trägårdh, Ch. Trägårdh, Production of W/O/W Emulsions and S/O/W Pectin Microcapsules by Microchannel Emulsification, *Coll. Surf. A*, **189**, 257-264 (2001b).

Kikuchi, Y., K. Sato, and T. Kaneko, "Optically Accessible Microchannels Formed in a Single-Crystal Silicon Substrate for Studies of Blood Rheology, *Microvasc. Res.*, **44**, 226-240 (1992).

Kikuchi, Y., K. Sato, and Y. Mizuguti, "Modified Cell-Flow Microchannels Formed in a

- Single-Crystal Silicon Substrate and Flow Behavior of Blood Cells, *Microvasc. Res.*, **47**, 126-139 (1994).
- Knitter, R., D. Göhring, M. Bram, P. Mechnich, and R. Broucek, Manufacturing of Ceramic Microcomponents by a Rapid Phototyping Process, *Adv. Eng. Mater.*, **3**, 49-54 (2001).
- Koch, M., A. Evans, and A. Brunnschweiler, *Microfluidic Technology and Applications*, Research Studies Press, Hertfordshire, 320p (2000).
- Kobayashi, I., M. Nakajima, J. Tong, T. Kawakatsu, H. Nabetani, Y. Kikuchi, A. Shono, and K. Satoh, Production and Characterization of Monodispersed Oil-in-Water Microspheres Using Microchannels, *Food Sci. Technol. Res.*, **5**, 350-355 (1999).
- Kopp, M. U., A. J. de Mello, and A. Manz, Chemical Amplification: Continuous-Flow PCR on a Chip, *Science*, **280**, 1046-1048 (1998).
- Laudau, L. D., and E. M. Lifshitz, *Fluid Mechanics*, Butterworth-Heinemann, Oxford, 539p (1987).
- Lettmann, C., D. Möckel, and E. Staude, Permeation and Tangential Flow Streaming Potential Measurements for Electrokinetic Characterization of Track-Etched Microfiltration Membranes, *J. Membr. Sci.*, **159**, 243-251 (1999).
- Liu, X., M. Nakajima, H. Nabetani, Q. Xu, S. Ichikawa, and Y. Sano, Stability Characteristics of Dispersed Oil Droplets Prepared by the Microchannel Emulsification Method, *J. Coll. Interf. Sci.*, **233**, 22-30 (2001).
- Ma, G-H., M. Nagai, and S. Omi, Preparation of Uniform Poly(lactide) Microspheres by Employing the Shirasu Porous Glass (SPG) Emulsification Technique, *Coll. Surf. A*, **153**, 383-394 (1999).
- Madou., M. J., MEMS Fabrication, in: *The MEMS Handbook* (M. Gad-el-Hak ed.), chap 16, CRC Press, New York (2002a).

- Madou, M. J., LIGA and Other Replication Techniques, in: *The MEMS Handbook* (M. Gad-el-Hak ed.), chap 17, CRC Press, New York (2002b).
- Maluf, N., *An Introduction to Microelectromechanical Systems Engineering*, Artech House Publishers, Boston, 265p (2000).
- Manz, A., Y. Miyahara, J. Miura, Y. Watanabe, H. Miyagi, and K. Sato, Design of an Open-Tubular Column Liquid Chromatograph Using Silicon Chip Technology, *Sensors Actuators B*, **1**, 249-255 (1990).
- Marti-Westres, G., and F. Nielloud, Main Surfactants Used in Pharmaceutical Field, In: *Pharmaceutical Emulsions and Suspensions (Drugs and the Pharmaceutical Sciences)* (F. Nielloud, G. Marti-Westres eds.), vol. 105, Marcel Dekker, New York, pp. 1-18 (2000).
- Mason, T.G., A. H. Krall, H. Gang, Bibette J., and D. A. Weitz, Monodisperse Emulsions: Properties and Used, In: *Encyclopedia of Emulsion Technology* (P. Becher ed.), vol. 4, Marcel Dekker, New York, pp. 299-335 (1996a).
- Mason, T. G., J. Bibette, and D. A. Weitz, Yielding and Flow of Monodisperse Emulsions, *J. Coll. Interf. Sci.*, **179**, 439-448 (1996b).
- Matsumoto, S., In: *Nonionic Surfactants-Physical Chemistry* (S. Friberg ed.), Marcel Dekker, New York, pp. 549-600 (1987).
- Matsumoto, S., Preparation and State of Macromolecules Stabilized by Small-Molecule Surfactants, *Food Hydrocolloids*, **3**, 249-261 (1989).
- McClements, D. J., *Food Emulsions: Principles, Practice and Techniques*, CRC Press, New York, 337p (1999).
- McCreeedy., T, Fabrication Techniques and Materials Commonly Used for the Production of Microreactors and Micro Total Analytical Systems, *Trend Anal. Chem.*, **19**, 396-401 (2000).

- Mine, Y., M. Shimizu, and T. Nakashima, Preparation and Stabilization of Simple and Multiple Emulsions Using a Microporous Glass Membrane, *Coll. Surf. B*, **6**, 261-268 (1996).
- Muramatsu, N., and T. Kondo, An Application to Prepare Microcapsules of Uniform Size, *J. Microencapsulation*, **12**, 129-136 (1995).
- Muramatsu, N., and Nakauchi, A Novel Method to Prepare Monodisperse Microparticles, *J. Microencapsulation*, **15**, 715-723 (1998).
- Nakashima, T., M. Shimizu, M. Kawano, US Patent 4657875 (1987).
- Nakashima, T., M. Shimizu, and M. Kukizaki, Membrane Emulsification by Microporous Glass, *Key Eng. Mater.*, **61/62**, 513-516 (1991).
- Nakashima, T., M. Shimizu, and M. Kukizaki, Effect of Surfactant on Production of Monodispersed O/W Emulsion in Membrane Emulsification, *Kagaku Kogaku Ronbunshu*, **19**, 991-997 (1993) (in Japanese).
- Nakashima, T., M. Kukizaki, M. Shimizu, Y. Nakahara, H. Kageyama, F. Nakahara, and M. Mizuuchi, US Patent 5278106 (1994).
- Nakashima, T., M. Shimizu, and M. Kukizaki, Particle Control of Emulsion by Membrane Emulsification and Its Applications, *Adv. Drug. Del. Rev.*, **45**, 47-56 (2000).
- O'Donnell, P. B., and J. W. McGinity, Preparation of Microspheres by the Solvent Evaporation Technique, *Adv. Drug. Del. Rev.*, **28**, 25-42 (1997).
- Omi, S., K. Katami, A. Yamamoto, and M. Iso, Synthesis of Polymeric Microspheres Employing SPG Emulsification Technique, *J. Appl. Polym. Sci.*, **51**, 1-11 (1994).
- Omi, S., K. Katami, T. Taguchi, K. Kaneko, and M. Iso, Synthesis of Uniform PMMA Microspheres Employing Modified SPG (Shirasu Porous Glass) Emulsification Technique, *J. Appl. Polym. Sci.*, **57**, 1013-1024 (1995).
- Omi, S., A. Matsuda, K. Imamura, M. Nagai, and G-H. Ma, Synthesis of Monodisperse

- Polymeric Microspheres Including Polyimide Prepolymer by Using SPG Emulsification Technique, *Coll. Surf. A*, **153**, 373-381 (1999).
- Orr, C., Emulsion Droplet Size Data, In: Encyclopedia of Emulsion Technology (P. Becher ed.), vol. 1, Marcel Dekker, New York, pp. 369-403 (1996).
- Pandolfe, W. D., Effect of Premix Condition, Surfactant Concentration and Oil Level on the Formation of Oil-in-Water Emulsions by Homogenization, *J. Dispersion Sci. Technol.*, **16**, 633- (1995).
- Pays, K., J. Giermanska-Kahn, B. Pouligny, J. Bibette, and F. Leal-Carlsson, Coalescence in Surfactant-Stabilized Double Emulsions, *Langmuir*, **17**, 7758-7769 (2001).
- Peng, S. J., and R. A. Williams, Controlled Production of Emulsions Using a Crossflow Membrane: Part I Droplet Production from a Single Pore, *Trans. Inst. Chem. Eng.*, **76(A)**, 894-901 (1998).
- Prins, M. W. J., W. J. J. Welters, and J. W. Weekamp, Fluid Control in Multichannel Structures by Electrocapillary Pressure, *Science*, **291**, 277-280 (2001).
- Reithmeier, H., J. Herrmann, and A. Göpferich, Development and Characterization of Lipid Microparticles as a Drug Carrier for Somatostatin, *Int. J. Pharm.*, **218**, 133-143 (2001).
- Rocklin, R. D., R. S. Ramsey, and J. M. Ramsey, A Microfabricated Fluidic Device for Performing Two-Dimensional Liquid-Phase Separations, *Anal. Chem.*, **72**, 5244-5249 (2000).
- Rodríguez Patino, J. M., M. R. Rodríguez Niño, C. Carrera Sánchez, J. M. Navarro García, G. R. Rodríguez Mateo, and M. Cejuro Fernández, The Effect of Temperature on Food Emulsifiers at Fluid-Fluid Interfaces, *Coll. Surf. B*, **21**, 87-99 (2001).
- Sammarco, T. S., and M. A. Burns, Thermocapillary Pumping of Discrete Drops in Microfabricated Analysis Devices, *Am. Inst. Chem. Eng. J.*, **45**, 350-366 (1999).

- Sato, K., M. Tokeshi, T. Kitamori, and T. Sawada, Integration of Flow Injection Analysis and Zeptomole-Level Detector of the Fe(II)-*o*-Phenanthroline Complex, *Anal. Sci.*, **15**, 641-645 (1999).
- Shasfroot, R. B. M., S. Schlautmann, J. Hendrikse, and A. van der Berg, Field-Effect Flow Control for Microfabricated Fluidic Networks, *Science*, **286**, 942-945 (1999).
- Schröder, V, O. Behrend, and H. Schubert, Effect of Dynamic Interfacial Tension on the Emulsification Process Using Microporous Ceramic Membranes, *J. Coll. Interf. Sci.*, **202**, 334-340 (1998).
- Schröder, V, and H. Schubert, Production of Emulsions Using Microporous, Ceramic Membranes, *Coll. Surf. A*, **152**, 103-109 (1999).
- Schubert, H., and H. Armbruster, Principles of Formation and Stability of Emulsions, *Int. Chem. Eng.*, **32**, 14-28 (1992).
- Sherman, P., Emulsion Science, Academic Press, London, 496p (1968).
- Shiga, K., N. Mramatsu, and T. Kondo, Preparation of Poly(D,L-lactide) and Copoly(lactide-glycolide) Microspheres of Uniform Size, *J. Pharmacy Pharmacology*, **48**, 891-895 (1996).
- Stang, M., H. Karbstein, and H. Schubert, Adsorption Kinetics of Emulsifiers at Oil-Water Interfaces and Their Effect on the Mechanical Emulsification, *Chem. Eng. Proc.*, **33**, 307-311 (1994).
- Stroock, A. D., S. K. W. Dertinger, A. Ajdari, I. Mezic, H. A. Stone, G. M. Whitesides, Chaotic Mixer for Microchannels, *Science*, **295**, 647-651 (2002).
- Sugiura, S., M. Nakajima, J. Tong, H. Nabetani, and M. Seki, Preparation of Monodispersed Solid Lipid Microspheres Using Microchannel Emulsification Technique, *J. Coll. Interf. Sci.*, **227**, 95-103 (2000).
- Sugiura S., M. Nakajima, H. Ushijima, K. Yamamoto, and M. Seki, Preparation

- Characteristics of Monodispersed Water-in-Oil Emulsions Using Microchannel Emulsification, *J. Chem. Eng. Jpn*, **34**, 757-765 (2001a).
- Sugiura, S., M. Nakajima, S. Iwamoto, and M. Seki, Interfacial Tension Driven Monodispersed Droplet Formation From Microfabricated Channel Array, *Langmuir*, **17**, 5562-5566 (2001b).
- Sugiura S., M. Nakajima, H. Itoh, and M. Seki, Synthesis of Polymeric Microspheres with Narrow Size Distributions Employing Microchannel Emulsification, *Macromol. Rapid Commun.*, **22**, 773-778 (2001c).
- Sugiura, S., M. Nakajima, and M. Seki, Preparation of Monodispersed Emulsions with Large Droplets in Microchannel Emulsification, *J. Am. Oil Chem. Soc.*, **79**, 515-519 (2002a).
- Sugiura, S., M. Nakajima, and M. Seki, Prediction of Droplet Diameter for Microchannel Emulsification, *Langmuir*, **18**, 3854-3859 (2002b).
- Sugiura S., M. Nakajima, and M. Seki, Preparation of Monodispersed Polymeric Microspheres over 50 μm Employing Microchannel Emulsification, *Ind. Eng. Chem. Res.*, **41**, 4043-4047 (2002c).
- Sugiyama, S., M. Takigawa, I. Igarashi, Integrated Piezoresistive Pressure Sensor with Both Voltage and Frequency Output, *Sensors Actuators*, **4**, 113-120 (1983).
- Suzuki, K., I. Shuto, and Y. Hagura, Characteristics of Membrane Emulsification Method Combined with Preliminary Emulsification for Preparing Corn Oil-in-Water Emulsions, *Food Sci. Technol. Int.*, **2**, 43-47 (1996).
- Suzuki, K., I. Fujiki, and Y. Hagura, Preparation of Corn Oil/Water and Water/Oil Emulsions Using PTFE Membrane, *Food Sci. Technol. Int.*, **4**, 164-167 (1998).
- Taylor, T., Ostwald Ripening in Emulsions, *Adv. Coll. Interf.*, **75**, 107-163 (1998).
- Tong, J., M. Nakajima, H. Nabetani, Y. Kikuchi, Surfactant Effect on Production of

- Monodispersed Microspheres by Microchannel Emulsification Method, *J. Surfactant Deterg.*, **3**, 285-293 (2000).
- Tong, J., H. Nabetani, and M. Nakajima, "Production of Phospholipid O/W Microspheres by Microchannel Emulsification," *Eur. J. Lipid Sci. Technol.*, **104**, 216-221 (2002).
- Trimmer, W., and K. Gabriel, Design Consideration for a Practical Electro Static Micromotor, *Sensors Actuators*, **11**, 189-206 (1987).
- Tseng, F.-G., Microdroplet Generators, in: The MEMS Handbook (M. Gad-el-Hak ed.), chap 30, CRC Press, New York (2002).
- Tufte, O. N., P. W. Chapman, and D. Long, Silicon Diffused-Element Piezoresistive Diaphragms, *J. Appl. Phys.*, **33**, 3322-3327 (1962).
- Unger, M. A., H. P. Chou, T. Thorsen, A. Scherer, and S. R. Quake, Monolithic Microfabricated Valves and Pumps by Multilayer Soft Lithography, *Science*, **288**, 113-116 (2000).
- Vladisavljevic, G. T., and H. Schubert, Preparation and Analysis of Oil-in-Water Emulsions with a Narrow Droplet Size Distribution Using Shirasu-Porous-Glass (SPG) Membranes, *Desalination*, **144**, 167-172 (2002).
- Vladisavljevic, G. T., S. Tesch, and H. Schubert, Preparation of Water-in-Oil Emulsions Using Microporous Polypropylene Hollow Fibers: Influence of Some Operating Parameters on Droplet Size Distribution, *Chem. Eng. Proc.*, **41**, 231-238 (2002).
- Walstra, P., Formation of Emulsions, In: Encyclopedia of Emulsion Technology (P. Becher ed.), vol. 1, Marcel Dekker, New York, pp. 57-127 (1996).
- Walstra, P., Principles of Emulsion Formation, *Chem. Eng. Sci.*, **48**, 333-349 (1993).
- Walstra, P., Emulsion Stability, In: Encyclopedia of Emulsion Technology (P. Becher ed.), Vol. 4, Marcel Dekker, New York, pp. 1-59 (1996).
- Weigl, B. H., and P. Yager, Microfluidic Diffusion-Based Separation and Detection, *Science*,

- 283, 346-347 (1999).
- Yoshizawa, H., Y. Uemura, K. Ijichi, T. Hano, Y. Kawano, and Y. Hatate, Permeability Control of Active Agent from Polymeric Microcapsules by Coating of Gelatin/Gum Arabic Membrane, *J. Chem. Eng. Jpn*, **29**, 379-382 (1996a).
- Yoshizawa, H., H. Ohta, M. Maruta, Y. Uemura, K. Ijichi, and Y. Hatate, Novel Procedure for Monodispersed Polymeric Microspheres with High Electrifying additive Content by Particle-Shrinking Method via SPG Membrane Emulsification, *J. Chem. Eng. Jpn*, **29**, 1027-1029 (1996b).
- You, J. O., S. B. Park, H. Y. Park, S. Haam, C. H. Chung, and W. S. Kim, Preparation of Regular Sized Ca-alginate Microspheres Using Membrane Emulsification Method, *J. Microencapsulation*, **18**, 521-532 (2001).
- Yuyama, H., T. Watanabe, G.-H. Ma, M. Nagai, and S. Omi, Preparation and Analysis of Uniform Emulsion Droplets Using SPG Membrane Emulsification Technique, *Coll. Surf. A*, **168**, 159-174 (2000).

List of Publications

This dissertation is based on the published papers as follows.

Isao Kobayashi, Mitsutoshi Nakajima, Hiroshi Nabetani, Yuji Kikuchi, Atsushi Shono, and Kazumi Satoh, "Preparation of Micron-scale Monodisperse Oil-in-Water Microspheres Using Microchannels," *J. Am. Oil Chem. Soc.*, **78**, 797-802 (2001).

Isao Kobayashi, Mitsutoshi Nakajima, Kyoseok Chun, Yuji Kikuchi, and Hiroyuki Fujita, "Silicon Array of Elongated Through-Holes for Monodisperse Emulsions," *AIChE J.*, **48**, 1639-1644 (2002).

Isao Kobayashi, Motohiro Yasuno, Satoshi Iwamoto, Atsushi Shono, Kazumi Satoh and Mitsutoshi Nakajima, "Microscopic Observation of Emulsion Droplet Formation from a Polycarbonate Membrane," *Coll. Surf. A*, **207**, 185-196 (2002).

Isao Kobayashi and Mitsutoshi Nakajima, "Effect of Emulsifiers on Preparation of Food-Grade Oil-in-Water Emulsions Using a Straight-Through Extrusion Filter," *Eur. J. Lipid Sci. Technol.*, **104**, 720-727 (2002).

Isao Kobayashi, Yosuke Iitaka, Satoshi Iwamoto, Shoji Kimura and Mitsutoshi Nakajima, "Preparation Characteristics of Lipid Microspheres Using Microchannel Emulsification and Solvent Evaporation Methods," *J. Chem. Eng. Jpn*, submitted.

Review

Isao Kobayashi and Mitsutoshi Nakajima, "Straight-through microchannel emulsification system," *Kemikaru Enjinyaringu (Chemical Engineering)*, **46**, 851-857, 2001 (in japanese).

Book

Isao Kobayashi and Mitsutoshi Nakajima, "Microchannel technology for preparation of monodisperse emulsions," *Biryuushi Kougaku Taizen (Engineering Systems for Fine Particles)*, vol. 1, p. 735-740, Fuji Technosystem Co., Ltd, Tokyo, (2001) (in japanese).

Proceedings

Isao Kobayashi, Mitsutoshi Nakajima, Hiroshi Nabetani, Yuji Kikuchi, Atsushi Shono, and Kazumi Satoh, "Vertical-Type Microchannel Emulsification," 2000: Dawn of the Innovative Era for Soybeans, Proceedings of 3rd International Soybean Processing and Utilization Conference (ISPUCIII), Korin Publishing Co., Ltd, Tokyo, pp. 670-671 (2000).

Isao Kobayashi, Mitsutoshi Nakajima, Yuji Kikuchi, Atsushi Shono, and Kazumi Satoh, "Small Microchannel Fabrication for Small Size Microspheres," 2000: Dawn of the Innovative Era for Soybeans, Proceedings of 3rd International Soybean Processing and Utilization Conference (ISPUCIII), Korin Publishing Co., Ltd, Tokyo, pp. 670-671 (2000).

Isao Kobayashi, Mitsutoshi Nakajima, Kyoseok Chun, Yuji Kikuchi, and Hiroyuki Fujita, "Fabrication of Through-Type Microchannels for Monodispersed Microspheres," 2000: Dawn of the Innovative Era for Soybeans, Proceedings of 3rd International Soybean Processing and Utilization Conference (ISPUCIII), Korin Publishing Co., Ltd, Tokyo, pp. 670-671 (2000).

Isao Kobayashi, Mitsutoshi Nakajima, Yuji Kikuchi, "Continuous Formation of Monodispersed Oil-in-Water Microspheres Using Vertically Mounted Microchannel System," Studies in Surface Science and Catalysis (Advisory Eds. B. Delmon and J. T. Yates), vol. 132, Proceedings of the International Conference on Colloid and Surface Science (Eds. Y. Iwasawa, N. Oyama, and H. Kunieda), pp. 1061-1065, Elsevier, Amsterdam (2000).

Isao Kobayashi, Mitsutoshi Nakajima, Yuji Kikuchi, Kyoseok Chun, and Hiroyuki Fujita, "Micromachined Straight-Through Silicon Microchannel Array for Monodispersed Microspheres," Microreaction Technology (M. Matlosz, W. Ehrfeld, and J. P. Baselt), IMRET5: Proceedings of the Fifth International Conference on Microreaction Technology, pp. 41-48, Springer, Berlin (2001).

Isao Kobayashi, Yuji Kikuchi, and Mitsutoshi Nakajima, "Development of Straight-Through Microchannel Technique for monodisperse Emulsions," Proceedings of Third World Congress on Emulsions, Sep. 24-27, Lyon, France (2002).

Published papers (not related to this dissertation)

Isao Kobayashi, Mitsutoshi Nakajima Jihong Tong, Takahiro Kawakatsu, Hiroshi Nabetani, Yuji Kikuchi, Atsushi Shono and Kazumi Satoh, "Production and characterization of monodispersed oil-in-water microspheres using microchannels", *Food Sci. Technol. Res.*, **5**, 350-355 (1999).

Motohiro Yasuno, Mitsutoshi Nakajima, Satoshi Iwamoto, Tatsuo Maruyama, Shinji Sugiura, Isao Kobayashi, Atsushi Shono and Kazumi Satoh, "Visualization and characterization of SPG membrane emulsification", *J. Membr. Sci.*, **210**, 29-37 (2002).

Yoshito Hamada, Isao Kobayashi, Mitsutoshi Nakajima and Kiyotaka Sato, "Optical and Interfacial Tension study of Crystallization of n-alkane in Oil-in-Water Emulsion Using Mono-Dispersed Droplets", *Crystal growth & Design*, **2**, 579-584 (2002).

Acknowledgements

I wish to express my profound appreciation to Prof. M. Nakajima (National Food Research Institute and University of Tsukuba) for his excellent guidance and support throughout my doctoral program. I sincerely appreciate dissertation committee members at University of Tsukuba, Prof. T. Kimura, Prof. T. Maekawa and Prof. S. Mukataka for their helpful advice in the preparation of my thesis.

I appreciate Prof. K. Satoh, Dr. A. Shono (Science University of Tokyo) for their constant encouragement and support throughout the program and gave me the opportunity to study in National Food Research Institute.

I appreciate Prof. H. Fujita (Institute of Industrial Science, The University of Tokyo) and Dr. K. Chun (National Food Research Institute) for their excellent support in the development of a novel microchannel emulsification device, named a silicon straight-through microchannel plate.

I appreciate Dr. Y. Kikuchi (National Food Research Institute) for his valuable suggestions in the development of microchannel emulsification devices and gave me the opportunity to carry out experiments in his Lab.

I would like to thank Dr. H. Nabetani (National Food Research Institute), Dr. S. Ichikawa (University of Tsukuba), Dr. T. Kawakatsu, Dr. J. Tong and Dr. S. Iwamoto (National Food Research Institute) for their helpful advice in my research and life in the Lab.

I wish to express my thanks to Mr. M. Yasuno (Science University of Tokyo) and Mr. Y. Iitaka (Kogakuin University) for their excellent help in my research.

I thank Dr. R. Subramanian (Central Food Technological Research Institute, India) for his constant encouragement and many help throughout the program. I also thank Dr. S. Khare, Dr. C. Larguèze, Mr. Dhammika, Dr. C. Tan and others came from foreign countries for their many help in the Lab.

I thank the students at Reaction and Separation Engineering Lab., Dr. S. Sugiura, Dr. T. Maruyama, Dr. T. Kamada, Dr. Q. Xu, Mr. K. Yamamoto, Mr. N. Souda, Ms. H. Liu, Mr. S. Umezaki, Mr. N. Kumazawa, Mr. K. Nakagawa, Mr. Y. Izumida, Ms. A. Matsuzaki, Mr. T. Kagota, Mr. Y. Fujimitsu for their many help, suggestions and advice.

I thank Mr. M. Mizuno, Dr. N. Yanai, Mr. Y. Chiba, Mr. S. Shiotani, Dr. F. Ikkai, Mr. K. Jonai, and others came from company and Mr. A. Miyagi (Chiba Prefectural Industrial Research Institute) for their many help and advice. I also thank Ms. Y. Kobayashi, Ms. R. Nagata, Ms. M. Yoshioka, Ms. E. Kurakami, Ms. H. Kawaguchi for their help in the Lab.

I thank Mr. T. Asakura, Mr. T. Kataoka, Mr. S. Katoh, Mr. Y. Kouga, Mr. T. Kobayashi, Mr. S. Taguchi who belonged to Chemical Engineering Lab., Department of Industrial Chemistry, Faculty of Engineering, Science University of Tokyo with me from 1997 to 2000 for their constant encouragement throughout the program.

Finally, I would like to dedicate this dissertation to my parents for their encouragement and support throughout the years of studying.

Isao Kobayashi