

REFERENCES

- 1) M.Kato, K.Kato, and D.S.Goodman (1984)
"Immunocytochemical Studies on the Localization of Plasma and of Cellular Retinol-binding Proteins and of Transthyretin (Prealbumin) in Rat Liver and Kidney"
Journal of Cell Biology, 98,1696-1704
- 2) Friedman S.L. (1993)
"The Cellular Basis of Hepatic Fibrosis"
New England Journal of Medicine, 328,1828-1835
- 3) L.J.Gudas, M.B.Sporn , and A.B.Roberts (1994)
"Cellular Biology and Biochemistry of the Retinoids"
In: M.B.Sporn , A.B.Roberts, and D.S.Goodman, eds. The Retinoids. Biology, Chemistry, and Medicine. Ed 2. Raven Press, New York, NY, p 443-520
- 4) C.Hofman and G.Eichele (1994)
"Retinoids in Development"
In: M.B.Sporn , A.B.Roberts, and D.S.Goodman, eds. The Retinoids. Biology, Chemistry, and Medicine. Ed 2. Raven Press, New York, NY, p 387-442
- 5) G.L.Peck and J.I.Digiovanna (1994)
"Synthetic Retinoids in Dermatology"
In: M.B.Sporn , A.B.Roberts, and D.S.Goodman, eds. The Retinoids. Biology, Chemistry, and Medicine. Ed 2. Raven Press, New York, NY, p 631-658
- 6) P.Chambon (1996)
"A Decade of Molecular Biology of Retinoic Acid Receptors"
FASEB Journal, 10,940-954
- 7) D.J.Mangelsdorf and R.M.Evans (1995)
"The RXR Heterodimers and Orphan Receptors"
Cell, 83,841-850
- 8) H.M.Sucov, K.K.Murakami, and R.M.Evans (1990)
"Characterization of an Autoregulated Response Element in the Mouse Retinoic Acid Receptor Type β Gene"
Proceedings of National Academy of Sciences of the USA, 87,5392-5396
- 9) G.J.Fisher, S.C.Datta, H.S.Talwar, Z.-Q.Wang, J.Varani, S.Kang, and J.J.Voorhees (1996)
"Molecular Basis of Sun-induced Premature Skin Ageing and Retinoid Antagonism"

- Nature, 379,335-339
- 10) Y.Kamei, L.Xu, T.Heinzel, J.Torchia, R.Kurokawa, B.Gloss, S.-C.Lin, R.A.Heyman, D.W.Rose, C.K.Glass, and M.G.Rosenfeld (1996)
"A CBP Integrator Complex Mediates Transcriptional Activation and AP-1 Inhibition by Nuclear Receptors"
Cell, 85,403-414
 - 11) T.Muramatsu (1994)
"The Midkine Family of Growth/Differentiation Factors"
Developmental Growth & Differentiation, 36,1-8
 - 12) S.Kojima, T.Inui, H.Muramatsu, Y.Suzuki, K.Kadomatsu, M.Yoshizawa, S.Hirose, T.Kimura, S.Sakakibara, and T.Muramatsu (1997)
"Dimerization of Midkine by Tissue Transglutaminase and Its Functional Implication"
Journal of Biological Chemistry, 272,9410-9416
 - 13) S.Kojima, H.Muramatsu, H.Amanuma, and T.Muramatsu (1995)
"Midkine Enhances Fibrinolytic Activity of Bovine Endothelial Cells"
Journal of Biological Chemistry, 270,9590-9596
 - 14) R.D.Riddle, R.L.Johnson, E.Laufer, and C.Tabin (1993)
"Sonic Hedgehog Mediates the Polarizing Activity of the ZPA"
Cell, 75,1401-1416
 - 15) S.Kojima, K.Nara, D.B.Rifkin (1993)
"Requirement for Transglutaminase in the Activation of Latent Transforming Growth Factor- β in Bovine Endothelial Cells"
Journal of Cell Biology, 121,439-448
 - 16) F.Bachmann (1994)
"The Plasminogen-plasmin Enzyme System"
In: R.W.Colman, J.Hirsh, V.J.Marder, and E.W.Salzman, eds. Hemostasis and Thrombosis: Basic Principles and Clinical Practice. 3 Ed. J. B. Lippincott Co., Philadelphia, PA, p 1592-1622
 - 17) D.J.Loskutoff, M.Sawdey, and J.Mimuro (1989)
"Type 1 Plasminogen Activator Inhibitor"
In: B.S.Coller, ed. Progress in Hemostasis and Trombosis (9). W. B. Saunders, Philadelphia, PA, p87-115
 - 18) K.Bajou, A.Noel, R.D.Gerard, V.Masson, N.Brunner, C.Holst-Hansen, M.Skobe, N.E.Fusenig, P.Carmeliet, D.Collen, and J.M.Foidart (1998)

- “Absence of Host Plasminogen Activator Inhibitor 1 Prevents Cancer Invasion and Vascularization”
Nature Medicine, 4,923-928
- 19) M.Lansink, P.Koolwijk, V.Hinsbergh, and T.Kooistra (1998)
“Effect of Steroid Hormones and Retinoids on the Formation of Capillary-like Tubular Structures of Human Microvascular Endothelial Cells in Fibrin Matrices is Related to Urokinase Expression”
Blood, 92,927-938
- 20) R.S.Beach and M.C.Kenny (1983)
“Vitamin A Augments Collagen Production by Corneal Endothelial Cells”
Biochemical and Biophysical Research Communications, 114,395-402
- 21) J.Krätzschmar, B.Haendler, S.Kojima, D.B.Rifkin, and W.-D.Schleuning (1993)
“Bovine Urokinase-type Plasminogen Activator and Its Receptor: Cloning and Induction by Retinoic Acid”
Gene, 125,177-183
- 22) K.Nara, K.Nakanishi, H.Hagiwara, K.Wakita, S.Kojima, and S.Hirose (1989)
“Retinol-induced Morphological Changes of Cultured Bovine Endothelial Cells are Accompanied by a Marked Increase in Transglutaminase”
Journal of Biological Chemistry, 264,19308-19312
- 23) S.Kojima and D.B.Rifkin (1993)
“Mechanism of Retinoid-induced Activation of Latent Transforming Growth Factor- β in Bovine Endothelial Cells”
Journal of Cellular Physiology, 155,323-332
- 24) M.Yoshizawa, H.Miyazaki, and S.Kojima (1998)
“Retinoids Potentiate Transforming Growth Factor- β Activity in Bovine Endothelial Cells through Up-regulation the Expression of Transforming Growth Factor- β Receptors”
Journal of Cellular Physiology, 176,565-573
- 25) S.J.Braunhut and MPalomares (1991)
“Modulation of Endothelial Cell shape and Growth by Retinoids”
Microvascular Research, 41,47-62
- 26) K.Paige, MPalomares, P.A.D'Amore, and S.J.Braunhut (1991)
“Retinol-induced Modification of the Extracellular Matrix of Endothelial Cells: Its Role in Growth Control”

- In Vitro Cellular and Developmental Biology, 27A,151-157
- 27) R.Blomhoff and K.Wake (1991)
"Perisinusoidal Stellate Cells of the Liver: Important Roles in Retinol Metabolism and Fibrosis"
FASEB Journal, 5,271-277
- 28) R.Blomhoff (1997)
"Retinoids may Increase Fibrotic Potential of TGF- β : Crosstalk between Two Multi-functional Effectors"
Hepatology, 26,1067-10678
- 29) H.Koda, M.Okuno, S.Imai, H.Moriwaki, Y.Muto, N.Kawada, and S.Kojima (1996)
"Retinoic Acid-stimulated Liver Stellate Cells Suppress the Production of Albumin from Parenchymal Cells via TGF- β "
Biochemical and Biophysical Research Communications, 221,565-569
- 30) J.D.Chen and R.M.Evans (1995)
"A Transcriptional Co-repressor that Interacts with Nuclear Hormone Receptors"
Nature, 377,454-457
- 31) R.J.Lin, L.Nagy, S.Inoue, W.Shao, W.H.Miller, and R.M.Evans (1998)
"Role of the Histone Deacetylase Complex in Acute Promyelocytic Leukemia"
Nature, 391,811-814
- 32) S.A.Oñate, S.Y.Tsai, M.-J.Tsai, and B.W.O'Malley (1995)
"Sequence and Characterization of a Coactivator for the Steroid Hormone Receptor Superfamily"
Science, 270,1354-1357
- 33) J.Torchia, D.W.Rose, J.Inostroza, Y.Kamei, S.Westin, C.K.Glass, and M.G.Rosenfeld (1997)
"The Transcriptional Co-activator p/CIP Binds CBP and Mediates Nuclear-receptor Function"
Nature, 387,677-684
- 34) K.A.Hajjar and R.L.Nachman (1994)
"The human endothelial cell plasmin-generating system"
In: R.W.Colman, J.Hirsh, V.J.Marder, and E.W.Salzman, eds. Hemostasis and Thrombosis: Basic Principles and Clinical Practice. Ed 3. J. B. Lippincott Co., Philadelphia, PA, p 823-836
- 35) H.Kagechika, E.Kawachi, Y.Hashimoto, T.Himi, and K.Shudo (1988)
"Retinobenzoic Acids. 1. Structure-activity Relationships of Aromatic Amides with Retinoidal Activity"
Journal of Medicinal Chemistry, 31,2182-2192

- 36) H.Kagechika, T.Himi, K.Namikawa, E.Kawachi, Y.Hashimoto, and K.Shudo (1989)
"Retinobenzoic Acids. 3. Structure-activity Relationships of Retinoidal Azobenzene-4-carboxylic Acids and Stilbene-4-carboxylic Acids"
Journal of Medicinal Chemistry, 32,1098-1108
- 37) L.Eyrolles, H.Kagechika, E.Kawachi, H.Fukasawa, T.Iijima, Y.Matsushima, Y.Hashimoto, and K.Shudo (1994)
"Retinobenzoic acids. 6. Retinoid Antagonists with a Heterocyclic Ring"
Journal of Medicinal Chemistry, 37,1508-1517
- 38) M.Gianni', S.Zanotta, M.Terao, S.Garattini, and E.Garattini (1993)
"Effects of Synthetic Retinoids and Retinoic Acid Isomers on the Expression of Alkaline Phosphatase in F9 Teratocarcinoma Cells"
Biochemical and Biophysical Research Communications, 196,252-259
- 39) B.A.Bernard, J.-M.Bernardon, C.Delescluse, B.Martin, M.-C.Lenoir, J.Maignan, B.Charpentier, W.R.Pilgrim, U.Reichert, and B.Shroot (1992)
"Identification of Synthetic Retinoids with Selectivity for Human Nuclear Retinoic Acid Receptor γ "
Biochemical and Biophysical Research Communications, 186,977-983
- 40) L.S.Rusten, I.Dybedal, H.K.Blomhoff, R.Blomhoff, E.B.Smeland, and S.E.W.Jacobsen (1996)
"The RAR-RXR as well as the RXR-RXR Pathway is Involved in Signaling Growth Inhibition of Human CD34⁺ Erythroid Progenitor Cells"
Blood, 87,1728-1736
- 41) Y.Kanatani, M.Makishima, K.Asahi, A.Sakurai, N.Takahashi, K.Motoyoshi, N.Nagata, and Y.Honma (1997)
"Differanisole A, a Novel Antitumor Antibiotic, Enhances Growth Inhibition and Differentiation of Human Myeloid Leukemia Cells Induced by 9-*cis* Retinoic Acid"
Biochimica et Biophysica Acta, 1359,71-79
- 42) C.Apfel, F.Bauer, M.Crettaz, L.Forni, M.Kamber, F.Kaufmann, P.Lemotte, W.Pirson, and M.Klaus (1988)
"A Retinoic Acid Receptor α Antagonist Selectively Counteracts Retinoic Acid Effects"
Proceedings of National Academy of Sciences of the USA, 89,7129-7133
- 43) D.Benbrook, E.Lernhardt, and M.Pfahl (1988)
"A New Retinoic Acid Receptor Identified from a Hepatocellular Carcinoma"
Nature, 333,669-672

- 44) N.Brand, MPetkovich, A.Krust, P.Chambon, H.de Thé, A.Marchio, P.Tiollais, and A.Dejean (1988)
 "Identification of a Second Human Retinoic Acid Receptor"
 Nature, 332,850-853
- 45) A.Krust, P.Kastner, MPetkovich, A.Zelent, and P.Chambon (1989)
 "A Third Human Retinoic Acid Receptor, hRAR- γ "
 Proceedings of National Academy of Sciences of the USA, 86,5310-5314
- 46) M.Leid, P.Kastner, R.Lyons, H.Nakshatri, M.Saunders, T.Zacharewski, J.-Y.Chen, A.Staub, J.-M.Garnier, S.Mader, and P.Chambon (1992)
 "Purification, Cloning, and RXR Identity of the Hela Cell Factor with which RAR or TR Heterodimerizes to Bind Target Sequences Efficiently"
 Cell, 68,377-395
- 47) P.Chomczynski and N.Sacchi (1987)
 "Single-step Method of RNA Isolation by Acid Guanidinium Thiocyanate-phenol-chloroform Extraction"
 Analytical Biochemistry, 162,156-159
- 48) J.Sambrook, E.F.Fritsch, and T.Maniatis (1989)
 Molecular Cloning: A Laboratory Manual, 2 Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY
- 49) P.Verde, S.Boast, A.Franzè, F.Robbati, and F.Biasi (1988)
 "An Upstream Enhancer and a Negative Element in the 5' flanking Region of the Human Urokinase Plasminogen Activator Gene"
 Nucleic Acids Research, 16,10699-10716
- 50) S.Kato, H.Sasaki, M.Suzawa, S.Masushige, L.Tora, P.Chambon, and H.Gronemeyer (1995)
 "Widely Spaced, Directly Repeated PuGGTCA Elements Act as Promiscuous Enhancers for Different Classes of Nuclear Receptors"
 Molecular and Cellular Biology, 15,5858-5867
- 51) G.Gill, EPascal, Z.H.Tseng, and R.Tjian (1994)
 "A Glutamine-rich Hydrophobic Patch in Transcription Factor Sp1 Contacts the dTAF_{II}110 Component of the Drosophila TFIID Complex and Mediates Transcriptional Activation"
 Proceedings of National Academy of Sciences of the USA, 91,192-196
- 52) L.Nagy, P.Tontonoz, J.G.A.Alvarez, H.Chen, and R.M.Evans (1998)
 "Oxidized LDL Regulates Macrophage Gene Expression through Ligand Activation of PPAR γ "

Cell, 93,229-240

- 53) A.Moustakas and D.Kardassis (1998)
“Regulation of the Human p21/WAF1/Cip1 Promoter in Hepatic Cells by Functional Interactions between Sp1 and Smad Family Members”
Proceedings of National Academy of Sciences of the USA, 95:6733-6738
- 54) S.Vallian, K.-V.Chin, and K.-S.Chang (1998)
“The Promyelocytic Leukemia Protein Interacts with Sp1 and Inhibits Its Transactivation of the Epidermal Growth Factor Receptor Promoter”
Molecular and Cellular Biology, 18,7147-7156
- 55) J.T.Kadonaga, A.J.Courey, J.Ladika, and R.Tjian (1988)
“Distinct Regions of Sp1 Modulate DNA Binding and Transcriptional Activation”
Science, 242,1566-1570
- 56) A.J.Courey and R.Tjian (1988)
“Analysis of Sp1 in Vivo Reveals Multiple Transcriptional Domains, Including a Novel Glutamine-rich Activation Motif”
Cell, 55,887-898
- 57) A.Dey, S.Minucci, and K.Ozato (1994)
“Ligand-dependent Occupancy of the Retinoic Acid Receptor β 2 Promoter in Vivo”
Molecular and Cellular Biology, 14,8191-8201
- 58) R.Duan, W.Porter, and S.Safe (1998)
“Estrogen-induced c-Fos Protooncogene Expression in MCF-7 Human Breast Cancer Cells: Role of Estrogen Receptor Sp1 Complex Formation”
Endocrinology, 139,1981-1990
- 59) G.Sun, W.Porter, and S.Safe (1998)
“Estrogen-induced Retinoic Acid Receptor α 1 Gene Expression: Role of Estrogen Receptor-Sp1 Complex”
Molecular Endocrinology, 12,882-890
- 60) E.Soravia, A.Grebe, P.De Luca, K.Helin, T.T.Suh, J.L.Degen, and F.Biasi (1995)
“A Conserved TATA-less Proximal Promoter Drives Basal Transcription from the Urokinase-type Plasminogen Activator Receptor Gene”
Blood, 86,624-635
- 61) S.Lu, M.Saydak, V.Gentile, J.P.Stein, P.J.A.Davies (1995)
“Isolation and Characterization of the Human Tissue Transglutaminase Gene Promoter”

Journal of Biological Chemistry, 270,9748-9756

62) W.S.Dynan and R.Tjian (1983)

“Isolation of Transcription Factors That Discriminate between Different Promoters Recognized by RNA Polymerase II”

Cell, 32,669-680

63) P.Greenwel, Y.Inagaki, W.Hu, M.Walsh, and F.Ramirez (1997)

“Sp1 is Required for the Early Response of $\alpha 2(I)$ Collagen to Transforming Growth Factor- $\beta 1$ ”

Journal of Biological Chemistry, 272,19738-19745

64) M.L.Carpenter, J.N.Marks, and K.R.Fox (1993)

“DNA-sequence Binding Preference of the GC-selective Ligand Mithramycin.

Deoxyribonuclease-I/Deoxyribonuclease-II and Hydroxy-radical Footprinting at CCCG, CCGC, CGGC, GCCC and GGGG Flanked by $(AT)_n$ and A_nT_n ”

European Journal of Biochemistry, 215,561-566

65) M.C.Nehls, D.A.Brenner, H.-J.Gruss, H.Dierbach, R.Mertelsmann, and F.Herrmann (1993)

“Mithramycin Selectively Inhibits Collagen- $\alpha 1(I)$ Gene Expression in Human Fibroblast”

Journal of Clinical Investigation, 92,2916-2921

66) F.Rastinejad, TPerlmann, R.M.Evans, and P.B.Sigler (1995)

“Structural Determinants of Nuclear Receptor Assembly on DNA Direct Repeats”

Nature, 375,203-211

67) J.-P.Renaud, N.Rochel, M.Ruff, V.Vivat, P.Chambon, H.Gronemeyer, and D.Moras (1995)

“Crystal Structure of the RAR- γ Ligand-binding Domain Bound to all-trans Retinoic Acid”

Nature, 378,681-689

68) P.Dolle, E.Ruberte, P.Leroy, G.Morris-Kay, and P.Chambon (1990)

“Retinoic Acid Receptors and Cellular Retinoid Binding Proteins. I. A systematic Study of Their Differential Pattern of Transcription during Mouse Organogenesis”

Development 110,1133-1151

69) E.Ruberte, P.Dolle, P.Chambon, and G.Morris-Kay (1991)

“Retinoic Acid Receptors and Cellular Retinoid Binding Proteins. II. Their Differential Pattern of Transcription during Early Morphogenesis in Mouse Embryos”

Development, 111,45-60

70) E.Ruberte, V.Friederich, P.Chambon, and Morris-Kay G (1993)

“Retinoic Acid Receptors and Cellular Retinoid Binding Proteins. III. Their Differential Transcript Distribution during Mouse Nervous System Development”

- Development, 118,267-282
- 71) F.J.Piedrafita and M.Pfahl (1997)
“Retinoid-induced Apoptosis and Sp1 Cleavage Occur Independently of Transcription and Require Caspase Activation”
Molecular and Cellular Biology, 17,6348-6358
- 72) L.Panariello, L.Quadro, S.Trematerra, and V.Colantuoni (1996)
“Identification of a Novel Retinoic Acid Response Element in the Promoter Region of the Retinol-binding Protein Gene”
Journal of Biological Chemistry, 271,25524-25532
- 73) G.I.Owen, J.K. Richer, L.Tung, G.Takimoto, and K.B.Horwitz (1998)
“Progesterone Regulates Transcription of the p21^{WAF1} Cyclin-dependent Kinase Inhibitor Gene through Sp1 and CBP/p300”
Journal of Biological Chemistry, 273,10696-10701
- 74) O.Rohr, D.Aunis, and E.Schaeffer (1997)
“COUP-TF and Sp1 Interact and Cooperate in the Transcriptional Activation of the Human Immunodeficiency Virus Type 1 Long Terminal Repeat in Human Microglial Cells”
Journal of Biological Chemistry, 272,31149-31155
- 75) S.Nagpal, J.Cai, T.Zheng, S.Patel, R.Masood, G.Y.Lin, S.Friant, A.Johnson, D.L.Smith, R.A.S.Chandraratna, and P.S.Gill (1997)
“Retinoid Antagonism of NF-IL6: Insight into the Mechanism of Antiproliferative Effects of Retinoids in Kaposi's sarcoma”
Molecular and Cellular Biology, 17,4159-4168
- 76) E.Pfützner, J.Kirfel, P.Becker, A.Rolke, and R.Schüle (1998)
“Physical Interaction between Retinoic Acid Receptor and the Oncoprotein Myb Inhibits Retinoic Acid-dependent Transactivation”
Proceedings of National Academy of Sciences of the USA, 95,5539-5544
- 77) L.M.Khachigian, V.Lindner, A.J.Williams, and T.Collins (1996)
“Egr-1-induced Endothelial Gene Expression: A Common Theme in Vascular Injury”
Science, 271,1427-1431
- 78) J.Berthelsen, J.Vandekerckhove, and F.Biasi (1996)
“Purification and Characterization of UEF3, a Novel Factor Involved in the Regulation of the Urokinase and Other AP-1 Controlled Promoters”
Journal of Biological Chemistry, 271,3822-3830

- 79) D.De Cesare, M.Palazzolo, and F.Biasi (1996)
 “Functional Characterization of COM, a DNA Region Required for Cooperation between AP-1 Sites in Urokinase Gene Transcription”
Oncogene, 13,2551-2562
- 80) D.De Cesare, M.Palazzolo, J.Berthelsen, F.Biasi (1997)
 “Characterization of UEF-4, a DNA-binding Protein Required for Transcriptional Synergism between Two AP-1 Sites in the Human Urokinase Enhancer”
Journal of Biological Chemistry, 272,23921-23929
- 81) S.Kojima, S.Hayashi, K.Shimokado, Y.Suzuki, J.Shimada, M.P.Crippa, and S.L.Friedman (2000)
 “Transcriptional Activation of Urokinase by the Krüppel-like Factor ZF9/COPEB Activates Latent TGF- β 1 in Vascular Endothelial Cells”
Blood (in press)
- 82) J.Folkman (1995)
 “Angiogenesis in Cancer, Vascular, Rheumatoid and Other Disease”
Nature Medicine 1,27-31
- 83) J.Folkman and P.D’Amore (1996)
 “Blood Vessel Formation: What is Its Molecular Basis?”
Cell, 87,1153-1155
- 84) T.Oikawa, K.Hirotani, O.Nakamura, K.Shudo, A.Hiragun, and T.Iwaguchi (1989)
 “A Highly Potent Antiangiogenic Activity of Retinoids”
Cancer Letters, 48,157-162
- 85) T.Oikawa, I.Okayasu, H.Ashino, I.Morita, S.Murota, and K.Shudo (1993)
 “Three Novel Synthetic Retinoids, Re 80, Am 580 and Am 80, All Exhibit Anti-angiogenic Activity in Vivo”
European Journal of Pharmacology, 249,113-116
- 86) C.Mendelsohn, D.Lohnes, D.Decimo, T.Lufkin, M.LeMeur, P.Chambon, and M.Mark (1994)
 “Function of the Retinoic Acid Receptors (RARs) during Development (II). Multiple Abnormalities at Various Stages of Organogenesis in RAR Double Mutants”
Development, 120,2749- 2771
- 87) A.M.Gressner (1991)
 “Liver Fibrosis: Perspectives in Pathobiochemical Research and Clinical Outlook”
European Journal of Clinical Chemistry and Clinical Biochemistry, 29,293-311

- 88) W.A.Border and N.A.Noble (1994)
“Transforming Growth Factor β in Tissue Fibrosis”
New England Journal of Medicine, 331,1286-1292
- 89) N.Sanderson, V.Factor, P.Nagy, J.Kopp, P.Kondaiah, L.Wakefield, and A.B.Roberts (1995)
“Hepatic Expression of Mature Transforming Growth Factor β 1 in Transgenic Mice Results in Multiple Tissue Lesions”
Proceedings of National Academy of Sciences of the USA, 92,2572-2576
- 90) S.Milani, H.Herbst, D.Schuppan, C.Grappone, G.Pellegrini, M.Pinzi, and A.Casini (1994)
“Differential Expression of Matrix Metalloproteinase-1 and -2 Genes in Normal and Fibrotic Human Liver”
American Journal of Pathology, 144,528-537
- 91) Y.Muto and H.Moriwaki (1984)
“Antitumor activity of vitamin A and its derivatives”
Journal of National Cancer Institute, 73,1389-1393
- 92) Y.Yamada, Y.Shidoji, Y.Fukutomi, T.Ishikawa, T.Kaneko, H.Nakagama, M.Imawari, H.Moriwaki, and Y.Muto (1994)
“Positive and Negative Regulations of Albumin Gene Expression by Retinoids in Human Hepatoma Cell Lines”
Molecular Carcinogenesis, 10,151-158
- 93) R.Kojima, T.Fujimori, N.Kiyota, Y.Toriya, T.Fukuda, T.Ohashi, T.Sato, Y.Yoshizawa, K.Takeyama, and H.Mano (1994)
“In Vivo Isomerization of Retinoic Acids. Rapid Isomer Exchange and Gene Expression”
Journal of Biological Chemistry, 269,32700-32707
- 94) G.W.Tang and R.M.Russell (1990)
“13-*cis*-Retinoic Acid is an Endogenous Compound in Human Serum”
Journal of Lipid Research, 31,175-182
- 95) C.Thaller and G.Eichele (1990)
“Isolation of 3,4-Didehydroretinoic Acid, a Novel Morphogenetic Signal in the Chick Wing Bud”
Nature, 345,815-819
- 96) N.Khalil, O.Berezny, M.Sporn, and A.H.Greenberg (1989)
“Macrophage Production of Transforming Growth Factor β and Fibroblast Collagen Synthesis in Chronic Pulmonary Inflammation”

- Journal of Experimental Medicine, 170,727-737
- 97) K.Murakami, T.Abe, M.Miyazawa, M.Yamaguchi, T.Masuda, T.Matsuura, and S.Nagamori (1995)
"Establishment of a New Human Cell Line, LI90, Exhibiting Characteristics of Hepatic Ito (fat-storing) Cells"
Laboratory Investigation, 72,731-739
- 98) N.Kawada, T.-A.Tran-Thi, H.Klein, and K.Decker (1993)
"The Contraction of Hepatic Stellate (Ito) Cells Stimulated with Vasoactive Substances: Possible Involvement of Endothelin 1 and Nitric Oxide in the Regulation of the Sinusoidal Tonus"
European Journal of Biochemistry, 213,815-823
- 99) S.Numaguchi, M.Okuno, H.Moriwaki, and Y.Muto (1994)
"Modulation of Collagen Synthesis and Degradation by Retinoids and Cytokines in 3T3L1 Preadipocytes"
Internal Medicine, 33,309-316
- 100) M.Okuno, Y.Muto, H.Moriwaki, M.Kato, A.Noma, O.Tagaya, and Y.Nozaki (1990)
"Inhibitory Effect of Acyclic Retinoid (Polyprenoic Acid) on Hepatic Fibrosis in CCl₄-treated Rats"
Journal of Gastroenterology, 25,223-229
- 101) R.G.Knodell, K.G.Ishak, W.C.Black, T.S.Chen, R.Craig, N.Kaplowitz, and T.W.Kiernan (1981)
"Formulation and Application of a Numerical Scoring System for Assessing Histological Activity in Asymptomatic Chronic Active Hepatitis"
Hepatology, 1,431-435
- 102) G.Tzimas, J.O.Sass, W.Wittfoht, M.M.A.Elmazar, K.Ehlers, and H.Nau (1994)
"Identification of 9,13-di-*cis*-Retinoic Acid as a Major Plasma Metabolite of 9-*cis*-Retinoic Acid and Limited Transfer of 9-*cis*-Retinoic Acid and 9,13-di-*cis*-Retinoic Acid to the Mouse and Rat Embryos"
Drug Metabolism and Disposition, 22,928-936
- 103) R.L.Horst, T.A.Reinhardt, J.P.Goff, B.J.Nonnecke, V.K.Gambhir, P.D.Fiorella, and J.L.Napoli (1995)
"Identification of 9-*cis*, 13-*cis*-Retinoic Acid as a Major Circulating Retinoid in Plasma"
Biochemistry, 34,1203-1209
- 104) J.O.Sass, G.Tzimas, and H.Nau (1997)

- “9,13-di-*cis*-retinoic acid as an isomerization product of 9-*cis*-retinoic acid”
Drug Metabolism and Disposition, 25,1447-1448
- 105) R.L.Horst, T.A.Reinhardt, J.P.Goff, N.J.Koszewski, and J.L.Napoli (1995)
 “9,13-di-*cis*-Retinoic Acid is the Major Circulating Geometric Isomer of Retinoic Acid in the Periparturient Period”
Archives of Biochemistry and Biophysics, 322,235-239
- 106) M.Lansink, A.M.van Bennekum, W.S.Blaner, and T.Kooistra (1997)
 “Differences in Metabolism and Isomerization of all-*trans*-Retinoic Acid and 9-*cis*-Retinoic Acid between Human Endothelial Cells and Hepatocytes”
European Journal of Biochemistry, 247,596-604
- 107) M.Ohata, M.Lin, M.Satre, and H.Tsukamoto (1997)
 “Diminished Retinoic Acid Signaling in Hepatic Stellate Cells in Cholestatic Liver Fibrosis”
American Journal of Physiology, 272,G589-596
- 108) M.Okuno, S.Nagase, Y.Shiratori, H.Moriwaki, Y.Muto, N.Kawada, and S.Kojima (1998)
 “Retinoids and Liver Fibrosis”
 In: K.Tanikawa, T.Ueno, eds. *Liver Diseases and Hepatic Sinusoidal Cells*. Tokyo: Springer-Verlag, p 228-237
- 109) K.Motomura, H.Isobe, H.Sakai, and H.Nawata (1996)
 “Suppressive Effects of all-*trans*-Retinoic Acid on the Lipopolysaccharide-stimulated Release of Tumor Necrosis Factor- α and Nitric Oxide by Rat Kupffer Cells *in Vitro*”
Internal Hepatology Communications, 5,177-183
- 110) B.H.Davis, B.M.Pratt, and J.A.Madri (1987)
 “Retinol and Extracellular Collagen Matrices Modulate Hepatic Ito Cell Collagen Phenotype and Cellular Retinol Binding Protein Levels”
Journal of Biological Chemistry, 262,10280-10286
- 111) B.H.Davis, R.T.Kramer, and N.O.Davidson (1990)
 “Retinoic Acid Modulates Rat Ito Cell Proliferation, Collagen and Transforming Growth Factor β Production”
Journal of Clinical Investigation, 86,2062-2070
- 112) B.H.Davis (1988)
 “Transforming Growth Factor β Responsiveness is Modulated by the Extracellular Collagen Matrix during Hepatic Ito Cell Culture”
Journal of Cellular Physiology, 136,547-553