

## 参考文献

1. 阿部訓也. 1998. マウス始原生殖細胞における遺伝子発現. 蛋白質・核酸・酵素, 43: 412-420.
2. Ahkong QF, Lucy JA. 1986. Osmotic forces in artificially induced cell fusion. *Biochimica et Biophysica Acta*, 858: 206-216.
3. Arat S, Gibbons J, Rzucidlo SJ, Respass DS, Tumlin M, Stice SL. 2002. *In vitro* development of bovine nuclear transfer embryos from transgenic clonal lines of adult and fetal fibroblast cells of the same genotype. *Biology of Reproduction*, 66: 1768-1774.
4. Baguisi A, Behboodi E, Melican D, Pollock JS, Destrempe MM, Cammuso C, Williams JL, Nims SD, Porter CA, Midura P, Palacios MJ, Ayres SL, Dunniston RS, Hayes ML, Ziomek CA, Meade HM, Godke RA, Gavin WG, Overstrom EW, Echelard Y. 1999. Production of goats by somatic cell nuclear transfer. *Nature Biotechnology*, 17: 456-461.
5. Bossart W, Loeffler H, Bienz K. 1975. Enucleation of cells by density gradient centrifugation. *Experimental Cell Research*, 96: 360-366.
6. Burrows WH, Quinn JP. 1937. The collection of spermatozoa from the domestic fowl and turkey. *Poultry Science*, 16: 19-24.
7. Cambell KHS, Loi P, Otaegui PJ, Wilmut I. 1996. Cell cycle co-ordination in embryo cloning by nuclear transfer. *Reviews of Reproduction*, 1: 40-46.
8. Chang IK, Tajima A, Chikamune T, Ohno T. 1995a. Proliferation of chick primordial germ cells cultured on stroma cells from the germinal ridge. *Cell Biology International*, 19: 143-149.

9. Chang IK, Yoshiki A, Kusakabe M, Tajima A, Chikamune T, Naito M, Ohno T. 1995b. Germ line chimera produced by transfer of cultured chick primordial germ cells. *Cell Biology International*, 19: 569-576.
10. Cheng MH, Maines JZ, Wasserman SA. 1998. Biphasic subcellular localization of the DAZL-related protein Boule in *Drosophila* spermatogenesis. *Developmental Biology*, 204: 567-576.
11. Clawson RC, Domm LV. 1969. Origin and early migration of primordial germ cells in the chick embryo: a study of the stages definitive primitive streak through eight somites. *American Journal of Anatomy*, 125: 87-111.
12. Clinton M, Haines L, Belloir B, McBride D. 2001. Sexing chick embryos: a rapid and simple protocol. *British Poultry Science*, 42: 134-138.
13. Cooke HJ, Lee M, Kerr S, Ruggiu M. 1996. A murine homologue of the human DAZ gene is autosomal and expressed only in male and female gonads. *Human Molecular Genetics*, 5: 513-516.
14. Crawford RD. 1995. Origin, history, and distribution of commercial poultry. In: *Poultry Production*. World Animal Science. C9. (Hunton P ed.) 1-21. Elsevier Science BV. Amsterdam.
15. Curry MR. 2000. Cryopreservation of semen from domestic livestock. *Reviews of Reproduction*, 5: 46-52.
16. D'Costa S, Petitte JN. 1999. Characterization of stage-specific embryonic antigen-1(SSEA-1) expression during early development of the turkey embryo. *The International Journal of Developmental Biology*, 43: 349-356.

17. Dean W, Santos F, Reik W. 2003. Epigenetic reprogramming in early mammalian development and following somatic nuclear transfer. *Seminars in Cell and Developmental Biology*, 14: 93-100.
18. Delany ME, Pisenti JM. 1998. Conservation of poultry genetic research resources: Consideration of the past, present and future. *Poultry and Avian Biology Reviews*, 9: 25-42.
19. Dix DJ, Allen JW, Collins BW, Mori C, Nakamura N, Poorman-Allen P, Goulding EH, Eddy E. 1996. Targeted gene disruption of Hsp70-2 results in failed meiosis, germ cell apoptosis, and male infertility. *Proceedings of the National Academy of Sciences of the United States of America*, 93: 3264-3268.
20. Dobrinsky JR. 2002. Advancements in cryopreservation of domestic animal embryos. *Theriogenology*, 57: 285-302.
21. England MA, Matsumura G. 1993. Primordial germ cells in the primitive streak stages chick embryo as studied by scanning electron microscopy. *Journal of Anatomy*, 183: 67-73.
22. Eyal-Giladi H, Ginsburg M, Farbarov A. 1981. Avian primordial germ cells are of epiblastic origin. *Journal of Embryology and Experimental Morphology*, 65: 139-147.
23. FAO. 2000. FAO yearbook: Production, 54
24. Fukushima R, Fujihara N. 2001. *In vitro* proliferation of chick primordial germ cells co-cultured with germinal ridge stroma cells. *Journal of Poultry Science*, 38:152-159.
25. Galli C, Lagutina I, Crotti G, Colleoni S, Turini P, Ponderato N, Duchi R, Lazzari G. 2003. Pregnancy: a cloned horse born to its dam twin. *Nature*, 424: 635.

26. Gancevici G, Moisescu G, Ghitescu D. 1972. Acid-induced fusion of mammalian erythrocytes. *Archives Roumaines de Pathologie Experimentale et de Microbiologie*, 31: 449-452.
27. Ginsburg M. 1997. Primordial germ cell development in avians. *Poultry Science*, 76: 91-95.
28. Gowe RS, Fairfull RW. 1995. Breeding and genetics of eff laying chickens. In: *Poultry Production*. World Animal Science. C9. (Hunton P ed.) 1-21. Elsevier Science BV. Amsterdam.
29. Gurdon JB, Laskey RA, Reeves OR. 1975. The developmental capacity of nuclei transplanted from keratinized skin cells of adult frogs. *Journal of Embryology and Experimental Morphology*, 34: 93-112.
30. Halfter W, Schurer B, Hasselhorn H-M, Christ B, Gimpel E, Epperlein HH. 1996. An ovomucin-like protein on the surface of migrating primordial germ cells of the chick and rat. *Development*, 122: 915-923.
31. Hamburger V, Hamilton HL. 1951. A series of normal stages in the development of the chick embryo. *Journal of Morphology*, 88: 49-92.
32. Han JY, Park TS, Hong YH, Jeong DK, Kim JN, Kim KD, Lim JM. 2002. Production of germline chimeras by transfer of chicken gonadal primordial germ cells maintained in vitro for an extended period. *Theriogenology*, 58: 1531-1539.
33. Herrlich P, Sachsenmaier C, Radler-Pohl A, Gebel S, Blattner C, Rahmsdorf HJ. 1994. The mammalian UV response: Mechanism of DNA damage induced gene expression. *Advances in Enzyme*

- Regulation, 34: 381-395.
34. Holt WV, Dott HM. 1980. Chemically induced fusion between ram spermatozoa and avian erythrocytes; an ultrastructural study. Journal of Ultrastructure Research, 71: 311-320.
35. Houston DW, Zhang J, Maines JZ, Wasserman SA, King ML. 1998. A *Xenopus* DAZ-like gene encodes an RNA component of germ plasm and is a functional homologue of *Drosophila boule*. Development, 125: 171-180.
36. 飯野雄一. 1998. 線虫 *C. elegans* の性と生殖. 蛋白質・核酸・酵素, 43: 364-372.
37. 池西厚之. 1998. 両生類の始原生殖細胞形成. 蛋白質・核酸・酵素, 43: 382-389.
38. Jones KH, Senft JA. 1985. An improved method to determine cell viability by simultaneous staining with fluorescein diacetate-propidium iodide. The Journal of Histochemistry and Cytochemistry, 33: 77-79.
39. Kaneko Y, Kimura T, Nishiyama H, Noda Y, Fujita J. 1997. Developmentally regulated expression of APG-1, a member of heat shock protein 110 family in murine male germ cells. Biochemical and Biophysical Research Communications, 233: 113-116.
40. Karashima T, Sugimoto A, Yamamoto M. 2000. *Caenorhabditis elegans* homologue of the human azoospermia factor DAZ is required for oogenesis but not for spermatogenesis. Development, 127: 1069-1079.
41. 片桐千明. 1982. 動物発生学. 岩波書店. 東京.
42. Kato Y, Tani T, Sotomaru Y, Kurokawa K, Kato J, Doguchi H, Yasue

- H, Tsunoda Y. 1998. Eight calves cloned from somatic cells of a single adult. *Science*, 282: 2092-2098.
43. Kawashima T, Kano K, Kannan Y, Tamaki Y, Hashimoto K. 2002. Embryonic fibroblast-conditioned medium enhances viability and proliferation of chick circulating primordial germ cells (cPGCs) in suspension culture. *Journal of Reproduction and Development*, 48: 143-150.
44. Keefer CL, Baldassarre H, Keyston R, Wang B, Bhatia B, Bilodeau AS, Zhou JF, Leduc M, Downey BR, Lazaris A, Karatzas CN. 2001. Generation of dwarf goat (*Capra hircus*) clones following nuclear transfer with transfected and nontransfected fetal fibroblasts and in vitro-matured oocytes. *Biology of Reproduction*, 64: 849-856.
45. 小林悟. 1998. ショウジョウバエ生殖細胞の形成と分化機構. *蛋白質・核酸・酵素*, 43:356-363.
46. Koprowski H, Croce CM. 1973. Fusion of somatic and gametic cells with lysolecithin. *Methods in Cell Biology*, 7: 251-260.
47. Kurosaka S, Nagano Y, Minami N, Yamada M, Imai H. 2002. Dependence of DNA synthesis and in vitro development of bovine nuclear transfer embryos on the stage of the cell cycle of donor cells and recipient cytoplasts. *Biology of Reproduction*, 67: 643-647.
48. Kuwana T. 1993. Migration of avian primordial germ cells toward the gonadal anlage. *Development, Growth and Differentiation*, 35: 237-243.
49. Kuwana T, Rogulska T. 1999. Migratory mechanisms of chick primordial germ cells toward gonadal anlage. *Cellular and*

- Molecular Biology, 45: 725-736.
50. Leal CL, Lee C, Moor RM. 1999. UV irradiation of pig metaphase chromosomes: maturation-promoting factor degradation, nuclear cytology and cell cycle progression. Journal of Reproduction and Fertility, 116: 363-371.
  51. Ledda S, Leoni G, Bogliolo L, Naitana S. 2001. Oocyte cryopreservation and ovarian tissue banking. Theriogenology, 55: 1359-1371.
  52. Lentz BR, Lee JK. 1999. Poly(ethylene glycol)(PEG)-mediated fusion between pure lipid bilayers: a mechanism in common with viral fusion and secretory vesicle release? Molecular Membrane Biology, 16: 279-296.
  53. López-Fernández LA, Párraga M, Mazo JD. 1998. *Tex261*, a novel gene presumably related but distinct from steroidogenic acute regulatory (StAR) gene, is regulated during the development of germ cells. Biochemical and Biophysical Research Communications, 242: 565-569.
  54. Lorkin PA. 1973. Fetal and embryonic haemoglobins. Journal of Medical Genetics, 10: 50-64.
  55. Lucy JA. 1980. Biochemical and ultrastructural studies on chemically induced cell fusion. Society of General Physiologists Series, 34: 81-98.
  56. Maatouk DM, Resnick JL. 2003. Continuing primordial germ cell differentiation in the mouse embryo is a cell-intrinsic program sensitive to DNA methylation. Developmental Biology, 258: 201-208.

57. Maeda T. 1998. Analysis of the mitotic index of chicken primordial germ cells before and after settling in the germinal ridge. *Journal of Reproduction and Fertility*, 113: 211-5.
58. Massip A. 2001. Cryopreservation of embryos of farm animals. *Reproduction in Domestic Animals*, 36: 49-55.
59. 枇田博司. 1991. 家禽類の精子の保存法：動物遺伝資源の長期保存法に関する研究. 研究成果. 245. 38-43. 農林水産省農林水産技術会議事務局. 東京.
60. McGrath J, Solter D. 1983. Nuclear transplantation in the mouse embryo by microsurgery and cell fusion. *Science*, 220: 1300-1302.
61. Moné MJ, Volker M, Nikaido O, Mullenders LHF, Van Zeeland AA, Verschure PJ, Manders EMM, Van Driel R. 2001. Local UV-induced DNA damage in cell nuclei results in local transcription inhibition. *EMBO Reports*, 2: 1013-1017.
62. Mori T, Nakane M, Hattori T, Matsunaga T, Ihara M, Nikaido O. 1991. Simultaneous establishment of monoclonal antibodies specific for either cyclobutane pyrimidine dimer or (6-4) photoproduct from the same mouse immunized with ultraviolet-irradiated DNA. *Photochemistry and Photobiology*, 54: 225-232.
63. Nagano R, Kanai Y, Kurohmaru M, Hayashi Y, Nishida T. 1995. Changes in lectin binding patterns of chick primordial germ cells and Sertoli cells during sexual differentiation. *The Journal of Veterinary Medical Science*, 57: 623-627.
64. 内藤充. 1991. 家禽類の胚の保存法：動物遺伝資源の長期保存法に関する研究. 研究成果. 245. 43-45. 農林水産省農林水産技術会議事務局. 東京.

65. Naito M, Matsubara Y, Harumi T, Tagami T, Kagami H, Sakurai M, Kuwana T. 1999. Differentiation of donor primordial germ cells into functional gametes in the gonads of mixed-sex germline chimaeric chickens produced by transfer of primordial germ cells isolated from embryonic blood. *Journal of Reproduction and Fertility*, 117: 291-298.
66. Naito M, Tajima A, Tagami T, Yasuda Y, Kuwana T. 1994. Preservation of chick primordial germ cells in liquid nitrogen and subsequent production of viable offspring. *Journal of Reproduction and Fertility*, 102: 321-325.
67. Neil GA, Zimmermann U. 1993. Electrofusion. *Methods in Enzymology*, 220: 174-195.
68. 野津敬一. 1975. 紫外線の生物作用－核酸を中心として－. 共立出版. 東京.
69. 岡田益吉, 長濱嘉孝. 1996. 生殖細胞－形態から分子へ－. 共立出版. 東京.
70. 岡本新. 2001. アニマルサイエンス第5巻. ニワトリの動物学. 東京大学出版会. 東京.
71. Page SL, McKim KS, Deneen B, Hook TLV, Hawley RS. 2000. Genetic studies of *mei-P26* Reveal a link between the processes that control germ cell proliferation in both sexes and those that control meiotic exchange in *Drosophila*. *Genetics*, 155: 1757-1772.
72. Park KW, Kuhholzer B, Lai L, Machaty Z, Sun QY, Day BN, Prather RS. 2001. Development and expression of the green fluorescent protein in porcine embryos derived from nuclear transfer of transgenic granulosa-derived cells. *Animal Reproduction Science*,

- 68: 111-120.
73. Petitte JN, Kegelmeyer E. 1995. Rapid sex determination of chick embryos using the polymerase chain reaction. *Animal Biotechnology*, 6: 119-130.
74. Polejaeva IA, Chen SH, Vaught TD, Page RL, Mullins J, Ball S, Dai Y, Boone J, Walker S, Ayares DL, Colman A, Campbell KH. 2000. Cloned pigs produced by nuclear transfer from adult somatic cells. *Nature*, 407: 86-90.
75. Poste G. 1970. Virus-induced polykaryocytosis and the mechanism of cell fusion. *Advances in Virus Research*, 16: 303-356.
76. Prescott DM, Kirkpatrick JB. 1973. Mass enucleation of cultured animal cells. *Methods in Cell Biology*, 7:189-202.
77. Radman M. 1971. Target size of DNA in ultraviolet irradiation. *Nature New Biology*, 230: 277-278.
78. Ravnik SE, Wolgemuth DJ. 1999. Regulation of meiosis during mammalian spermatogenesis: The A-type cyclins and their associated cyclin-dependent kinases are differentially expressed in the germ-cell lineage. *Developmental Biology*, 207: 408-418.
79. Reijo R, Lee TY, Salo P, Alagappan R, Brown LG, Rosenberg M, Rozen S, Jaffe T, Straus D, Hovatta O, et al. 1995. Diverse spermatogenic defects in humans caused by Y chromosome deletions encompassing a novel RNA-binding protein gene. *Nature Genetics*, 10: 383-393.
80. Reijo RA, Dorfman DM, Slee R, Renshaw AA, Loughlin KR, Cooke H, Page DC. 2000. DAZ family proteins exist throughout male germ cell development and transit from nucleus to cytoplasm at meiosis

- in humans and mice. *Biology of Reproduction*, 63: 1490-1496.
81. Rupp WD, Howard-Flanders P. 1968. Discontinuities in the DNA synthesized in an excision-defective strain of *Escherichia coli* following ultraviolet irradiation. *Journal of Molecular Biology*, 31: 291-304.
82. Saitoh Y, Saitoh H, Ohtomo K, Mizuno S. 1991. Occupancy of the majority of DNA in the chicken W chromosome by bent-repetitive sequences. *Chromosoma*, 101: 32-40.
83. Schnieke AE, Kind AJ, Ritchie WA, Mycock K, Scott AR, Ritchie M, Wilmut I, Colman A, Campbell KH. 1997. Human factor IX transgenic sheep produced by transfer of nuclei from transfected fetal fibroblasts. *Science*, 278: 2130-2133.
84. Setlow RB, Carrier WL. 1966. Pyrimidine dimers in ultraviolet-irradiated DNA's. *Journal of Molecular Biology*, 17: 237-254.
85. Shi W, Zakhartchenko V, Wolf E. 2003. Epigenetic reprogramming in mammalian nuclear transfer. *Differentiation*, 71: 91-113.
86. 柴田直樹, 二宮裕将, 濱口哲. 1998. 魚類生殖細胞の起源と分化. *蛋白質・核酸・酵素*, 43: 373-381.
87. Swarts WJ, Domm LV. 1972. A study on division of primordial germ cells in the early chick embryo. *American Journal of Anatomy*, 135: 51-70.
88. Swift CH. 1914. Origin an early history of the primordial germ-cells in the chick. *American Journal of Anatomy*, 15: 483-516.
89. Tajima A, Graham EF, Hawkins DM, Deyo RCM. 1992. The effect

- of glycerol addition and dilution on the morphology of frozen and unfrozen chicken spermatozoa. Cryo-Letters, 13: 6-14.
90. Tajima A, Hayashi H, Kamizumi A, Ogura J, Kuwana T, Chikamune T. 1999. Study on concentration of circulating primordial germ cells (cPGCs) in early chick embryo. Journal of Experimental Zoology, 284: 759-764.
91. Tajima A, Minematsu T, Ohara M. Production of germ-line chimeras by the transfer of cryopreserved gonadal germ cells (GGCs) collected from 7- and 9-day-old chick embryos. Animal Science Journal, 2003. in press.
92. Tajima A, Naito M, Yasuda Y, Kuwana T. 1993. Production of germ line chimera by transfer of primordial germ cells in the domestic chicken (*Gallus domesticus*). Theriogenology, 40: 509-519.
93. Tajima A, Naito M, Yasuda Y, Kuwana T. 1998. Production of germline chimeras by transfer of cryopreserved gonadal primordial germ cells(gPGCs) in chicken. Journal of Experimental Zoology, 280: 265-267.
94. Tanaka SS, Matsui Y. 2002. Developmentally regulated expression of *mil-1* and *mil-2*, mouse interferon-induced transmembrane protein like genes, during formation and differentiation of primordial germ cells. Gene Expression Patterns, 2: 297-303.
95. 田先威和夫・山田行雄・森田琢磨・田中克英. 1988. 新編養鶏ハンドブック. 養賢堂. 東京.
96. Toister Z, Loyter A. 1971. Ca 2+ -induced fusion of avian erythrocytes.
97. Tone M, Nakano N, Takao E, Narisawa S, Mizuno S. 1982.

- Demonstration of W chromosome-specific repetitive DNA sequences in the domestic fowl, *Gallus g. domesticus*. Chromosoma, 86: 551-569.
98. Tone M, Sakaki Y, Hashiguchi T, Mizuno S. 1984. Genus specificity and extensive methylation of the W chromosome-specific repetitive DNA sequences from the domestic fowl, *Gallus gallus domesticus*. Chromosoma, 89:228- 237.
  99. Trefil P, Bruno MM, Mikus T, Thoraval P. 1999. Sexing of chicken feather follicle, blastodermal and blood cells. Folia Biologica (Praha), 45: 253-256.
  100. Tsunekawa N, Naito M, Sakai Y, Nishida T, Noce T. 2000. Isolation of chicken *vasa* homolog gene and tracing the origin of primordial germ cells. Development, 127: 2741-2750.
  101. Tsunoda Y, Yasui T, Shioda Y, Nakamura K, Uchida T, Sugie T. 1987. Full-term development of mouse blastomere nuclei transplanted into enucleated two-cell embryos. Journal of Experimental Zoology, 242: 147-151.
  102. Van Hoffen A, Kalle WHJ, De Jong-Versteeg A, Lehmann AR, Van Zeeland AA, Mullenders LHF. 1999. Cells from XP-D and XP-D-CS patients exhibit equally inefficient repair of UV-induced damage in transcribed genes but different capacity to recover UV-inhibited transcription. Nucleic Acids Research, 27: 2898-2904.
  103. Van Hoffen A, Venema J, Meschini R, van Zeeland AA, Mullenders LHF. 1995. Transcription-coupled repair removes both cyclobutane pyrimidine dimers and 6-4 photoproducts with equal efficiency and in a sequential way from transcribed DNA xeroderma pigmentosum

- group C fibroblasts. *The EMBO Journal*, 14: 360-367.
104. Wakayama T, Perry AC, Zuccotti M, Johnson KR, Yanagimachi R. 1998. Full-term development of mice from enucleated oocytes injected with cumulus cell nuclei. *Nature*, 394: 369-374.
105. Watanabe D, Yamada K, Nishina Y, Tajima Y, Koshimizu U, Nagata A, Nishimune Y. 1994. Molecular cloning of a novel  $\text{Ca}^{2+}$ -binding protein (Calmezin) specifically expressed during male meiotic germ cell development. *The Journal of Biological Chemistry*, 269: 7744-7749.
106. Wells DN, Misica PM, Tervit HR. 1999. Production of cloned calves following nuclear transfer with cultured adult mural granulosa cells. *Biology of Reproduction*, 60: 996-1005.
107. Wigler MH, Weinstein IB. 1975. A preparative method for obtaining enucleated mammalian cells. *Biochemical and Biophysical Research Communications*. 63: 669-674.
108. Wilairat P, Yuthavong, Y, Khungvanlert R. 1978. Effect of membrane modification on cell fusion of hen erythrocytes induced by dimethyl sulfoxide. *Life Science*, 22: 1993-1997.
109. Wilmut I, Schnieke AE, McWhir J, Kind AJ, Campbell KH. 1997. Viable offspring derived from fetal and adult mammalian cells. *Nature*, 385: 810-813.
110. Woods GL, White KL, Vanderwall DK, Li GP, Aston KI, Bunch TD, Meerdo LN, Pate BJ. 2003. A mule cloned from fetal cells by nuclear transfer. *Science*, 301: 1063.
111. Yang X, Zhang L, Kovacs A, Tobback C, Foote RH. 1990. Potential of hypertonic medium treatment for embryo micromanipulation: II.

- Assessment of nuclear transplantation methodology, isolation, subzona insertion, and electrofusion of blastomeres to intact or functionally enucleated oocytes in rabbits. Molecular Reproduction and Development, 27: 118-129.
112. Yang G, Fujihara N. 1999. Long-term proliferation of chicken primordial germ cells cultured *in vitro*. Journal of Reproduction and Development, 45: 161-166.
113. Yasuda Y, Tajima A, Fujimoto T, Kuwana T. 1992. A method to obtain avian germ-line chimaeras using isolated primordial germ cells. Journal of Reproduction and Fertility, 96: 521-528.
114. Zimmermann U, Vienken J, Pilwat G, Arnold WM. 1984. Electro-fusion of cells: principles and potential for the future. Ciba Foundation Symposium, 103: 60-85.