

References

- 1) Bender, D. A. 1985. Amino acid metabolism. John Wiley & Sons, New York, N.Y.
- 2) Dakshinamurti, K. (ed.). 1990. Annals of the New York Academy of Sciences, vol. 585. Vitamin B₆. New York Academy of Sciences, New York, N.Y.
- 3) Dolphin, D., Poulsen, R., and Avramovic, O. 1986. Vitamin B₆ pyridoxal phosphate: chemical, biochemical, and medical aspects. Wiley Interscience, New York, N.Y.
- 4) Burns, K. D., Pieper, P. A., Liu, H.-W., and Stankovich, M. T., Studies of the Redox Properties of CDP-6-deoxy-L-threo-D-glycero-4-hexulose-3-dehydrase (E₁) and CDP-6-deoxy-L-threo-D-glycero-4-hexulose-3-dehydrase reductase (E₃): Two Important Enzymes Involved in the Biosynthesis of Ascarylose. *Biochemistry*, 35, 7879–7889 (1996).
- 5) Dempsey, W. B., Biosynthesis of Vitamin B₆ by Bacteria. *J. Bacteriol.*, 93, 1179–1180 (1967).

- 6) Dempsey, W. B., Synthesis of pyridoxal phosphate in '*Escherichia coli* and *Salmonella typhimurium*; Cellular and Molecular Biology', ed. Neidhardt, F. C., American Society for Microbiology, Washington, D. C., 1987, vol. 1, pp 536-543.
- 7) Dempsey, W. B. and Pachler, P. F., Isolation and characterization of pyridoxine auxotrophs of *Escherichia coli*. *J. Bacteriol.*, 91, 642-645 (1966).
- 8) Hill, R. E. and Spenser, I. D., Biosynthesis of vitamin B₆. Incorporation of three-carbon units. *Science*, 169, 773-775 (1970).
- 9) Spenser, Ian D., Hill, Robert E., Gupta, Ram Nath, and Rowell, F. J., Biosynthesis of pyridoxine. *J. Am. Chem. Soc.*, 93, 518-520 (1971).
- 10) Hill, R. E., Rowell, F. J., Gupta, R. N., and Spenser, I. D., Biosynthesis of vitamin B₆. *J. Biol. Chem.*, 247, 1869-1882 (1972).
- 11) Hill, R. E. and Spenser, I. D., Biosynthesis of vitamin B₆. Incorporation of terminally labelled glucose. *Can. J. Biochem.*, 51, 1412-1416 (1973).
- 12) Roa, B. B., Connolly, D. M., and Winkler, M. E., Overlap between *pdxA* and *ksgA* in the complex *pdxA-ksgA-apaG-apaH* operon of *Escherichia coli* K-12. *J. Bacteriol.*, 171, 4767-4777 (1989).

- 13) Schoenlein, P. V., Roa, B. B., and Winkler, M. E., Divergent transcription of *pdxB* and homology between the *pdxB* and *serA* gene products in *Escherichia coli* K-12. *J. Bacteriol.*, 171, 6084-6092 (1989).
- 14) Lam, H.-M. and Winkler, M. E., Metabolic relationships between pyridoxine (vitamin B₆) and serine biosynthesis in *Escherichia coli* K-12. *J. Bacteriol.*, 172, 6518-6528 (1990).
- 15) Zhao, G., Pease, A. J., Bharani, N., and Winkler, M. E., Biochemical characterization of *gapB*-encoded erythrose 4-phosphate dehydrogenase of *Escherichia coli* K-12 and its possible role in pyridoxal 5'-phosphate biosynthesis. *J. Bacteriol.*, 177, 2804-2812 (1995).
- 16) Hill, R. E., Sayer, B. G., and Spenser, I. D., Biosynthesis of vitamin B₆: Incorporation of D-1-deoxyxylulose. *J. Am. Chem. Soc.*, 111, 1916-1917 (1989).
- 17) Kennedy, I. A., Hill, R. E., Pauloski, R. M., Sayer, B. G., and Spenser, I. D., Biosynthesis of vitamin B₆: Origin of pyridoxine by the union of two acyclic precursors, 1-deoxy-D-xylulose and 4-hydroxy-L-threonine. *J. Am. Chem. Soc.*, 117, 1661-1662 (1995).
- 18) Wolf, E., Hill, R. E., Sayer, B. G., and Spenser, I. D., 4-Hydroxy-L-threonine. A committed precursor of pyridoxol (vitamin B₆). *J. Chem. Soc., Chem. Commun.*, 1339-1340 (1995).

- 19) Spenser, I. D. and Hill, R. E., The biosynthesis of pyridoxine. *Natural Product Reports*, 12, 555–565 (1995).
- 20) Hill, R. E., Himmeldirk, K., Kennedy, I. A., Pauloski, R. M., Sayer, B. G., Wolf, E., and Spenser, I. D., The biogenetic anatomy of vitamin B₆. *J. Biol. Chem.*, 271, 30426–30435 (1996).
- 21) Suzue, R. and Haruna, Y., Biosynthesis of vitamin B₆: I. Incorporation of ¹⁴C-glycerol, aspartic acid and leucine into vitamin B₆. *J. Vitaminol.*, 16, 154–159 (1970).
- 22) Ishida, M. and Shimura, K., Studies on the biosynthesis of vitamin B₆: Part I. Vitamin B₆ production with a cell-suspension of *Achromobacter cycloclastes*. *Agric. Biol. Chem.*, 34, 327–334 (1970).
- 23) Tani, Y., Nakamatsu, T., Izumi, T., and Ogata, K., Studies on vitamin B₆ metabolism in microorganisms: Part XI. Extracellular formation of vitamin B₆ by marine and terrestrial microorganisms and its control. *Agric. Biol. Chem.*, 36, 189–197 (1972).
- 24) Pflug, W. and Lingens, F., Biosynthesis of vitamin B₆ in *Bacillus subtilis*. *Hoppe-Seyler's Z. Physiol. Chem.*, 359, 559–570 (1978).
- 25) Scherr, G. H. and Rafelson, M. E., The directed isolation of mutants producing increased amounts of metabolites. *J. Appl. Bacteriol.*, 25, 187–194 (1962).

- 26) Pardini, R. S. and Argoudelis, C. J., Biosynthesis of vitamin B₆ by a yeast mutant. *J. Bacteriol.*, 96, 672-677 (1968).
- 27) Nishio, N., Sakai, K., Fujii, K., and Kamikubo, T., Utilization of *n*-paraffins and vitamin B₆ production by *Pichia guilliermondii* Wickerham. *Agric. Biol. Chem.*, 37, 553-559 (1973).
- 28) Saito, H. and Miura, K., Preparation of transforming deoxyribonucleic acid by phenol treatment. *Biochim. Biophys. Acta*, 72, 619-629 (1963).
- 29) Katayama-Fujimura, Y., Komatsu, Y., Kuraishi, H., and Kaneko, T., Estimation of DNA base composition by high performance liquid chromatography of its nuclease P₁ hydrolysate. *Agric. Biol. Chem.*, 48, 3169-3172 (1984).
- 30) Shaw, N., Lipid composition as a guide to the classification of bacteria. In "Advances in Applied Microbiology", ed. By Perlman, D., Academic Press, London, pp. 63-108 (1974).
- 31) Atkin, L., Schultz, A. A., Williams, W. L., and Frey, C. N., Yeast microbiological methods for determination of vitamins. Pyridoxine. *Ind. Eng. Chem., Anal. Ed.*, 15, 141-144 (1943).

- 32) Dreyfus, B., Garcia, J. L., and Gillis, M., Characterization of *Azorhizobium caulinodans* gen. nov., sp. nov., a stem-nodulating nitrogen-fixing bacterium isolated from *Sesbania rostrata*. *Int. J. Syst. Bacteriol.*, 38, 89-98 (1988).
- 33) Yokota, A. and Sakane, T., Taxonomic significance of fatty acid compositions in whole cells and lipopolysaccharides in *Rhizobiaceae*. *IFO Res. Comm.*, 15, 57-75 (1991).
- 34) Rohmer, M., Knani, M., Simonin, P., Sutter, B., and Sahm, H., Isoprenoid biosynthesis in bacteria: a novel pathway for the early steps leading to isopentenyl diphosphate. *Biochem. J.*, 295, 517-524 (1993).
- 35) Thérisol, M., Fischer, J. C., and Estramareix, B., The origin of the carbon chain in the thiazole moiety of thiamin in *Escherichia coli*: Incorporation of deuterated 1-deoxy-D-threo-2-pentulose. *Biochem. Biophys. Res. Commun.*, 98, 374-379 (1981).
- 36) Sprenger, G. A., Schörken, U., Wiegert, T., Grolle, S., Graaf, A. A., Taylor, S. V., Begley, T. P., Meyer, S. B., and Sahm, H., Identification of a thiamin-dependent synthase in *Escherichia coli* required for the formation of the 1-deoxy-D-xylulose 5-phosphate precursor to isoprenoids, thiamin, and pyridoxol. *Proc. Natl. Acad.*

Sci. U.S.A., 94, 12857-12862 (1997).

- 37) Tani, Y. and Dempsey, W. B., Glycolaldehyde is a precursor of pyridoxal phosphate in *Escherichia coli* B. *J. Bacteriol.*, 116, 341-345 (1973).
- 38) Hill, R. E., Horsewood, P., Spenser, I. D., and Tani, Y., Biosynthesis of vitamin B₆. Incorporation of glycolaldehyde into pyridoxal. *J. Chem. Soc. Perkin Trans. I* 1622-1627 (1975).
- 39) Vella, G. J., Hill, R. E., Mootoo, B. S., and Spenser, I. D., The status of glycolaldehyde in the biosynthesis of vitamin B₆. *J. Biol. Chem.*, 255, 3042-3048 (1980).
- 40) Iwanow, A., Hill, R. E., Sayer, B. G., and Spenser, I. D., Biosynthesis of vitamin B₆. Incorporation of a C-N unit derived from glycine. *J. Am. Chem. Soc.*, 106, 1840-1841 (1984).
- 41) Yokota, A., and Sasajima, K., Formation of 1-deoxy-D-threo-pentulose and 1-deoxy-L-threo-pentulose by cell-free extracts of microorganisms. *Agric. Biol. Chem.*, 48, 149-158 (1984).

- 42) Lois, L. M., Campos, N., Putra, S. R., Danielsen, K., Rohmer, M., and Boronat, A., Cloning and characterization of a gene from *Escherichia coli* encoding a transketolase-like enzyme that catalyzes the synthesis of D-deoxyxylulose 5-phosphate, a common precursor for isoprenoid, thiamin, and pyridoxol biosynthesis. *Proc. Natl. Acad. Sci. U.S.A.*, 95, 2105-2110 (1998).
- 43) Mitchell, R. E., Frey, E. J., and Benn, M. H., Rhizobitoxine and L-threo-hydroxythreonine production by the plant pathogen *Pseudomonas andropogonis*. *Phytochemistry*, 25, 2711-2715 (1986).
- 44) Chang, J.-Y., Knecht, R., and Braun, D. G., Amino acid analysis at the picomole level. *Biochem. J.*, 199, 547-555 (1981).
- 45) Yokota, A. and Sasajima, K., Formation of 1-deoxy-ketoses by pyruvate dehydrogenase and acetoin dehydrogenase. *Agric. Biol. Chem.*, 50, 2517-2524 (1986).
- 46) Cane, D. E., Hsiung, Y., Cornish, J. A., Robinson, J. K., and Spenser, I. D., Biosynthesis of vitamin B₆: the oxidation of 4-(phosphohydroxy)-L-threonine by PdxA. *J. Am. Chem. Soc.* 120, 1936-1937 (1998).

- 47) Laber, B., Maurer, W., Scharf, S., Stepusin, K., and Schmidt, F. S., Vitamin B₆ biosynthesis: formation of pyridoxine 5'-phosphate from 4-(phosphohydroxy)-L-threonine and 1-deoxy-D-xylulose-5-phosphate by PdxA and PdxJ protein. *FEBS Lett.*, 449, 45-48 (1999).
- 48) Cane, D. E., Du, S., Robinson, J. K., Hsiung, Y., and Spenser, I. D., Biosynthesis of vitamin B₆: enzymatic conversion of 1-deoxy-D-xylulose-5-phosphate to pyridoxol phosphate. *J. Am. Chem. Soc.*, 121, 7722-7723 (1999).
- 49) Lowry, O. H., Rosebrough, N. J., Farr, A. L., and Randall, R. J., Protein measurement with the Folin phenol reagent. *J. Biol. Chem.*, 193, 265-275 (1951).

This doctoral thesis is written on the basis of reports listed below.

Original Papers

- 1) Tazoe, M., Ichikawa, K., and Hoshino, T., Production of vitamin B₆ in *Rhizobium*. *Biosci. Biotechnol. Biochem.*, 63, 1378–1382 (1999).
- 2) Tazoe, M., Ichikawa, K., and Hoshino, T., Biosynthesis of vitamin B₆ in *Rhizobium*. *J. Biol. Chem.*, 275, 11300–11305 (2000).
- 3) Tazoe, M., Ichikawa, K., and Hoshino, T., Biosynthesis of Vitamin B₆ in *Rhizobium*: *In Vitro* Synthesis of Pyridoxine from 1-Deoxy-D-xylulose and 4-Hydroxy-L-threonine. *Biosci. Biotechnol. Biochem.*, 66, 934–936 (2002).