

## REFERENCES

1. Yanagimachi, R. (1994): Mammalian fertilization. In Knobil E and Neill J (eds): "The Physiology of Reproduction." New York, Raven Press, 189-317.
2. Anakwe, O. O. and Gerton, G. L. (1990): Acrosome biogenesis begins during meiosis: Evidence from the synthesis and distribution of an acrosome glycoprotein, acrogranin, during guinea pig spermatogenesis. *Biol. Reprod.* **42**, 317-328.
3. Vacquier, V. D. (1998): Evolution of gamete recognition proteins. *Science* **281**, 1995-1998.
4. Wassarman, P. M. (1999): Mammalian fertilization: Molecular aspects of gamete adhesion, exocytosis, and fusion. *Cell* **96**, 175-183.
5. McRorie, R. A. and Williams, W. L. (1974): Biochemistry of mammalian fertilization. *Ann. Rev. Biochem.* **43**, 777-803.
6. Wassarman, P. M. (1987): The biology and chemistry of fertilization. *Science* **235**, 553-560.
7. Snell, W. J., and White, J. M. (1996): The molecules of mammalian fertilization. *Cell* **85**, 629-637.
8. Bleil, J. D., and Wassarman, P. M. (1980): Mammalian sperm-egg interaction: identification of a glycoprotein in mouse egg zonae pellucidae possessing receptor activity for sperm. *Cell* **20**, 873-883.
9. Florman, H. M., and Wassarman, P. M. (1985): O-linked oligosaccharides of mouse egg ZP3 account for its sperm receptor activity. *Cell* **41**, 313-324.
10. Miller, D. J., Macek, M. B., and Shur, B. D. (1992): Complementarity between sperm surface  $\beta$ -1,4-galactosyl-transferase and egg-coat ZP3 mediates sperm-egg binding. *Nature* **357**, 589-593.
11. Cheng, A., Le, T., Palacios, M., Bookbinder, L. H., Wassarman, P. M., Suzuki, F., and Bleil, J. D. (1994): Sperm-egg recognition in the mouse: Characterization of sp56, a sperm protein having specific affinity for ZP3. *J. Cell Biol.* **125**, 867-878.
12. Bookbinder, L. H., and Bleil, J. D. (1995): Tissue- and Species-specific expression of sp56, a mouse sperm fertilization protein. *Science* **269**, 86-89.

13. Burks, D. J., Carballada, R., Moore, H. D. M., and Saling, P. M. (1995): Interaction of a tyrosine kinase from human sperm with the zona pellucida at fertilization. *Science* **269**, 83-86.
14. Hardy, D. M., and Garbers, D. L. (1995): A sperm membrane protein that binds in a species-specific manner to the egg extracellular matrix is homologous to von willebrand factor. *J. Biol. Chem.* **270**, 26025-26028.
15. Bleil, J. D., and Wassarman, P. M. (1983): Sperm-egg interaction in the mouse: Sequence of events and induction of acrosome reaction by a zona pellucida glycoprotein. *Dev. Biol.* **95**, 317-324.
16. Kligman, I., Glassner, M., Storey, B. T., and Kopf, G. S. (1991): Zona pellucida-mediate acrosomal exocytosis in mouse spermatozoa: Characterization of an intermediate stage prior to the completion of the acrosome reaction. *Dev. Biol.* **145**, 344-355.
17. Duin, M. V., Polman, J. E. M., DE Breet, I. T. M., Ginneken, K. V., Bunschoten, H., Grootenhuis, A., Brindle, J., and Aitken, J. (1994): Recombinant human zona pellucida protein ZP3 produced by Chinese hamster ovary cells induces the human sperm acrosome reaction and promotes sperm-egg fusion. *Biol. Reprod.* **51**, 607-617.
18. Florman, H. M., and Storey, B. T. (1982): Mouse gamete interactions: The zona pellucida is the site of the acrosome reaction leading to fertilization in vitro. *Dev. Biol.* **91**, 121-130.
19. Saling, P. M., and Storey, B. T., and Wolf, D. P. (1978): Calcium-dependent binding of mouse epididymal spermatozoa to the zona pellucida. *Dev. Biol.* **65**, 515-525.
20. Cherr, G. N., Lambert, H., Meizel, S., and Katz, D. F. (1986): In vitro studies of the golden hamster sperm acrosome reaction: Completion on the zona pellucida and induction by homologous soluble zona pellucida. *Dev. Biol.* **114**, 119-131.
21. Cummins, J. M., and Yanagimachi, R. (1982): Sperm-egg ratio and the site of the acrosome reaction during in vivo fertilization in the hamster. *Gamete Res.* **5**, 239-256.
22. Cummins, J. M., and Yanagimachi, R. (1986): Development of the ability to penetrate the cumulus oophorus by hamster spermatozoa capacitated in vitro, in relation to the timing of the acrosome reaction. *Gamete Res.* **15**, 187-212.

23. Kuzan, F. B., Fleming, A. D., and Seidel, G. E., Jr. (1984): Successful fertilization in vitro of fresh intact oocytes by perivitelline (acrosome-reacted) spermatozoa of the rabbit. *Fertil. Steril.* **41**, 766-770.
24. O'Rand, M. G., and Fisher, S. J. (1987): Localization of zona pellucida binding site on rabbit spermatozoa and induction of the acrosome reaction by soluble zonae. *Dev. Biol.* **119**, 551-559.
25. Myles, D. G., Hyatt, H., and Primakoff, P. (1987): Binding of both acrosome-intact and acrosome-reacted guinea pig sperm to the zona pellucida during in vitro fertilization. *Dev. Biol.* **121**, 559-567.
26. Yanagimachi, R., Kamiguchi, Y., Sugawara, S., and Mikamo, K. (1983) Gametes and fertilization in the Chinese hamster. *Gamete Res.* **8**, 97-117.
27. Yanagimachi, R., and Phillips, D. M. (1984): The status of acrosomal caps of hamster spermatozoa immediately before fertilization in vivo. *Gamete Res.* **9**, 1-19.
28. Morales, P., Cross, N. L., Overstreet, J. W., and Hanson, F. W. (1989): Acrosome intact and acrosome-reacted human sperm can initiate binding to the zona pellucida. *Dev. Biol.* **133**, 385-392.
29. Schiessler, H., Schleuning, W-D., and Fritz, H. (1975): Cleavage specificity of boar acrosin on polypeptide substrates, ribonuclease and insulin B-chain. *Hoppe-Seyler's Z. Physiol Chem.* **356**, 1931-1936.
30. Skoog, M. T., Mehdi, S., Wiseman, S., and Bey, P. (1989): The specificity of two proteinases that cleave adjacent to arginin, C1 esterase and acrosin, for peptide *p*-nitroanilide substrates. *Biochim. Biophys. Acta* **996**, 89-94.
31. Parrish, R. F., Straus, J. W., Paulson, J. D., and Polakoski, K. L. (1978): Structure-activity relationships for the inhibition of acrosin by benzamidine derivatives. *J. Med. Chem.* **21**, 1132-1136.
32. Anderson, R. A. Jr., Beyler, S. A., Mack, S. R., and Zaneveld, L. J. D. (1981): Characterization of a high-molecular-weight form of human acrosin. *Biochem. J.* **199**, 307-316.
33. Siegel, M. S., Bechtold, D. S., Kopta, C. I., and Polakoski, K. L. (1986): The rapid purification and partial characterization of human sperm proacrosin using an automated fast protein liquid chromatography (FPLC) system. *Biochim. Biophys.*

*Acta* **883**, 567-573.

34. Polakoski, K. L. and Parrish, R. F. (1977): Boar proacrosin. *J. Biol. Chem.* **252**, 1888-1894.
35. Straus, J. W., Parrish, R. F., and Polakoski, K. L. (1981): Boar acrosin. *J. Biol. Chem.* **256**, 5662-5668.
36. NagDas, S. K. (1992): Bovine proacrosin from cauda epididymal sperm: purification, characterization and partial sequencing at N-terminus. *Int. J. Biochem.* **24**, 1943-1952.
37. Meizel, S. and Mukerji, S. K. (1975): Proacrosin from rabbit epididymal spermatozoa: Partial purification and initial biochemical characterization. *Biol. Reprod.* **13**, 83-93.
38. Hardy, D. M., Wild, G. C., and Tung, K. S. (1987): Purification and initial characterization of proacrosins from guinea pig testes and epididymal spermatozoa. *Biol. Reprod.* **37**, 189-199.
39. NagDas, S. K., Winfrey, V. P., and Olson, G. E. (1996): Identification of hydrolase binding activities of the acrosomal matrix of hamster spermatozoa. *Biol. Reprod.* **55**, 1405-1414.
40. Brown, C. R. (1983): Purification of mouse sperm acrosin, its activation from proacrosin and effect on homologous egg investments. *J. Reprod. Fert.* **69**, 289-295.
41. Richardson, M. E., Bodine, A. B., Froman, D. P., and Thurston, R. J. (1988): Turkey acrosin. I. Isolation, purification, and partial characterization. *Biol. Reprod.* **38**, 645-651.
42. Sawada, H., Yokosawa, H., and Ishii, S. (1984): Purification and characterization of two types of trypsin-like enzymes from sperm of the Ascidian (prochordata) *Halocynthia*. *J. Biol. Chem.* **259**, 2900-2904.
43. Kashiwabara, S., Baba, T., Takada, M., Watanabe, K., Yano, Y., and Arai, Y. (1990): Primary structure of mouse proacrosin deduced from the cDNA sequence and its gene expression during spermatogenesis. *J. Biochem.* **108**, 785-791.
44. Klemm, U., Maier, W. M., Tsaousidou, S., Adham, I. M., Willson, K., and Engel, W. (1990): Mouse preproacrosin: Complementary DNA sequence, primary structure and postmiotic expression in spermatogenesis. *Differentiation* **42**, 160-166.

45. Klemm, U., Flake, A., and Engel, W. (1991): Rat sperm acrosin: cDNA sequence, derived primary structure and phylogenetic origin. *Biochim. Biophys. Acta* **1090**, 270-272.
46. Baba, T., Watanabe, K., Kashiwabara, S., and Arai, Y. (1989): Primary structure of human proacrosin deduced from its cDNA sequence. *FEBS Lett.* **244**, 296-300.
47. Adham, I. M., Klemm, U., Maier, W., and Engel, W. (1990): Molecular cloning of human preproacrosin complementary DNA. *Hum. Genet.* **84**, 125-128.
48. Baba, T., Kashiwabara, S., Watanabe, K., Itoh, H., Michikawa, Y., Kimura, K., Takada, M., Fukamizu, A., and Arai, Y. (1989): Activation and maturation mechanisms of boar acrosin zymogen based on the deduced primary structure. *J. Biol. Chem.* **264**, 11920-11927.
49. Adham, I. M., Klemm, U., Maier, W. M., Hoyer-Fender, S., Tsaousidou, S., and Engel, W. (1989): Molecular cloning of preproacrosin and analysis of its expression pattern in spermatogenesis. *Eur. J. Biochem.* **182**, 563-568.
50. Richardson, R. T. and O'Rand, M. G. (1994): Cloning and sequencing of cDNAs for rabbit preproacrosin and a novel preproacrosin-related cDNA. *Biochim. Biophys. Acta* **1219**, 215-218.
51. Adham, I. M., Kremling, H., Neiter, S., Zimmermann, S., Hummel, M., Schroeter, U., and Engel, W. (1996): The structures of the bovine and porcine proacrosin genes and their conservation among mammals. *Biol. Chem. Hoppe-Seyler.* **377**, 261-265.
52. Gerton, G. L., Hoff, H.B., and Baba, T. (1992): The amino acid sequence of guinea pig proacrosin deduced from its cDNA sequence. Unpublished.
53. Green, D. P. L. (1978): The activation of proteolysis in the acrosome reaction of guinea-pig sperm. *J. Cell Sci.* **32**, pp 153-164.
54. Noland, T. D., Davis, L. S., and Olson, G. E. (1989): Regulation of proacrosin conversion in isolated guinea pig sperm acrosomal apical segments. *J. Biol. Chem.* **264**, 13586-13590.
55. Nuzzo, N. A., Anderson, R. A., and Zaneveld, L. J. D. (1990): Proacrosin activation and acrosin release during the guinea pig acrosome reaction. *Mol. Reprod. Dev.* **25**, 52-60.
56. Moos, J., Peknicova, J., and Tesarik, J. (1993): Relationship between molecular

- conversion of acrosin and the progression of exocytosis in the calcium ionophore-induced acrosome reaction. *Biochim. Biophys. Acta* **1176**, 199-207.
57. Brown, C. R., and Harrison, R. A. (1978): The activation of proacrosin in spermatozoa from ram bull and boar. *Biochim. Biophys. Acta* **526**, 202-217.
  58. Kennedy, W. and Polakoski, K. L. (1981): Evidence for an Intrazymogen mechanism in the conversion of proacrosin into acrosin. *Biochemistry* **20**, 2240-2245.
  59. Cechová, D., Töpfer-Petersen, E., and Henschen, A. (1988): Boar acrosin is a single-chain molecule which has the N-terminal of acrosin A-chain (light chain). *FEBS Lett.* **241**, 136-140.
  60. Cechová, D., Töpfer-Petersen, E., Zucker, A., and Jonáková, V. (1990): Isolation, purification, and partial characterization of low-molecular-mass boar acrosin. *Biol. Chem. Hoppe-Seyler* **371**, 317-323.
  61. Baba, T., Michikawa, Y., Kawakura, K., and Arai, Y. (1989): Activation of boar proacrosin is effected by processing at both N- and C- terminal portions of the zymogen molecule. *FEBS Lett.* **244**, 132-136.
  62. Baba, T., Michikawa, Y., Kashiwabara, S., and Arai, Y. (1989): Proacrosin activation in the presence of a 32-kDa protein from boar spermatozoa. *Biochem. Biophys. Res. Commun.* **160**, 1026-1032.
  63. Saling, P. M. (1981): Involvement of trypsin-like activity in binding of mouse spermatozoa to zonae pellucidae. *Proc. Natl. Acad. Sci. USA.* **78**, 6231-6235.
  64. Meizel, S. and Lui, C. W. (1976): Evidence for the role of a trypsin-like enzyme in the hamster sperm acrosome reaction. *J. Exp. Zool.* **195**, 137-144.
  65. Lui, C. W. and Meizel, S. (1979): Further evidence in support of a role for hamster sperm hydrolytic enzymes in the acrosome reaction. *J. Exp. Zool.* **207**, 173-186.
  66. Dravland, J. E., Llanos, M. N., Munn, R. J., and Meizel, S. (1984): Evidence for the involvement of a sperm trypsinlike enzyme in the membrane events of the hamster sperm acrosome reaction. *J. Exp. Zool.* **232**, 117-128.
  67. Tesarik, J., Drahorad, J., Testart, J., and Mendoza, C. (1990): Acrosin activation follows its surface and precedes membrane fusion in human sperm acrosome reaction. *Development* **110**, 391-400.
  68. Llanos, M., Vigil, P., Salgado, A. M., and Morales, P. (1993): Inhibition of the

- acrosome reaction by trypsin inhibitors and prevention of penetration of spermatozoa through the human zona pellucida. *J. Reprod. Fert.* **97**, 173-178.
69. Fraser, L. R. (1982): *p*-Aminobenzamidine, an acrosin inhibitor, inhibits mouse sperm penetration of the zona pellucida but not the acrosome reaction. *J. Reprod. Fert.* **65**, 185-194.
70. Perreault, S. D., Zirkin, B. R., and Rogers, B. J. (1982): Effect of trypsin inhibitors on acrosome reaction of guinea pig spermatozoa. *Biol. Reprod.* **26**, 343-351.
71. Huang, Jr. T. T. F., Hardy, D., Yanagimachi, H., Teuscher, C., Tung, K., Wild, G., and Yanagimachi, R. (1985): pH and protease control of acrosomal content stasis and release during the guinea pig acrosome reaction. *Biol. Reprod.* **32**, 451-462.
72. Stambaugh, R. and Buckley, J. (1969): Identification and subcellular localization of the enzymes effecting penetration of the zona pellucida by rabbit spermatozoa. *J. Reprod. Fert.* **19**, 423-432.
73. Meizel, S., and Mukerji, S. K. (1976): Biochemical studies of proacrosin and acrosin from hamster cauda epididymal spermatozoa. *Biol. Reprod.* **14**, 444-450.
74. Brown, C. R. (1982): Effects of ram acrosin on the investments of sheep, pig, mouse and gerbil eggs. *J. Reprod. Fert.* **64**, 457-462.
75. Urch, U. A., Wardrip, N. J., Hedrick, J. L. (1985): Proteolysis of the zona pellucida by acrosin: The nature of the hydrolysis products. *J. Exp. Zool.* **236**, 239-243.
76. Brown, C. R. and Cheng, W. T. K. (1985): Limited proteolysis of the porcine zona pellucida by homologous sperm acrosin. *J. Reprod. Fert.* **74**, 257-260.
77. Dunbar, B. S., Dudkiewicz, A. B., and Bundman, D. S. (1985): Proteolysis of specific porcine zona pellucida glycoproteins by boar acrosin. *Biol. Reprod.* **32**, 619-630.
78. Urch, U. A., Wardrip, N. J., and Hedrick, J. L. (1985): Limited and specific proteolysis of the zona pellucida by acrosin. *J. Exp. Zool.* **233**, 479-483.
79. Brown, C. R. (1986): The morphological and molecular susceptibility of sheep and mouse zona pellucida to acrosin. *J. Reprod. Fert.* **77**, 411-417.
80. Nakano, M., Tanaka, Y., Kimura, T., Hatanaka, Y., and Tobita, T. (1989): Boar acrosin digestion of the porcine egg coat, zona pellucida, and rearrangement of the zona proteins. *J. Biochem.* **105**, 138-142.
81. Hardy, D. M., Schoots, A. F., and Hedrick, J. L. (1989): Caprine acrosin. *Biochem. J.*

- 257, 447-453.
82. Töpfer-Petersen, E. and Henschen, A. (1987): Acrosin shows zona and fucose binding, novel properties for a serine proteinase. *FEBS Lett.* **226**, 38-42.
  83. Jones, R., Brown, C. R., and Lancaster, R. T. (1988): Carbohydrate-binding properties of boar sperm proacrosin and assessment of its role in sperm-egg recognition and adhesion during fertilization. *Development* **102**, 781-792.
  84. Bleil, J. D., Greve, J. M., and Wassarman, P. M. (1988): Identification of a secondary sperm receptor in the mouse egg zona pellucida: Role in maintenance of binding of acrosome-reacted sperm to eggs. *Dev. Biol.* **128**, 376-385.
  85. Töpfer-Petersen, E., Steinberger, M., von Eschenbach, C. E., and Zucker, A. (1990): Zona pellucida-binding of boar sperm acrosin is associated with the N-terminal peptide of the acrosin B-chain (heavy chain). *FEBS Lett.* **265**, 51-54.
  86. Jones, R. (1991): Interaction of zona pellucida glycoproteins, sulphated carbohydrates and synthetic polymers with proacrosin, the putative egg-binding protein from mammalian spermatozoa. *Development* **111**, 1155-1163.
  87. Urch, U. A. and Patel, H. (1991): The interaction of boar sperm proacrosin with its natural substrate, the zona pellucida, and with polysulfated polysaccharides. *Development* **111**, 1165-1172.
  88. Jansen, S., Quigley, M., Reik, W., and Jones, R. (1995): Analysis of polysulfate-binding domains in porcine proacrosin, a putative zona adhesion protein from mammalian spermatozoa. *Int. J. Dev. Biol.* **39**, 501-510.
  89. Crosby, J. A., Jones, R., Barros, C., and Carvalho, P. (1998): Characterization of the functional domains of boar acrosin involved in nonenzymatic binding to homologous zona pellucida glycoproteins. *Mol. Reprod. Dev.* **49**, 426-434.
  90. Richardson, R. T. and O'Rand, M. G. (1996): Site-directed mutagenesis of rabbit proacrosin. *J. Biol. Chem.* **271**, 24069-24074.
  91. Moreno, R. D., Sepulveda, M. S., de Loannes, A., and Barros C, C. (1998): The polysulfate binding domain of human proacrosin/acrosin is involved both in the enzyme activation and spermatozoa-zona pellucida interaction. *Zygote* **6**, 75-83.
  92. Williams, R. M. and Jones, R. (1993): Specificity of binding of zona pellucida glycoproteins to sperm proacrosin and related proteins. *J. Exp. Zool.* **266**, 65-73.
  93. Hardy, D. M. and Garbers, D. L. (1994): Species-specific binding of sperm proteins



- to the extracellular matrix (zona pellucida) of the egg. *J. Biol. Chem.* **269**, 19000-19004.
94. Wolf, D. P. (1976): Involvement of a trypsin-like activity in sperm penetration of zona-free mouse ova. *J. Exp. Zool.* **199**, 149-156.
  95. Takano, H., Yanagimachi, R., and Urch, U. A. (1993): Evidence that acrosin activity is important for the development of fusibility of mammalian spermatozoa with the oolemma: inhibitor studies using the golden hamster. *Zygote* **1**, 79-91.
  96. Stambaugh, R., Brackett, B. G., and Mastroianni, L. (1969): Inhibition of *in vitro* fertilization of rabbit ova by trypsin inhibitors. *Biol. Reprod.* **1**, 223-227.
  97. Zaneveld, L. J. D., Robertson, R. T., Kessler, M., and Williams, W. L. (1971): Inhibition of fertilization *in vivo* by pancreatic and seminal plasma trypsin inhibitors. *J. Reprod. Fert.* **25**, 387-392.
  98. Suominen, J., Kaufman, M. H., and Setchell, B. P. (1973): Prevention of fertilization *in vitro* by an acrosin inhibitor from rete testis fluid of the ram. *J. Reprod. Fertil.* **34**, 385-8.
  99. Bhattacharyya, A. K., Goodpasture, J. C., and Zaneveld, L. J. D. (1979): Acrosin of mouse spermatozoa. *Am. J. Physiol.* **237**, E40-E44.
  100. Beyler, S. A. and Zaneveld, L. J. D. (1982): Inhibition of in-vitro fertilization of mouse gametes by proteinase inhibitors. *J. Reprod. Fert.* **66**, 425-431.
  101. Ichikawa, S., Tkehara, Y., Shibata, T., Tamada, H., Oda, K., and Murao, S. (1984): Inhibition of in-vitro fertilization of hamster oocytes by a thiol proteinase inhibitor. *J. Reprod. Fert.* **72**, 515-519.
  102. Mohsenian, M., Syner, F. K., and Moghissi, K. S. (1982): A study of sperm acrosin in patients with unexplained infertility. *Fertil. Steril.* **37**, 223-229.
  103. Koukoulis, G. N., Banks, S. M., Vantman, D., Sherins, R. J., and Denninson, L. D. (1989): Low acrosin activity in a subgroup of men with idiopathic infertility does not correlate with sperm density, percent motility, curvilinear velocity, of linearity. *Fertil. Steril.* **52**, 120-127.
  104. Baba, T., Azuma, S., Kashiwabara, S., and Toyoda, Y. (1994): Sperm from mice carrying a targeted mutation of the acrosin gene can penetrate the oocyte zona pellucida and effect fertilization. *J. Biol. Chem.* **269**, 31845-31849.
  105. Adham, I.M., Nayernia, K., and Engel, W. (1997): Spermatozoa lacking acrosin

- protein show delayed fertilization. *Mol. Reprod. Develop.* **46**, 370-376.
106. Okabe, M., Takada, K., Adachi, T., Kohama, Y., and Mimura, T. (1986): Inconsistent reactivity of an anti-sperm monoclonal antibody and its relationship to sperm capacitation. *J. Reprod. Immunol.* **9**, 67-70.
107. Toshimori, K., Tanii, I., and Araki, S. (1995): Intra-acrosomal 155,000 dalton protein increases the antigenicity during mouse sperm maturation in the epididymis: A study using a monoclonal antibody MC101. *Mol. Reprod. Dev.* **42**, 72-79.
108. Toyoda, Y., Yokoyama, M., and Hoshi, T. (1971): Studies on the fertilization of mouse eggs *in vitro*. *Jpn. J. Anim. Reprod.* **16**, 147-151.
109. Endo, Y., Lee, M. A., and Kopf, G. S. (1988): Characterization of an islet-activating protein-sensitive site in mouse sperm that is involved in the zona pellucida-induced acrosome reaction. *Dev. Biol.* **129**, 12-24.
110. Hsu, S. -M., and Soban, E. (1982): Color modification of diaminobenzidine (DAB) precipitation by metallic ions and its application for double immunohistochemistry. *J. Histochem. Cytochem.* **30**, 1079-1082.
111. Foster, J. A., Friday, B. B., Maulit, M. T., Blobel, Carl., Winfrey, V. P., Olson, G. E., Kim, K., and Gerton, G. L. (1997): AM67, a secretory component of the guinea pig sperm acrosomal matrix, is related to mouse sperm protein sp56 and the complement component 4-binding proteins. *J. Biol. Chem.* **272**, 12714-12722.
112. Kawai, Y., Hama, T., Mayumi, T., Okabe, M., Matzno, S., Kohama, Y., and Mimura, T. (1989): Flow cytometric analysis of mouse sperm using monoclonal anti-sperm antibody OBF13. *J. Reprod. Immunol.* **16**, 71-82.
113. Lin, Y., Mahan, K., Lathrop, W. F., Myles, D. G., and Primakoff, P. (1994): A hyaluronidase activity of the sperm plasma membrane protein PH-20 enables sperm to penetrate the cumulus cell layer surrounding the egg. *J. Cell Biol.* **125**, 1157-1163.
114. Phelps, B. M., Primakoff, P., Koppel, D. E., Low, M. G., and Myles, D. G. (1988): Restricted lateral diffusion of PH-20, a PI-anchored sperm membrane protein. *Science* **240**, 1780-1782.
115. Hunnicutt, G. R., Primakoff, P., and Myles, D. G. (1996): Sperm surface protein PH-20 is bifunctional: One activity is a hyaluronidase and a second, distinct activity is

- required in secondary sperm-zona binding. *Biol. Reprod.* **55**, 80-86.
116. Hunnicutt, G. R., Mahan, K., Lathrop, W. F., Ramarao, C. S., Myles, D. G. and Primakoff, P. (1996): Structural relationship of sperm soluble hyaluronidase to the sperm membrane protein PH-20. *Biol. Reprod.* **54**, 1343-1349.
117. Hardy, D. M., Oda, M. N., Friend, D. S., and Huang, Jr. T. T. F. (1991): A mechanism for differential release of acrosomal enzymes during the acrosome reaction. *Biochem. J.* **275**, 759-766.
118. Olson, G. E., Winfrey, V. P., Winer, M. A., and Davenport, G. R. (1987): Outer acrosomal membrane of guinea pig spermatozoa: Isolation and structural characterization. *Gamete Res.* **17**, 77-94.
119. Green, D. P. L. (1978): The histochemical localization of acrosin in guinea-pig sperm after the acrosome reaction. *J. Cell Sci.* **32**, 177-184.
120. De Vries, J. D., and Willemsen, R., and Geuze, H. J. (1985): Immunocytochemical localization of acrosin and hyaluronidase in epididymal and ejaculated porcine spermatozoa. *Eur. J. Cell Biol.* **37**, 81-88.
121. Talbot, P., and Dicarlantonio, G. (1985): Cytochemical localization of dipeptidyl peptidase II (DPP-II) in mature guinea pig sperm. *J. Histochem. Cytochem.* **33**, 1169-1172.
122. Westbrook-Case, V. A., Winfrey, V. P., and Olson, G. E. (1994): A domain-specific 50-kilodalton structural protein of the acrosomal matrix is processed and released during the acrosome reaction in the guinea pig. *Biol. Reprod.* **51**, 1-13.
123. Noland, T. D., Friday, B. B., Mault, M. T., and Gerton, G. L. (1994): The sperm acrosomal matrix contains a novel pentaxin family of calcium-dependent binding proteins. *J. Biol. Chem.* **269**, 32607-32617.
124. Moos, J., Peknicova, J., and Tesarik, J. (1993): Protein-protein interactions controlling acrosin release and solubilization during the boar sperm acrosome reaction. *Biol. Reprod.* **49**, 408-415.
125. Wassarman, P. M. (1988): Zona pellucida glycoproteins. *Annu. Rev. Biochem.* **57**, 415-441.
126. Wassarman, P. M. (1990): Profile of a mammalian sperm receptor. *Development* **108**, 1-17.
127. Ward, C. R., and Kopf, G. S. (1993): Molecular events mediating sperm activation.

- Dev. Biol.* **158**, 9-34.
128. Yamagata, K., Murayama, K., Okabe, M., Toshimori, K., Nakanishi, T., Kashiwabara, S., and Baba, T. (1998): Acrosin accelerates the dispersal of acrosomal proteins during acrosome reaction. *J. Biol. Chem.* **273**, 10470-10474.
  129. Yanagimachi, R. and Teichman, R. J. (1972): Cytochemical demonstration of acrosomal proteinase in mammalian and avian spermatozoa by a silver proteinate method. *Biol. Replod.* **6**, 87-97.
  130. Siegel, M. S., and Polakoski, K. L. (1985): Evaluation of the human sperm proacrosin-acrosin system using gelatin-sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *Biol. Reprod.* **32**, 713-720.
  131. Kohno, N., Yamagata, K., Yamada, S., Kashiwabara, S., Sakai, Y., and Baba, T. (1998): Two novel testicular serine protease, TESP1 and TESP2, are present in the mouse sperm acrosome. *Biochem. Biophys. Res. Commun.* **245**, 658-665.
  132. Ohmura, K., Kohno, N., Kobayashi, Y., Yamagata, K., Sato, S., Kashiwabara, S., and Baba, T. (1999): A homologue of pancreatic trypsin is localized in the acrosome of mammalian sperm and is released during acrosome reaction. *J. Biol. Chem.* **274**, 29426-29432.
  133. Bedford, J. M. (1998): Mammalian fertilization misread? Sperm penetration of the eutherian zona pellucida is unlikely to be a lytic event. *Biol. Reprod.* **59**, 1275-1287.
  134. Green, D. P. L. and Purves, R. D. (1984): Mechanical hypothesis of sperm penetration. *Biophys. J.* **45**, 659-662.
  135. Green, D. P. L. (1987): Mammalian sperm cannot penetrate the zona pellucida solely by force. *Exp. Cell Res.* **169**, 31-38.
  136. Bedford, J. M. (1968): Ultrastructural changes in the sperm head during fertilization in the rabbit. *Am. J. Anat.* **123**, 329-358.
  137. Bedford, J. M. and Cross, N. L. (1978): Normal penetration of rabbit spermatozoa through a trypsin- and acrosin-resistant zona pellucida. *J. Reprod. Fert.* **54**, 385-392.
  138. Zaneveld, L. J. D. and De Jonge, C. J. (1991): Mammalian sperm acrosomal enzymes and the acrosome reaction. Dunbar, B. S. and O'Rand, M. G. (eds): "A comparative overview of mammalian fertilization." Plenum Press, 63-79.

139. Yamagata, K., Murayama, K., Kohno, N., Kashiwabara, S., and Baba, T. (1998): *p*-Aminobenzamidine-sensitive acrosomal protease(s) other than acrosin serve the sperm penetration of the egg zona pellucida in mouse. *Zygote* **6**, 311-319.
140. Baba, T., Niida, Y., Michikawa, Y., Kashiwabara, S., Kodaira, K., Takenaka, M., Kohno, N., Gerton, G. L., and Arai, Y. (1994): An acrosomal protein, sp32, in mammalian sperm is a binding protein specific for two proacrosins and an acrosin intermediate. *J. Biol. Chem.* **269**, 10133-10140.
141. Müller-Esterl, W., and Fritz, H. (1981): Sperm acrosin. *Methods Enzymol.* **80**, 621-632.
142. Töpfer-petersen, E, Calvete, J., Schäfer, W., and Henschen, A. (1990): Complete localization of the disulfide bridges and glycosylation sites in boar sperm acrosin. *FEBS Lett.* **275**, 139-142.
143. Dunbar, B. S. (1983): Morphological, biochemical, and immunochemical characterization of the mammalian zona pellucida. "Mechanism and control of animal fertilization". 139-175.
144. Yamagata, K., Honda, A., Kashiwabara, S., and Baba, T. (1999): Difference of acrosomal serine protease system between mouse and other rodent sperm. *Dev. Genet.* **25**, 115-122.