

引用文献

Akamatsu, M., Y. Ozoe, T. Ueno, T. Fujita, K. Mochida, T. Nakamura and F. Matsumura (1997) Sites of action of noncompetitive GABA antagonists in houseflies and rats: Three-dimensional QSAR analysis. *Pestic. Sci.* 49: 319-332.

Barnard, E. A., M. G. Darlison and P. Seeburg (1987) Molecular biology of the GABA_A receptor: the receptor/channel superfamily. *Trends Neurosci.* 10: 502-509.

Bermudez, I., C. A. Hawkins, A. M. Taylor and D. J. Beadle (1991) Actions of insecticides on the insect GABA receptor complex. *J. Recept. Res.* 11: 221-232.

Bloomquist, J. R., P. M. Adams and D. M. Soderlund (1986) Inhibition of γ -aminobutyric acid-stimulated chloride flux in mouse brain vesicles by polychlorocycloalkane and pyrethroid insecticides. *NeuroToxicol.* 7: 11-20.

Bloomquist, J. R., R. T. Roush and R. H. ffrench-Constant (1992) Reduced neuronal sensitivity to dieldrin and picrotoxinin in a cyclodiene-resistant strain of *Drosophila melanogaster* (Meigen). *Arch. Insect Biochem. Physiol.* 19: 17-25.

Bloomquist, J. R. and D. M. Soderlund (1985) Neurotoxic insecticides inhibit GABA-dependent chloride uptake by mouse brain vesicles. *Biochem. Biophys. Res. Com.* 133: 37-43.

Bormann, J. (1988) Electrophysiology of GABA_A and GABA_B receptor subtypes. *Trends Neurosci.* 11: 112-116.

Bormann, J. (1991) Electrophysiological characterization of diazepam binding inhibitor (DBI) on GABA_A receptors. *Neuropharmacol.* 30: 1387-1389.

Bormann, J., O. P. Hamill and B. Sakmann (1987) Mechanism of anion permeation

through channels gated by glycine and γ -aminobutyric acid in mouse cultured spinal neurones. *J. Physiol. (Lond)* 385: 243-286.

Buckingham, S. D., A. M. Hosie, R. L. Roush and D. B. Sattelle (1994) Actions of agonists and convulsant antagonists on a *Drosophila melanogaster* GABA receptor (Rdl) homo-oligomer expressed in *Xenopus* oocytes. *Neurosci. Lett.* 181: 137-140.

Bureau, M. H. and R. W. Olsen (1993) GABA_A receptor subtypes: ligand binding heterogeneity demonstrated by photoaffinity labeling and autoradiography. *J. Neurochem.* 61: 1479-1491.

Casida, J. E. and L. J. Lawrence (1985) Structure-activity correlations for interactions of bicyclic phosphorus esters and some polychlorocycloalkane and pyrethroid insecticides with the brain-specific t-butylbicyclic phosphorothionate receptor. *Environ. Health Perspect* 61: 123-132.

Cole, L. M. and J. E. Casida (1992) GABA-gated chloride channel: Binding site for 4'-Ethinyl-4-n-[2,3-³H₂]propylbicycloorthobenzoate ([³H]EBOB) in vertebrate brain and insect head. *Pestic. Biochem. Physiol.* 44: 1-8.

Cole, L. M., R. A. Nicholson and J. E. Casida (1993) Action of phenylpyrazole insecticides at the GABA-gated chloride channel. *Pestic. Biochem. Physiol.* 46: 47-54.

Cole, L. M., R. T. Roush and J. E. Casida (1995) *Drosophila* GABA-gated chloride channel: modified [³H]EBOB binding site associated with Ala → Ser or Gly mutants of Rdl subunit. *Life Sci.* 56: 757-765.

Colquhoun, D. and B. Sakmann (1985) Fast events in single-channel currents activated by acetylcholine and its analogues at the frog muscle end-plate. *J. Physiol. (Lond)* 369: 501-557.

Colquhoun, D. and F. J. Sigworth (1995) Fitting and statistical analysis of single-channel records. In *Single-Channel Recordings*, ed. By B. Sakmann and E. Neher, pp. 483-587, Plenum Press, New York.

Constanti, A. (1978) The "mixed" effect of picrotoxin on the GABA dose/conductance relation recorded from lobster muscle. *Neuropharmacology* 17: 159-167.

Cooper, S. T. and N. S. Millar (1997) Host cell-specific folding and assembly of the neuronal nicotinic acetylcholine receptor $\alpha 7$ subunit. *J. Neurochem.* 68: 2140-2151.

Curtis, D. R., J. Davies, C. J. A. Game, G. A. R. Johnston and R. M. McCulloch (1973) Central actions of shikimin and tutin. *Brain Res.* 63: 419-423.

Dillon, G. H., W. B. Im, D. B. Carter and D. D. McKinley (1995) Enhancement by GABA of the association rate of picrotoxin and *tert*-butylbicyclophosphorothionate to the rat cloned $\alpha 1 \beta 2 \gamma 2$ GABA_A receptor subtype. *Br. J. Pharmacol.* 115: 539-545.

Eldefrawi, A. T. and M. E. Eldefrawi (1987) Receptors for γ -aminobutyric acid and voltage-dependent chloride channels as targets for drugs and toxicants. *FASEB J.* 1: 262-271.

French-Constant, R. H., D. P. Mortloch, C. D. Shaffer, R. J. MacIntyre and R. T. Roush (1991) Molecular cloning and transformation of cyclodiene resistance in *Drosophila*: An invertebrate γ -aminobutyric acid subtype A receptor locus. *Proc. Natl. Acad. Sci. U. S. A.* 88: 7209-7213.

French-Constant, R. H., T. A. Rocheleau, J. C. Steichen and A. E. Chalmers (1993) A point mutation in a *Drosophila* GABA receptor confers insecticide resistance. *Nature* 363: 449-451.

Fritschy, J. M., D. Benke, S. Mertens, W. H. Oertel, T. Bachi and H. Mohler (1992) Five subtypes of type A γ -aminobutyric acid receptors identified in neurons by double and triple immunofluorescence staining with subunit-specific antibodies. *Proc. Natl. Acad. Sci. U. S. A.* 89: 6726-6730.

Grolleau, F and D. B. Sattelle (2000) Single channel analysis of the blocking actions of BIDN and fipronil on a *Drosophila melanogaster* GABA receptor (RDL) stably expressed in a *Drosophila* call line. *Br. J. Pharmacol.* 130: 1833-1842.

Gurley, D., J. Amin, P. C. Ross, D. S. Weiss and G. White (1995) Point mutations in the M2 region of the α , β or γ subunit of GABA_A channel that abolish block by picrotoxin. *Recept. Channels* 3: 13-20.

浜弘司 (1992) 害虫はなぜ農薬に強くなるか 農文協

Hamill, O. P., A. Marty, E. Neher, B. Sakmann and F. J. Sigworth (1981) Improved patch clamp techniques for high-resolution recording from cells and cell-free membrane patches. *Pflügers Arch.* 391: 85-100.

Harrison, N. L. and M. A. Simmonds (1984) Modulation of the GABA receptor complex by a steroid anaesthetic. *Brain Res.* 323: 287-292.

Hosie, A. M., H. A. Baylis, S. D. Buckingham and D. B. Sattelle (1995) Actions of the insecticide fipronil, on dieldrin-sensitive and -resistant GABA receptors of *Drosophila melanogaster*. *Br. J. Pharmacol.* 115: 909-912.

Ikeda, T., K. Nagata, H. Honda, T. Shono and T. Narahashi (1998). Insecticidal activity of sikimi extract and its modulation of the GABA_A receptor channel. *Pestic. Sci.* 52: 337-342.

Inomata, N., N. Tokutomi, Y. Oyama and N. Akaike (1988) Intracellular picrotoxin blocks pentobarbital-gated Cl⁻ conductance. *Neurosci. Res.* 6: 72-75.

Inoue, M. and N. Akaike (1988) Blockade of gamma-aminobutyric acid-gated chloride current in frog sensory neurons by picrotoxin. *Neurosci. Res.* 5: 380-394.

Jackson, M. B., B. S. Wong, C. E. Morris, H. Lecar and C. N. Christian (1983) Successive openings of the same acetylcholine receptor channel are correlated in open time. *Biophys. J.* 42: 109-114.

Kakemoto, E., E. Okuyama, K. Nagata and Y. Ozoe (1999) Interaction of Anisatin with rat brain g-aminobutyric acid_A receptors: allosteric modulation by competitive antagonists. *Biochem. Pharmacol.* 58: 617-621.

Kamijima, M and J. E. Casida (2000) Regional modification of [³H]Ethynylbicycloorthobenzoate binding in mouse brain GABA_A receptor by endosulfan, fipronil, and avermectin B_{1a}. *Toxicol. Appl. Pharmacol.* 163: 188-194.

加藤隆一 (2000) 創薬の現状と将来への展望. *蛋白 核酸 酵素* 45: 763-775.

Kouno, I., N. Baba, M. Hashimoto, N. Kawano, M. Takahashi, H. Kaneto, C.-S. Yang and S. Sato (1989) Isolation of three new sesquiterpene lactons from the Pericarps of *Illicium majus*. *Chem. Pharm. Bull.* 37: 2448-2451.

Kudo, Y., J. Oka and K. Yamada (1981) Anisatin, a potent GABA antagonist, isolated from *Illicium anisatum*. *Neurosci. Lett.* 25: 83-88.

Lane, J. F., W. T. Koch, N. S. Leeds and G. Gorin (1952) On the toxin of *Illicium anisatum*. I. The isolation and characterization of a convulsant principle: anisatin. *J. American Chem. Soc.* 74: 3211-3215.

- Lawrence, L. J. and J. E. Casida (1984) Interactions of lindane, toxaphene and cyclodienes with brain-specific *t*-butylbicyclophosphorothionate receptor. *Life Sci.* 35: 171-178.
- Lewis, T. M., P. C. Harkness, L. G. Sivilotti, D. Colquhoun and N. S. Millar (1997) The ion channel properties of a rat recombinant neuronal nicotinic receptor are dependent on the host cell type. *J. Physiol. (Lond)* 505: 299-306.
- Li, T.-B. and R. A. Pearce (2000) The mechanism of GABA_A receptor block by picrotoxin. *Soc. Neurosci. Abstr.* 26: 236.8.
- Ma, J. Y. and T. Narahashi (1993) Differential modulation of GABA_A receptor-channel complex by polyvalent cations in rat dorsal root ganglion neurons. *Brain Res.* 607: 222-232.
- Macdonald, R. L., C. J. Rogers and R. E. Twyman (1989) Kinetic properties of the GABA_A receptor main conductance state of mouse spinal cord neurons in culture. *J. Physiol. (Lond)* 410: 479-499.
- Macdonald, R. L. and R. E. Twyman (1992) Kinetic properties and regulation of GABA_A receptor channels. *In* Ion channels 3, ed T. Narahashi, pp. 315-343. Plenum Press, New York.
- Marszalec, W., Y. Kurata, B. J. Hamilton, D. B. Carter and T. Narahashi (1994) Selective effects of alcohols on γ -aminobutyric acid_A receptor subunits expressed in human embryonic kidney cells. *J Pharmacol Exp Ther* 269: 157-163.
- Matsumoto, K. and H. Fukuda (1983) Anisatin modulation of temperature-dependent inhibition of [³H]muscimol binding by chloride ion. *Brain Res.* 270: 103-108.
- 松本義明、松田一寛、正野俊夫、腰原達雄 (1995) 応用昆虫学入門、川島書店、pp. 81-99.

Matsumura, F. and S. M. Ghiasuddin (1983) Evidence for similarities between cyclodiene type insecticides and picrotoxinin in their action mechanisms. *J. Environ. Health Sci.* 18: 1-14.

Millar, N. S., S. D. Buckingham and D. B. Sattelle (1994) Stable expression of a functional homo-oligomeric *Drosophila* GABA receptor in a *Drosophila* cell line. *Proc. R. Soc. Lond. B* 258: 307-314.

Moffat, A.S. (1993) New chemicals seek to outwit insect pests. *Science* 261: 550-551.

Nagata, K., J.-H. Song, T. Shono and T. Narahashi (1998) Modulation of the neuronal nicotinic acetylcholine receptor-channel by the nitromethylene heterocycle imidacloprid. *J. Pharmacol. Exp. Ther.* 285: 731-738.

Nagata, K. and T. Narahashi (1994) Dual action of the cyclodiene insecticide dieldrin on the γ -aminobutyric acid receptor-chloride channel complex of rat dorsal root ganglion neurons. *J. Pharmacol. Exp. Ther.* 269: 164-171.

Nagata, K. and T. Narahashi (1995) Multiple actions of dieldrin and lindane on the GABA_A receptor-chloride channel complex of rat dorsal root ganglion neurons. *Pestic. Sci.* 44: 1-7.

Nakahiro, M., J. Z. Yeh, E. Brunner and T. Narahashi (1989) General anesthetics modulate GABA receptor channel complex in rat dorsal root ganglion neurons. *FASEB J.* 3: 1850-1854.

Narahashi, T. (1996) Effects of metals on ion channels. in *Toxicology of Metals*. ed. Chang, L.W. pp.677-698. Boca Raton, CRC Lewis Publ.

Neher, E. and B. Sakmann (1976) Single-channel current recorded from membrane of

denervated frog muscle fibres. *Nature* 260: 799-802.

Newland, C. F. and S. G. Cull-Candy (1992) On the mechanism of action of picrotoxin on GABA receptor channels in dissociated sympathetic neurones of the rat. *J. Physiol. (Lond)* 447: 191-213.

Nishio, M. and T. Narahashi (1990) Ethanol enhancement of GABA-activated chloride current in rat dorsal root ganglion neurons. *Brain Res.* 518: 283-286.

Ogata, N. and H. Tatebayashi (1992) Comparison of two types of Na⁺ currents with low-voltage-activated T-type Ca²⁺ current in newborn rat dorsal root ganglia. *Pflugers. Arch.* 420: 590-594.

Ogata, N. and H. Tatebayashi (1993) Differential inhibition of a transient K⁺ current by chlorpromazine and 4-aminopyridine in neurones of the rat dorsal root ganglia. *Br. J. Pharmacol.* 109: 1239-1246.

Ogata, N., S. M. Vogel and T. Narahashi (1988) Lindane but not deltamethrin blocks a component of GABA-activated chloride channels. *FASEB J.* 2: 2895-2900.

Olsen, R. W., M. K. Ticku, T. Miller (1978) Dihydropicrotoxinin binding to crayfish muscle sites possibly related to γ -aminobutyric acid_A receptor ionophores. *Mol. Pharmacol.* 14: 381-390.

Olsen, R. W. and A. M. Snowman (1983) [³H]Bicuculline methochloride binding to low-affinity γ -aminobutyric acid receptor sites. *J. Neurochem.* 41: 1653-1663.

Olsen, R. W. and A. J. Tobin (1990) Molecular biology of GABA_A receptors. *FASEB J.* 4: 1469-1480.

尾添嘉久 (1996) GABA_A レセプターチャネル. *日本農薬学会誌* 21: 217-222.

Perret, P., X. Sarda, M. Wolff, T.-T. Wu, D. Bushey and M. Goeldner (1999) Interaction of non-competitive blockers within the γ -aminobutyric acid type A chloride channel using chemically reactive probes as chemical sensors for cysteine mutants. *J. Biol. Chem.* 274: 25350-25354.

Sakmann, B., O. P. Hamill and J. Bormann (1983) Patch-clamp measurements of elementary chloride currents activated by the putative inhibitory transmitters GABA and glycine in mammalian spinal neurons. *J. Neural. Transm. (suppl.)* 18: 83-95.

Scott, J. G. and Z. M. Wen (1997) Toxicity of fipronil to susceptible and resistant strains of German cockroaches (Dictyoptera: Blattellidae) and house flies (Diptera: Muscidae). *J. Econ. Entomol.* 90: 1152-1156.

Shinozaki, H., M. Ishida and Y. Kudo (1981) Effects of anisatin on the GABA action in the crayfish neuromuscular junction. *Brain Res.* 222: 401-405.

Sigworth, F. J. and S. M. Sine (1987) Data transformations for improved display and fitting of single-channel dwell time histograms. *Biophys. J.* 52: 1047-1054.

Sivilotti, L. G., D. K. McNeil, T. M. Lewis, M. A. Nassar, R. Schoepfer and D. Colquhoun (1997) Recombinant nicotinic receptors, expressed in *Xenopus* oocytes, do not resemble native rat sympathetic ganglion receptors in single-channel behaviour. *J. Physiol. (Lond)* 500: 123-138.

Smart, T. G. and A. Constanti (1982) Studies on the mechanism of action of picrotoxinin and other convulsants at the crustacean muscle GABA receptor. *Proc. R. Soc. Lond.* 227: 191-216.

Squires, R. F., J. E. Casida, M. Richardson and E. Saederup (1983) [³⁵S]-butylbicyclophosphorothionate binds with high affinity to brain-specific sites coupled

to γ -aminobutyric acid-A and ion recognition sites. *Mol. Pharmacol.* 23: 326-336.

Sthhmer, W. and A. B. Parekh (1995) Electrophysiological recordings from *Xenopus* oocytes, in Single-Channel Recording (Sakmann, B. and Neher, E. eds) pp 341-356, Plenum Press, New York.

Study, R. E. and J. L. Barker (1981) Diazepam and (-)pentobarbital: fluctuation analysis reveals different mechanisms for potentiation of γ -aminobutyric acid responses in cultured central neurones. *Proc. Natl. Acad. Sci. U. S. A.* 78: 7180-7184.

Takeuchi, A., and N. Takeuchi (1969) A study of the action of picrotoxin on the inhibitory neuromuscular junction of the crayfish. *J. Physiol. (Lond)* 205: 377-391.

Tokutomi, N., Y. Ozoe, N. Katayama, N. Akaike (1994) Effects of lindane (gamma-BHC) and related convulsants on GABA_A receptor-operated chloride channels in frog dorsal root ganglion neurons. *Brain Res.* 643: 66-73.

Twyman, R. E., C. J. Rogers and R. L. Macdonald (1989) Pentobarbital and picrotoxin have reciprocal actions on single GABA_A receptor channels. *Neurosci. lett.* 96: 89-95.

Twyman, R. E., R. M. Green and R. L. Macdonald (1992) Kinetics of open channel block by penicillin of single GABA_A receptor channels from mouse spinal cord neurons in culture. *J. Physiol. (Lond)* 445: 97-127.

Wolff, M. A. and V. P. M. Wingate (1998) Characterization and comparative pharmacological studies of a functional γ -aminobutyric acid (GABA) receptor cloned from the tobacco budworm, *Heliothis virescens* (Noctuidae: Lepidoprera). *Invert. Neurosci.* 3: 305-315.

Woodward, R. M., L. Polenzani, R. Miledi (1992) Effects of hexachlorocyclohexanes on gamma-aminobutyric acid receptors expressed in *Xenopus* oocytes by RNA from mammalian brain and retina. *Mol. Pharmacol.* 41: 1107-1115.

Xu, M., D. F. Covey and M. H. Akabas (1995) Interaction of picrotoxin with GABA_A receptor channel-lining residues probed in cysteine mutants. *Biophys. J.* 69: 1858-1867.

Yamasaki, T. and T. Ishii (1954) Studies on the mechanism of action of insecticides. X. Nervous activity as a factor of development of γ -BHC symptoms in the cockroach. *Botyu-Kagaku (Scientific Insect Control)* 19: 106-112.

Yamasaki, T. and T. Ishii (1958) Nervous activity as a factor of development of dieldrin symptoms in the cockroach. Studies on the mechanism of action of insecticides. XVI. *Botyu-Kagaku (Scientific Insect Control)* 23: 47-54.

Yeh, J. Z., F. N. Quandt, J. Tanguy, M. Nakahiro, T. Narahashi and E. A. Brunner (1991) General anesthetic action on γ -aminobutyric acid-activated channels. *Ann. NY. Acad. Sci.* 625: 155-173.

Yoon, K.-W., D. F. Covey and S. M. Rothman (1993) Multiple mechanisms of picrotoxin block of GABA-induced currents in rat hippocampal neurons. *J. Physiol (Lond)* 464: 423-439.