

## 引用文献

- Bacon, C. W., Porter, J. K., Robbins, J. D. and Luttrell, E. S. 1977. *Epichloè typhina* from toxic tall fescue grasses. *Appl. Env. Microbiol.* **34**: 576-581.
- Barnett, H. L. and Hunter, B. B. 1998. *Illustrated genera of Imperfect fungi* (4<sup>th</sup> ed.). 218 p. MacMillan, New York.
- Barron, G. L. 1968. The genera of Hyphomycetes from soil. pp. 250-251. Huntington, New York: Krieger.
- Berlese, A.N. and Saccardo, P.A. 1885. *Atti del Reale Istituto Veneto di Scienze, Lettere ed Arti. Serie* **63**: 727.
- Callan, B. E. and Rogers, J. D. 1990. Teleomorph-anamorph connections and correlations in some *Xylaria* species. *Mycotaxon* **36**: 343-369.
- Callan, B. E. and Rogers, J. D. 1993. A synoptic key to *Xylaria* species from continental United States and Canada based on cultural and anamorphic features. *Mycotaxon* **46**: 141-154.
- Carroll, G. C. 1990. Fungal endophytes in vascular plants: mycological research opportunities in Japan. *Trans. Mycol. Soc. Japan.* **31**: 103-116.
- Carroll, G. C. and Carroll, F. E. 1978. Studies on the incidence of coniferous needle endophytes in the Pacific Northwest. *Can. J. Bot.* **56**: 3034-3043.
- Chapela, I. H. 1989. Fungi in healthy stems and branches of American beech and aspen: a comparative study. *New Phytol.* **113**: 65-75.
- Danti, R., Sieber, T. N. and Sanguineti, G. 2002. Endophytic mycobiota in bark of European beech (*Fagus sylvatica*) in the Apennines. *Mycol. Res.* **106**:1343-1348.
- De Hoog, G. S. 1972. The genera *Beauveria*, *Isaria*, *Tritirachium* and *Acrodontium* gen. nov. *Stud. Mycol.* **1**: 1-41.

- Deighton, F. C. 1976. Studies on *Cercospora* and allied genera VI. *Pseudocercospora* Speg. *Pantospora* Cif. and *Cercoseptoria* Petr. Mycol.Pap. 140: 1-168.
- Deighton, F. C. 1987. New species of *Pseudocercospora* and *Mycovellosiella*, and new combinations into *Pseudocercospora* and *Phaeoramularia*. Trans. Br. Mycol. Soc. 88: 365-391.
- Dennis, R. W. G. 1968. British ascomycetes. pp. 362-364. J. Cramer, Lehre.
- Doi, Y. 1983. Neogene epiphyllous fungi on *Fagus* and their living relatives on *Fagus crenata* in northeast Honshu, Japan. Mem. Natn. Sci. Mus. Tokyo 16: 53-72.
- Ellis, M. B. 1967. Dematiaceous Hyphomycetes. VIII. Mycol. Pap. 111: 2-35.
- Ellis, M. B. 1971. Dematiaceous Hyphomycetes. pp. 295-301. CMI, Kew, Surrey.
- Fisher, P. J. and Petrini, O. 1990. A comparative study of fungal endophytes in xylem and bark of *Alnus* species in England and Switzerland. Mycol Res. 94: 313-319.
- Fisher, P. J., Anson, A. E. and Petrini, O. 1986. Antibiotic activity of some endophytic fungi from *Ulex europaeus* and *Ulex gallii*. Bot. Helv. 96: 37-41.
- Fisher, P. J., Petrini, O., Petrini, L. E. and Sutton, B. C. 1994. Fungal endophytes from the leaves and twigs of *Quercus ilex* L. from England, Majorca and Switzerland. New Phytol. 127: 133-137.
- Guo, Y. L. and Hsieh, W. H. 1995. The genus *Pseudocercospora* in China. Mycosystema Monographicum Series No. 2. 388p. International Academic Publishers, Beijing.
- Hanlin, R. T. 1990. Illustrated genera of Ascomycetes. 263p. APS Press, St. Paul, Minnesota.

- 畑 邦彦. 1997. マツ属針葉の内生糸状菌相とその動態に関する研究. 京都大学博士論文.
- Hata, K. and Futai, K. 1993. Effect of needle aging on the total colonization rates of endophytic fungi on *Pinus thunbergii* and *Pinus densiflora* needles. *J. Jpn. For. Soc.* **75**: 338-341.
- Hata, K. and Futai, K. 1995. Endophytic fungi associated with healthy pine needles and needles infested by the pine needle gall midge, *Thecodiplosis japonensis*. *Can. J. Bot.* **73**: 384-390.
- 原 正利. 1996. ブナ科の植物. 原 正利(編), ブナ林の自然誌. pp. 10-21. 平凡社, 東京.
- Hogg, B. M. and Hudson, H. J. 1966. Micro-fungi on leaves of *Fagus sylvatica*. I. The micro-fungi succession. *Trans. Br. Mycol. Soc.* **49**: 185-192.
- Hokdenrieder, O. and Kowalski, T. 1989. Pycnidial formation and pathogenicity in *Tubakia dryina*. *Mycol. Res.* **92**: 166-169.
- Kaneko, R. and Kakishima, M. 2001. *Mycosphaerella buna* sp. nov. with a *Pseudocercospora* anamorph isolated from the leaves of Japanese beech. *Mycoscience* **42**: 59-66.
- Kaneko, S. 1980. Fungi inhabiting fagaceous trees I. Notes on some species of Coelomycetes in Japan. *Rep. Tottori Mycol. Inst.* **18**: 115-128.
- Katsuki, S. 1965. Cercosporae of Japan. *Trans. Mycol. Soc. Japan, Extra Issue* **1**: 1-100.
- Keon, J. P. R., Byrde, R. J. W. and Cooper, R. M. 1987. Some aspects of fungal enzymes that degrade plant cell walls. In: *Fungal infection of plants*. (eds. by Pegg, G. F. and Ayres, P. G.). pp. 133-157. Cambridge University Press, Cambridge.

- Kikuzawa, K. 1983. Leaf survival of woody species in deciduous broad-leaved forests. 1. Tall trees. *Can. J. Bot.* **61**: 2133-2139.
- Kikuzawa, K. 1984. Leaf survival of woody species in deciduous broad-leaved forests. 2. Small trees and shrubs. *Can. J. Bot.* **62**: 2551-2556.
- Kikuzawa, K. 1991. A cost-benefit analysis of leaf habit and leaf longevity of trees and their geographical pattern. *Am. Nat.* **138**: 1250-1263.
- Kinkel, L. L. and Andrews, J. H. 1988. Disinfestation of living leaves by hydrogen peroxide. *Trans. Br. Mycol. Soc.* **91**: 523-528.
- 小林享夫. 1958. スギの *Phomopsis* 枝枯病菌その生活史と分類. 林業試験場報告 **107**: 1-25.
- Kobayashi, T. 1970. Taxonomic studies of Japanese Diaporthaceae with special reference to their life-histories. *Bulletin of the Government Forest Experiment Station* **226**: 1-177.
- Kobayashi, T., Horie, H. and Sasaki, K. 1979. Notes on new or little-known fungi inhabiting woody plants in Japan IX. *Trans. Mycol. Soc. Japan* **20**: 325-337.
- 小林享夫ら編. 1992. 植物病原菌類図説. 685 p. 全国農村教育協会, 東京.
- Kowalski, T. and Kehr, R. D. 1992. Endophytic fungal colonization of branch bases in several forest tree species. *Sydowia* **43**: 137-168.
- Limber, D.P. 1940. A new form genus of the Moniliaceae. *Mycologia* **32**: 23-30.
- MacLeod, D. M. 1954. Investigations on the genera *Beauveria* Vuill. and *Tritirachium* Limber. *Can. J. Bot.* **32**: 818-890.
- Matsushima, T. 1975. *Icones Microfungorum A Matsushima Lectorum.* pp. 158-160. Matsushima, Kobe.
- McKenzie, E. H. C. 1990. New species of *Periconiella*. *Mycotaxon* **39**: 229-236.
- 水戸地方気象台気象観測所データ(1998-1999). 茨城県気象月報. 日本気象協会,

東京.

- Mizoguchi, Y., Morisawa, T. and Ohtani, Y. 2002. Climate in Ogawa Forest Reserve. In: Diversity and interaction in a temperate forest community: Ogawa Forest Reserve of Japan. (eds. by Nakashizuka, T. and Matsumoto, Y.) pp. 11-18. Springer-Verlag, Tokyo.
- Möller, A. 1901. Phycomyceten und Askomyceten von Brasil. Bot. Mittheilungen aus Tropen. (ed. by A.F.W. Schimper) pp. 1-319. Jena, Germany.
- Okane, I., Nakagiri, A. and Ito, T. 1997. Preliminary study of endophytic fungi in evergreen plants from Ishigaki and Iriomote islands. IFO Res. Commun. 18: 45-51.
- Osono, T. and Takeda, H. 2001. Effects of organic chemical quality and mineral nitrogen addition on lignin and holocellulose decomposition of beech leaf litter by *Xylaria* sp. Eur. J. Soil Biol. 37: 17-23.
- Osono, T. and Takeda, H. 2002. Composition of litter decomposing ability among diverse fungi in a cool temperate deciduous forest in Japan. Mycologia 94: 421-427.
- Petrini, O. 1986. Taxonomy of endophytic fungi of aerial plant tissues. In: Microbiology of the phyllosphere. (ed. by N. J. Fokkema and J. van den Heuvel.) pp. 175-187. Cambridge university Press, Cambridge.
- Petrini, O. 1991. Fungal endophytes of tree leaves. In: Microbial ecology of leaves. (ed. by J. H. Andrews and S. S. Hirano.) pp. 179-197. Springer-Verlag, New York.
- Petrini, O. and Fisher, P. J. 1988. A comparative study of fungal endophytes in xylem and whole stem of *Pinus sylvestris* and *Fagus sylvatica*. Trans. Br. Mycol. Soc. 91: 233-238.

- Petrini, O. and Fisher, P. J. 1990. Occurrence of fungal endophytes in twigs of *Salix fragilis* and *Quercus robur*. *Mycol. Res.* **94**: 1077-1080.
- Petrini, L. and Petrini, O. 1985. Xylariaceous fungi as endophytes. *Sydowia, Annales Mycologici Ser. II.* **38**: 216-234.
- Punithalingam, E., 1988. *Ascochyta* II. *Ascochyta* species on monocotyledons (excluding Gramineae), cryptogam and gymnosperms. *Mycol. Pap.* **159**: 1-235.
- Rodrigues, K.F., Leuchtmann, A., and Petrini, O. 1992. Endophytic species of *Xylaria*: cultural and isozymic studies. *Sydowia* **45**: 116-138.
- Rodrigues, K.F. 1994. The foliar fungal endophytes of the amazonian palm *Euterpe oleracea*. *Mycologia*, **86**: 376-385.
- Rogers, J. D., JU, Y-M. and Hemmes, D. E. 1997. *Xylaria moelleroclavus* sp. nov. and its *Moelleroclavus* anamorphic state. *Mycol. Res.* **101**: 345-348.
- Rollinger, J. and Langenheim, J. H. 1993. Geographic survey in fungal endophyte community composition in leaves of redwood. *Mycologia* **85**: 149-156.
- Saccardo, P. A. 1882. *Sylloge fungorum omnium hucusque cognitorum* **1**: 476-478.
- Saccardo, P. A. 1891. *Sylloge fungorum omnium hucusque cognitorum* **9**: 646-647.
- Saccardo, P. A. 1899. *Sylloge fungorum omnium hucusque cognitorum* **17**: 643.
- Saccardo, P. A. 1926. *Sylloge fungorum omnium hucusque cognitorum* **24**: 864.
- Sahashi, N., Kubono, T., Miyasawa, Y. and Ito, S. 1999. Temporal variations in isolation frequency of endophytic fungi of Japanese beech. *Can. J. Bot.* **77**: 197-202.
- Sahashi, N., Miyasawa, Y., Kubono, T. and Ito, S. 2000. Colonization of beech leaves by two endophytic fungi in northern Japan. *For. Path.* **30**: 77-86.
- Shamoun, S. F. and Sieber, T. N. 2000. Colonisation of leaves and twigs of *Rubus parviflorus* and *R. spectabilis* by endophytic fungi in a reforestation site in British

- Columbia. Mycol. Res. **104**: 841-845.
- 坂本康明. 1994. ハリギリ褐斑病菌(*Mycosphaerela acanthopanacis*)の生活史. 日林北支論 **42**: 123-125.
- Sherwood-pike, M., Stone, J. K. and Carrol, G. C. 1986. *Rhabdocline parkeri*, a ubiquitous foliar endophyte of Douglas-fir. Can. J. Bot. **64**:1849-1855.
- Sieber, T. N. and Hugentobler, C. 1987. Endophytische Pilze in Blättern und Ästen gesunder und geschädigter Buchen (*Fagus sylvatica* L.). (In German) Eur. J. For. Path. **17**: 411-425.
- Sieber, T. N., Sieber-Canavesi, F. and Dorworth, C. E. 1991. Endophytic fungi of red alder (*Alnus rubra* Bong.) leaves and twigs in British Columbia. Can. J. Bot. **69**: 407-411.
- Sivanesan, A. 1984. The bitunicate ascomycetes and their anamorphs. J. Cramer, Vaduz.
- Stone, J. K. 1987. Initiation and development of latent infections by *Rhabdocline parkeri* on Douglas-fir. Can. J. Bot. **65**:2614-2621.
- Suske, J., and Acker, G. 1987. Internal hyphae in young, symptomless needles of *Picea abies*: electron microscopic and cultural investigation. Can. J. Bot. **65**:2098-2103.
- Suske, J., and Acker, G. 1989. Identification of endophytic hyphae of *Lophodermium piceae* in tissues of green, symptomless Norway spruce needles by immunoelectron microscopy. Can. J. Bot. **67**: 1768-1774.
- Suske, J., and Acker, G. 1990. Host-endophyte interaction between *Lophodermium piceae* and *Picea abies*: cultural, ultrastructural and immunocytochemical studies. Sydowia **42**: 211-217.
- Suto, Y. 1999. *Mycosphaerela chaenomelis* sp. nov.: the anamorph of *Cercospora*

- sp., the causal fungus of frosty mildew in *Chaenomeles sinensis*, and its role as the primary infection source. *Mycoscience* **40**: 509-516.
- Sutton, B.C. 1973. *Tubakia* nom. nov. *Trans. Br. Mycol. Soc.* **60**: 164-165.
- Sutton, B. C. 1980. *The Coelomycetes: Fungi Imperfecti with pycnidia, acervuli and stromata.* 696 p. CMI, Surrey.
- Tomilin, B. A. 1979. [Oprede litel' gribov roda *Mycosphaerella*.] (In Russian.) Nauka, Leningrad.
- Toti, L., Viret, O., Horat, G. and Petrini, O. 1993. Detection of the endophyte *Discula umbrinella* in buds and twigs of *Fagus sylvatica*. *Eur. J. For. Pathol.* **23**: 147-152.
- 宇田川俊一ら編. 1978. 菌類図鑑 下. pp. 913-915. 講談社, 東京.
- Viret, O. and Petrini, O. 1994. Colonisation of beech leaves (*Fagus sylvatica*) by the endophyte *Discula umbrinella* (Teleomorph: *Apiognomonina errabunda*). *Mycol. Res.* **98**: 423-432.
- Viret, O., Scheidegger, C. and Petrini, O. 1993. Infection of beech leaves (*Fagus sylvatica*) by the endophyte *Discula umbrinella* (Teleomorph: *Apiognomonina errabunda*). Low temperature scanning electron microscopy studies. *Can. J. Bot.* **71**: 1520-1527.
- Viret, O., Toti, L., Chapela, I. H. and Petrini, O. 1994. The role of the extracellular sheath in recognition and attachment of conidia of *Discula umbrinella* (Berk. & Br.) Morelet to the host surface. *New Phytol.* **127**: 123-131.
- Wei, C. Z. and Harada, Y. 1998. *Didymella fagi* sp. nov. and its anamorph *Ascochyta fagi*, causing the yellow leaf spot disease of *Fagus crenata* and *Quercus mongolica* var. *grosseserrata* in Japan. *Mycoscience* **39**: 63-69.
- Wilson, D. 1996. Manipulation of infection levels of horizontally transmitted fungal



- endophytes in the field. *Mycol . Res.* 100: 827-830.
- Wilson, D. and Carroll, G. C. 1994. Infection studies of *Discula quercina*, an endophyte of *Quercus garryana*. *Mycologia* 86: 635-647.
- Yokoyama, T. and Tubaki, K. 1971. Cultural and taxonomical studies on the genus *Actinopelte*. *IFO Res. Commun.* 5: 43-77.