

引用文献

- Aide, T. M. (1986) The influence of wind and animal pollination on variation in outcrossing rates. *Evolution* 40: 434-435.
- Ascher, P. D. and S. J. Peloquin (1966) Effect of floral aging on the growth of compatible and incompatible pollen tubes in *Lilium longiflorum*. *Amer. J. Bot.* 53: 99-102.
- Bateman, A. J. (1955) Self-incompatibility systems in angiosperms. III. Cruciferae. *Heredity*. 9: 53-68.
- Bawa, K. S. (1980) Evolution of dioecy in flowering plants. *Annu. Rev. Ecol. Syst.* 11: 15-39.
- Bawa, K. S. and J. H. Beach (1983) Self-incompatibility systems in the Rubiaceae of a tropical lowland wet forest. *Amer. J. Bot.* 70: 1281-1288.
- Bowman, R. B. (1987) Cryptic self-incompatibility and the breeding system of *Clarkia unguiculata* (Onagraceae). *Amer. J. Bot.* 74: 471-476.
- Casper, B. B., L. S. Sayigh and S. S. Lee (1988) Demonstration of cryptic incompatibility in distylous *Amsinckia douglasiana*. *Evolution* 42: 248-253.
- Charlesworth, B., D. Charlesworth and M. T. Morgan (1990) Genetic loads and estimates of mutation rates in highly inbred plant populations. *Nature* 347: 380-382.
- Charlesworth, D. and B. Charlesworth (1987) The effect of investment in attractive structures on allocation to male and female functions in plants. *Evolution* 41: 948-968.
- Cooper, D. C. and Brink R. A. (1940) Partial self-incompatibility and the collapse of fertile ovules as factors affecting seed formation in alfalfa. *J. Agric. Res.* 60: 453-472.
- Craig, J. L. (1989) A differential response to self pollination: seed in *Phormium*. *New Zealand J. Bot.* 27: 583-586.

- Crowe, L. K. (1971) The polygenic control of outbreeding in *Borago officinalis*. *Heredity* 27: 111-118.
- Cruden, R. W. (1977) Pollen-ovule ratios: A conservative indicator of breeding systems in flowering plants. *Evolution* 31: 32-46.
- Cruzan, M. B. and S. C. H. Barrett (1993) Contribution of cryptic incompatibility to the mating system of *Eichhornia paniculata* (Pontederiaceae). *Evolution* 47: 925-934.
- Damgaard, C. and R. J. Abbott (1995) Positive correlations between selfing rate and pollen-ovule ratio within plant populations. *Evolution* 49: 214-217.
- Darwin, C. (1876) "The Effect of Cross and Self-fertilisation in Vegetable Kingdom" Murray, London. 482pp.
- Darwin, C. (1877) "The Different Forms of Flowers on Plants of The Same Species" Murray, London. 352pp.
- DeGrandi-Hoffman, G., R. A. Hoopinger and K. K. Baker (1984) Identification and distribution of cross-pollinating honey bees (*Hymenoptera: Apidae*) in apple orchards. *Environ. Entomol.* 13: 757-764.
- Fægri, K. and L. Pijil (1979) Retrograde developments. In "The Principles of Pollination Ecology" Pergamon Press. Oxford. pp.159-166.
- Free, J. B. and Y. Spencer-Booth (1963) The pollination of mustard by honeybees. *J. apic. Res.* 2: 69-70.
- Frankel, R. and E. Galun (1977) "Pollination Mechanisms, Reproduction and Plant Breeding" Springer-Verlag, Berlin, Heidelberg and New York. 281pp.
- Fryxell, P. A. (1957) Mode of reproduction of higher plants. *Bot. Rev.* 23: 135-233.
- Gallardo, R., E. Dominguez and J. M. Muñoz (1994) Pollen-ovule ratio, pollen size, and breeding system in *Astragalus* (Fabaceae) subgenus *Epiglotts*: A pollen and seed allocation approach. *Amer. J. Bot.* 81: 1611-1619.

- Hill, J. P. and E. M. Load (1986) Dynamics of pollen tube growth in the wild radish, *Raphanus raphanistrum* (Brassicaceae). I. Order of fertilization. *Evolution* 40: 1328-1333.
- Hodgkin, T. (1975) Variation of flowering time in inbred Brussels sprouts and cabbage (*Brassica oleracea* L.). *Euphytica* 24: 691-698.
- Holtsford, T. P. and N. C. Ellstrand (1992) Genetic and environmental variation in floral traits affecting outcrossing rate in *Clarkia tembloriensis* (Onagraceae). *Evolution* 46: 216-225.
- Holsinger, K. E. (1988) The evolution of self-fertilization in plants: lessons from population genetics. *Acta Oecologia* 9: 95-102.
- Holsinger, K. E. (1991) Mass-action models of plant mating systems: The evolutionary stability of mixed mating systems. *Am. Nat.* 138: 606-622.
- Howard, A., G. L. C. Howard and K. Absur Rahman (1916) Studies in Indian oil-seeds. I. Safflower and mustard. *Mem. Dep. Agric. India, bot. ser.* 7: 237-272. (From "Insect pollination of crops" Free, J. B. (1970), Academic press, London and New York).
- 細田友雄・生井兵治・後藤純一 (1963) 新型ナプスの育成について. III. 合成ルタバガの育成 (第1報). *育雑* 13: 99-106.
- Ichimura, K. and Y. Yamamoto (1992) Correlation between the accumulation of stylar canal exudate and the diminution of self-incompatibility in aging flowers of *Lilium longiflorum*. *J. Japan. Soc. Hort. Sci.* 61. 159-165.
- Inoue, K. (1988) Pattern of breeding-system change in the Izu Islands in *Campanula punctata*: Bumblebee-absence hypothesis. *Plant Species Biol.* 3: 125-128.
- Inoue, K. (1990) Evolution of mating systems in island populations of *Campanula microdonta*: Pollinator availability hypothesis. *Plant Species Biol.* 5: 57-64.
- Inoue, K., M. Maki. and M. Masuda (1995) Different responses of pollinating bees to

- size variation and sexual phases in flowers of *Campanula*. *Ecol. Res.* 10: 267-273.
- 岩波洋造 (1980) 花粉の採取と貯蔵. 「花粉学」 講談社サイエンティフィック, 東京. 155-162 頁.
- Iwasa, Y. (1990) Evolution of selfing rate and resource allocation models. *Plant Species Biol.* 5: 19-30.
- 巖佐庸 (1992) 送粉共生系を進化生態学から見て. 「シリーズ地球共生系 3. 昆虫を誘い寄せる戦略. 植物の繁殖と共生」 川那部浩哉監修. 平凡社, 東京. 161-182 頁.
- Jain, S. K. (1976) The evolution of inbreeding in plants. *Annu. Rev. Ecol. Syst.* 7: 469-495.
- Jarne, P. and D. Charlesworth (1993) The evolution of the selfing rate in functionally hermaphrodite plants and animals. *Annu. Rev. Ecol. Syst.* 24: 441-466.
- Johri, M. and I. K. Vasil (1961) Physiology of pollen. *Bot. Rev.* 27: 325-381.
- Jones, K. N. (1994) Nonrandom mating in *Clarkia gracilis* (Onagraceae): A case of cryptic self-incompatibility. *Amer. J. Bot.* 81: 195-198.
- Karron, J. D., D. L. Marshall and D. M. Oliveras (1990) Numbers of sporophytic self-incompatibility alleles in populations of wild radish. *Theor. Appl. Genet.* 79: 457-460.
- Kakizaki, Y. (1925) A preliminary report of crossing experiments with cruciferous plants, with special reference to sexual compatibility and matroclinous hybrids. *Jpn. J. Genet.* 3: 49-82.
- Kakizaki, Y. (1930) Studies on the genetics and physiology of self- and cross-incompatibility in the common cabbage. *Japan. J. Bot.* 5: 133-208.
- 柿崎洋一 (1930) 甘藍に於ける自家不和合性の生理的原因. *遺伝学雑誌* 5: 121-123.
- 河野昭一 (1974) 「種の分化と適応」 三省堂, 東京. 407 頁.

- Khatikarn, B., Y. Shinohara, H. Namai and Y. Suzuki (1991) Intraspecific variations in flowering habits in mustard (*Brassica juncea* (L.) Czern. et Coss.). Japan. J. Trop. Agr. 35: 71-78.
- Klinkhamer, P. G. L., T. J. de Jong and G-J. de Bruyn (1989) Plant size and pollinator visitation in *Cynoglossum officinale*. OIKOS: 54: 201-204.
- Klinkhamer, P. G. L. and T. J. de Jong (1993) Attractiveness to pollinators: a plant's dilemma. OIKOS 66: 180-184.
- Kohn, J. R. and S. C. H. Barrett (1992) Experimental studies on the functional significance of heterostyly. Evolution 46: 34-55.
- Kraai, A. (1962) How long do honey-bees carry germinable pollen on them? Euphytica 11: 53-56.
- Lande, R. and D. W. Schemske (1985) The evolution of self-fertilization and inbreeding depression in plants. I . Genetic models. Evolution 39: 24-40.
- Lande, R., D. W. Schemske and S. T. Schultz (1994) High inbreeding depression, selective interference among loci, and the threshold selfing rate for purging recessive lethal mutations. Evolution 48: 965-978.
- Levin, D. A. (1995) Effect of inbreeding on autogamy in *Phlox*. Heredity 74: 108-113.
- Levin, D. A. (1996) The evolutionary significance of pseudo-self-fertility. Am. Nat. 148: 321-332.
- Lloyd, D. G. (1979) Some reproductive factors affecting the selection of self-fertilizing in plants. Am. Nat. 113: 67-79.
- Lloyd, D. G. and D. J. Schoen (1992) Self- and cross-fertilization in plants. I . Functional dimensions. Int. J. Plant Sci. 153: 358-369.
- 水島宇三郎・角田重三郎 (1969) アブラナ属栽培種の起源について. 農業および園芸, 44: 1347-1352.

- Mohammad, A. (1935) Pollination studies in toria and sarson. *Ind. J. Agric. Sci.* 5. (“安田 (1951) より引用”).
- Morse, D. H. (1987) Roles of pollen and ovary age in follicle production of the common milkweed *Asclepias syriaca*. *Amer. J. Bot.* 74: 851-856.
- Mulcahy, D. L. and G. B. Mulcahy (1975) The influence of gametophytic competition sporophytic quality in *Dianthus chinensis*. *Theor. Appl. Genet.* 46: 277-280.
- Mulcahy, D. L., G. B. Mulcahy and E. Ottaviano (1975) Sporophytic expression of gametophytic competition in *Petunia hybrida*. In “Gamete Competition in Plants and Animals” Mulcahy, D. L. (ed.) North Holland Publ. Amsterdam. pp.227-232.
- 生井兵治・細田友雄 (1967) 新型ナプスの育成について. III. 合成ルタバガの育成 (第2報). *育雑* 17: 194-204.
- 生井兵治 (1983a) 作物遺伝資源保存のための採種法の現況II. 食用作物 (2) 雑穀・豆類, ならびに工芸作物. *育雑* 33: 212-218.
- 生井兵治 (1983b) 作物遺伝資源保存のための採種法の現況III. 飼料作物, ならびに野菜 (1) アブラナ科. *育雑* 33: 331-336.
- Namai, H. (1986) Pollination biology and seed multiplication method of buckwheat genetic resources. *Buckwheat Research. Proc. 3rd Intl. Symp. Buckwheat Pulawy, Poland.* 180-186.
- Namai, H. and R. Ohsawa (1986) Variation of reproductive success rates of ovule and pollen deposited upon stigmas according to the different number of pollen on a stigma in angiosperm. In “Biotechnology and Ecology of Pollen” Mulcahy, D. L., G. B. Mulcahy and E. Ottaviano (eds.), Springer-Verlag, New York, Berlin, Heidelberg, Tokyo. pp.423-428.
- Namai, H. (1987) Inducing cytogenetical alterations by means of interspecific and intergeneric hybridization in *Brassica* crops. *Gamma Field Symposia* 26: 41-89.

- Namai, H. and R. Ohsawa (1987) Variation in pollination requirements of *Brassica napus* L. (rapeseed) cultivars reflect density of insect pollinations in the regions where each cultivar was bred and/or cultivated. EUCARPIA Cruciferae Newsletter 12: 58-59.
- Namai, H. and R. Ohsawa (1988) Possibility of expanding genetic variation by limited pollination based on the reproductive success rate (RSR) of pollen grains deposited on stigma. In "Sexual Reproduction in Higher Plants" Cresti, M., P. Gori, and E. Pacini (eds.), Springer-Verlag, Berlin, Heidelberg, pp.63-68.
- 生井兵治 (1989) 遺伝資源の維持・増殖と開発・利用の技術。「植物遺伝資源集成 1」松尾孝嶺監修, 講談社, 東京. 288-312 頁.
- 生井兵治 (1991) 栽培植物における受粉生物学のすすめ (12). 農業および園芸 66: 987-992.
- Namai, H., K. Lee and J. Toyama (1991) Increase of male transmission rate of cabbage chromosome by limited pollination in alien chromosome addition lines of Chinese cabbage with single cabbage chromosome. Japan. J. Breed. 41: 655-659.
- 生井兵治 (1992) 植物の貞操—生殖様式。「植物の性の営みを探る」 養賢堂, 東京. 43-63 頁.
- Namai, H. and R. Ohsawa (1992) Evidence for non-random seed setting of ovules in the pod of the cruciferous plants *Brassica juncea* and *Raphanus sativus*. In "Angiosperm Pollen and Ovules" Ottabiano, E., D. L. Mulcahy, M. S. Gorla and G. B. Mulcahy (eds.), Springer-Verlag, New York, pp.429-434.
- Namai, H., R. Ohsawa and N. Ushita (1992) Independent evolution of automatic self-pollination ability and self-fertility in *Raphanus sativus* L. and *Brassica juncea* (L.) Czern. et Coss. : The pathways from allogamous plant to autogamous plant. Proc. 11th Intl. Symp. Embryology and seed reproduction. Nauka, Leningrad. pp.387-388.

- 生井兵治 (1996a) 栽培植物における受粉生物学のすすめ(47). 農業および園芸
71: 728-732.
- 生井兵治 (1996b) 栽培植物における受粉生物学のすすめ (52). 農業および園芸
71: 1341-1345.
- Ockendon, D. J. (1974) Distribution of self-incompatibility alleles and breeding structure
of open-pollinated cultivars of brussels sprouts. *Heredity* 33: 159-171.
- Ockendon, D. J. (1975) Dominance relationships between S-alleles in the stigma of
brussels sprouts (*Brassica oleracea* var. *gemmifera*). *Euphytica* 24: 165-172.
- 大澤良・生井兵治 (1987) ノザワナ (*Brassica campestris*) とキカラシナ (*B.*
juncea) の受粉・結実に果たす花粉媒介昆虫の役割. 育雑 37: 453-463
- Oka, H. and H. Morishima (1967) Variations in the breeding systems of a wild rice,
Oryza perennis. *Evolution* 21: 249-258.
- Olsson, G. (1960a) Self-incompatibility and outcrossing in rape and white mustard.
Hereditas 46: 241-252.
- Olsson, G. (1960b) Species crosses within the genus *Brassica*. I. Artificial *Brassica*
juncea Coss. *Hereditas* 46: 171-222.
- Ornduff, R. (1969) Reproductive biology in relation to systematics. *Taxon* 18: 121-133.
- Ornduff, R. (1970) Incompatibility and the pollen economy of *Jepsonia parryi*. *Amer. J.*
Bot. 57: 1036-1041.
- Philbrick, C. T. and L. M. Bernardello (1992) Taxonomic and geographic distribution of
internal geitonogamy in new world *Callitriche* (Callitrichaceae). *Amer. J. Bot.* 79:
887-890.
- Preston, R. E. (1986) Pollen-ovule ratios in the Cruciferae. *Amer. J. Bot.* 73: 1732-1740.
- Richards, A. J. (1986) "Plant Breeding Systems" George Allen & Unwin, London. 553pp.
- Ritland, C. and K. Ritland (1989) Variation of sex allocation among eight taxa of the

- Mimulus guttatus* species complex (Scrophulariaceae). Amer. J. Bot. 76: 1731-1739.
- Rocha, O. J. and A. G. Stephenson (1990) Effect of ovule position on seed production, seed weight, and progeny performance in *Phaseolus coccineus* L. (Leguminosae). Amer. J. Bot. 77: 1320-1329.
- Sampson, D. R. (1957) The genetics of self-incompatibility in the radish. J. Hered. 48: 26-29.
- Schemske, D. W. and R. Lande (1985) The evolution of self-fertilization and inbreeding depression in plants. II. Empirical observations. Evolution 39: 41-52.
- Schlichting, C. D., A. G. Stephenson, L. E. Davis and J. A. Winsor (1987) Pollen competition and offspring variance. Evolution. Trend. Plant. 1: 35-39.
- Schmitt, J. (1983) Density-dependent pollinator foraging, flowering phenology, and temporal pollen dispersal patterns in *Linanthus bicolor*. Evolution 37: 1247-1257.
- Schoen, D. J. (1982) The breeding system of *Gilia achilleifolia*: Variation in floral characteristics and outcrossing rate. Evolution 36: 352-360.
- Shivanna, K. R. and B. M. Johri (1985) "The Angiosperm Pollen: Structure and Function" Wiley Eastern Limited, New Delhi. 390pp.
- Stebbins, G. L. (1957) Self-fertilization and population variability in the higher plants. Am. Nat. 19: 337-354.
- Stephenson, A. G. and R. I. Bertin (1983) Male competition, female choice, and sexual selection in plants. In "Pollination Biology" Real, L. (ed.), Academic Press, London. pp.109-149.
- Stephenson, A. G., J. A. Winsor and C. D. Schlichting (1988) Evidence for non-random fertilization in the common zucchini, *Cucurbita pepo*. "Sexual Reproduction in Higher Plant" Cresti, M., P. Gori and E. Pacini (eds.), Springer-Verlag, Berlin. pp.333-338.

- Ter-Avanesian, D. V. (1978) The effect of varying the number of pollen grains used in fertilization. *Theor. Appl. Genet.* 52: 77-79.
- Tian, X., L. Van Caesele and M. J. Sumner (1995) The possible role of embryo sac degeneration in yield reduction of summer turnip rape cultivar Candle. *Can. J. Plant Sci.* 75: 595-598.
- U, N. (1935) Genome-analysis in *Brassica* with special reference to the experimental formation of *B. napus* and peculiar mode of fertilization. *Jpn. J. Bot.* 7: 389-452.
- Uyenoyama, M. K. (1986) Inbreeding and the cost of meiosis: The evolution of selfing in populations practicing biparental inbreeding. *Evolution* 40: 388-404.
- Washitani, I., R. Osawa, H. Namai and M. Niwa (1994) Patterns of female fertility in heterostylous *Primula sieboldii* under severe pollinator limitation. *J. Ecol.* 82: 571-579.
- Weller, S. G. and R. Ornduff (1977) Cryptic self-incompatibility in *Amsinckia grandiflora*. *Evolution.* 31: 47-51.
- Weller, S. G. and R. Ornduff (1989) Incompatibility in *Amsinckia grandiflora* (Boraginaceae): Distribution of callose plugs and pollen tubes following inter- and intramorph crosses. *Amer. J. Bot.* 76: 277-282.
- Wiering, D. (1964) The use of insects for pollinating *Brassica* crops in small isolation cages. *Euphytica* 13: 24-28.
- Willson, M. F. (1982) Sexual selection and dicliny in angiosperms. *Am. Nat.* 119: 579-583.
- Winsor, J. A., L. E. Davis and A. G. Stephenson (1987) The relationship between pollen load and fruit maturation and the effect of pollen load on offspring vigor in *Cucurbita pepo*. *Am. Nat.* 129: 643-656.
- Wyatt, R. (1983) Pollinator-plant interactions and the evolution of breeding systems. In

- “Pollination Biology” Real, L. (ed.), Academic Press, London. pp.51-95.
- Wyatt, R. (1984) The evolution of self-pollination in granite outcrop species of *Arenaria* (Caryophyllaceae). I. Morphological correlates. *Evolution* 38: 804-816.
- Yahara, T. (1992) Graphical analysis of mating system evolution in plants. *Evolution* 46: 557-561.
- Yashiro, K., Y. Sakai and H. Namai (1999) Relationships between pollen-ovule ratio and autofertility, self-compatibility, automatic self-pollination ability in heterogeneous incomplete autogamous plants, Thai mustard. *Breeding Science* 49: 39-42.
- 八城和敏・大澤良・牛田典孝・生井兵治 (2001) カラシナ類 (*Brassica juncea*) における生殖様式の品種間変異. 育種学研究 3: (印刷中).
- 山岸博 (1989) 菜類 (9) カラシナ. 「植物遺伝資源集成 3」 松尾孝嶺監修, 講談社, 東京. 894-898 頁.
- 安田貞雄 (1951) 雌蕊の機能研究法. 「高等植物生殖生理学」 養賢堂, 東京. 489-519 頁.
- Zuberi, M. I., S. Zuberi and D. Lewis (1981) The genetics of incompatibility in *Brassica*. I. Inheritance of self-compatibility in *Brassica campestris*. L. var. Toria. *Heredity* 46: 175-190.