

## 引用文献

荒田洋治 1998 耐寒性と乾燥適応 PNE モノグラフ 水の書. p.153-172. 共立出版.  
東京.

Ashworth, E. N., J. A. Anderson and G. A. Davis. 1985. Properties of ice nuclei  
associated with peach trees. *J. Amer. Soc. Hort. Sci.* 110 :287-291.

Ashworth, E. N., J. A. Anderson, G. A. Davis and G. W. Lightner. 1985. Ice  
formation in *Prunus persica* under field condition. *J. Amer. Soc. Hort. Sci.*  
110 :322-324.

Ashworth, E. N., G. A. Davis and M. E. Wisniewski. 1989. The formation and  
distribution of ice within dormant and deacclimated peach flower buds.  
*Plant Cell and Environ.* 12 :521-528.

Ashworth, E. N. 1992. Formation and spread of ice in plant tissues. *Hort. Rev.*  
13 : 215-255.

Bohnert, H. J., D. E. Nelson, and R. G. Jenson. 1995. Adaptations to  
environmental stresses. *The Plant Cell* 7 :1099-1111.

Boorse, G. C., T. L. Bosma, A. C. Meyer, F. W. Ewers and S. D. Davis. 1998.  
Comparative methods of estimating freezing temperatures and freezing  
injury in leaves of chaparral shrubs. *J. Plant Sci.* 159 :513-521.

Brush, B. A., M. Griffith, and A. Mlynarz. 1994. Characterization and  
quantification of intrinsic ice nucleators in winter rye (*Secale cereale*)  
leaves. *Plant Physiol.* 104 : 725-735.

Capell, B. and K. Dorffling. 1989. Low temperature-induced changes of abscisic  
acid contents in barley and cucumber leaves in relation to their water  
status. *J. Plant Physiol.* 135 : 571 - 575.

- Carter, J., R. Brennan and M. Wisniewski. 1999. Low-temperature tolerance of blackcurrant flowers. HortScience 34 :855-859.
- Carter, J., R. Brennan and M. Wisniewski. 2001. Patterns of ice formation and movement in blackcurrant. HortScience 36 :1027-1032.
- Ceccardi, T. L., R. L. Heath and I .P. Ting. 1995. Low-temperature exotherm measurement using infrared thermography. Hort. Sci. 30 :140-142.
- Chen H-H, P. Gavinlertnatana and P. H. Li. 1979. Cold acclimation of stem-cultured plants and leaf callus of *Solanum* species. Bot Gaz. 140:142-147.
- Chen H-H, P. H. Li, and M. L. Brenner. 1983. Involvement of abscisic acid in potato cold acclimation. Plant Physiol. 71 : 362 - 365.
- Chen T.H.H. and L.V. Gusta. 1983. Abscisic acid-induced freezing resistance in cultured plant cells. Physiol. Plant. 73 :71-75.
- Creelman, R. A. and J. E. Mullet. 1997. Biosynthesis and action of jasmonates in plants. Annu. Rev. Plant Physiol. Plant Mol. Biol. 48 p. 355 - 381.
- Dathe, W., H. Ronsch, A. Preiss, W. Schade, G. Sembdner and K. Schreiber. 1981. Endogenous plant hormones of the broad bean, *Vicia faba* L. (-)-jasmonic acid, a plant growth inhibitor in pericarp. Planta 153 : 530 - 535.
- Dexter, S. T., W. E. Tottingham and L. F. Graber. 1932. Investigations of hardiness plants by measurement of electrical conductivity. Plant Physiol. 2 : 63 - 78.
- Ding, C. K., C. Y. Wang, K. C. Gross and D. L. Smith. 2001. Reduction of chilling injury and transcript accumulation of heat shock proteins in tomato fruit by methyl jasmonate and methyl salicylate. Plant Science 161 : 1153 - 1159.

Ding, C. K., C. Y. Wang, K. C. Gross and D. L. Smith. 2002 Jasmonate and salicylate induce the expression of pathogenesis-related-protein genes and increase resistance to chilling injury in tomato fruit. *Planta* 214 : 895 - 901.

Durner., E and T. Gianfagna. 1991. Peach pistill carbohydrate and moisture contents and growth during controlled deacclimation following ethephon application. *J. Amer. Soc. Hort. Sci.* 116 :507-511.

栄花 茂. 酒井 明. 1973. トドマツ苗木の耐凍性変動に及ぼす温度の影響. 日林誌. 54 :412-417.

Flinn, C. L. and E. N. Ashwoth. 1995. The relationship between carbohydrates and flower bud hardiness among three *Forsythia* Taxa. *J. Amer. Soc. Hort. Sci.* 120 :607-613.

Fujisawa, H., M. Koshiyama, H. Seto, S. Yoshida and Y. Kamuro. 1997. Effect of jasmonic acid compound on fruit setting, fruit growth, ripening and cold-resistance. *Acta Hortic.* 463 : 261 - 266.

Fuller, M. P. and M. Wisniewski. 1998. The use of infrared thermal imaging in the study of ice nucleation and freezing of plants. *J.Therm. Biol.* 23 :81-89.

Gemma, H., K. Togawa and Y. Sekozawa. 1998. Possibility of *n*-propyl dihydrojasmonate application for thinning fruit, defoliating and promoting the fruit maturation as a cultural technique. XXV IHC Abstract :126.

Gemma H. 2000. Possibility of *n*-propyl dihydrojasmonate application for thinning fruit, defoliating and promoting the fruit maturation as a cultural technique. *Acta Hortic.* 516 :57-66.

Gonzalez-Aguilar, G. A., J. Fortiz, R. Cruz, R. Baez and C. Y. Wang. 2000. Methyl jasmonate reduces chilling injury and maintains postharvest quality of

mango fruit. J. Agric. Food. Chem. 48 : 515 - 519.

Griffith M., P. Ala, D.S.C. Yang, W.C. Hon and B. A. Moffatt. 1992. Antifreeze protein produced endogenously in winter rye leaves. Plant Physiol. 100 :593-596.

Gross, D.C., E.L.Proebsting Jr. and M.C. Zimmerman, H. 1988. Development, distribution, and characteristics of intrinsic, nonbacterial ice nuclei in *Prunus* wood. Plant Physiol. 88: 915-922.

Guy, C. L., D. Haskell, L. Neven, P. Klein and C. Smeiser. 1992. Hydration-state-responsive proteins link cold and drought stress in spinach. Planta 188 : 265-270.

堀本宗清・荒木 齊. 1999. クリの冬・春季の枝水分及び木部圧の経時的変化と凍害の関係. 農業気象. 55 : 25 - 32.

猪俣雄司・村瀬昭治・及川 悟・篠川 俊雄・鈴木邦彦. 1992. ニホンナシの晩霜害発生後における花器へのジベレリン処理の効果. 果樹試報. 23 :123-136.

猪俣雄司・八重垣英明・鈴木邦彦. 1993. ジベレリン処理によるニホンナシの晩霜害軽減対策. 農業気象. 49 :105-109.

Irving, R. M. and F. O. Lanpher. 1967. Environmental control of cold hardiness in woody plants. Plant Physiol. 42 :1191-1196.

Isikawa, M. and A. Sakai. 1981. Freezing avoidance mechanisms by supercooling in some *Rhododendron* flower buds with reference to water relations. Plant Cell Physiol. 22. :953-967.

Ishikawa, M. and A. Sakai. 1985. Seasonal changes in plasma membranes and mitochondria isolated from Jerusalem artichoke tubers. Possible relationship to cold hardiness. Plant Cell Physiol. 26 : 1331 - 1344.

Ishikawa, M., A. J. Robertson and L. V. Gusta. 1990. Effect of temperature, light

nutrients and dehardning on abscisic acid induced cold hardness in *Bromus inermis* Leyss suspension cultured cells. Plant cell Physiol. 31 : 51 - 59.

Ishikawa, M. and S. Miyazaki. 1992. Ice nucleating activity in various parts of wintering *Rhododendron* flower buds and freezing behavior of floret tissues: their relevance to extraorgan freezing. Swed. Univ. of Agric. Sci. Ecol. & Environ. Res. Rep. 53 : 27.

Ishikawa, M., A. J. Robertson and L. V. Gusta. 1995. Comparison of viability tests for assessing cross-adaptation to freezing, heat and salt stresses induced by abscisic acid in bromgrass (*Bromus inermis* Leyss) suspension cultured cells. Plant Science 107 : 83 - 93.

Ishikawa, M., W.S. Price, H. Ide and Y. Arata. 1997. Visualization of freezing behaviours in leaf and flower buds of full-moon maple by nuclear magnetic resonance microscopy. Plant Physiol. 115 :1515-1524.

Ishikawa, M., H. Ide, W.S. Price, Y. Arata and T. Kitashima. 2000. Freezing behaviors in plant tissues as visualized by NMR microscopy and their regulatory mechanisms. In: F. Engelmann, H.Takagi (eds.) Cryopreservation of Tropical Plant Germplasm. p22-35. IPGRI, Rome.

猪崎政敏. 1985. 気象災害 p. 211 - 218. 猪崎政敏編著. ニホンナシ生産の実際. 博友社. 東京.

Kaku, S., M. Iwaya and M. Kunishige. 1980. Supercooling ability of *Rhododendron* flower buds in relation to cooling rate and cold hardiness. Plant Cell Physiol. 21 :1205-1216.

金田美奈子・原 慶明・鈴木 隆・白石卓夫. 2001. 甘果オウトウの花芽雌ずいにおける低温での障害発生の温度条件. 園学雑. 70 :516-518.

Kang, S.K., H. Motosugi, K. Yonemori, A. Sugiura. 1998. Freezing injury persimmons (*Diospyros kaki* Thunb.) and four other *Diospyros* species

during deacclimation in the spring as related to bud development.  
Scientia Hortic. 77 : 33 - 43.

Kang, S. K., H. Motosugi, K. Yonemori, and A. Sugiura. 1998. Supercooling characteristics of some deciduous fruit trees as related to water movement within the bud. J. Hortic. Sci. Biotech. 73 :165-172.

関東農政局茨城統計事務所編. 1990. 茨城におけるニホンナシの霜害. pp. 36. 農林水産統計協会. 茨城.

小橋謙史. 1999. モモ果実の生長・成熟、特に糖の蓄積に及ぼすアブシジン酸の影響. 筑波大学学位論文(博士).

Kobashi, K., H. Gemma and S. Iwahori. 2000. Abscisic acid content and sugar metabolism of peaches grown under water stress. J. Amer. Soc. Hort. Sci. 125 :425-428.

小橋謙史. 2000. 水ストレス、アブシジン酸(ABA)とモモ果実の糖集積. 農および園. 75 :487-495.

小林 章. 1985. 晩霜害 p. 147 - 157. 果樹風土論. 養賢堂. 東京.

近藤矩朗. 1994. アブシジン酸. 生理作用 p. 78 - 117. 高橋伸孝・増田芳雄共編 植物ホルモンハンドブック (下). 培風館. 東京.

小中原 実. 1988. カンキツの気象災害—発生のしくみと防ぎ型. 農文協. 東京.  
pp. 335.

Kozukue, N., E. Kozukue, T. Hirose and S. Mizuno. 1984. Accumulation of alanine in chilling-sensitive crops. HortScience 19 : 498 - 501.

黒田治之・勾坂勝之助・千葉和彦. 1991. 厳寒期におけるリンゴ属植物の耐凍性と過酸化物代謝. 園学雑. 60 : 719 - 728.

Kushad, M. M. and G. Yelenovsky. 1987. Evaluation of polyamine and proline

levels during low temperature acclimation of *Citrus*. Plant Physiol. 84 :692-695.

Lang, V., E. Mantyla, B. Welin, B. Sundberg and E. T. Palva. 1994. Alterations in water status, endogenous abscisic acid content, and expression of rab 18 gene during the development of freezing tolerance in *Arabidopsis thalloana*. Plant Physiol. 104 :1341-1349.

Larcher, W. 1999. 自然環境のストレス p. 241 - 301. 植物生態生理学(佐伯敏郎監訳). シュプリンガー・フェアラーク東京. 東京.

Liao, R., K. Tanabe, F. Tamura and A. Itai. 1996. Seasonal variations in fatty acid composition and cold hardiness of Japanese pear in response to air temperature and growing stages. Environ. Control in Biol. 34 : 303 - 311.

Liao, R., K. Tanabe, F. Tamura and A. Itai. 1997. Changes of lipid metabolism and their effects on cold hardness of Japanese pear during flowering and fruit setting periods. Environ. Control in Biol. 35 : 21 - 28.

Lim, C. C. and R. Arora. 1998. Comparing Gomperts and Richards functions to estimate freezing injury in Rhododendron using electrolyte leakage. J. Amer. Soc. Hort. Sci. 123 : 246 - 252.

Lindow, S.E., D. C. Arny and C. D. Uppet. 1982. Bacterial ice nucleation: A factor in frost injury to plants. Plant Physiol. 70 :1084-1089.

Lindow, S.E., G. McGourty and R. Elkins. 1996. Interactions of antibiotics with *Pseudomonas fluorescens* strain A506 in the control of fire blight and frost injury to pear. Phytopatholgy 86 :841-848.

Ludewig, M., K. Dorffing and H. Scifert. 1988. Abscisic acid and water transport in sunflowers. Planta 175 : 325 - 333.

Maki, L. R., E. L. Galyan, M. Chang-chien and D. R. Caldwell. 1974. Ice nucleation induced by *Psudomonas syringae*. Applied Microbiol.

- Mantyla, E., V. Lang and E. Tapio Palva. 1995. Role of abscisic acid in drought-induced freezing tolerance, cold acclimation, and accumulation of LT178 and RAB18 proteins in *Arabidopsis thaliana*. *Plant Physiol.* 107 :141 - 148.
- Mercier, J. and S. E. Lindow. 1996. A method involving ice nucleation for the identification of microorganisms antagonistic to *Erwinia amylovora* on pear flowers. *Phytopatholgy* 86 :940-945.
- 三上浩司・村田紀夫. 1999. 温度変化への応答と適応の分子機構. p. 36 - 47. 渡邊昭・篠崎一雄・寺島一郎監修. 植物の環境応答－生存戦略とその分子機構. 秀潤社. 東京.
- 宮下晃一・米谷俊彦. 1999. 低温環境下で生じる熱影像温度計の測定誤差と温度補正に関する考察. 農業気象 55 :33-40.
- 中村敏英・高部鉄子. 1999. 耐塩性と適合溶質の機能. 蛋白質 核酸 酶素 44 :2214 - 2220.
- Nesbitt M.L., N.R. McDaniel ,R.C. Ebel ,W.A. Dozier and D.G. Himmelricks 2000. Performance of satsuma mandarin protected from freezing temperatures by microsprinkler irrigation. *HortScience* 35 : 856-859.
- 小沢 行雄・本田 熊夫. 1955. 梨の凍霜害に関する一実験. 農業気象 11 :35-36.
- Pearce, R. S. and J. H. M. Willison. 1985. Wheat tissues freeze-etched during exposure to extracellular freezing: distribution of ice. *Planta* 163 :295-303.
- Pellet, N. E. and D. A. Heleba. 1998. Comparing callus growth with discoloration and electric conductivety as measure of stem injury after freezing woody plants. *J. Amer. Soc. Hort. Sci.* 123 : 826 - 831.

- Price, W. S., H. Ide, M. Ishikawa and Y. Arata. 1997a. Intensity changes in 1H-NMR micro-images of plant materials exposed to subfreezing temperatures. Bioimages 5 :91-99.
- Price, W. S., H. Ide, Y. Arata and M. Ishikawa. 1997b. Visualization of freezing behaviours in flower buds tissues of cold-hardy *Rhododendron japonicum* by nuclear magnetic resonance micro-imaging. Aust. J. Plant Physiol. 24 :599-605.
- Quamme, H. A., C. Stushnoff and C.J. Weiser. 1972. The relationship of exotherms to cold injury in apple stem tissues. J. Amer. Soc. Hort. Sci. 97 :608-613.
- Quamme, H. A. 1978. Mechanism of supercooling in overwintering peach flower buds. J. Amer. Soc. Hort. Sci. 103 :57-61.
- Quamme, H. A., W. A. Su and L. J. Veto. 1995. Anatomical features facilitating supercooling of the flower within the dormant peach flower bud. J. Amer. Soc. Hort. Sci. 120 : 814-822.
- Rajashekhar, C., M. N. Westwood and M. J. Burke. 1982. Deep supercooling and cold hardiness in genus *Pyrus*. J. Amer. Soc. Hort. Sci. 107 :968-972.
- Rodrigo, J. 2000. Spring frosts in deciduous fruit tree - morphological damage and flower hardiness. Scientia Hortic. 85 :155-173.
- 勾坂勝之助. 1974. 低温下の植物代謝. 科学と生物 12: 15 - 29.
- Sagisaka, S. 1974. Effect of low temperature on amino acid metabolism in wintering poplar. Arginine-glutamine relationships. Plant Physiol. 53 : 319 - 322.
- 佐治 光. 1999. 大気汚染ガス傷害・耐性の分子機構. 蛋白質 核酸 酶素 44 : 2253 - 2259.

Sakai, A. and S. Yoshida. 1968. The role of sugar and related compounds in variations of freezing resistance. *Cryobiology* 5 :160-174.

酒井 昭. 1982. 植物の耐凍性と寒冷適応. pp. 469. 学術出版センター, 東京.

坂野勝啓. 1981. 各種アミノ酸合成の概略. アミノ酸合成の調節. p. 191 - 205. 旭正編 植物生理学3 代謝. 朝倉書店. 東京.

Saniewski, M., H. Urbanek and J. Czapski. 1987a. Effect of methyle jasmonate on ethylene production, chlorophyll degradation, and polygalacturonase activity in tomatoes. *J. Plant Physiol.* 127 : 177 - 181.

Saniewski, M., J. Nowacki and J. Czapski. 1987b. The effect of methyle jasmonate on ethylene production and ethylene-forming enzyme activity in tomatoes. *J. Plant Physiol.* 129 : 175 - 180.

Sasaki, H., K. Ichimura, K. Okada and M. Oda. 1998. Freezing tolerance and soluble sugar contents affected by water stress during cold-acclimation and de-acclimation in cabbage seedlings. *Scientia Hortic.* 76 : 161-169.

Schnell., R. C. and G. Vali. 1972. Atmospheric ice nuclei from decomposing vegetation. *Nature* 236 :163-165.

Sembdner, G. and B. Parthier. 1993. The biochemistry and the physiological and molecular actions of jasmonate. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 44 p. 569 - 589.

Seo, S., H. Sano and Y. Ohashi. 1997. Jasmonic acid in wound signal transduction pathways. *Physiol. Plant.* 101 :740-745.

Seo, S., H. Sano and Y. Ohashi. 1999. Jasmonate-based wound signal transduction requires activation of WIPK, a tobacco mitogen-activated protein kinase. *The Plant Cell* 11 :289-298.

Siminovitch, D., H. Therrien, G. Gfeller and B. Rheaume. 1964. The quantitative

estimation of frost injury and resistance in black locust, alfalfa and wheat tissues by determination of amino acids and other ninhydrin-reacting substances released after thawing. Can. J. Bot. 42 :637 - 649.

Sperry, J. S., N. M. Holbrook and M. H. Zimmermann. 1987. Spring filling of xylem vessels in wild grape-vine. Plant Physiol. 83 : 414 - 417.

Steponkus, P. L., and F. O. Lanphear. 1967. Refinement of the triphenyle tetrazolium chloride method of determining cold injury. Plant Physiol. 42 : 1423 - 1426.

Szalai, G., T. Janda, T. Bartok and E. Paldi. 1997. Role of light in change in free amino acid and polyamine content at chilling temperature in maize (*Zea mays*). Physiol. Plant. 101 : 434 - 438.

Takahasi, K., K. Fujino, Y. Kikuta and Y. Koda. 1994. Expansion of potato cells in response to jasmonic acid. Plant Science 100 : 3 - 8.

竹内安智・禿 泰雄. 1997. ブラシノステロイド及びジャスモン酸の生理作用と実用化研究の現状. 植物の化学調節 32 : 74 - 86.

高山 成・早川誠而・川村宏明. 1999. 霜害発生予察のための 50m メッシュ地形情報用いた局地的冷却現象の解析. 農業気象 55 :235-246.

田村文男・田辺賢二・池田隆政. 1993. ニホンナシ ‘二十世紀’ の芽の休眠の深さと ABA との関係. 園学雑. 62 : 75 - 81.

Tanino, K., C. J. Weiser, L. H. Fuchigami and T. H. H. Chen. 1990. Water content during abscisic acid induced freezing tolerance in bromegrass cells. Plant Physiol. 93 :460-464.

帶刀有紀子. 1996. ニホンナシの芽の休眠生理と打破機構. 筑波大学学位論文(修士)

東川公美. 1999. 植物老化促進物質ジャスモン酸のブドウ果実における成熟促進作用に関する研究. 筑波大学学位論文(修士)

Ueda, J., J. Kato, H. Yamane and N. Takahashi. 1981. Inhibitory effect of methyl jasmonate and its related compounds on kinetin induced retardation of oat leaf senescence. *Physiol. Plant.* 52 : 305 - 309.

上田純一. 1995. 植物の老化に関する生理活性物質の生物有機化学的研究. *植物の化学調節* 30 :1-4.

Uthaibutra, J and H. Gemma. 1991. Changes in abscisic acid content of peel and pulp of 'Jonagold' apples during pre- and post-harvest periods. *J. Japan. Soc. Hort. Sci.* 60 : 443-448.

内島立郎. 1986. 霜害・寒害 p. 104 - 113. 長野敏英・清野 豪・佐瀬勘紀・塩沢昌・石田朋靖・青木正敏・内島立郎・真木太一・大政謙次・岡田益己・蔵田憲次・皆川秀夫共著 *農業気象・環境学*. 朝倉書店. 東京

Vonnegut, B. 1947. The nucleation of ice formation by silver iodide. *Appl. Phys.* 18 :593-595.

Wang, C. Y. and J. G. Buta. 1994. Methyl jasmonate reduces chilling injury in *cucurbita pepo* through its regulation of abscisic acid and polyamine levels. *Environ. Exp. Bot.* 34 : 427 - 432.

Widholm, J. M. 1972. The use of fluorescein diacetate and phenosaharanine for determining viability of cultured plant cells. *Stain. Technol.* 47 : 189 - 194.

Wisniewski, M., S. E. Lindow and E. N. Ashworth. 1997. Observations of ice nucleation and propagation in plants using infrared video thermography. *Plant Physiol.* 113 :327-334.

Withers, L.A. and P. J. King. 1979. Proline : A novel cryoprotectant for the freeze preservation of cultured cells of *Zea mays* L. *Plant Physiol.* 64 : 675 - 678.

Workmaster, B. A. A., J. P. Palta and M. Wisniewski. 1999. Ice nucleation and

propagation in cranberry uprights and fruit using infrared video thermography. J. Amer. Soc. Hort. Sci. 124 : 619-625.

吉田静夫. 1999. 極限温度に対する生理応答. p. 24 - 35. 渡邊 昭・篠崎一雄・寺島一郎監修. 植物の環境応答－生存戦略とその分子機構－. 秀潤社. 東京.

吉原照彦. 1990. ジャスモン酸類の化学と活性. 植物細胞工学 2: 523 - 531.