

引用文献

- Abeles F. B. 1968. Herbicide-induced ethylene production: Role of the gas in sublethal doses of 2,4-D. *Weed Sci.* **16**, 498-500.
- Abu-Irmaileh B. E., L. S. Jordan and H. Kumamoto 1979. Enhancement of CO₂ and ethylene production and cellulase activity by glyphosate in *Phyaseolus vulgaris*. *Weed Sci.* **27**, 103-106.
- Adejonwo K. O., M. K. Ahmed, S. T. O. Lagoke and S. K. Karikari 1990. Herbicide evaluation studies in rainfed okra at Samaru, Nigeria. *Nigerian J. of weed Sci.* **3**, 51-58.
- Aguero-Alvarado R., A. P. Appleby and D. J. Armstrong 1991. Antagonism of haloxyfop activity in tall fescue (*Festuca arundinacea*) by dicamba and bentazon. *Weed Sci.* **39**, 1-5.
- Barnwell P., and A. H. Cobb 1993. An investigation of aryloxyphenoxypropionate antagonism of auxin-type herbicide action on proton-efflux. *Pestic. Biochem. Physiol.* **47**, 87-97.
- Barnwell P. and A. H. Cobb. 1994. Graminicide antagonism by broadleaf weed herbicides. *Pestic. Sci.* **41**, 77-85.
- Barrett M. and G. L. Olson 1984. Interaction of Dowco 453 and fluazifop-butyl with auxin response. *Abstr. Weed Sci. Soc. Amer.* **24**, 113.
- Bjelk L. A., T. J. Monaco and P. S. Zorner 1991. Effect of fenoxaprop, haloxyfop and sethoxydim on acetyl coenzyme A carboxylase from rice, barnyardgrass and sprangletop. *Plant Sci.* **73**, 129-135.
- Bleecker A. B., R.-J. Stefan; K. Hans 1987. An evaluation of 2,5-norbornadiene as a reversible inhibitor of ethylene action in deepwater rice. *Plant Physiol.* **84**, 395-398.
- Boldt L. D. and M. Barrett 1991. Effects of diclofop and haloxyfop on lipid synthesis in corn (*Zea mays*) and bean (*Phaseolus vulgaris*). *Weed Sci.* **39**, 143-148.
- Brezeanu A. G., D. G. Davis and R. H. Shimabukuro 1976. Ultrastructural effects and translocation of methyl-2-[4-(2,4-diclorophenoxy)phenoxy]propanoate in wheat (*Triticum aestivum*) and wild oat (*Avena fatua*). *Can. J. Bot.* **54**, 2038-2048.
- Briskin D. P. 1994. Membrane and transport systems in plants: an overview. *Weed Sci.* **42**, 255-262.
- Buhler D. D., B. A. Swisher and O. C. Burnside 1985. Behavior of ¹⁴C-haloxyfop-methyl in intact plants and cell cultures. *Weed Sci.* **33**, 291-299.
- Burton J. D., J. W. Gronwald, D. A. Somers, B. G. Gengenbach and D. L. Wyse 1989. Inhibition of corn acetyl-CoA carboxylase by cyclohexanedione and aryloxyphenoxypropionate herbicide. *Pestic. Biochem. Physiol.* **34**, 76-85.
- Burton J. D., J. W. Gronwald, D. A. Somers, J. A. Connelly, B. G. Gengenbach and D. L. Wyse 1987. Inhibition of plant acetyl-coenzyme A carboxylase by the herbicides sethoxydim and haloxyfop. *Biochem. Biophys. Reserch Communications.* **148**, 1039-1044.
- Burton J. D., J. W. Gronwald, R. A. Keith, D. A. Somers, B. G. Gengenbach and D. L. Wyse 1991. Kinetics of inhibition of acetyl-coenzyme A carboxylase by sethoxydim and haloxyfop. *Pestic. Biochem. Physiol.* **39**, 100-109.

- Carr J. E., L. G. Davies, A. H. Cobb and K. E. Pallett 1986. Uptake, translocation and metabolism of fluazifop-butyl in *Setaria viridis*. *Ann. Appl. Biol.* **108**, 115-123.
- Catanzaro C. J., J. D. Burton, and W. A. Skroch 1993. Graminicide resistance of acetyl-CoA carboxylase from ornamental grasses. *Pestic. Biochem. Physiol.* **45**, 147-153.
- Chandrasena N. R. and G. R. Sagar 1986. Uptake and translocation of ¹⁴C-fluazifop by quackgrass (*Agropyron repens*). *Weed Sci.* **34**, 676-684.
- Chen S.-X. and P. Schopfer 1999. Hydroxyl-radical production in physiological reactions--A novel function of peroxidase. *Eur. J. Biochem.* **260**, 726-735.
- 千坂英雄 1973. 等効果線法による除草剤混用の相互作用の検定—考え方と利用のしかた—. *雑草研究*, **15**, 16-19.
- Cho H.-Y., J. M. Widholm and F. W. Slife 1986. Effects of haloxyfop on corn (*Zea mays*) and soybean (*Glycine max*) cell suspension cultures. *Weed Sci.* **34**, 496-501.
- Combs G. F. Jr and J. M. Regenstein 1980. Influence of selenium, vitamin E, and ethoxyquin on lipid peroxidation in muscle tissues from fowl during low temperature storage. *Poultry Sci.* **59**, 347-351.
- Crowley J. and G. N. Prendeville 1979. Effect of diclofop methyl on leaf-cell membrane permeability in wild oat, barley and wheat. *Can. J. Plant Sci.* **59**, 275-277.
- Curtis R. W. 1987. Antiethylene properties of silver nitrate and 2,5-norbornadiene in light and dark in *Vigna radiata*. *J. Plant Growth Regul.* **6**, 41-56.
- Dalton D. A. 1995. Antioxidant defenses of plants and fungi, in "Oxidative Stress and Antioxidant Defenses in Biology" (Ahmad S. Ed.). Chapman & Hall, New York. pp. 298-355,
- Darnell J., H. Lodish, D. Baltimore 1989. 分子細胞生物学(下), 野田春彦・丸山工作・石川統・山本啓一・三井恵津子訳. 東京化学同人. pp. 754-755.
- De Koning A. J. 1998. A new method for measuring efficacies of antioxidants in fish meal. *Int. J. Food Properties.* **1**, 255-261.
- De Koning A. J. 2002. The antioxidant ethoxyquin and its analogues: a review. *Int. J. Food Properties.* **5**, 452-462.
- De Prado J. L., R. A. De Prado and R. H. Shimabukuro 1999. The effect of diclofop on membrane potential, ethylene induction, and herbicide phytotoxicity in resistant and susceptible biotypes of grasses. *Pestic. Biochem. Physiol.* **63**, 1-14.
- Derr J. F., T. J. Monago and T. J. Sheets 1985. Uptake and translocation of fluazifop by three annual grasses. *Weed Sci.* **33**, 612-617.
- Devine M. D. and R. H. Shimabukuro 1994. Resistance to acetyl coenzyme A carboxylase inhibiting herbicides, in "Herbicide Resistance in Plants--Biology and Biochemistry" (Stephen. B. P. and Joseph A. M. H. Ed.). Lewis Publishers. pp. 141-169.
- Devine M. D. 1997. Mechanisms of resistance to acetyl-coenzyme A carboxylase inhibitors: a review. *Pestic. Sci.* **51**, 259-264.
- Devine M. D., S. O. Duke and C. Fedtke 1993a. Herbicide effects on lipid synthesis, in "Physiology of herbicide action" (P T R Prentice-Hall, Inc. A Simon & Schuster Company

- Englewood Cliffs, New Jersey 07632). pp. 225-242.
- Devine M. D., S. O. Duke and C. Fedtke 1993b. "Physiology of herbicide action" (P T R Prentice-Hall, Inc. A Simon & Schuster Company Englewood Cliffs, New Jersey 07632), pp. 1-424.
- Di Tomaso J. M., A. E. Stown and P. H. Brown 1993. Inhibition of lipid synthesis by diclofop-methyl is age dependent in roots of oat and corn. *Pestic Biochem. Physiol.* **45**, 210-219.
- Di Tomaso J. M. 1994. Evidence against a direct membrane effect in the mechanism of action of graminicides. *Weed Sci.* **42**, 302-309.
- Duke S. O., M. Gohbara, R. N. Paul and M. V. Duke 1992. Colletotrichin causes rapid membrane damage to plant cells. *J. Phytopathol.* **134**, 289-305.
- Finean J. B., R. Coleman and R. H Michell 1981. 生体膜と細胞活動 (第2版), 佐藤了・日野幸伸訳, 培風館. pp. 1-25.
- Fletcher R. A. and D. M. Drexler 1980. Interactions of diclofop-methyl and 2,4-D in cultivated oats (*Avena sativa*). *Weed Sci.* **28**, 363-366.
- Focke M. and H. K. Lichtenthaler 1987. Inhibition of the acetyl-CoA carboxylase of barley chloroplasts by cycloxydim and sethoxydim. *Z. Naturforsch.* **42c**, 1361-1363.
- 二木銳雄 1989. II-B-1 アスコルビン酸・グルタチオン, in "活性酸素" (中野稔・浅田浩二・大柳善彦編), 共立出版株式会社 (東京). pp. 321-326.
- Galle J., C. Lehmann-Bodem, U. Hübner, A. Heinloth and C. Wanner 2000. CyA and OxLDL cause endothelial dysfunction in isolated arteries through endothelin-mediated stimulation of O₂⁻ formation. *Nephrol. Dial. Transplant.* **15**, 339-346.
- Goldberg R., R. Prat and J. P. Dubaco 1983. In situ and IAA-induced cell elongation is correlated to the oleoyl phosphatidylcholine content along the *Vigna radiata* hypocotyls. *Plant Cell Physiol.* **24**, 541.
- Golz A., M. Focke and H. K. Lichtenthaler 1994. Inhibitors of *de novo* fatty acid biosynthesis in higher plants. *J. Plant Physiol.* **143**, 426-433.
- Grafstrom Jr. L. D. and J. D. Nalewaja 1988. Uptake and translocation of fluazifop in green foxtail (*Setaria viridis*). *Weed Sci.* **36**, 153-158.
- Grey T. L., G. R. Wehtje, R. H. Walker and K. P. Paudel 1995. Comparison of imazethapyr and paraquat-based weed control systems in peanut (*Arachis hypogaea*). *Weed Technol.* **9**, 813-818.
- Gronwald J. W. 1986. Effect of haloxyfop and haloxyfop-methyl on elongation and respiration of corn (*Zea mays*) and soybean (*Glycine max*) roots. *Weed Sci.* **34**, 196-202.
- Gronwald J. W. 1991. Lipid biosynthesis inhibitors. *Weed Sci.* **39**, 435-449.
- Hadfi K., V. Speth and G. Neuhaus 1998. Auxin-induced developmental patterns in *Brassica juncea* embryos. *Development*. **125**, 879-887.
- 芳賀隆弘・藤川敢市・坂下信行・西山隆三 1987. 除草剤フルアジホップの開発, 日本農業学会誌, **12**, 311-325.
- Hall J. C. and M. Soni 1991. Antagonism by clopiralid or picloram-induced ethylene

- biosynthesis in rapeseed plants. *Z. Naturforsch.* **46c**, 957-962.
- Hall J. C., P. K. Bassi, M. S. Spencer and W. H. V. Born 1985. An evaluation of the role of ethylene in herbicidal injury induced by picloram or clopiralid in rapeseed and sunflower plants. *Plant Physiol.* **79**, 18-23.
- Hall C., L. V. Edgington and C. M. Switzer 1982. Translocation of different 2,4-D, bentazon, diclofop or diclofop-methyl combinations in oat (*Avena sativa*) and soybean (*Glycine max*). *Weed Sci.* **30**, 676-682.
- Harman D., D. E. Eddy and J. Noffsinger 1976. Free radical theory of aging: inhibition of amyloidosis in mice by antioxidants; possible mechanism. *J. Am. Geriatr. Soc.* **24**, 203-210.
- Hatzios K. K. 1991. Effects of the herbicide sethoxydim and the safener dichlormid on lipid synthesis and acetyl-CoA carboxylase activity of grain sorghum. *Z. Naturforsch.* **46c**, 934-938
- Hawf L. R. and K. R., Jr. Frost 1985. Weed control in peanuts with acetochlor. In: *Proceedings, South. Weed Sci. Soci., 38th annu. Meeting*. Champaign, Illinois, USA. 20-27.
- Heldt H.-W. 2000. 植物生化学, 金井龍二訳, シュプリンガー・フェアラーク東京株式会社出版. pp. 289-325.
- Hendley P., J. W. Dicks, T. J. Monaco, S. M. Slyfield and O. J. Tunmon 1985. Translocation and metabolism of pyridiniyloxyphenoxypropionate herbicides in rhizomatous quackgrass (*Agropyron repens*). *Weed Sci.* **33**, 11-24.
- Herbert D., D. J. Cole, K. E. Pallett and J. L. Harwood 1996. Susceptibilities of different test systems from maize (*Zea mays*), *Poa annua*, and *Festuca rubra* to herbicides that inhibit the enzyme acetyl-coenzyme A carboxylase. *Pestic. Biochem. Physiol.* **55**, 129-139.
- Herbert D., K. A. Walker, L. J. Price, D. J. Cole, K. E. Pallett, S. M. Ridly and J. L. Harwood 1997. Acetyl-CoA carboxylase, a graminicide target site. *Pestic. Sci.* **50**, 67-71.
- Hill B. D., B. G. Todd and E. H. Stobbe 1980. Effect of 2,4-D on the hydrolysis of diclofop-methyl in wild oat (*Avena fatua*). *Weed Sci.* **28**, 725-729.
- Holm R. E. and F. B. Abeles 1968. The role of ethylene in 2,4-D-induced growth inhibition. *Planta* **78**, 293-304.
- Hoppe H. H. and H. Zacher 1985. Inhibition of fatty acid biosynthesis in isolated bean and maize chloroplasts by herbicidal phenoxy-phenoxypropionic acid derivatives and structurally related compounds. *Pestic. Biochem. Physiol.* **24**, 298-305.
- Hoppe H. H. and H. Zacher 1982. Inhibition of fatty acid biosynthesis in tips of radicles from *Zea mays* by diclofop-methyl. *Z. Pflanzenphysiol.* **106**, 287-298.
- Hoppe H. H. 1985. Differential effect of diclofop-methyl on fatty acid biosynthesis in leaves of sensitive and tolerant plant species. *Pestic. Biochem. Physiol.* **23**, 297-308.
- Hoppe H. H. 1981. Effect of diclofop-methyl on protein, nucleic acid and lipid biosynthesis in tips of radicles from *Zea mays* L. *Z. Pflanzenphysiol.* **102**, 189-197.
- Hosaka H. and M. Takagi 1987. Biochemical effects of sethoxydim in excised root tips of corn (*Zea mays*). *Weed Sci.* **35**, 612-618.
- Hosaka H., H. Iraba, A. Satoh and H. Ishikawa 1984. Morphological and histological effects of

- sethoxydim on corn (*Zea mays*) seedlings. *Weed Sci.* **32**, 711-721.
- 兵藤宏・楊祥発 1994. エチレン, in “植物ホルモン・ハンドブック(下)”(高橋信孝・増田芳雄編), 培風館. pp. 161-201.
- Imamura S., H. Taniyama and T. Isogawa 1991. *Short review of herbicides & PGRs 1991* (Hodogaya Chemical Co., Ltd. Japan). pp. 22.
- Incledon B. J. and J. C. Hall 1997. Acetyl-coenzyme A carboxylase: quaternary structure and inhibition by graminicidal herbicides. *Pestic. Biochem. Physiol.* **57**, 255-271.
- 石川尚雄・岩滝功・佐脇幹夫 1985. 除草剤アロキシジムおよびセトキシジムの開発, *日本農薬学会誌*, **10**, 301-313.
- Jacobson A., R. H. Shimabukuro and C. McMichael 1985. Response of wheat and oat seedlings to root-applied diclofop-methyl and 2,4-dichlorophenoxyacetic acid. *Pestic. Biochem. Physiol.* **24**, 61-67.
- Kato M., Y. Hayakawa, H. Hyodo, Y. Ikoma and M. Yano 2000. Wound-induced ethylene synthesis and expression and formation of 1-aminocyclopropane-1-carboxylate (ACC) synthase, ACC oxidase, phenylalanine ammonia-lyase, and peroxidase in wounded mesocarp tissue of *Cucurbita maxima*. *Plant Cell Physiol.* **41**, 440-447.
- Kells J. J., W. F. Meggitt and D. Penner 1984. Absorption, translocation, and activity of fluazifop-butyl as influenced by plant growth stage and environment. *Weed Sci.* **32**, 143-149.
- Kobek K., M. Focke and H. K. Lichtenthaler 1988a. Fatty-acid biosynthesis and acetyl-CoA carboxylase as a target of diclofop, fenoxaprop and other aryloxy-phenoxy-propionic acid herbicides. *Z. Naturforsch.* **43c**, 47-54.
- Kobek K., M. Focke, H. K. Lichtenthaler, G. Retzlaff and B. Würzer 1988b. Inhibition of fatty acid biosynthesis in isolated chloroplasts by cycloxydim and other cyclohexane-1,3-diones. *Physiol. Plant.* **72**, 492-498.
- Konishi T. and Y. Sasaki 1994. Compartmentalization of two forms of acetyl-CoA carboxylase in plants and the origin of their tolerance toward herbicides. *Proc. Natl. Acad. Sci. USA.* **91**, 3598-3601.
- Konishi T., K. Shinohara, K. Yamada and Y. Sasaki 1996. Acetyl-CoA carboxylase in higher plants: most plants other than gramineae have both the prokaryotic and the eukaryotic forms of this enzyme. *Plant Cell Physiol.* **37**, 117-122.
- 倉石晉 1981. 植物ホルモン検定法, in “農薬実験法—除草剤編”(深見順一・上杉康彦・石塚皓造・富沢長次郎編), ソフトサイエンス社, pp. 146-159.
- Lee T.-M. and Y.-H. Lin 1996. Peroxidase activity in relation to ethylene-induced rice (*Oryza sativa* L.) coleoptile elongation. *Bot. Bull. Acad. Sin.* **37**, 239-245.
- Lee T. T. and T. Dumas 1983. Effect of glyphosate on ethylene production in tobacco calus. *Plant Physiol.* **72**, 855-857.
- Lichtenthaler H. K. and D. Meier 1984. Inhibition by sethoxydim of chloroplast biogenesis, development and replication in barley seedlings. *Z. Naturforsch.* **39c**, 115-122.
- Lichtenthaler H. K., K. Kobek and K. Ishii 1987. Inhibition by sethoxydim of pigment accumulation and fatty acid biosynthesis in chloroplasts of *Avena* seedlings. *Z. Naturforsch.*

42c, 1275-1279.

- Lichtenthaler H. K. 1990. Mode of action of herbicides affecting acetyl-CoA carboxylase and fatty acid biosynthesis. *Z. Naturforsch.* **45c**, 521-528.
- Maier A., A. Golz, H. K. Lichtenthaler, N. Meyer and G. Retzlaff 1994. Studies on the effect of different cyclohexane-1,3-diones on de-novo fatty acid biosynthesis in poaceae. *Pestic. Sci.* **42**, 153-161.
- Marles M. A. S., M. D. Devine and J. C. Hall 1993. Herbicide resistance in *Setaria viridis* conferred by a less sensitive form of acetyl coenzyme A carboxylase. *Pestic. Biochem. Physiol.* **46**, 7-14.
- 増田芳雄 1977. 植物生理学, 培風館. pp. 9-16, 257-283.
- 増田芳雄・片山正人・丸茂晋吾・鶴見誠二・保尊隆亨・山本良一・小柴共一・飯野盛利 1994. オーキシン, in “植物ホルモン・ハンドブック (上)” (高橋信孝・増田芳雄編), 培風館. pp. 235-510.
- 増田芳雄・勝見允行・今関英雄 1971. 植物ホルモン, 朝倉書店. pp. 1-112.
- 松本宏 1990. ジフェニルエーテル系除草剤の作用機構研究の新展開, 雑草研究, **35**, 1-12.
- Matringe M., J.-M. Camadro, P. Labbe and R. Scalla 1989. Protoporphyrinogen oxidase as a molecular target for diphenyl ether herbicides. *Biochem. J.* **260**, 231-235.
- Matthews J. M., J. A. M. Holtum, D. R. Liljegren, B. Furness and S. B. Powles 1990. Cross-resistance to herbicides in annual ryegrass (*Lolium rigidum*). I. Properties of the herbicide target enzymes acetyl-coenzyme A carboxylase and acetolactate synthase. *Plant Physiol.* **94**, 1180-1186.
- McFadden J. J., D. S. Frear and E. R. Mansager 1989. Aryl hydroxylation of diclofop by a cytochrome P450 dependent monooxygenase from wheat. *Pestic. Biochem. Physiol.* **34**, 92-100.
- McKeon T. A., J. C. Fernández-Macule and S. F. Yang 1995. Biosynthesis and metabolism of ethylene, in "Plant Hormones-Physiology, Biochemistry and Molecular Biology" (Davies P. J. Ed.). Kluwer Academic Publishers, 118-139.
- McRae D. G., J. E. Baker and J. E. Thompson 1982. Evidence for involvement of the superoxide radical in the conversion of 1-aminocyclopropane-1-carboxylic acid to ethylene by pea microsomal membranes. *Plant Cell Physiol.* **23**, 375-383.
- Miller I. L. and G. C. Schultz 1991. Goat's head (*Acanthospermum hispidum*). Agnote (Darwin). **454**, 2.
- Morgan P. W. and J. R. Baue 1970. Involvement of ethylene in picloram-induced leaf movement response. *Plant Physiol.* **46**, 655-659.
- Morgan P. W. and W. C. Hall 1962. Effect of 2,4-dichloro phenoxyacetic acid on the production of ethylene by cotton and grain sorghum. *Physiol. Plant.* **15**, 420-427.
- Morrison I. N., M. G. Owino and E. H. Stobbe 1981. Effects of diclofop on growth, mitotic index, and structure of wheat (*Triticum aestivum*) and wild oat (*Avena fatua*) adventitious roots. *Weed Sci.* **29**, 426-432.

- Murphy D. J. 1999. Plant lipid—their metabolism, function and utilization, in "Plant Biochemistry and Molecular Biology (Second Edition)" (Peter J. L. and C. L. Richard Ed.). (John Wiley & Sons Ltd, Baffins Lane, Chichester, West Sussex PO19 1UD, England). pp. 119-135.
- Nakahira D., M. Uchiyama, T. Ikai, H. Igarashi and K. Suzuki 1988. Effect of (*R*)-(+) and (*S*)-(-)quizalofop-ethyl on lipid matabolism in excised corn stem-base meristems. *J. Pestic. Sci.* **13**, 269-276.
- Nakahira K. 1998. Mode of Action of a herbicide, quizalofop-ethyl. *J. Pestic. Sci.* **23**, 357-366.
- 中村哲也 1989. II-B-2 トコフェロール, in "活性酸素" (中野稔・浅田浩二・大柳善彦編), 共立出版株式会社 (東京), pp. 327-334.
- Nandwal A. S., A. Maan, B. S. Kundu, S. Sheokand, D. V. Kamboj, A Sheoran, B. Kumar and D. Dutta 2000. Ethylene evolution and antioxidant defence mechanism in *Cicer arietinum* roots in the presence of nitrate and aminoethoxyvinylglycine. *Plant Physiol. Biochem.* **38**, 709-715.
- Nanjappa H. V. and M. M. Hosmani 1985. Effect of weed density on crop growth and yield in drill-sown fingermillet. *Indian J. Weed Sci.* **17**, 53-56.
- Ohlrogge J. and J. Browse 1995. Lipid biosynthesis. *The Plant Cell.* **7**, 957-970.
- Olson W. and J. Nalewaja 1982. Effect of MCPA on ¹⁴C-diclofop uptake and translocation. *Weed Sci.* **30**, 59-63.
- Olson W. A., J. D. Nalewaja 1981. Antagonistic effects of MCPA on wild oat (*Avena fatua*) control with diclofop. *Weed Sci.* **29**, 566-571.
- Olson W. A., J. D. Nalewaja, G. L. Schroeder and M. E. Duysen 1981. Diclofop and MCPA influence on coleoptile growth. *Weed Sci.* **29**, 597-600.
- O'sullivan P. A., H. A. Friesen and W. H. V. Born 1977. Influence of herbicide for broad-leaved weeds and adjuvants with diclofop-methyl on wild oat control. *Can. J. Plant Sci.* **57**, 117-125.
- Panizzi A. R. and C. E. Rossi 1991. The role of *Acanthospermum hispidum* in the phenology of *Euschistus heros* and of *Nezara viridula*. *Entomol. Exp. Appl.* **59**, 67-74.
- Parker W. B., L. C. Marshall, J. D. Borton, D. A. Somers, D. L. Wyse, J. W. Gronwald and B. G. Gengenbach 1990. Dominant mutations causing alterations in acetyl-coenzyme A carboxylase confer tolerance to cyclohexanedione and aryloxyphenoxypropionate herbicides in maize, *Proc. Natl. Acad. Sci. U.S.A.* **87**, 7175-7179.
- Preston C., F. J. Tardif, J. T. Christopher and S. B. Powles 1996. Multiple resistance to dissimilar herbicide chemistries in a biotype of *Lolium rigidum* due to enhanced activity of several herbicide degrading enzymes. *Pestic. Biochem. Physiol.* **54**, 123-134.
- Quershi F. A. and W. H. V. Born 1979. Interation of diclofop-methyl and MCPA on wild oats (*Avena fatua*). *Weed Sci.* **27**, 202-205.
- Ratterman D. M. and N. E. Balke 1989. Diclofop-methyl increases the proton permeability of isolated oat-root tonoplast. *Plant Physiol.* **91**, 756-765.
- Rendina A. R., A. C. Craig-Kennard, J. D. Beaudoin and M. K. Breen 1990. Inhibition of

- acetyl-coenzyme A carboxylase by two classes of grass-selective herbicides. *J. Agric. Food Chem.* **38**, 1282-1287.
- Rendina A. R. and J. M. Felts 1988. Cyclohexanedione herbicides are selective and potent inhibitors of acetyl-CoA carboxylase from grasses. *Plant Physiol.* **86**, 983-986.
- Rendina A. R., J. M. Felts, J. D. Beaudoin, A. C. Craig-Kennard, L. L. Look, S. L. Paraskos and J. A. Hagenah 1988. Kinetic characterization, stereoselectivity, and species selectivity of the inhibition of plant acetyl-CoA carboxylase by the aryloxyphenoxypropionic acid grass herbicides. *Arch. Biochem. Biophys.* **265**, 219-225.
- Rout D. and M. R. Satapathy 1996. Chemical weed control in rainfed maize (*Zea mays*). *Indian J. Agron.* **41**, 51-53.
- 佐々木幸子 1996. アセチル CoA カルボキシラーゼに見られる植物のしたたかな戦略, *生化学*, **68**, 335-344.
- 佐々木幸子・小西智一 1994. イネ科雑草専用除草剤はなぜイネ科植物だけを枯死させるのか?, *化学と生物*, **32**, 494-496.
- Secor J. and C. Cséke 1988. Inhibition of acetyl-CoA carboxylase activity by haloxyfop and tralkoxydim. *Plant Physiol.* **86**, 10-12.
- Secor J., C. Cséke and W. J. Owen 1989. The discovery of the selective inhibition of acetyl coenzyme A carboxylase activity by two classes of graminicides. *Proc. Brighton Crop Prot. Conf.-Weeds*. **1**, 145-154.
- Shcherbakova A. and A. Kacperska 1983. Water stress injuries and tolerance as related to potassium efflux from winter rape hypocotyls. *Physiol. Plant.* **57**, 296-300.
- Shimabukuro M. A., R. H. Shimabukuro and W. C. Walsh 1982. The antagonism of IAA-induced hydrogen ion extrusion and coleoptile growth by diclofop-methyl. *Physiol. Plant.* **56**, 444-452.
- Shimabukuro M. A., R. H. Shimabukuro, W. S. Nord and R. A. Hoerauf 1978. Physiological effects of methyl 2-[4-(2,4-dichlorophenoxy)phenoxy]propanoate on oat, wild oat, and wheat. *Pestic. Biochem. Physiol.* **8**, 199-207.
- Shimabukuro R. H. and B. L. Hoffer 1996. Induction of ethylene as an indicator of senescence in the mode of action of diclofop-methyl. *Pestic. Biochem. Physiol.* **54**, 146-158.
- Shimabukuro R. H. and B. L. Hoffer 1994. Effects on transmembrane proton gradient and lipid biosynthesis in the mode of action of diclofop-methyl. *Pestic. Biochem. Physiol.* **48**, 85-97.
- Shimabukuro R. H., W. C. Walsh and R. A. Hoerauf 1986. Reciprocal antagonism between the herbicides, diclofop-methyl and 2,4-D, in corn and soybean tissue culture. *Plant Physiol.* **80**, 612-617.
- Shimabukuro R. H., and W. C. Walsh 1986. The effects of fluazifop-butyl, haloxyfop-methyl and CDA-82725 on IAA-induced growth, proton transport, and cell membrane potential. *Abstr. Weed Sci. Soc. Amer.* **26**, 229.
- Shukla A., G. E. Leach and M. D. Devine 1997a. High-level resistance to sethoxydim conferred by an alteration in the target enzyme, acetyl-CoA carboxylase, in *Setaria faberii* and *Setaria viridis*. *Plant Physiol. Biochem.* **35**, 803-807.

- Shukla A., S. Dupont, and M. D. Devine 1997b. Resistance to ACCase-inhibitor herbicides in wild oat: Evidence for target site-based resistance in two biotypes from Canada. *Pestic. Biochem. Physiol.* **57**, 147-155.
- Sisler E. C., R. Goren and M. Huberman 1985. Effect of 2,5-norbornadiene on abscission and ethylene production in citrus leaf explants. *Plant Physiol.* **63**, 114-120.
- Snipes C. E., J. E. Street and D. S. Luthe 1987. Physiological influences of fenoxaprop on corn (*Zea mays*). *Pestic. Biochem. Physiol.* **28**, 333-340.
- Stacewicz-Sapuncakis M., H. V. Marsh Jr., J. Vengris, P. H. Jennings and T. Robinson 1973. Participation of ethylene in common purslane response to dicamba. *Plant Physiol.* **52**, 466-471.
- Stoltzenberg D. E., J. W. Gronwald, D. L. Wyse, J. D. Burton, D. A. Somers and B. G. Gengenbach 1989. Effect of sethoxydim and haloxyfop on acetyl-coenzyme A carboxylase activity in *Festuca* species. *Weed Sci.* **37**, 512-516.
- 春原由香里 2000. ホルモン型除草剤クロメップの殺草作用発現機構の研究, *雑草研究*, **45**, 124-130.
- Sunohara Y. and H. Matsumoto 1997. Comparative physiological effects of quinclorac and auxins, and light involvement in quinclorac-induced chlorosis in corn leaves. *Pestic. Biochem. Physiol.* **58**, 125-132.
- Sunohara Y., H. Matsumoto, H. Ikeda and Y. Noma 1999. Effect of temperature on quinclorac-induced ethylene production from corn leaves. *J. Pesticide Sci.* **24**, 375-380.
- 高橋信孝 1996. V. 雜草防除と植物の生長調節, in “農薬の科学”(山下恭平・水谷純也・藤田稔夫・丸茂晋吾・江藤守総・高橋信孝), 文永堂出版(東京), pp. 261-344.
- Taguchi G., K. Yoshizawa, R. Kodaira, N. Hayashida and M. Okazaki 2001. Plant hormone regulation on scopoletin metabolism from culture medium into tobacco cells. *Plant Sci.* **160**, 905-911.
- Taylor H. F., M. C. P. Loader and S. J. Norris 1983. Compatible and antagonistic mixtures of diclofop-methyl and flamprop-methyl with herbicides used to control broad-leaved weeds. *Weed Res.* **23**, 185-190.
- 寺尾純二 1989. III-D-1 脂質, in “活性酸素”(中野稔・浅田浩二・大柳善彦編), 共立出版社(東京), pp. 408-414.
- Todd B. G. and E. H. Stobbe 1980. The basis of the antagonistic effect of 2,4-D on diclofop-methyl toxicity to wild oat (*Avena sativa*). *Weed sci.* **28**, 371-377.
- Topal A., N. Adams, W. C. Dauterman, E. Hodgson and S. L. Kelly 1993. Purification and herbicide metabolism studies on tulip (*Tulipa gesnerinan*) cytochrome P450. *Pestic. Sci.* **38**, 9-15.
- Walker K. A., S. M. Ridley and J. L. Harwood 1988a. Effects of the selective herbicide fluazifop on fatty acid synthesis in pea (*Pisum sativum*) and barley (*Hordeum vulgare*). *Biochem. J.* **254**, 811-817.
- Walker K. A., S. M. Ridley, T. Lewis and J. L. Harwood 1988b. Fluazifop, a grass-selective herbicide which inhibits acetyl-CoA carboxylase in sensitive plant species. *Biochem. J.* **254**,

307-310.

- Walker R. H., L. W. Wells and J. A. McGuire 1989. Bristly starbur (*Acanthospermum hispidum*) interference in peanuts (*Arachis hypogaea*). *Weed Sci.* **37**, 196-200.
- Wauchope R. D., T. M. Buttler, A. G. Hornsby, P. W. M. Augustijn-Beckers and J. P. Burt 1992. The SCS/ARS/CES pesticide properties database for environmental decision-making. *Rev. Environ. Contam. Toxicol.* **123**, 1-155.
- Went F. W. 1928. Wuchsstoff and Wachstum. *Rec. Trav. Bot. Nerrl.* **25**, 1-116.
- Wilcut J. W., J. S., III Richburg, G. R. Wiley, F. R., Jr. Walls, S. R. Jones and M. J. Iverson 1994. Imidazolinone herbicide systems for peanut (*Arachis hypogaea* L.). *Peanut Sci.* **21**, 23-28.
- Wright J. P. and R. H. Shimabukuro 1987. Effects of diclofop and diclofop-methyl on the membrane potentials of wheat and oat coleoptiles. *Plant Physiol.* **85**, 188-193.
- Wright J. P. 1994. Use of membrane potential measurements to study mode of action of diclofop-methyl. *Weed Sci.* **42**, 285-292.
- Yamada T., Y. Kambara, H. Imaishi and H. Ohkawa 2000. Molecular cloning of novel cytochrome P450 species induced by chemical treatments in cultured tobacco cells. *Pestic. Biochem. Physiol.* **68**, 11-25.
- Yamamoto K., C. Saitoh, Y. Yokoo, T. Furukawa and K. Oshima 1992. Inhibition of wilting and autocatalytic ethylene production in cut carnation flowers by *cis*-propenylphosphonic acid. *Plant Growth Regul.* **11**, 405-409.
- Yanagida M., H. Matsumoto and K. Usui 2000. Determination of porphyrin-induced peroxidation of plant lipids by oxygen electrode. *J. Weed Sci. Tech.* **45**, 26-33.
- Zimmerlin A. and F. Durst 1992. Aryl hydroxylation of the herbicide diclofop by a wheat cytochrome P-450 monooxygenase. *Plant Physiol.* **100**, 874-881.
- Zimmerman P. W. and A. E. Hitchcock 1942. Substituted phenoxy and benzoic acid growth substances and the relation of structure to physiological activity. *Contrib. Boyce Thompson Inst.* **12**, 321-343.