

REFERENCES

- Anthony, N., Sharp, K. A. & Honig, B. (1991). Protein folding and association: Insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins. Struct. Funct. Genet.* **11**, 281-296.
- Brünger, A. T., Kuriyan, J. & Karplus, M. (1987). Crystallographic R factor refinement by molecular dynamics. *Science*, **235**, 458-460.
- Brünger, A. T. (1992). Free R value: a novel statistical quantity for assessing the accuracy of crystal structures. *Nature*, **355**, 472-475.
- Collaborative Computational Project, Number 4. (1994). The CCP4 Suite: Programs for Protein Crystallography. *Acta Crystallog. sect. D*, **50**, 760-763.
- Delboni, L. F., Mande, S. C., Rentier-Delrue, F., Manfroid, V., Turley, S., Vellieux, F. M. D., Martial, J. A. & Hol, W. G. J. (1995). Crystal structure of recombinant triosephosphate isomerase from *Bacillus stearothermophilus*. An analysis of potential thermostability factors in six isomerases with known three-dimensional structures points to the importance of hydrophobic interactions. *Protein Sci.* **4**, 2594-2604.
- Engh, R. A. & Huber, R. (1991). Accurate bond and angle parameters for X-ray protein structure refinement. *Acta Crystallog. sect. A*, **47**, 392-400.
- Facchiano, A. M., Colonna, G. & Ragone, R. (1998). Helix stabilizing factors and stabilization of thermophilic proteins: an X-ray based study. *Protein Eng.* **9**, 265-271.
- Fujimoto, Z., Takase, K., Doui, N., Momma, M., Matsumoto, T. & Mizuno, H. (1998). Crystal Structure of a Catalytic-site Mutant α -

- amylase from *Bacillus subtilis* Complexed with Maltopentaose.
J. Mol. Biol., **277**, 393-407.
- Hwang, K. Y., Song, H. K., Chang, C., Lee, J., Lee, S. Y., Kim, K. K.,
Choe, S., Sweet, R. M. & Suh, S. W. (1997). Crystal structure of
thermostable α -amylase from *Bacillus licheniformis* refined at
1.7Å resolution. *Mol. Cells*, **7**, 251-258.
- Igarashi, K., Hatada, Y., Hagihara, H., Saeki, K., Takaiwa, M., Uemura, T.,
Ara, K., Ozaki, K., Kawai, S., Kobayashi, T. & Ito, S. (1998a).
Enzymatic properties of a novel liquefying alpha-amylase from an
alkaliphic *Bacillus* isolate and entire nucleotide and amino
acid sequences. *Appl. & Environ. Microbiol.*, **64** (9), 3282-3289.
- Igarashi, K., Hatada, Y., Ikawa, K., Araki, H., Ozawa, T., Kobayashi, T.,
Ozaki, K. & Ito, S. (1998b). Improved Thermostability of an
Arginine-Glycine Residue Is Caused by Enhanced Calcium
Binding. *Biochem. and Biophys. Res. Comm.*, **248**, 372-377.
- Kleywegt, G. J. & Jones, T. A. (1994). Detection, delineation, measurement
and display of cavities in macromolecular structures. *Acta Crystallog.
sect. D*, **50**, 178-185.
- Klibanov, M. A. & Ahern, J. T. (1985). The Mechanism of Irreversible
Enzyme Inactivation at 100 °C. *Science*, **228**, 1280-1284.
- Knapp, S., de Vos, W.M., Rice, D. & Ladenstein, R. (1997). Crystal Structure
of Glutamate Dehydrogenase from the Hyperthermophilic
Eubacterium Thermotoga maritima at 3.0Å Resolution. *J. Mol. Biol.*,
267, 916-932.

- Kraulis, P. J. (1991). MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Crystallog.* **24**, 946-950.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S. & Thornton, J. M. (1992). *PROCHECK v.2: Programs to check the Stereochemical Quality of Protein Structures*, Oxford Molecular Ltd, Oxford, England.
- Luzzati, P. V. (1952). Traitement statistique des erreurs dans la détermination des structures cristallines. *Acta Crystallog.* **5**, 802-810.
- Machius, M., Wiegand, G. & Huber, R. (1995). Crystal structure of calcium-depleted *Bacillus licheniformis* α -amylase at 2.2 Å resolution. *J. Mol. Biol.* **246**, 545-559.
- Machius, M., Declerck, N., Huber, R. & Wiegand, G. (1998). Activation of *Bacillus licheniformis* α -amylase through a disorder \rightarrow order transition of the substrate-binding site mediated by a calcium-sodium-calcium metal triad. *Structure*, **6**, 281-292.
- Matsuura, Y., Kusunoki, M., Harada, W. & Kakudo, M. (1984). Structure and possible catalytic residues of Taka-amylase A. *J. Biochem.* **95**, 697-702.
- Matthews, B. W. (1968). Solvent content of protein crystals. *J. Mol. Biol.*, **33**, 491-497.
- McPherson, A. (1982) *Preparations and Analysis of Protein Crystals*, John Wiley, New York.

- Mrabet, N. T., Van den Broeck, A., Van den brande, I., Stanssens, P., Laroche, Y., Lambeir, A. M., Matthijssens, G., Jenkins, J., Chiadmi, M. & van Tilbeurgh, H. (1992). Arginine residues as stabilizing elements in proteins. *Biochemistry*, **31**, 2239-2253.
- Nakajima, R., Imanaka, T., & Aiba, S., (1986). *Appl. Microbiol. Biotech.*, **23**, 355-360.
- Navaza, J. (1992). AMoRE: a new package for molecular replacement. In *Molecular Replacement*. (Dodson, E. J., Gover, S. and Wolfe, W., eds), pp. 87-90, Daresbury Laboratory, Warrington, UK.
- Ogasahara, K., Imanishi, A. & Isemura, T., (1970). Studies on Thermophilic α -Amylase from *Bacillus stearothermophilus*. *J. Biochem.*, **67**, 65-75.
- Ohmura, K., Nakamura, K., Yamazaki, H., Shiroza, T., Yamane, K., Jigami, Y., Tanaka, H., Yoda, K., Yamazaki, M., & Tamura, G. (1984). *Nucleic Acids Res.* **12**, 5307-5319.
- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, **276**, 307-326.
- Ramachandran, G. N. & Sasisekharan, V. (1968). Conformation of polypeptides and proteins. *Advan. Protein Chem.* **23**, 283-437.
- Richards, F. M. (1974). The interpretation of protein structures: Total volume, group volume distributions and packing density. *J. Mol. Biol.* **82**, 1-14.
- Richards, F. M. (1977). Areas, volumes, packing density and protein structure. *Annu. Rev. Biophys. Bioeng.* **6**, 151-175.

- Sakabe, N. (1991). X-ray diffraction data collection system for modern protein crystallography with a Weissenberg camera and an imaging plate using synchrotron radiation. *Nucl. Instrum. Methods Phys. Res. A*, **303**, 448-463.
- Salminen, T., Teplyakov, A., Karikare, J., Cooperman, B. D. Lahti, R. & Goldman, A. (1996). An unusual route to thermal stability disclosed by the comparison of *Thermus thermophilus* and *Escherichia coli* inorganic pyrophosphatases. *Protein Sci.* **5**, 1014-1025.
- Shirley, B. A., Stanssens, P., Hahn, U. & Pace, C. N. (1992). Contribution of hydrogen bonding to the conformational stability of ribonuclease T₁. *Biochemistry*, **31**, 725-732.
- Shortle, D., Sondek, J. (1995). The emerging role of insertions and deletions in protein engineering. *Curr. Opin. Struct. Biol.* **6**, 387-393.
- Sohma, A., Fujita, T. & Yamane, K. (1987). Protein Processing to Form Extracellular Thermostable α -Amylases from a Gene Fused in a *Bacillus subtilis* Secretion Vector. *J. Gen. Microbiol.* **133**, 3271-3277.
- Suvd, D., Takase, K., Fujimoto, Z., Matsumura, M. & Mizuno, H. (2000). Purification, crystallization and preliminary X-ray crystallographic study of α -amylase from *Bacillus stearothermophilus*. *Acta Crystallog. sect. D*, **56**, 200-202.
- Suzuki, A., Yamane, T., Ito, Y., Nishio, T., Fujiwara, H., & Ashida, T. (1990). *J. Biochem.*, **108**, 379-381.
- Suzuki, Y., Ito, N., Yuuki, T., Yamagata, H. & Udaka, S. (1989). Amino Acid Residues Stabilizing a *Bacillus* α -Amylase against Irreversible Thermoinactivation. *J. Mol. Biol.* **264**, 18933-18938.

- Takase, K., Mizuno, H. & Yamane, K. (1988). NH₂-terminal processing of *Bacillus subtilis* α -amylase. *J. Biol. Chem.*, **263**, 11548-11553.
- Takase, K., Matsumoto, T., Mizuno, H. & Yamane, K. (1992). Site-directed mutagenesis of active site residues in *Bacillus subtilis* α -amylase. *Biochim. Biophys. Acta*, **1120**, 281-288.
- Takase, K. (1993). Effect of mutation of an amino acid residue near the catalytic site on the activity of *Bacillus stearothermophilus* α -amylase. *Eur. J. Biochem.* **211**, 899-902.
- Tomazic, S. J. & Klibanov, A.M. (1988). Mechanisms of irreversible thermal inactivation of *Bacillus* α -Amylases. *J. Biol. Chem.* **263**, 3086-3091.
- Vogt, G., Woell, S. & Argos, P. (1997). Protein thermal stability, hydrogen bonds, and ion pairs. *J. Mol. Biol.* **269**, 631-643.
- Vihinen, M., Ollikka, P., Niskanen, J., Meyer, P., Suominen, I., Karp, M., Holm, L., Knowles, J. & Mäntsälä, P. (1990). Site-directed mutagenesis of a thermostable α -amylase from *Bacillus stearothermophilus*: putative role of three conserved residues. *J. Biochem.* **107**, 267-272.
- Vriend, G. (1990). WHAT IF: A molecular modeling and drug design program. *J. Mol. Graph.* **8**: 52-56.