

引用文献

- Azanza, F., T. E. Young, D. Kim, S. D. Tanksley and J. A. Juvik (1994) Characterization of the effect of introgressed segments of chromosome 7 and 10 from *Lycopersicon chmielewskii* on tomato soluble solids, pH, and yield. *Theor. Appl. Genet.* 87: 965-972.
- Azanza, F., D. Kim, S. D. Tanksley and J. A. Juvik (1995) Genes from *Lycopersicon chmielewskii* affecting tomato quality during fruit ripening. *Theor. Appl. Genet.* 91: 495-504.
- Benhamou, N., J. Grenier and M. J. Chrispeels (1991) Accumulation of β -fructosidase in the cell walls of tomato roots following infection by a fungal wilt pathogen. *Plant Physiol.* 97: 739-750.
- Bradford, M. M. (1976) A rapid and sensitive method for quantitation of microgram quantities of protein utilizing the principal of protein-dye binding. *Anal. Biochem.* 72: 248-254.
- Brown, M. M., J. L. Hall and L. C. Ho (1997) Sugar uptake by protoplasts isolated from tomato fruit tissues during various stages of fruit growth. *Physiol. Plant.* 101: 533-539.
- Cheng, W.-H., E. W. Taliercio and P. S. Chourey (1996) The *miniature1* seed locus of maize encodes a cell wall invertase required for normal development of endosperm and maternal cells in the pedicel. *Plant Cell* 8: 971-983.
- Chen, J. Q. and C. C. Black (1992) Biochemical and immunological properties of alkaline invertase from sprouting soybean hypocotyls. *Arch. Biochem. Biophys.* 295: 61-69.
- Chetelat, R. T., E. Klann, J. W. DeVerna, S. Yelle and A. B. Bennett (1993) Inheritance and genetic mapping of fruit sucrose accumulation in *Lycopersicon chmielewskii*. *Plant J.* 4: 643-650.
- Chetelat, R. T., J. W. DeVerna and A. B. Bennett (1995) Effect of the *Lycopersicon chmielewskii* sucrose accumulator gene (*sucr*) on fruit yield and quality parameters following introgression into tomato. *Theor. Appl. Genet.* 91: 334-339.
- Church, G. M. and W. Gilbert (1984) Genomic sequencing. *Proc. Natl. Acad. Sci.*

USA 81: 1991-1995.

- Dali, N., D. Michaud and S. Yelle (1992) Evidence for the involvement of sucrose phosphate synthase in the pathway of sugar accumulation in sucrose-accumulating tomato fruits. *Plant Physiol.* 99: 434-438.
- Dallman, M. J. and A. C. G. Porter (1991) Semi-quantitative PCR for the analysis of gene expression. In "PCR, A Practical Approach" M. J. McPherson, P. Quirke and G. R. Taylor (eds.), IRL Press, Oxford, 215-224.
- Damon, S., J. Hewitt, M. Nieder and A. B. Bennett (1988) Sink metabolism in tomato fruit. II. Phloem unloading and sugar uptake. *Plant Physiol.* 87: 731-736.
- Davies, C. and S. P. Robinson (1996) Sugar accumulation in grape berries. Cloning of two putative vacuolar invertase cDNAs and their expression in grapevine tissues. *Plant Physiol.* 111: 275-283.
- Dickinson, C. D., T. Altabella and M. J. Chrispeels (1991) Slow-growth phenotype of transgenic tomato expressing apoplastic invertase. *Plant Physiol.* 95: 420-425.
- Elliott, K. J., W. O. Butler, C. D. Dickinson, Y. Konno, T. S. Vedvick, L. Fitzmaurice and T. E. Mirkov (1993) Isolation and characterization of fruit vacuolar invertase genes from two tomato species and temporal differences in mRNA levels during fruit ripening. *Plant Mol. Biol.* 21: 515-524.
- Endo, M., H. Nakagawa, N. Ogura and T. Sato (1990) Size and levels of mRNA for acid invertase in ripe tomato fruit. *Plant Cell Physiol.* 31: 655-659.
- Fahrendorf, T. and E. Beck (1990) Cytosolic and cell-wall-bound acid invertases from leaves of *Urtica dioica* L.: a comparison. *Planta* 180: 237-244.
- Giaquinta, R. T., W. Lin, N. L. Sadler and V. R. Franceschi (1983) Pathway of phloem unloading of sucrose in corn roots. *Plant Physiol.* 72: 362-367.
- Gifford, R. M. and L. T. Evans (1981) Photosynthesis, carbon partitioning, and yield. *Ann. Rev. Plant Physiol.* 32: 485-509.
- Godt, D. E. and T. Roitsch (1997) Regulation and tissue-specific distribution of mRNAs for three extracellular invertase isoenzymes of tomato suggests an important function in establishing and maintaining sink metabolism. *Plant Physiol.* 115: 273-282.

- Goldschmidt, E. E. and S. C. Huber (1992) Regulation of photosynthesis by end-product accumulation in leaves of plants storing starch, sucrose, and hexose sugars. *Plant Physiol.* 99: 1443-1448.
- Hadas, R., A. Schaffer, D. Miron, M. Fogelman and D. Granot (1995) PCR-generated molecular markers for the invertase gene and sucrose accumulation in tomato. *Theor. Appl. Genet.* 90: 1142-1148.
- Hatfield, P. M., M. M. Gosink, T. B. Carpenter and R. D. Vierstra (1997) The ubiquitin-activating enzyme (E1) gene family in *Arabidopsis thaliana*. *Plant J.* 11: 213-226.
- Hedley, P. E., G. C. Machray, H. V. Davies, L. Burch and R. Waugh (1994) Potato (*Solanum tuberosum*) invertase-encoding cDNAs and their differential expression. *Gene.* 145: 211-214.
- Herbers, K., P. Meuwly, W. B. Frommer, J.-P. Métraux and U. Sonnewald (1996) Systemic acquired resistance mediated by the ectopic expression of invertase: possible hexose sensing in the secretory pathway. *Plant Cell* 8: 793-803.
- 平野 久 (1989) 気相シークエンサーを用いたアミノ酸配列分析. *油化学* 38: 791-799.
- Hisajima, S. and Y. Arai (1978) Cell wall-bound invertase of morning-glory callus. *J. Jap. Soc. Starch Sci.* 25: 163-170.
- Ho, L. C. and D. A. Baker (1982) Regulation of loading in long distance transport systems. *Physiol. Plant.* 56: 225-230.
- Ho, L. C. (1984) Partitioning of assimilates in fruiting tomato plants. *Plant Growth Regul.* 2: 277-285.
- Ho, L. C. (1996) Tomato. In "Photoassimilate Distribution in Plants and Crops" E. Zamski and A. A. Schaffer (eds.), Marcel Dekker, Inc., New York, 709-728.
- Hubbard, N. L., S. C. Huber and D. M. Pharr (1989) Sucrose phosphate synthase and acid invertase as determinants of sucrose concentration in developing muskmelon (*Cucumis melo* L.) fruits. *Plant Physiol.* 91: 1527-1534.
- Iki, K., K. Sekiguchi, K. Kurata, T. Tada, H. Nakagawa, N. Ogura and H. Takehana (1978) Immunological properties of fructofuranosidase from ripening tomato fruit.

Phytochemistry 17: 311-312.

今田成雄・船越利弘・東尾久雄・施山紀男・三浦周行 (1990a) トマト果実の生育に伴うインベルターゼ活性の変化. 園学雑 59, 別 1: 366-367.

今田成雄・船越利弘・施山紀男・三浦周行 (1990b) トマト近縁野生種果実の生育に伴う糖含量の変化とインベルターゼ活性. 園学雑 59, 別 1: 368-369.

Johnson, C., J. L. Hall and L. C. Ho (1988) Pathways of uptake and accumulation of sugars in tomato fruit. Ann. Bot. 61: 593-603.

金山善則・山本昭平 (1993) 果実が甘くなるしくみ. 化学と生物 31: 578-586.

Karuppiyah, N., B. Vadlamudi and P. B. Kaufman (1989) Purification and characterization of soluble (cytosolic) and bound (cell wall) isoforms of invertases in barley (*Hordeum vulgare*) elongating stem tissue. Plant Physiol. 91: 993-998.

Klann, E., S. Yelle and A. B. Bennett (1992) Tomato fruit acid invertase complementary DNA. Nucleotide and deduced amino acid sequences. Plant Physiol. 99: 351-353.

Klann, E. M., R. T. Chetelat and A. B. Bennett (1993) Expression of acid invertase gene controls sugar composition in tomato (*Lycopersicon*) fruit. Plant Physiol. 103: 863-870.

Klann, E. M., B. Hall and A. B. Bennett (1996) Antisense acid invertase (*TtVI*) gene alters soluble sugar composition and size in transgenic tomato fruit. Plant Physiol. 112: 1321-1330.

Kliewer, W. M. (1966) Sugars and organic acids of *Vitis vinifera*. Plant Physiol. 41: 923-931.

Koßmann, J., U. Sonnewald and L. Willmitzer (1994) Reduction of the chloroplastic fructose-1,6-bisphosphatase in transgenic potato plants impairs photosynthesis and plant growth. Plant J. 6: 637-650.

Konno, Y., T. Vedvick, L. Fitzmaurice and T. E. Mirkov (1993) Purification, characterization, and subcellular localization of soluble invertase from tomato fruit. J. Plant Physiol. 141: 385-392.

Krishnan, H. B., J. T. Blanchette and T. W. Okita (1985) Wheat invertases.

- Characterization of cell wall-bound and soluble forms. *Plant Physiol.* 78: 241-245.
- Krishnan, H. B. and S. G. Pueppke (1990) Cherry fruit invertase: Partial purification, characterization and activity during fruit development. *J. Plant Physiol.* 135: 662-666.
- Laemmli, U. K. (1970) Cleavage of structural proteins during assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
- Lee, H.-S. and A. Sturm (1996) Purification and characterization of neutral and alkaline invertase from carrot. *Plant Physiol.* 112: 1513-1522.
- Leigh, R. A., T. ApRees, W. A. Fuller and J. Banfield (1979) The localization of acid invertase and sucrose in the vacuoles of storage roots of beetroot (*Beta vulgaris*). *Biochem. J.* 178: 539-547.
- Manning, K. and G. A. Maw (1975) Distribution of acid invertase in the tomato plant. *Phytochemistry* 14: 1965-1969.
- Masuda, H., T. Takahashi and S. Sugawara (1988) Acid and alkaline invertases in suspension cultures of sugar beet cells. *Plant Physiol.* 86: 312-317.
- Matsushita, K. and I. Uritani (1974) Change in invertase activity of sweet potato in response to wounding and purification and properties of its invertases. *Plant Physiol.* 54: 60-66.
- Milner, I. D., L. C. Ho and J. L. Hall (1995) Properties of proton and sugar transport at the tonoplast of tomato (*Lycopersicon esculentum*) fruit. *Physiol. Plant.* 94: 399-410.
- Miron, D. and A. A. Schaffer (1991) Sucrose phosphate synthase, sucrose synthase, and invertase activities in developing fruit of *Lycopersicon esculentum* Mill. and the sucrose accumulating *Lycopersicon hirsutum* Humb. and Bonpl. *Plant Physiol.* 95: 623-627.
- 望月龍也 (1987) トマトの品質育種. 昭和 62 年度日種協育種技術研究会シンポジウム資料: 119-136.
- Müller-Röber, B., U. Sonnewald and L. Willmitzer (1992) Inhibition of ADP-glucose pyrophosphorylase in transgenic potatoes leads to sugar-storing tubers and influences tuber formation and expression of tuber storage protein genes. *EMBO J.*

11: 1229-1238.

村上章・岩瀬礼子 (1996) アンチセンス研究はどこまで進展したか. 化学と生物 34: 454-460.

Murashige, T. and F. Skoog (1962) A revised medium for rapid growth and bio assays with tobacco tissue cultures. *Physiol. Plant.* 15: 473-496.

Murray, M. G. and W. F. Thompson (1980) Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Res.* 8: 4321-4325.

Nakagawa, H., Y. Kawasaki, N. Ogura and H. Takehana (1971) Purification and some properties of two types of β -fructofuranosidase from tomato fruit. *Agr. Biol. Chem.* 36: 18-26.

Ohyama, A., M. Hirai and S. Nishimura (1992) A novel cDNA clone for acid invertase in tomato fruit. *Jpn. J. Genet.* 67: 491-492.

大山暁男・平井正志・西村繁夫 (1994) トマト果実酸性インベルターゼの精製と生化学的解析. 野菜試報 A.9: 61-67.

Ohyama, A., H. Ito, T. Sato, S. Nishimura, T. Imai and M. Hirai (1995) Suppression of acid invertase activity by antisense RNA modifies the sugar composition of tomato fruit. *Plant Cell Physiol.* 36: 369-376.

大山暁男・伊藤秀和・大林久司・佐藤隆徳・今井剛・西村繁夫・榎本末男・平井正志 (1997) アンチセンス酸性インベルターゼ遺伝子導入トマトの諸特性: 葉および果実における酸性インベルターゼの生理的役割. 野菜試報 12: 117-124.

Ohyama, A., S. Nishimura and M. Hirai (1998) Cloning of cDNA for a cell wall-bound acid invertase from tomato (*Lycopersicon esculentum*) and expression of soluble and cell wall-bound invertases in plants and wounded leaves of *L. esculentum* and *L. peruvianum*. *Genes Genet. Syst.* 73: 149-157.

Ricardo, C. P. P. (1974) Alkaline β -fructosidases of tuberous roots: possible physiological function. *Planta* 118: 333-343.

Rick, C. M. (1974) High soluble-solids content in large-fruited tomato lines derived from a wild green-fruited species. *Hilgardia* 42: 493-510.

- Riesmeier, J. W., L. Willmitzer and W. B. Frommer (1994) Evidence for an essential role of the sucrose transporter in phloem loading and assimilate partitioning. *EMBO J.* 13: 1-7.
- Robinson, N. L., J. D. Hewitt and A. B. Bennett (1988) Sink metabolism in tomato fruit. I. Developmental changes in carbohydrate metabolizing enzymes. *Plant Physiol.* 87: 727-730.
- Roitsch, T., M. Bittner and D. E. Godt (1995) Induction of apoplastic invertase of *Chenopodium rubrum* by D-glucose and a glucose analog and tissue-specific expression suggest a role in sink-source regulation. *Plant Physiol.* 108: 285-294.
- Ross, H. A., D. McRae and H. V. Davies (1996) Sucrolytic enzyme activities in cotyledons of the faba bean. Developmental changes and purification of alkaline invertase. *Plant Physiol.* 111: 329-338.
- Ruan, Y.-L. and J. W. Patrick (1995) The cellular pathway of postphloem sugar transport in developing tomato fruit. *Planta* 196: 434-444.
- Sambrook, J., E. F. Fritsch and T. Maniatis (1989) *Molecular Cloning: a Laboratory Manual*. 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Sato, T., T. Iwatsubo, M. Takahashi, H. Nakagawa, N. Ogura and H. Mori (1993) Intercellular localization of acid invertase in tomato fruit and molecular cloning of a cDNA for the enzyme. *Plant Cell Physiol.* 34: 263-269.
- Schaffer, A. A., B. Aloni and E. Fogelman (1987) Sucrose metabolism and accumulation in developing fruit of *Cucumis*. *Phytochemistry* 26: 1883-1887.
- Scholes, J., N. Bundock, R. Wilde and S. Rolfe (1996) The impact of reduced vacuolar invertase activity on the photosynthetic and carbohydrate metabolism of tomato. *Planta* 200: 265-272.
- Sonnewald, U., M. Brauer, A. von Schaewen, M. Stitt and L. Willmitzer (1991) Transgenic tobacco plants expressing yeast-derived invertase in either the cytosol, vacuole or apoplast: a powerful tool for studying sucrose metabolism and sink/source interactions. *Plant J.* 1: 95-106.
- Spychalla, J. P., B. E. Scheffler, J. R. Sowokinos and M. W. Bevan (1994) Cloning, antisense RNA inhibition, and the coordinated expression of UDP-glucose

- pyrophosphorylase with starch biosynthetic genes in potato tubers. J. Plant Physiol. 144: 444-453.
- Stommel, J. R. and P. W. Simon (1990) Multiple forms of invertase from *Daucus carota* cell cultures. Phytochemistry 29: 2087-2089.
- Stommel, J. R. (1992) Enzymic components of sucrose accumulation in the wild tomato species *Lycopersicon peruvianum*. Plant Physiol. 99: 324-328.
- Strauss, J. (1962) Invertase in cell walls of plant tissue cultures. Plant Physiol. 37: 342-348.
- Sturm, A. and M. J. Chrispeels (1990) cDNA cloning of carrot extracellular β -fructosidase and its expression in response to wounding and bacterial infection. Plant Cell 2: 1107-1119.
- Sun, J., T. Loboda, S.-J. S. Sung and C. C. Black, Jr. (1992) Sucrose synthase in wild tomato, *Lycopersicon chmielewskii*, and tomato fruit sink strength. Plant Physiol. 98: 1163-1169.
- Unger, C., M. Hardegger, S. Lienhard and A. Sturm (1994) cDNA cloning of carrot (*Daucus carota*) soluble acid β -fructofuranosidases and comparison with the cell wall isoenzyme. Plant Physiol. 104: 1351-1357.
- 内宮博文 (1990) 植物遺伝子操作マニュアル. トランスジェニック植物の作り方. 講談社サイエンティフィク.
- Van den Ende, W. and A. Van Laere (1995) Purification and properties of a neutral invertase from the roots of *Cichorium intybus*. Physiol. Plant. 93: 241-248.
- Vizzotto, G., R. Pinton, Z. Varanini and G. Costa (1996) Sucrose accumulation in developing peach fruit. Physiol. Plant. 96: 225-230.
- Wang, F., A. Sanz, M. L. Brenner and A. Smith (1993) Sucrose synthase, starch accumulation, and tomato fruit sink strength. Plant Physiol. 101: 321-327.
- Wang, F., A. G. Smith and M. L. Brenner (1994) Temporal and spatial expression pattern of sucrose synthase during tomato fruit development. Plant Physiol. 104: 535-540.
- 渡辺格・杉浦昌弘 (1989) 植物バイオテクノロジー実験マニュアル. クローニ

ングとシーケンス. 農村文化社.

- Weber, H., L. Borisjuk, U. Heim, P. Buchner and U. Wobus (1995) Seed coat-associated invertases of fava bean control both unloading and storage functions: cloning of cDNAs and cell type-specific expression. *Plant Cell* 7: 1835-1846.
- Weber, H., L. Borisjuk and U. Wobus (1996) Controlling seed development and seed size in *Vicia faba*: a role for seed coat-associated invertases and carbohydrate state. *Plant J.* 10: 823-834.
- Whitings, G. C. (1970) Sugars. In "The Biochemistry of Fruits and Their Products, Vol. I" A. C. Hulme (ed.), Academic Press, London, 1-31.
- Wu, L.-L., I. Song, D. Kim and P. B. Kaufman (1993) Molecular basis of the increase in invertase activity elicited by gravistimulation of oat-shoot pulvini. *J. Plant Physiol.* 142: 179-183.
- Yelle, S., J. D. Hewitt, N. L. Robinson, S. Damon and A. B. Bennett (1988) Sink metabolism in tomato fruit. III. Analysis of carbohydrate assimilation in a wild species. *Plant Physiol.* 87: 737-740.
- Yelle, S., R. T. Chetelat, M. Dorais, J. W. DeVerna and A. B. Bennett (1991) Sink metabolism in tomato fruit. IV. Genetic and biochemical analysis of sucrose accumulation. *Plant Physiol.* 95: 1026-1035.
- Zhang, L., N. S. Cohn and J. P. Mitchell (1996) Induction of a pea cell-wall invertase gene by wounding and its localized expression in phloem. *Plant Physiol.* 112: 1111-1117.
- Zhou, D., A. Mattoo, N. Li, H. Imaseki and T. Solomos (1994) Complete nucleotide sequence of potato tuber acid invertase cDNA. *Plant Physiol.* 106: 397-398.
- Zrenner, R., L. Willmitzer and U. Sonnewald (1993) Analysis of the expression of potato uridinediphosphate-glucose pyrophosphorylase and its inhibition by antisense RNA. *Planta* 190: 247-252.
- Zrenner, R., M. Salanoubat, L. Willmitzer and U. Sonnewald (1995) Evidence of the crucial role of sucrose synthase for sink strength using transgenic potato plants (*Solanum tuberosum* L.). *Plant J.* 7: 97-107.