

Literature cited

- Almaraz, T., Roux, C., Maumont, S. and Durrieu, G. 2002. Phylogenetic relationships among smut fungi parasitizing dicotyledons based on ITS sequence analysis. *Mycol. Res.* 106: 541-548.
- Arthur, J. C. 1934. *Manual of the rusts in United States and Canada*. Hafner Publishing Company, New York.
- Ayliffe, M. A., Dodds, P. N. and Lawrence, G. J. 2001. Characterisation of a β -tubulin gene from *Melampsora lini* and comparison of fungal β -tubulin genes. *Mycol. Res.* 105: 818-826.
- Azbukina, Z. M. 1984. Identification of rust fungi in the Soviet Far East. pp. 288. (In Russian)
- Barclay, A. 1891. Additional Uredineae from the neighbourhood of Simla. *Journ. Asiatic Soc. Bengal* 60: 211-212.
- Begerow, D., Bauer, R. and Boekhout, T. 2000. Phylogenetic placements of ustilaginomycetous anamorphs as deduced from nuclear LSU rDNA sequences. *Mycol. Res.* 104: 53-60.
- Bruns, T. D., Fogel, R. and Taylor, J. W. 1990. Amplification and sequencing of DNA from fungal herbarium specimens. *Mycologia* 82: 175-184.
- Bruns, T. D., White, T. J. and Taylor, J. W. 1991. Fungal molecular systematics. *Ann. Rev. Ecol. Syst.* 22: 525-564.
- Chung, W. H., Ono, Y. and Kakishima, M. 2003. Pathogenicity of three *Uromyces* species on cultivated and wild legumes in Japan. *Jpn. J. Phytopathol.* 69: 262. (Abstr.)
- Chung, W. H., Tsukiboshi, T., Ono Y. and Kakishima, M. 2004. Phylogenetic analyses of *Uromyces viciae-fabae* and its varieties on *Vicia*, *Lathyrus* and *Pisum* in Japan. *Mycoscience* 45: 1-8.

- Conner, R. L. and Bernier, C. C. 1982a Host range of *Uromyces viciae-fabae*. *Phytopathology* 72: 687-689.
- Conner, R. L. and Bernier, C. C. 1982b. Race identification in *Uromyces viciae-fabae*. *Can. J. Plant Pathol.* 4: 157-160.
- Cummins, G. B. 1978. Rust fungi on legumes and composites in North America. University of Arizona Press. Tucson. Arizona
- Cummins, G. B. and Hiratsuka, Y. 2003. Illustrated Genera of Rust Fungi. Third Ed. Amer. Phytopathol. Soc., St. Paul, Minnesota.
- Dahlman, M., Danell, E. and Spatafora, J. W. 2000. Molecular systematic of *Craterellus*: cladistic analysis of nuclear LSU rDNA sequence data. *Mycol. Res.* 104: 388-394.
- de Jong, S. N., Levesque, A., Verkley, G. J. M., Abeln, E. C. A., Rahe, J. E. and Braun, P. G. 2001. Phylogenetic relationships among *Neofabraea* species causing tree cankers and bull's-eye rot of apple based on DNA sequencing of ITS nuclear rDNA, mitochondrial rDNA, and the β -tubulin gene. *Mycol. Res.* 105: 658-659.
- Dietel, P. 1910. Uredineen aus Japan III. *Ann. Mycol.* 8: 304-314.
- Duke, J. A. 1981. Handbook of Legumes of world economic importance. Plenum Press., New York and London.
- Eckenwalder, J.E., Heath, M.C. 2001. The evolutionary significance of variation in infection behavior in two species of rust fungi on their hosts and related nonhost plant species. *Can. J. Bot.* 79: 570-577.
- El-Gazzar, A. 1981. Systematic implications of susceptibility to *Uromyces* rusts in Leguminosae. In *Advances in legume systematics* (R. M. Polhill, and P. H. Raven, eds) pp. 979-994. Her Majesty's Stationery Office, London.
- Elmhirst, J. F. and Heath, M. C. 1986. Interactions of the bean rust and cowpea rust fungi with species of the *Phaseolus-Vigna* plant complex. I. Fungal growth and development. *Can. J. Bot.* 65: 1096-1107.

- Elmhirst, J. F. and Heath, M. C. 1987. Interactions of the bean rust and cowpea rust fungi with species of the *Phaseolus-Vigna* plant complex. II. Histological responses to infection in heat-treated and untreated leaves. *Can. J. Bot.* 67: 58-72.
- Erlich, H. A., Gelfand, D. and Sninsky, J. J. 1991. Recent advances in the polymerase chain reaction. *Science* 252: 1643-1651.
- Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* 39: 783-791.
- Fernandez, M. R. and Heath, M. C. 1986. Cytological responses induced by five phytopathogenic fungi in a nonhost plant, *Phaseolus vulgaris*. *Can. J. Bot.* 64: 648-657.
- Foster, L. M., Kozak, K., Loftus, M. G., Stevens, J. and Ross, I. K. 1993. The polymerase chain reaction and its application to filamentous fungi. *Mycol. Res.* 97: 779-781.
- Fromme, F. D. 1924. The rust of cowpeas. *Phytopathology* 2: 67-79.
- Gardes, M. and Bruns, T. D. 1993. ITS primers with enhanced specificity for basidiomycetes-application to the identification of mycorrhizae and rusts. *Molecular Ecology* 2: 113-118.
- Gäumann, V. E. 1934. Zur kenntinis des *Uromyces fabae* (Pers.) de Bary. *Ann. Mycol.* 32: 464-470.
- Guadet, J., Julien, J., Lafay, J. F. and Brygoo, Y. 1989. Phylogeny of some *Fusarium* species, as determined by large-subunit rRNA sequence comparison. *Mo. Biol. Evol.* 6: 227-242.
- Guo, L. and Wang, Y. C. 1986. Taxonomic study of the genus *Uromyces* from China. *Acta. Mycology Sinica Suppl.* pp. 107-148.
- Heath, M. C. 1980. Effects of infection by compatible species or injection of tissue extracts on the susceptibility of nonhost plants to rust fungi. *Phytopathology* 70: 356-360.

- Heath, M. C. 1984. Relationship between heat-induced fungal death and plant necrosis in compatible and incompatible interactions involving the bean and cowpea rust fungi. *Phytopathology* 74: 1370-1376.
- Hirata, S. 1952. On the rust fungi of cowpea, kidney bean and small red bean. *Ann. Phytopathol. Soc. Japan* 16: 13-18. (In Japanese)
- Hiratsuka, N. 1933. Studies on *Uromyces Fabae* and its related species. *Japanese Journal of Botany* 6: 331-379.
- Hiratsuka, N. 1937. Notes on Japanese species of *Uromyces*. *Japanese Journal of Botany* 13: 29-47. (In Japanese)
- Hiratsuka, N. 1973. Revision of taxonomy of the genus *Uromyces* in the Japanese Archipelago. *Rept. Tottori Mycol. Inst.* 10: 1-98.
- Hiratsuka, N. and Yoshida, M. 1930. Notes on *Uromyces fabae* and its related species. *Jour. Pl. Protect.* 17: 517-578. (In Japanese)
- Hiratsuka, N. and Yoshida, M. 1930. Notes on *Uromyces fabae* and its related species. *Jour. Pl. Protect.* 17: 635-642. (In Japanese)
- Hiratsuka, N. and Yoshida, M. 1930. Notes on *Uromyces fabae* and its related species. *Jour. Pl. Protect.* 17: 716-721. (In Japanese)
- Hiratsuka, T., Sato, S., Kakishima, M., Kaneko, M., Sato, S., Hiratsuka, T., Katsuya, K., Hiratsuka, Y., Ono, Y., Harada, Y. and Nakayama, K. 1992 The rust flora of Japan. Tsukuba Shuppankai, Ibaraki.
- Irwin, J. A. G. 1988. *Uromyces appendiculatus* var. *crassitunicatus*, var. nov. from *Macroptilium atropurpureum*. *Aust. Syst. Bot.* 1: 363-367.
- Ito, S. 1922. *Uromyces* of Japan. *Jour. Coll. Agric., Hokkaido Imp. Uni.* 11: 211-287.
- Ito, S. 1950. *Mycological Flora of Japan. Vol. II Basidiomycetes, No. 3 Uredinales-Pucciniaceae, Uredinales Imperfect.* Yokendo, Tokyo. pp 435. (In

Japanese)

- Ito, S. and Murayama, D. 1943. Notae Mycologicae Asiae Orientalis IV. Transact. Sapporo Nat. Hist. Soc. 17: 3-4.
- Jennings, D. M., Fordlloyd, B. V. and Butler, G. M. 1989. An aniline blue squash technique for observation of urediniospore germ pores. Mycol. Res. 92: 230-251.
- Kahlman, M. et al. 2000. Molecular systematics of *Craterellus*: cladistic analysis of nuclear LSU rDNA sequence data. Mycol. Res. 104: 388-394.
- Kim, W. K., Heath, M. C. and Rohringer, R. 1985. Comparative analysis of proteins of *Uromyces phaseoli* var. *typical*, *U. phaseoli* var. *vignae*, and *U. viciae-fabae*: polypeptide mapping by two-dimensional electrophoresis. Can. J. Bot. 63: 2144-2149.
- Kimura, M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. J. Mol. Evol. 16: 111-120.
- Ko, K. S. and Jung, H. S. 2001. Phylogenetic relationships of *Hapalopilus* and related genera inferred from mitochondrial small subunit ribosomal DNA sequences. Mycologia 93: 270-276.
- Lee, S. B. and Taylor, J. W. 1990. Isolation of DNA from fungal mycelia and single spore. In PCR Protocols: a guide to methods and applications (Innis, M. A., Gelfrand, D. H., Sninsky, J. J. and white, J., eds.). pp. 282-287. Academic Press, San Diego, California.
- Maier, W., Begerow, D., WeiB, M. and Oberwinkler, F. 2003. Phylogeny of the rust fungi: an approach using nuclear large subunit ribosomal DNA sequences. Can. J. Bot. 81: 12-23.
- O'Donnell, K. 1993. *Fusarium* and its near relatives. In The Fungal Holomorph: Mitotic, Meiotic, and Pleomorphic Speciation in Fungal Systematics. Reynolds, D. R. and Taylor, J. W. (eds.). CAB International, Wallingford. pp. 225-236.

- O'Donnell, K. and Cigelnik, E. 1997. Two divergent intragenomic rDNA ITS2 types within a monophyletic lineage of the fungus *Fusarium* are nonorthologous. *Mol. Phylog. Evol.* 7: 103-116.
- O'Donnell, K., Nirenberg, H. I., Aoki, T. and Cigelnik, E. 2000. A multigene phylogeny of the *Gibberella fujikuroi* species complex: detection of additional phylogenetically distinct species. *Mycoscience* 41: 61-78.
- Pfunder, M., Schürch, S. and Roy, B. A. 2001. Sequence variation and geographic distribution of pseudoflower-forming rust fungi (*Uromyces pisi* s. lat.) on *Euphorbia cyparissias*. *Mycol. Res.* 105: 57-66.
- Piepenbring, M., Begerow, D. and Oberwinkler, F. 1999. Molecular sequence data assess the value of morphological characteristics for a phylogenetic classification of species of *Cintractia*. *Mycologia* 91: 485-489.
- Rambaut, A. 2000. Se-AL; sequence alignment editor. Department of Zoology, University of Oxford, Oxford, U. K.
- Rayner, R. W. 1970. A mycological colour chart. Commonwealth Mycological Institute, Kew, Surrey and British Mycological Society.
- Saiki, R. K., Scharf, S., Faloona, F., Mullis, K. B., Horn, G. T., Erlich, H. A. and Arnheim, N. 1985. Enzymatic amplification of β -Globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230: 1350-1354.
- Saitou, N. and Nei, M. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* 4: 406-425.
- Stearn, W. T. 1995. *Botanical Latin*. Timber Press Inc., Portland, Oregon.
- Suyama, Y., Kawamuro, K., Kinoshita, I., Yoshimura, K., Tsumura, Y. and Takahara, H. 1996. DNA sequence from a fossil pollen of *Abies* spp. from Pleistocene peat. *Genes Genet. Syst.* 71: 145-149.
- Swofford, D. L. 1999. PAUP*. Phylogenetic Analysis Using Parsimony (* and other

- methods). Version 4. Sinauer Associates, Sunderland, MA.
- Sydow, P., Sydow, H. and Butler, E. J. 1906. Fungi Indiae orientalis. par. I. Annales Mycologici. IV, p 424-445.
- Taylor, J. W., Jacobson, D. J., Kroken, S., Kasuga, T., Geiser, D. M., Hibbett, D. S. and Fisher, M. C. 2000. Phylogenetic species recognition and species concepts in fungi. Fungal Genetics and Biology 31: 21-32.
- Tehler, A., Farris, J. S., Lipscomb, D. L. and Kallersjo, M. 2000. Phylogenetic analyses of the fungi based on large rDNA data sets. Mycologia 92: 459-474.
- Thompson, J. D., Gibson, T. J., Plewniak, F., Jeanmougin, F. and Higgins, D. G. 1997. The Clustal X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. Nucleic Acids Research 25: 4876-4882.
- Thurston, H. D. 1998. Tropical Plant Diseases (Second Edition). APS Press., St. Paul. USA
- Virtudazo, E. V., Nakamura, H. and Kakishima, M. 2001. Phylogenetic analysis of sugarcane rusts based on sequences of ITS, 5.8 S rDNA and D1/D2 regions of LSU rDNA. J. Gen. Plant Pathol. 67: 28-36.
- Vogler, D. R., and Bruns, T. D. 1998. Phylogenetic relationships among the pine stem rust fungi (*Cronartium* and *Peridermium* spp.). Mycologia 90: 244-257.
- Weber, R. W. S., Webster, J. and Engel, G. 2003. Phylogenetic analysis of *Puccinia distincta* and *P. lagenophorae*, two closely related rust fungi causing epidemics on *Asteraceae* in Europe. Mycol. Res. 107: 15-24.
- White, T. J., Bruns, T., Lee, S. B. and Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In PCR Protocols: a guide to methods and applications (Innis, M., Gelfand, D., Sninsky, J. and White, T. eds). pp. 315-322. Academic Press, San Diego, California.
- Wilkinson, L. 1989. Systat: the system for statistics. Version 5.2. edition. Systat, Inc.

Evanston, Illinois.

Wilson, M. and Henderson, D. M. 1966. British rust fungi. Cambridge Univ. Press, London.

Yuasa, H. and Maekawa, F. 1987. Resource-handbook of legumes. Uchida Rokakuho Publishing Co. Press., Tokyo, Japan

Zambino, P. J. and Szabo, L. J. 1993. Phylogenetic relationships of selected cereal and grass rusts based on rDNA sequence analysis. *Mycologia* 85: 401-414.