

REFERENCE CITED

- Abdul Mutalif Yasin, 1990, Geology of the Lambir area, Miri, Fourth Division, Sarawak. Unpublished B.Sc. (Hons) thesis University of Malaya.
- Azhar, H., Bait, B., Justin J.J., 1992, Geology of Sarawak, Guide for fieldtrip 1 (Contribution to Symposium on Tectonic Framework and Energy Rescues of the western margin of the Pacific Basin (December, 1991).
- Agostinelli, E., Mohamad Raisuddin, Antonielli, Eugenio, Mohamad, 1990, Miocene-Pliocene paleogeographic evolution of a tract of Sarawak offshore between Bintulu and Miri. Geological Society of Malaysia Bulletin 27, p. 117-136
- Amiruddin and Trail, D.S., 1993, Geology of Nanga Pinoh Sheet area, Kalimantan. Geological Research and Development Centre Bandung, Indonesia. 49 pp.
- Banda R.M., Enggong Aji, 1986, Progress Report: Geological Mapping, Usun Apau Area. Geological Survey of Malaysia Annual Report, p. 430-440.
- Banda R.M., 1991a, Progress Report: Geological Mapping, Linau Balui Area. Proceedings of the 22nd Annual Geological Conference 1991, Technical Papers, p. 123-129.
- Banda R.M., 1991b, A review of some concept on the geological evolution of Sarawak. Programme and Abstract of Papers, Annual Geological Conference 1992 of the Geological Society of Malaysia.
- Banda R.M., 1992, Progress Report: Geological Mapping, Bukit Batu Tiban Area. Proceedings of the 23rd Annual Geological Conference 1992, Technical Papers, p. 118-125.
- Banda R.M., 1994, Planktonic foraminiferal biostratigraphy of Miri-Tinjar road section, north Sarawak, Malaysia. Proceedings of the 25th Annual Geological Conference 1994, Technical Papers, volume 6, p. 118-125.
- Banda, R.M., 1995a, Miocene Planktonic Foraminiferal Biostratigraphy Zonation In Sibuti Area, Sarawak, Malaysia (Abstract). Proceeding of

Eighth Regional Conference on Geology, Mineral and Energy Resources of South East Asia in Philippines, p. 11.

Banda, R.M., 1995b. Cretaceous System of Sarawak, Malaysia. IGCP350 Newsletter Special Issue 2, p.35-42. Printed by the Department of Earth and Planetary Sciences, Kyushu University, Japan.

Banda, R.M., 1995c, Planktonic Foraminiferal Biostratigraphy of NW Borneo Basin. Unpublished report of the Geological Survey Malaysia, Sarawak.

Banda, R.M., Ambun, A. U., (in press), Major geological event in Sarawak since Cretaceous. (Submitted and accepted manuscript for the publication of special issue 1996 of the Journal of Southeast Asia Earthscience)

Banda, R.M., Honza, E., (in press), Miocene stratigraphy of NW Borneo Basin. (Submitted and accepted manuscript for the publication in the Bulletin Geological Society of Malaysia).

Banda R.M., Kim, 1992, K-Ar dating of volcanic rock from central Sarawak. Unpublished Geological Report of Geological Survey Department, Kuching, Sarawak.

Bait, B., Banda, R.M., 1994, A field guide for Post International AAPG Conference Field trip to Tertiary Basin of North Sarawak.

Blow, W.H., 1959. Age correlation, and biostratigraphy of the Upper Toyuco (San Lorenzo) and Pozon Formations, Eastern Venezuela. Bulletin of American Paleontology, volume 39, no. 78, 67-251.

Blow, W.H., 1969. Late Middle Eocene to Recent planktonic foraminiferal biostratigraphy. Proceeding First International Conference on planktonic microfossils, Geneva 1967, 1, p.199-422.

Blow, W.H. and Banner, F.T., 1962, The Mid-Tertiary (Upper Eocene to Aquitanian) Globigerinaceae. In: F.E. Eames et. al., Fundamentals of Mid Tertiary Stratigraphical Correlations, pp. 61-151, Cambridge University Press, Cambridge.

Bolli, H.M., 1957, Planktonic foraminifera from the Oligocene-Miocene Cipero and Lengua formations, Trinidad, B.W.I. Bulletin United Natural Museum, 215, p. 97-123.

- Bolli, H.M., 1966. The Planktonic Foraminifera in well Bodjonnegororo-1 of Java. *Eclogae Geologicae Helvatiæ*, vol. 50, no. 1, pp. 449-465.
- Geiger, M. E., 1963, Paleogeogeography of Late Cretaceous-Eocene Geosyncline in the Northwest Borneo. Geological Survey of Malaysia Annual Report, p. 179-187.
- Hageman, Hans, 1985, Paleobathymetrical changes in NW Sarawak during the Oligocene to Pliocene. *Geological Society of Malaysia Bulletin* 21, p. 91-102
- Haile, N.S. 1961, The Cretaceous-Cenozoic Northwest Borneo geosyncline. *Bulletin 4: Proceeding of the British Borneo Geological Conference*, 1961, p. 1-12.
- Haile, N.S. 1962, The geology and mineral resources of the Suai-Baram area, North Sarawak. *Geological Survey Department British Territories in Borneo Memoir* 13, 176 pp.
- Haile, N.S. 1969, Geosynclinal theory and organizational pattern of the Northwest Borneo Geosyncline. *Quarterly Journal of Geological Society London*, volume 124, p. 171-195.
- Hamilton, W., 1979, Tectonics of the Indonesian regions. U.S. Professional Paper, 1078.
- Hazeboek, H., Tan, D.N.K. 1993, Tertiary tectonic evolution of the NW Sabah continental margin. *Geological Society of Malaysia Bulletin* 33, p. 195-210.
- Heryanto, R., Williams, P.R., Harahap, B.H., Pieters, P.E., 1993, Geology of Sintang Sheet area, Kalimantan. *Geological Research and Development Centre, Bandung*, 68 pp.
- Ho, K. F., 1978, Stratigraphic framework for oil exploration in Sarawak. *Geological Society Malaysia Bulletin* 10, p. 1- 13.
- Holloway, N.H., 1981, The north Palawan Block, Philippines: its relation to the Asian mainland and its role in the evolution of the South China Sea. *Geological Society of Malaysia, Bulletin* 14, p. 19-58.

Höñ, Victor, Lam, S.K., Banda, R.M., 1991, (Contributors for the Sarawak geology). Studies in the East Asian Tectonic and Resources (SEATAR) Crustal Transect VII: Jawa-Kalimantan-Sarawak-South China Sea. CCOP/T26, p. 19-58.

Hutchison, C.S., 1975, Ophiolite in Southeast Asia. Geological Society of America, volume 86, p. 797-806.

Hutchison, C.S., 1988, Stratigraphic-tectonic model for eastern Borneo. Geological Society of Malaysia, Bulletin 22, p. 135-151.

Hutchison, C.S., 1989, Geological Evolution of South East Asia. Clarendon Press, Oxford, 368 pp.

Hutchison, C. S., 1995, The 'Rajang accretionary prism' and 'Lupar Line' problem of Borneo. In: Tectonic Evolution of South East Asia edited by Hall, R, and Blundell Derek, Geological Society of London special publication No. 106, p. 247-261.

International Subcommission of Stratigraphic Nomenclature (ISSC), 1994, Guide to Stratigraphic Guide. Wiley and Sons Publication, 200pp.

Ismail Che Mat Zin, 1997, Tectonic evolution and sedimentation history of the Sarawak Basin, Bulletin of the Geological Society of Malaysia, No. 41, p. 41-52.

James, D.M.D., (ed.). 1984, The geology and hydrocarbon resources of Negara Brunei Darusalam Brunei Museum, 163 pp.

Jenkins, D.G., 1966, Planktonic foraminiferal datum planes in Pacific and Trinidad Tertiary. New Zealand Journal of Geology and Geophysics, volume 9, p. 424-427..

Kandau, Flavia, 1988, The geology of the Bukit Niah area, Miri, Fourth Division, Sarawak. Unpublished B.Sc. (Hons) thesis University of Malaya.

Kelley, V. C., 1956, p. 294. Thickness of strata. Journal of Sedimentary Petrology volume 26, p. 289-300.

Kenneth, P.J., Srinivasan, M.S., 1983, Neogene planktonic foraminifera, a

- phylogenetic atlas, 263pp.
- Keyser, F., Rustandi, E., 1993, Geology of Ketapang Sheet area, Kalimantan. Geological Research and Development Centre, Bandung, 44 pp.
- Kon'no, E., 1972, Some Late Triassic plants from the southwest border of Sarawak, East Malaysia. Geol. & paleotol. of S.E.Asia, 10, (ed. T. Kobayashi et al) p. 125-178.
- Liechti, P., Roe, F. W., Haile, N. S. 1960, The geology of Sarawak. Brunei and the western part of North Borneo. Geological Survey Department British Territories in Borneo, Bulletin 3, 360pp.
- Lim, H.G., Mohd Shafea Leman, 1992, The occurrence of the Lambir Formation in Ulu Bok Syncline. Bulletin of Geological Society of Malaysia, volume 35, p. 1-15.
- Pieters, P.E., et al. 1993, Geology of Putussibau sheet area, Kalimantan. Geological Research and Development Centre, Indonesia, 63pp.
- Malaysian Committee Stratigraphic Guide, 1995, Malaysian Stratigraphic Guide (Draft)
- Metcalfe, I., 1995, Pre-Cretaceous evolution of SE Asian terranes. In: Tectonic Evolution of South East Asia edited by Hall, R, and Blundell Derek, Geological Society of London special publication No. 106, p. 97-122.
- Natori, H., Kandar, Darwin, 1978, Micropaleontology-Foraminifera. In: Gravity and Geological Studies in Jawa, Indonesia (edited by Untung, M., Sato, Y.). Ministry of Mines, Directorate General of Mines, Geological Survey of Indonesia, Special Publication No. 6, P. 102-106.
- Natori, H., Sunoto, W., Hasibuan, F., Budiman, 1978, Micropaleontology-Foraminifera. In: Gravity and Geological Studies in Jawa, Indonesia (edited by Untung, M., Sato, Y.). Ministry of Mines, Directorate General of Mines, Geological Survey of Indonesia, Special Publication No. 6, P. 81-88.
- Ngap Dollah, 1987, Geology of the south Niah, Miri, Fourth Division, Sarawak. Unpublished B.Sc. (Hons) thesis University of Malaya.

- Belayong, Patrick, 1997, Sedimentology and stratigraphy of the Miri Formation, Miri Town, Sarawak. Unpublished Bsc (Hons) thesis University of Malaya.
- Postuma, J.A., 1971. Manual of planktonic foraminifera, Elsevier Publishing Company (Amsterdam), 420 pp.
- Porth, H., Daniels, C.H., (editors), 1989, On the Geology and Hydrocarbon prospects of Visayan Basin, Philippines. Geologische Jahrbuch Reihe B, Heft 70
- Rangin, C., Bellon, H., Benard, F., Letouzey, J., Muller, C., Sanudin, T., 1990a, Neogene arc-continent collision in Sabah, N. Borneo (Malaysia). Tectonophysics volume 183, p. 305-319.
- Rangin, C., Jolivet, L., Pubellier, M., The Tethy Pacific working Group, 1990b, A simple model of the tectonic evolution of Southeast Asia and Indonesia region for the past 43 m.y. Bull. Soc. France, t VI, 6, p. 889-905.
- Rusmana, E., Sutriño, R.P., Langford, F., Keyser, Trail, D.S., 1993, Geology of Siluas/Sambas Sheet area, Kalimantan. Geological Research and Development Centre, Bandung, 44 pp.
- Scherer, F.C., 1980, Exploration in East Malaysia over the last decades. In: Habouty, M.T., (Ed.), Giant oil and gas field of decade 1968-1978. American Association of Petroleum Geologist, Memoir 30, p. 423-440.
- Suprianata, S., Margono, Strisono, Keyser F., Langford, R.P., Trail, D.S., 1993, Geology of Sanggau Sheet area, Kalimantan. Geological Research and Development Centre, Bandung, 66 pp.
- Suwarna, N., Sutrisno, F., Langford. R.P., Trail, D.S., 1993, Geology of Singkawang Sheet area, Kalimantan. Geological Research and Development Centre, Bandung, 42 pp.
- Tan, D.N.K., 1979, Lumar Valley, West Sarawak, Malaysia, Geological Survey of Malaysia Report 13, 159 pp.
- Tate, R. B., 1991, Cross-border correlation of the geological formations in Sarawak and Kalimantan. Bulletin of the Geological Society of Malaysia,

Volume 28, p. 63-96.

Tate, R.B., 1992, The Mulu Shear Zone- a major structural features of NW Borneo. Geological Society of Malaysia Bulletin 21, p. 51-65.

Wilford, G.E., 1961, The geology and mineral resources of Brunei and adjacent parts of Sarawak with descriptions of Seria and Miri Oilfields. Geological Survey Department, British Territories in Borneo Memoir 10, 319 p.

Zeijlmans van Emmichoven, C.P.A., 1939, Geology of central and eastern part of the Western Division of Borneo. In: Haile, N.S., 1955, p. 159-272