

参考文献

- [1] 実吉純一、菊池喜充、熊本乙彦、”新訂版 超音波技術便覧”、日刊工業新聞社、1978.
- [2] 超音波便覧編集委員会編、”超音波便覧”、丸善、1999.
- [3] E. Ueno, E. Tohno and S. Soeda, ”Dynamic Tests in Real-Time Breast Echography”, Ultrason. Med. Biol., vol. 14 (Suppl), pp. 53-57, 1988.
- [4] Y. Yamakoshi, J. Sato and T. Sato, ”Ultrasonic Imaging of Internal Vibration of Soft Tissue under Forced Vibration”, IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 37, no. 2, pp. 45-53, 1990.
- [5] R. M. Lerner, S. R. Huang and K. J. Parker, ””Sonoelasticity” Images Derived from Ultrasound Signals in Mechanically Vibrated Tissues”, Ultrasound Med. Biol., vol. 16, pp. 231-239, 1990.
- [6] K. J. Parker, S. R. Huang, R. A. Musulin and R. M. Lerner, ”Tissue Response to Mechanical Vibrations for ”Sonoelasticity Imaging”, Ultrasound Med. Biol., vol. 16, pp. 241-246, 1990.
- [7] J. Ophir, I. Cespedes, H. Ponnekanti, Y. Yazdi and X. Li, ”Elastography: A Quantitative Method for Imaging the Elasticity of Biological Tissues”, Ultrason. Imaging, vol. 13, pp. 111-134, 1991.
- [8] A.R. Skovoroda, S.Y. Emelianov, M.A. Lubinski, A.P. Sarvazyan and M. O'Donnell, ”Theoretical Analysis and Verification of Ultrasound Displacement and Strain Imaging”, IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 41, no. 3, pp. 302-313, 1994.
- [9] 宮本幸夫、多田信平、”超音波診断 update —スクリーニングから精査の時代へ—”、金原出版、臨床放射線増刊号、vol. 43、No. 11、1998.
- [10] 飯島尋子、下村壯治、西上隆之、浅野佳秀、横山裕治、戊角幸治、入江喬介、波田寿一、東野一彌、横井浩、”肝腫瘍性病変における Native tissue harmonic imaging の検討”、第72回日本超音波医学会学術集会抄録集、72-P7、pp. 417、1999.
- [11] S. Satomura, S. Matsubara and M. Yoshioka, ”A new method of mechanical vibration measurement and its application”, Memorirs of the Institute of Scientific and Industrial Research, Osaka Univ., vol. 13, pp. 125, 1956.

- [12] C. Kasai, K. Namekawa, A. Koyano and R. Omoto, "Real-Time Two-Dimensional Blood Flow Imaging Using an Autocorrelation Technique", *IEEE Trans. Sonics and Ultrason.*, vol. SU-32, no. 3, pp. 458-464, 1985.
- [13] 北畠顕、井上通敏、"超音波心臓ドプラ法"、丸善、1986.
- [14] T.A. Krouskop, T.M. Wheeler, F. Kallel, B.S. Garra and T. Hall, "Elastic Moduli of Breast and Prostate Tissue Under Compression", *Ultrason. Imaging*, vol. 20, pp. 260-274, 1998.
- [15] 藤倉雄二、"画像検査の基本と実際"、メディカルビュー社、1995.
- [16] 萩原一博、椎名毅、植野映、"カラードプラ法による乳癌内血流状態の定量化の試み"、日本超音波医学会誌、vol. 23、No. 6、pp. 21-31、1996.
- [17] B.M. Shapo, J.R. Crowe, R. Erkamp, S.Y. Emelianov, M. J. Eberle and M. O'Donnell, "Strain Imaging of Coronary Arteries with Intraluminal Ultrasound: Experiments on an Inhomogeneous Phantom", *Ultrason. Imaging*, vol. 18, pp. 173-191, 1996.
- [18] B.M. Shapo, J.R. Crowe, A.R. Skovoroda, M.J. Eberle, N.A. Cohn and M. O'Donnell, "Displacement and Strain Imaging of Coronary Arteries with Intraluminal Ultrasound" *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 43, no. 2, pp. 234-246, 1996.
- [19] H. Hasegawa, M. Ozawa, H. Kanai, N. Hoshimiya, N. Chubachi and Y. Koiwa, "Evaluation of Elastic Property of the Arterial Wall by Measuring Small Velocity Signals Using Ultrasound", *Proc. IEEE Ultrason., Symp.*, CD-ROM, 1997.
- [20] C.L. de Korte, A.F.W. van der Steen, E.I. Cespedes and G. Pasterkamp, "Intravascular Elastography of human femoral arteries: an in vitro study", *Proc. IEEE Ultrason., Symp.*, CD-ROM, 1997.
- [21] E.I. Cespedes, C.L. de Korte and A.F.W. van der Steen, "Intravascular Ultrasonic Palpation: assessment of local wall compliance", *Proc. IEEE Ultrason., Symp.*, CD-ROM, 1997.
- [22] Chris L. de Korte, E. Ignacio Cespedes and Antonius F.W. van der Steen, "Influence of Catheter Position on Estimated Strain in Intravascular Elastography", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 46, no. 3, pp. 616-625, 1999.
- [23] L.K. Ryan and F.S. Foster, "Ultrasonic Measurement of Differential Displacement and Strain in a Vascular Model", *Ultrason. Imaging*, vol. 19, pp. 19-38, 1997.
- [24] J.C. Berrios and P.C. Pedersen, "Ultrasonic Measurement of Forced Diameter Variations in an Elastic Tube", *Ultrason. Imaging*, vol. 16, pp. 124-142, 1994.

- [25] M. O'Donnell, M.J. Eberle, D.N. Stephens, J.L. Litzza, B.M. Shapo, J.R. Crowe, C.D. Choi, J.J. Chen, D.M.W. Muller, J.A. Kovach, R.L. Lederman, R.C. Ziegenbein, C.C. Wu, K. San Vincente and D. Bleam, "CATHETER ARRAYS: CAN INTRAVASCULAR ULTRASOUND MAKE A DIFFERENCE IN MANAGING CORONARY ARTERY DISEASE", Proc. of IEEE Ultrason. Symp., CD-ROM, 1997.
- [26] N.A. Cohn, S.Y. Emelianov, M.A. Lubinski and M. O'Donnell, "An Elasticity Microscope. Part 1: Methods", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 6, pp. 1304-1319, 1997.
- [27] N.A. Cohn, S.Y. Emelianov and M. O'Donnell, "An Elasticity Microscope. Part 2: Experimental Results", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 6, pp. 1320, 1997.
- [28] S. Y. Emelianov, R. Q. Erkamp, M. A. Lubinski, A. R. Skovoroda and M. O'Donnell, "Non-Linear Tissue Elasticity: Adaptive Elasticity Imaging for Large Deformations", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1753-1756, 1998.
- [29] M. Krueger, A. Pesavento, H. Ermert, K. M. Hitawsky, L. Heuser, H. Rosenthal and A. Jensen, "Ultrasonic strain imaging of the female breast using phase root seeking and three-dimensional 'optical flow'", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1757-1760, 1998.
- [30] 新田尚隆、椎名毅、植野映、"Combined Autocorrelation 法を用いた乳房腫瘍の弾性特性の画像化"、第 70 回日本超音波医学会研究発表会、70-315、pp. 496、1997.
- [31] 新田尚隆、椎名毅、"超音波によるリアルタイム組織歪み計測法の検討"、第 11 回日本 ME 学会秋季大会、1-E-10、pp.96、1997.
- [32] 新田尚隆、椎名毅、"超音波による組織弾性分布の画像化と腫瘍検出への応用"、日本音響学会春季大会、pp. 925-926、1998.
- [33] S.G. Foster, P.M. Embree and W.D. O'Brien, "Flow Velocity Profile via Time-Domain Correlation Error Analysis and Computer Simulation", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 37, no. 2, pp. 164-175, 1990.
- [34] I.A. Hein and W.D. O'Brien, "Current Time-Domain Methods for Assessing Tissue Motion by Analysis from Reflected Ultrasound Echoes - A Review", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 40, no. 2, pp. 84-102, 1993.
- [35] M.E. Allam and J.F. Greenleaf, "Isomorphism Between Pulsed-Wave Doppler Ultrasound and Direction-of-Arrival Estimation - Part 1: Basic Principles", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 43, no. 5, pp. 911-922, 1996.
- [36] M.E. Allam, R.R. Kinnick and J.F. Greenleaf, "Isomorphism Between Pulsed-Wave Doppler Ultrasound and Direction-of-Arrival Estimation - Part 2: Experimental Results", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 43, no. 5, pp. 923, 1996.

- [37] Thanasis Loupas, J.T. Powers and Robert W. Gill, "An Axial Velocity Estimator for Ultrasound Blood Flow Imaging, Based on a Full Evaluation of the Doppler Equation by Means of a Two-Dimensional Autocorrelation Approach", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 42, no. 4, pp. 672-688, 1995.
- [38] Y.B. Ahn and S.B. Park, "Estimation of Mean Frequency and Variance of Ultrasonic Doppler Signal by Using Second-Order Autoregressive Model", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 38, no. 3, pp. 172-182, 1991.
- [39] X. Lai, H. Torp and K. Kristoffersen, "An Extended Autocorrelation Method for Estimation of Blood Velocity", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 6, pp. 1332-1342, 1997.
- [40] H.J. Nitzpon, J.C. Rajaonah, C.B. Burckhardt, B. Dousse and J.J. Meister, "A New Pulsed Wave Doppler Ultrasound System to Measure Blood Velocities Beyond the Nyquist Limit", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 42, no. 2, pp. 265-279, 1995.
- [41] L.S. Wilson, "Description of Broad-Band Pulsed Doppler Ultrasound Processing Using the Two-Dimensional Fourier Transform", Ultrason. Imaging, vol. 13, pp. 301-315, 1991.
- [42] Martin E. Anderson, "Spatial Quadrature: A Novel Technique for Multi-Dimensional Velocity Estimation", Proc. IEEE Ultrason., Symp., CD-ROM, 1997.
- [43] M.E. Anderson, "Multi-Dimensional Velocity Estimation with Ultrasound Using Spatial Quadrature", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 45, no. 3, pp. 852-861, 1998.
- [44] 原田烈光、岡田孝、河西千広、"血流速度ベクトルの実時間計測システム", 日本超音波医学会講演論文集, vol. 53, 53-74, pp. 253-254, 1988.
- [45] William F. Walker, "A New Class of Aperture Domain Flow Estimation Algorithms", Proc. IEEE Ultrason., Symp., CD-ROM, 1997.
- [46] G.E. Trahey, J.W. Allison and O.T. von Ramm, "Angle Independent Ultrasonic Detection of Blood Flow", IEEE Trans. Biomed. Eng., BME-34, pp. 965-967, 1987.
- [47] L.N. Bohs and G.E. Trahey, "A Novel Method for Angle Independent Ultrasonic Imaging of Blood Flow and Tissue Motion", IEEE Trans. Biomed. Eng., vol. 38, pp. 280-286, 1991.
- [48] B.S. Ramamurthy and G.E. Trahey, "Potential and limitation of angle-independent flow detection algorithms using radio frequency and detected echo signals", Ultrason. Imaging, vol. 13, pp. 252-268, 1991.
- [49] B. Geiman, L. Bohs, S. Czyszak, M. Anderson and G. Trahey, "Initial Experimental Results Using Ensemble Tracking for 2D Vector Velocity Measurement", Proc. of IEEE Ultrason. Symp., pp. 1241-1244, 1996.

- [50] W.F. Walker and G.E. Trahey, "A Fundamental Limit on the Performance of Correlation Based Phase Correction and Flow Estimation Technique", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 41, no. 5, pp. 644-654, 1994.
- [51] 片倉景義、奥島基良、須山統昭、園田利行、"超音波ベクトル計測の基礎検討 — 超音波 CV の提案と動作解析 — ", 日本音響学会講演論文集、pp. 843-844, 1992.
- [52] K. Katakura and M. Okujima, "Ultrasonic Vector Velocity Measurement by Projection Computed Velocimetry", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 42, no. 5, pp. 889-898, 1995.
- [53] 濱本和彦、立川明子、"投影CV法を用いた血流計測における音速不均一層の影響に関する検討", 電気学会電子・情報・システム部門大会、A-8-3、pp. 145-148, 1996.
- [54] L.S. Wilson and R.W. Gill, "Measurement of Two-Dimensional Blood Velocity Vectors by the Ultrasonic Speckle Projection Technique", Ultrason. Imaging, vol. 15, pp. 286-303, 1993.
- [55] 山越芳樹、"時間 - 空間領域での2次元フーリエ変換を用いた超音波Bモード画像からの移動ベクトル推定法", 日本超音波医学会誌、vol. 21、no. 9、pp. 5-12、1994.
- [56] V.L. Newhouse, D. Censor, T. Vontz, J.A. Cisneros and B.B. Goldberg, "Ultrasound Doppler Probing of Flows Transverse with respect to Beam Axis", IEEE Trans. Biomed. Eng., BME-34, pp. 779-789, 1987.
- [57] G. Guidi, V.L. Newhouse and P. Tortoli, "Doppler Spectrum Shape Analysis Based on the Summation of Flow-Line Spectra", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 42, no. 5, pp. 907-915, 1995.
- [58] J. Lu, "Improving Accuracy of Transverse Velocity Measurement with a New Limited Diffraction Beam", Proc. of IEEE Ultrason. Symp., pp. 1255-1260, 1996.
- [59] M.D. Fox and W.M. Gardiner, "Three-Dimensional Doppler Velocimetry of Flow Jets", IEEE Trans. Biomed. Eng., vol. 35, no. 10, pp. 834-841, 1988.
- [60] I.A. Hein, "Triple-Beam Lens Transducers for Three-Dimensional Ultrasonic Fluid Flow Estimation", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 42, no. 5, pp. 854-869, 1995.
- [61] I.A. Hein, "3-D Flow Velocity Vector Estimation with a Triple-Beam Lens Transducer - Experimental Results", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 1, pp. 85-95, 1997.
- [62] N. Nitta, K. Hagihara and T. Shiina, "Experimental Investigation of 3-D Blood Flow Velocity Measurement", Jpn. J. Appl. Phys., vol. 35, Part 1, no. 5B, pp. 3126-3130, 1996.

- [63] 新田尚隆、萩原一博、椎名毅、”3次元血流速度計測法の実験的検討”、第16回超音波エレクトロニクスの基礎と応用に関するシンポジウム、pp. 229-230、1995
- [64] 新田尚隆、椎名毅、”3次元超音波ドプラ法のシミュレーションによる特性評価”、電気学会医用・生体工学研究会、MBE 97-1、pp. 1-6、1997
- [65] 千原国宏、白江公輔、森田利男、北畠顕、”非直交3ビーム超音波ドプラベクトル血流計”、電子情報通信学会論文誌、vol. J68-C、no. 12、pp. 1094-1100、1985.
- [66] 北畠顕、浅生雅人、田内潤、森田利男、増山理、伊東浩、堀正二、井上通敏、阿部裕、千原国宏、桜井良文、田辺浩二、”超音波パルスドプラ法による三次元血流速度ベクトル計測システム－方位方向精度に関する検討”、第41回日本超音波医学会講演論文集、41-PA-33、pp. 481、1982.
- [67] O. Bonnefous, "Measurement of the Complete (3D) Velocity Vector of Blood Flows", Proc. of IEEE Ultrason. Symp., pp. 795-799, 1988.
- [68] M. Calzolai, L. Capineri, A. Fort, L. Masotti, A. Pasqualis, S. Rocchi and M. Scabia, "Analysis of Factors Influencing the Accuracy of 3D Doppler Technique : Simulations and Experimental Results", Proc. of IEEE Ultrason. Symp., pp. 1245-1248, 1996.
- [69] M. Calzolai, L. Capineri, A. Fort, L. Masotti, S. Rocchi and M. Scabia, "A 3-D PW Ultrasonic Doppler Flowmeter: Theory and Experimental Characterization", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 46, no. 1, pp. 108-113, 1999.
- [70] N.C. Kraus, A. Lohrmann and Ramon, "NEW ACOUSTIC METER FOR MEASURING 3D LABORATORY FLOWS", J. Hydraulic Eng., vol. 120, pp. 406, 1994.
- [71] Y. Ogura, K. Katakura and M. Okujima, "A Method of Ultrasonic 3-D Computed Velocimetry", IEEE Trans. Biomed. Eng., vol. 44, no. 9, pp. 823-830, 1997.
- [72] A.A. Morsy and O.T. Von Ramm, "3D Ultrasound Tissue Motion Tracking Using Correlation Search", Ultrason. Imaging, vol. 20, pp. 151-159, 1998.
- [73] A.A. Morsy and O.T. von Ramm, "FLASH Correlation: A New Method for 3-D Ultrasound Tissue Motion Tracking and Blood Velocity Estimation", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 46, no. 3, pp. 728-736, 1999.
- [74] M. O'Donnell, A.R. Skovoroda, B.M. Shapo and S.Y. Emelianov, "Internal Displacement and Strain Imaging Using Ultrasonic Speckle Tracking", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 41, no. 3, pp. 314-325, 1994.
- [75] Mark A. Lubinski, Stanislav Y. Emelianov and Matthew O'Donnell, "Adaptive Strain Estimation Using Retrospective Processing", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 46, no. 1, pp. 97-107, 1999.

- [76] T. Varghese and J. Ophir, "A Theoretical Framework for Performance Characterization of Elastography: Strain Filter", *IEEE Trans. Ultrason. Ferroelect., Freq. Contr.*, vol. 44, No. 1, pp. 164-172, 1997.
- [77] E.E. Konofagou, J. Ophir, F. Kallel and T. Varghese, "Elastographic Dynamic Range Expansion Using Variable Applied Strains", *Ultrason. Imaging*, vol. 19, pp. 145, 1997.
- [78] Mark A. Lubinski, Stanislav Y. Emelianov and Matthew O'Donnell, "Speckle Tracking Methods for Ultrasonic Elasticity Imaging Using Short-Time Correlation", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 46, no. 1, pp. 82-96, 1999.
- [79] I. Cespedes and J. Ophir, "Reduction of Image Noise in Elastography", *Ultrason. Imaging*, vol. 15, pp. 89-102, 1993.
- [80] I. Cespedes, M. Insana and J. Ophir, "Theoretical Bounds on Strain Estimation in Elastography", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 42, no. 5, pp. 969-972, 1995.
- [81] I. Cespedes, Y. Huang, J. Ophir and S. Spratt, "Methods for Estimation of Sub-Sample Time Delays of Digitized Echo Signals", *Ultrason. Imaging*, vol. 17, pp. 142-171, 1995.
- [82] S. K. Alam, J. Ophir and E. E. Konofagou, "An Adaptive Strain Estimator for Elastography", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 45, no. 2, pp. 461-472, 1998.
- [83] S.K. Alam, J. Ophir, I. Cespedes and T. Varghese, "A Deconvolution Filter for Improvement of Time-Delay Estimation in Elastography", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 45, no. 6, pp. 1565-1572, 1998.
- [84] Faouzi Kallel and Jonathan Ophir, "A Least-Squares Strain Estimator for Elastography", *Ultrason. Imaging*, vol. 19, pp. 195-208, 1997.
- [85] T. Varghese and J. Ophir, "Enhancement of Echo-Signal Correlation in Elastography Using Temporal Stretching", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 44, no. 1, pp. 173-180, 1997.
- [86] T. Varghese and J. Ophir, "Performance Optimization in Elastography: Multicompression with Temporal Stretching", *Ultrason. Imaging*, vol. 18, pp. 193-214, 1996.
- [87] A. Pesavento and H. Ermert, "Time-efficient and exact algorithms for adaptive temporal stretching and 2D correlation for elastographic imaging using phase information", *Proc. IEEE Ultrason., Symp.*, vol. 2, pp. 1765-1768, 1998.
- [88] M.A. Lubinski, S.Y. Emelianov, K.R. Raghavan, A.E. Yagle, A.R. Skovoroda and M. O'Donnell, "Lateral Displacement Estimation Using Tissue Incompressibility", *IEEE Trans. Ultrason., Ferroelect., Freq. Contr.*, vol. 43, no. 2, pp. 247-255, 1996.

- [89] A.R. Skovoroda, M.A. Lubinski, S.Y. Emelianov and M. O'Donnell, "Nonlinear Estimation of the Lateral Displacement Using Tissue Incompressibility", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 45, no. 2, pp. 491-503, 1998.
- [90] 八木晋一、中山淑、"解析信号の2次元相関関数評価による不均一組織超音波変位断層法の設計",電子情報通信学会技術研究報告、MBE91-21、pp. 31-36、1991。
- [91] P. Chaturvedi, M.F. Insana and T.J. Hall, "2-D Companding for Noise Reduction in Strain Imaging", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 45, no. 1, pp. 179-191, 1998.
- [92] E. E. Konofagou, F. Kallel and J. Ophir, "Three-Dimensional Motion Estimation in Elastography", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1745-1748, 1998.
- [93] D.G. Wildes, R.Y. Chiao, Chris M.W. Daft, K.W. Rigby, L.S. Smith and K.E. Thomenius, "Elevation Performance of 1.25D and 1.5D Transducer Arrays", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 5, pp. 1027-1037, 1997.
- [94] J. Snyder、A. Bhave、森本淳、野崎光弘、水野隆、"Active Matrix Array (AMA) プローブの開発",第71回日本超音波医学会研究発表会抄録集、71-121、pp. 243、1998
- [95] J. Lu and J.F. Greenleaf, "A Study of Two-Dimensional Array Transducers for Limited Diffraction Beams", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 41, no. 5, pp. 724, 1994.
- [96] J. Lu, "Designing Limited Diffraction Beams", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 1, pp. 181-193, 1997.
- [97] G.R. Lockwood, J.R. Talman and S.S. Brunke, "Real-Time 3-D Ultrasound Imaging Using Sparse Synthetic Aperture Beamforming", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 45, no. 4, pp. 980-988, 1998.
- [98] 赤羽睦弘、望月剛、"磁気センサを用いた高速3次元表示(Vol-mode)装置の開発",第69回日本超音波医学会研究発表会抄録集、69-195、pp. 354、1997
- [99] S.W. Smith, G.E. Trahey and O.T. von Ramm, "TWO-DIMENSIONAL ARRAYS FOR MEDICAL ULTRASOUND", Ultrason. Imaging, vol. 14, pp. 213-233, 1992.
- [100] S.W. Smith and E.D. Light, "Two-Dimensional Array Transducers Using Thick Film Connection Technology", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 40, no. 6, pp. 727-734, 1993.
- [101] R.E. Davidsen and S.W. Smith, "Two-Dimensional Arrays for Medical Ultrasound Using Multilayer Flexible Circuit Interconnection", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 45, no. 2, pp. 338-348, 1998.

- [102] G.R. Lockwood and F.S. Foster, "Optimizing the Radiation Pattern of Sparse Periodic Two-Dimensional Arrays", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 43, no. 1, pp. 15-19, 1996.
- [103] D.H. Turnbull and F.S. Foster, "Beam Steering with Pulsed Two-Dimensional Transducer Arrays", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 38, no. 4, pp. 320-333, 1996.
- [104] P. Li and M. O'Donnell, "Efficient Two-Dimensional Blocked Element Compensation", Ultrason. Imaging, vol. 16, pp. 164-175, 1994.
- [105] J-M Bureau, W. Steichen and G. Lebail, "A Two-Dimensional Transducer Array For Real-Time 3D Medical Ultrasound Imaging", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1065-1068, 1998.
- [106] K. Erikson, A. Hairston, A. Nicoli, J. Stockwell and T. White, "A 128×128 Ultrasonic Transducer Hybrid Array", Proc. IEEE Ultrason., Symp., CD-ROM, 1997.
- [107] N. Nitta and T. Shiina, "Real-Time 3-D Velocity Vector Measurement Using Weighted Phase Gradient Method", Jpn. J. Appl. Phys., vol. 37, Part 1, no. 5B, pp. 3058-3063, 1998.
- [108] 新田尚隆、椎名毅、"重み付き位相勾配法による3次元速度ベクトル空間分布の実時間計測"、第18回超音波エレクトロニクスの基礎と応用に関するシンポジウム、pp. 239-240、1997
- [109] 新田尚隆、椎名毅、"位相勾配法による3次元血流速度ベクトルの実時間計測"、第71回日本超音波医学会学術集会、71-Y2、pp. 92、1998
- [110] 椎名毅、新田尚隆、"重み付き位相勾配法による3次元速度ベクトル計測法"、日本超音波医学会基礎技術研究会資料、Vol. 97、No. 3、BT97 - 23、pp. 60 - 64、1997
- [111] T. Shiina and N. Nitta, "A New Imaging Technique of 3-D Velocity Vector Distribution Using 2-D Phased Array Probe", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1509-1512, 1998.
- [112] T. Shiina, M.M. Doyley and J.C. Bamber, "Strain imaging using combined RF and envelope autocorrelation processing", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1331-1336, 1996.
- [113] N. Nitta, M. Yamakawa, T. Shiina, E. Ueno, M.M. Doyley and J.C. Bamber, "Tissue Elasticity Imaging Based on Combined Autocorrelation Method and 3-D Tissue Model", Proc. IEEE Ultrason., Symp., vol. 2, pp. 1447-1450, 1998.
- [114] 椎名毅、新田尚隆、植野映、Jeffrey C. Bamber、"複合自己相関法による実時間 Tissue Elasticity Imaging"、日本超音波医学会誌、vol. 26、no. 2、pp. 57-66、1999.

- [115] 松信八十男、”変形と流れの力学”、朝倉書店、1981.
- [116] C. Sumi, A. Suzuki and K. Nakayama, ”Estimation of Shear Modulus Distribution in Soft Tissue from Strain Distribution”, IEEE Trans. Biomed. Eng., vol. 42, no. 2, pp. 193-202, 1995.
- [117] C. Sumi and K. Nakayama, ”Elasticity Tomography: Reconstruction using Stable Implicit-Integration Method”, Proc. IEEE Ultrason., Symp., vol. 2, pp. 1325-1329, 1996.
- [118] C. Sumi, ”Fine Elasticity Imaging Utilizing the Iterative RF-echo Phase Matching Method”, IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 46, no. 1, pp. 158-166, 1999.
- [119] A.R. Skovoroda, S.Y. Emelianov and M. O'Donnell, ”Tissue Elasticity Reconstruction Based on Ultrasonic Displacement and Strain Imaging”, IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 42, no. 4, pp. 747-765, 1995.
- [120] S. Y. Emelianov, A. R. Skovoroda, M. A. Lubinski and M. O'Donnell, ”Reconstructive Elasticity Imaging”, Acoustical Imaging, vol. 21, pp. 241-252, 1997.
- [121] Andrei R. Skovoroda, Mark A. Lubinski, Stanislav Y. Emelianov and Matthew O'Donnell, ”Reconstructive Elasticity Imaging for Large Deformation”, IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 46, no. 3, pp. 523-535, 1999.
- [122] Anthony J. Remano, Joseph J. Shirron and Joseph A. Bucaro, ”On the Noninvasive Determination of Material Parameters from a Knowledge of Elastic Displacement: Theory and Numerical Simulation”, IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 45, no. 3, pp. 751-759, 1998.
- [123] K.R. Raghavan and A.E. Yagle, ”Forward and Inverse Problems in Elasticity Imaging of Soft Tissues”, IEEE Trans. Nuclear Science, vol. 41, no. 4, pp. 1639-1648, 1994.
- [124] Y. Yamashita and M. Kubota, ”Tissue Elasticity Reconstruction Based on Ultrasonic Strain Measurement”, Proc. IEEE Ultrason., Symp., vol. 2, pp. 1113-1117, 1996.
- [125] F. Kallel and M. Bertrand, ”Tissue Elasticity Reconstruction Using Linear Perturbation Method”, IEEE Trans. Med. Imag., vol. 15, no. 3, pp. 299-313, 1996.
- [126] M. Yamakawa and T. Shiina, ”Tissue Elasticity Reconstruction Based on 3-Dimensional Finite-Element Model”, Jpn. J. Appl. Phys., vol. 38, Part 1, no. 5B, pp. 3393-3398, 1999.
- [127] 新田尚隆、椎名毅、”三次元変位計測による組織弾性分布画像化の実験的検討”、日本超音波医学会基礎技術研究会資料、Vol. 99、No. 4、BT99 - 27、pp. 40 - 45、1999.
- [128] R.Q. Erkamp, P. Wiggins, A.R. Skovoroda, S.Y. Emelianov and M. O'Donnell, ”Measuring the Elastic Modulus of Small Tissue Samples”, Ultrason. Imaging, vol. 20, pp. 17-28, 1998.

- [129] T.J. Hall, M. Bilgen, M.F. Insana and T.A. Krouskop, "Phantom Materials for Elastography", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 44, no. 6, pp. 1355, 1997.
- [130] C.L. de Korte, E.I. Cespedes, A.F.W. van der Steen, B. Norder and K. te Nijenhuis, "Elastic and Acoustic Properties of Vessel Mimicking Material for Elasticity Imaging", Ultrason. Imaging, vol. 19, pp. 112-126, 1997.
- [131] E.J. Chen, J. Novakofski, W.K. Jenkins and W.D. O'Brien, "Young's Modulus Measurement of Soft Tissue with Application to Elasticity Imaging", IEEE Trans. Ultrason., Ferroelect., Freq. Contr., vol. 43, no. 1, pp. 191-194, 1996.