

REFERENCES

- Achilli A., Cattadori G., and Gaspari G.P., Subcooled burnout in uniformly and non-uniformly heated tubes, European two-phase flow group meeting, paper C2, Stockholm, June, p1-3, 1992.
- Ahmad S.Y., 1970, Axial distribution of bulk temperature and void fraction in a heated channel with inlet subcooling, Journal of Heat Transfer, Trans. ASME 92 (4) 595-609
- Babcock D.F., Heavy water moderated power reactors, DP-725, E.I. Dupont de Nemours and Company, 1962.
- Bergles, A.E., 1963, Subcooled burnout in tube of small diameter, ASME paper, 63-WA-182.
- Bergelson, B.R., 1980, Burnout under conditions of subcooled boiling and forced convection, Thermal Eng., Vol.27, No.1, p.48-50.
- Bhat, A.M., Prakash, R. and Saini, J.S., 1983, Heat transfer in nucleate pool boiling at high heat flux, Int. J. Mass Heat Transfer, Vol.26, No.6, 833-840.
- Bortoli D. et al, 1958, Forced convection heat transfer burnout studies for water in rectangular channels and round tubes at pressures above 500 psia, WAPD-188.
- Bowring R.W., 1962, Physical model based on bubble detachment and calculation of steam voidage in the subcooled region of a heated channel. OECD Halden Reactor Project Report HPR-10.
- Boyd R.D., 1988, Subcooled water flow boiling experiments under uniform high flux conditions, Fusion Technology, Vol.13, p121-142.
- Boyd R.D., 1989, Subcooled water flow boiling at 1.66MPa under uniform high flux conditions, Proc. of the ASME Winter Annual Meeting, HTD, Vol.119, P9-15.
- Boyd R.D., 1990, Subcooled water flow boiling transition and the L/D effect on CHF for a Horizontal uniformly heated tube, Fusion Technology, Vol.18, p317-324.
- Burck E., and Hufschmidt W., EUR-2432 d, Euratom, 1965.
- Celata G.P., Cumo M. and Mariani A., 1993, Burnout in highly subcooled water flow boiling in small diameter tubes, Int.J. Heat Mass Transfer, Vol.36, n.5., p1269-1285.

Celata G.P. et al, 1994a, Rationalization of existing mechanistic models for the prediction of water subcooled flow boiling critical heat flux, *Int. J. Heat Mass Transfer*, 37, Suppl.1. 347-360.

Celata G.P. et al., 1994b, Assessment of correlations and models for the prediction of CHF in subcooled flow boiling, *Int. J. Heat mass Transfer* 37, 237-255.

Celata, G.P., Cumo, M. and Mariani, A., 1996, Technical notes, The effect of the tube diameter on the critical heat flux in subcooled flow boiling, *Int. J. Heta Mass Transfer*, Vol.39, No.8, p1755-1757.

Celata G.P. et al., 1997, Experimental evaluation of the onset of subcooled flow boiling at high liquid velocity and subcooling, *Int. J. Heat Mass transfer*, Vol. 40, No.12, p2879-2885.

Celata G.P., 1998, Critical heat flux in subcooled flow boiling, *Proceedings of 11th IHTC*, Vol.1, P261-277.

Celata, G.P., Cumo, M., Katto, Y. and Mariani, A., 1999, Prediction of the Critical Heat Flux in Water Subcooled Flow Boiling Using a New Mechanistic Approach, *Int. J. Heat Mass Transfer*, Vol. 42, pp. 1457-146.

Chan B.K.C. and Prince R.G.H., 1965, Viscous drag on a gas bubble rise in a liquid, *AICHE JI* 11, 188-192.

Chen Y.Z., Zhou R.B., Hao L.M. and Chen H.Y., 1997, Critical heat flux with subcooled boiling of water at low pressure, *Eighth International Topical Meeting on Nuclear Reactor Thermal-Hydraulics*, Vol. 2, p958-964.

Coffield R.D.Jr., Rohrer W.M.Jr. and Tong L.S., 1969, A subcooled DNB investigation of freon-113 and its similarity to subcooled water DNB data, *Nuclear Engineering and Design*11, 1969, p143-153.

Colebrook C.F., 1938, *J. Inst. Civil Engr.*, 11, 133.

Collier, J.G., 1981, *Convective boiling and condensation*, New York: McGraw Hill Publishers.

Dix, G.E., 1971, Vapor void fractions for forced convection with subcooled boiling at low flow rates, NEDO-10491, General Electric Company.

Doroshchuk, V.E., Levitan, L.L. and Lantzman, F.P., 1975, Investigation into burnout in uniformly heated tubes. ASME paper 75-WA/HT-22.

Fiori, M.P. and Bergles, A.E., 1970, Model of critical heat flux in subcooled flow boiling, 4th int. Heat Transfer Conf. Paris-Versailles, Vol.4, B6.3.

Fukayama, Y. and Hirata, M., 1982, Boiling heat transfer characteristics with high mass flux and disappearance of CHD following DNB, Proc. 7th Int. Heat Transfer Conf, Vol.4, p273-278.

Gambill W.R., and Greene N.D., Boiling burnout with water in vortex flow, Chemical Engineering Progress, Vol.54 (10), p68-76, 1958.

Gambill W.R. and Bundy R.D. and Wansbrough R.W., 1961, Heat transfer, burnout and pressure drop for water in swirl flow through tubes with internal twisted tapes, Chem. Eng. Progress Symposium Series, 57, 127-137.

Griffel, J., 1965, Forced convection boiling burnout for water in uniformly heated tubular test sections, Columbia Uni. Report NYO-187-7, May.

Groeneveld, D.C. and Snoek, C.W., 1984, A comprehensive examination of heat transfer correlation suitable for reactor safety analysis, Multiphase Science and Technology, Vol.2.

Groeneveld, D.C. and Snoek, C.W., Cheng, S.C. and Doan, T., 1986, 1986 AECL –UO critical heat flux look up data, Heat transfer engineering 7, 46-62.

Groeneveld, D.C., Leung, L.K.H et al., 1996, The 1995 look-up table for critical heat flux in tubes, Nuclear Engineering and Design, Vol.163, Nos.1-2, p1-23.

Gunther, F.C., 1951, Photographic study of surface boiling heat transfer to water forced convection, Trans. ASME. J. Heat Transfer, Vol.73, No.2, p115.

Harmathy T.Z., 1960, Velocity of large drops and bubbles in media of infinite and restricted extent, AIChE JI 6, 281-288.

Hancox, W.T and Nicoll, W.B., 1973, On the dependence of the flow-boiling heat transfer crisis on local near wall conditions, 73-HT-38, ASME.

Haramura Y. and Katto Y., 1983, A new hydrodynamic model of critical heat flux, applicable widely to both pool and forced convection boiling on submerged bodies in saturated liquids, Int. J. Heat Mass Transfer, 26, 389-399.

Hino, R. and Ueda, T., 1985, Study on heat transfer and flow characteristics in subcooled flow boiling – part 2, flow characteristics, Int. J. Multiphase Flow, Vol.11, No.3, 283-297.

Hebel, W., Detavernier, A. and Decreton, M., 1981, A contribution to the hydrodynamics of boiling crisis in a forced flow of water, Nuclear Engineering and Design, Vol.64, P433-445.

Hood R.R. and Isakoff L., 1962, Heavy water moderate power reactors progress report for June 1962, D.P.755.

Inasaka, F. and Nariai, H., 1987, Critical heat flux and flow characteristics of subcooled flow boiling in narrow tubes, JSME, Int. J., Vol.30, p1595.

Inasaka F. and Nariai H., 1989, Critical heat flux of subcooled flow boiling with water, Proc. of the NURETH-4, Vol.1, p115-120, 1989.

Jafri, T., Dougherty, T. J., and Yang B. W., 1995, Correlation of Critical Heat Flux Data for Uniform Tubes, Proceedings of the 7th International Meeting on Nuclear Reactor Thermal-Hydraulics, Sept. 1995, NURETH-7, NUREG/CP-0142, Vol. 4., pp. 3197 – 3217.

Jens W.H. and Lottes P.A., 1951, Analysis of heat flux burnout, pressure drops and density data for high pressure water, ANL-4627, May.

Kandlikar S.G., 1998, Heat transfer characteristics in partial boiling, fully developed boiling, and significant void flow regions of subcooled flow boiling, Transactions of the ASME, Journal of Heat Transfer, Vol. 120, No.2, 395-401.

Katto, Y., 1990a, A physical approach to critical heat flux of subcooled flow boiling in round tubes, Int. J. Heat Mass Transfer, Vol.33, No.4, p611-620.

Katto, Y., 1990b, Prediction of critical heat flux of subcooled flow boiling in round tubes, Int. J. Heat Mass Transfer, Vol.33, No.9, p1921-1928.

Katto Y., 1992, A prediction model of subcooled water flow boiling CHF for pressure in the range 0.1-20.0 MPa, Int. J. Heat Mass Transfer 35, 1115-1123.

Kinoshita H., Nariai H. and Inasaka F., 1998, Modeling of the subcooled flow boiling CHF in short tubes, ICONE6-6420.

Knobel D.H., Harris S.D., Crain B.Jr. and Biderman R.M., 1973, Forced-convection subcooled critical heat flux, DP-1306, E.I. Dupont de Nemours and Company, Feb. 1973.

Kroeger P.G. and Zuber N., 1968, An analysis of the effects of various parameters on the average void fractions in subcooled boiling, Int. J. Heat Mass Transfer, 11, 211-233.

Kusada, H. and Nishigawa, K., 1967, A study of nucleate boiling in liquid film, Mem. Faculty Engineering, Kyushu University, 27, 155.

Kutateladze, S.S and Leontiev A.I., 1966, Some applications of the asymptotic theory of the turbulent boundary layer, Vol.3, p1-6, AICHE, NY, 1966.

Kwon, Y.M., Suk, S.D. and Chang, S.H., 1999, Prediction of critical heat flux in highly subcooled convective boiling, 9th Int. Meeting on Nuclear Reactor Thermal Hydraulics.

Lahey R.T. and Moody F.J., 1977, *The Thermal-Hydraulics of a Boiling Water Nuclear Reactor*, Published by America Nuclear Society.

Lee C.H. and Mudarwar I., 1988, A mechanism critical heat flux model for subcooled flow boiling on local bulk flow conditions, *Int. J. Multiphase flow* 14, 711 -728.

Lee D.H. and Obertelli J.D., 1963, An experimental investigation of forced convection burnout in high pressure water, Part 1, Round tube with uniform flux distribution, AEEW-R213.

Leung, J.C.M., 1980, Transient critical heat flux and blowdown heat transfer studies. ANL report, NUREG/CR-1559; ANL-80-53.

Levy S., 1967, Forced convection subcooled boiling prediction of vapor volumetric fraction, *Int. J. Heat Mass Transfer*, 10, 951—965.

Lienard J.H., 1976, Correlation for the limiting liquid superheats, *Chem. Eng. Scie.*, 31-9, p847-849.

Liu W., Nariai H. and Inasaka F., 2000, Extremely High CHF Prediction for Subcooled Flow Boiling, *Proceedings of 8th International Conference on Nuclear Engineering*, ICONE8-8313.

Lopina R.F. and Bergles A.E., 1969, Heat transfer and pressure drop in tape-generated swirl flow of single-phase water, *J. Heat Transfer*, Vol.91, p8-13.

Loosemore C.S., and Skinner B.C., 1965, Subcooled critical heat flux for water in round tube, S.M. Thesis, Massachusetts Institute of Technology, Cambridge, Massachusetts.

Mattson, R.J., Hammit, F.G. and Tong, L.S., 1973, A photographic study of the subcooled flow boiling crisis in Froen-113, *ASME Paper*, 73-HT-39.

Matzner B., 1963, Basic experimental studies of boiling fluid flow and heat transfer at elevated pressure, T.I.D.18978.

Mayersak J., Raezer S.D. and Bunt E.A., 1964, Confirmation of Gambill-Greene straight flow burnout heat flux equation at high flow velocity, *Trans. ASME J. Heat Transfer*, Vol.86, p420-425.

Mesler, R., 1976, A mechanism supported by extensive experimental evidence to explain high heat fluxes observed during nucleate boiling, *AIChE, J.*, vol.22, No.2, 246-252.

Mishak S., Durant W.S. and Towell R.H., 1959, Heat flux at burnout, DP-35, E.I. Dupont de Nemours and Company.

- Molen, S.B.V. and Galjee, F.W.B.M., 1978, The boiling mechanism during burnout phenomena in subcooled two phase water flow, 6th Int. heat transfer conf., Vol.1, p381.
- Mudawar I., et al, 1999, Ultra-high critical heat flux (CHF) for subcooled water flow boiling-I: CHF data and parametric effects for small diameter tubes, Heat Mass Transfer 42 (1999) 1405-1428.
- Nariai H., Inasaka F. and Shimura T., 1987, Critical heat flux of subcooled flow boiling in narrow tube, Proc. of the 1987 ASME-JSME Thermal Engineering Joint Conference, p455-462.
- Nariai H., Inasaka F., Fujisaki W. et al 1991, Critical heat flux of subcooled flow boiling in tubes with internal twisted tapes, 7th proc. of Nuclear Thermal Hydraulics, p38-46.
- Nariai H., Inasaka F., Ishikawa A. and Kinoshita H., 1994, Effect of internal twisted tape on critical heat flux of subcooled flow boiling under non-uniform heating condition, (in Japanese) Trans. JSME (B), 60, 4215-4221.
- Ornatskii A.P., 1960, The influence of length and tube diameter on critical heat flux for water with forced convection and subcooling, Teploenergetika, Vol. 4, p67-69.
- Ornatskii A.P. and Kichigan A.M., 1962, Critical thermal loads during the boiling of subcooled water in small diameter tubes, Teploenergetika, Vol.6, p75-79.
- Ornatskii A.P. and Vinyarskii L.S., 1965, Heat transfer crisis in forced flow under heated water in small-bore tubes, High temperature, Vol.3 (3), p444-451.
- Papell, S.S., Simoneau, R. and Brown, D.D, 1966, Boyancy effects on critical heat flux of forced convection boiling in vertical flow, TND-3672, National Aeronautics and Space Agency.
- Pei B.S., 1981, Prediction of critical heat flux in flow boiling at low qualities, A dissertation submitted to the department of chemical and nuclear engineering college of engineering, Division of graduate education and research, University of Cincinnati.
- Purcupile, J.C and Gouse, S.W., Jr., 1972, Reynolds flux model of critical heat flux in subcooled forced convection boiling, ASME paper 72-HT-4.
- Rohsenow, W.M., 1985, Boiling handbook of heat transfer, chapter 12, Eds. Rohsenow, W.M., Hartnett, J.P and Ganic, E.N, New York: McGraw Hill Publishers.
- Saha P. and Zuber N., 1974, Point of net vapor generation and vapor void fraction in subcooled boiling, Proc. of the 5th International Heat Transfer Conference, Tokyo, paper B4.7.
- Schaefer J.W., and Jack J.R., 1962, Investigation of forced-convection nuclear boiling of

water for nozzle cooling at very high flux, Technical Note D-1214, NASA.

Smogalev, I.P., 1981, Calculation of critical heat fluxes with flow of subcooled water at low velocity, *Thermal Eng.*, Vol.28, No.4, p.208-211.

Spiegler P., et al, 1963, Shorter Communications: Onset of stable film boiling and the form limit, *Int. J. Heat Mass Transfer*, 6-11, P987-989.

Staub F.W. et al, 1969, Heat transfer and hydraulics – The effects of subcooled voids, Final report, NYO-3679-8.

Stephen S., Robert J. and Dweght D., 1966, Buoyancy effects on critical heat flux of forced convective boiling in vertical flow, NASA TN D-3672, Washington D.C., Oct.1966.

Styikovich, M.A., Newstrueva, E.I. and Dvorina, G.M., 1970, The effect of two phase flow pattern on the nature of heat transfer crisis in boiling, *Proc. 4th Int. Heat Transfer Conf.*, Vol.9, p360-362, Hemisphere, New York.

Sudo Y., 1996, Analytical study on characteristics of critical heat flux under high subcooling and high velocity condition, (in Japanese), *Trans. JSME (B)*, Vol. 62, No.594, Paper No. 95-0890, P311-318.

Thom J.R.S., Walker W. M., et al, 1965, Boiling in subcooled water during flow up heated tubes or annuli. Paper 6 presented at the symposium on boiling heat transfer in steam generation units and heat exchangers held in Manchester, IMECHE (London) 15-16, September.

Thompson R. V., and Macbeth, R., 1964, Boiling water heat transfer burnout in uniformly heat round tubes: a compilation of world data with accurate correlations, AEEW-R356.

Thorgerson E.J., 1969, Hydrodynamic aspect of the critical heat flux in subcooled convection boiling, Ph.D Thesis, University of South Carolina.

Thorgerson, E.J., Knoebel, D.H and Gibbons, J.G., 1974, A model to predict convective subcooled critical heat flux, *Int. J. Heat Mass Transfer*, Vol.96, p79-82.

Tolubinskiy, V.I and Matorin, A.S., 1973, Forced convection boiling heat transfer crisis with binary mixture, *Heat Transfer-Soviet Reseach*, Vol.5, No.2, 98-101.

Tong, L.S., Currin, H.B., Larsen, P.S. and Smith O.G., 1965, Influence of axially non-uniform heat flux on DNB, *AIChE symposium series*, Vol.64, p35-40.

Tong, L.S., Currin, H.B. and Thorp, A.G., 1968, An evaluation of the departure from nucleate boiling in bundles of reactor fuel rods. *Nuclear Science Eng.* Vol.33, p7-15.

Tong, L.S., 1969, Boundary layer analysis of the flow boiling crisis, *Int. J. Heat Mass Transfer*, Vol.11, p1208-1211.

Tong, L.S., 1972, Boiling crisis and critical heat flux, USAEC Report TID-25887.

Tong, L.S., 1975, A phenomenological study of critical heat flux, ASME paper 75-1-HT-68.

USSR Academy of Science 1977 Tabular data for calculating burnout when boiling water in uniformly heated round tubes. *Thermal Engineering*, p77-79.

Vandervort C.L., Bergles A.E. and Jensen M.K., 1992, The ultimate limits of forced convective subcooled boiling heat transfer, RPI Interim Report HTL-9 DE-FG02-89ER 14019.

Weatherhead R. J., 1963a, Heat transfer flow instability and critical heat flux in a small tube at 200 psia, A.N.L. 6715.

Weatherhead R. J., 1963b, Nucleate boiling characteristics and critical heat flux occurrence in sub-cooled axial-flow water systems, A.N.L.6675.

Weisman, J. and Hleslamlou, S., 1988, A phenomenological model for prediction of critical heat flux under highly subcooled conditions, *Fusion technology*, Vol. 13, P654-659.

Weisman J. and Pei B.S., 1983, Prediction of critical heat flux in flow boiling at low qualities, *Int. J. Heat Mass Transfer* 26, 1463-1477.

Weisman, J. and Ying, S.H., 1983, Theoretically based CHF prediction at low qualities, *Int. J. Heat Mass Transfer*, Vol.26, p1463-1477.

Zeigarnik Y.A., Privalov N.P. and Klimov A.L., 1981, Critical heat flux with boiling of subcooled water in rectangular-channel with one-sided supply of heat, *Thermal Engineering*, Vol.28 (1), p40-42.