

## ACKNOWLEDGMENT

I would like to express my sincere gratitude to Prof. S. Kojima for his valuable advice and discussion throughout this research.

I wish to thank Mr. K. Saruta and M. Mikami for their experimental supports for this works. I am also grateful to the present and previous members of Kojima laboratory, Mr. Y. Ikeuchi, Mr. T. Yamaura, Dr. X. Dong, Mr. S. Zhang, Dr. M. Ahart, Mr. I. Saito, Mr. G. Matsui, Mr. H. Jiang, Mr. N. Ohta and Dr. M. Maczka. I have been encouraged and supported at different stages during my stay in Japan.

The kind advice on TDR technique and the supply of TDR software by Dr. Y. Amo and Prof. Y. Tominaga, Ochanomizu University are gratefully acknowledged.

Thanks are given to the Sasakawa Scientific Research Grant, Japan Science Society for financial support.

I would like to appreciate that the scholarships by Association of International Education, Japan (AIEJ), Tenroku Foundation and Rotary Yoneyama Memorial Foundation enable me to study at the University of Tsukuba. I am deeply indebted to every member of Tamatsukuri rotary club, especially my counselor, Mr. Y. Hashizume, for their kind advice and encouragement.

Finally, I would like to thank my family for their continuous concerning. This thesis is dedicated to my family.