

## 7. 参考文献

- 1) 小林正信, 小野晃:「放射温度計測の基礎と応用」, *熱物性* 5-1 (1991) pp. 12-19.
- 2) 服部 晋, 佐久間史洋:「狭波長帯域放射温度計の特性表示式」, *計測自動制御学会論文集* 18-7 (1987) pp. 704-709.
- 3) 長谷川正義・三島良績:「原子炉材料ハンドブック」(日刊工業新聞社, 1977).
- 4) 「核融合炉設計及び研究開発の現状と課題」, (日本原子力学会, 1983).
- 5) 野村茂昭・渡辺光則:「回収・再使用型耐熱タイルの加熱実験」, *日本航空宇宙学会誌*, 31-357 (1983) pp. 9-14.
- 6) 工藤賢司・升谷五郎・鎮西信夫:「空気吸入ロケットを用いた宇宙輸送機」, *日本航空宇宙学会誌*, 34-384 (1986) pp. 2-8.
- 7) K. D. Maglič, A. Cezairliyan, V. E. Peletsky: “*Compendium of Thermophysical Property Measurement Methods Vol. 1 - Survey of Measurement Techniques, Vol. 1*”, (Plenum Press, New York, 1984).
- 8) K. D. Maglič, A. Cezairliyan, V. E. Peletsky: “*Compendium of Thermophysical Property Measurement Methods Vol. 2 - Recommended Measurement Techniques and Practices*”, (Plenum Press, New York, 1992).
- 9) 「熱物性ハンドブック」, (養賢堂, 1990).
- 10) JIS A 1413「保温材の熱伝導率測定方法(平板直接法)」, (日本規格協会, 1977).
- 11) JIS A 1412「保温材の熱伝導率測定方法(平板比較法)」, (日本規格協会, 1977).
- 12) A. Ono, T. Baba, H. Funamoto, and A. Nishikawa: “Thermal Conductivity of Diamond Films Synthesized by Microwave Plasma CVD”, *Japan. J. Appl. Phys.*, 25-10 (1986) pp. L808-L810.
- 13) A. Ono, T. Baba, T. Matsumoto, H. Funamoto, A. Nishikawa, and K. Takahashi: “A Thermal Conductivity Measurement Method for Electrically Non-Conducting Thin Films Based on Radiation Heat Exchange”, *Proc. Second Asian Thermophysical Properties Conference*, (1989) pp.473-478.
- 14) 日本熱測定学会編:「熱量測定・熱分析ハンドブック」(丸善, 1998), pp. 44-46.
- 15) A. Inaba: “An Adiabatic Calorimeter for Use at Intermediate and Higher Temperatures; The Heat Capacity of Synthetic Sapphire ( $\alpha$ -Al<sub>2</sub>O<sub>3</sub>) from 70 to 700K”, *J. Chem. Thermodynamics* 15 (1983) pp. 1137-1143.
- 16) 長崎誠三:「熱分析実験技術入門 第2集」, (真空理工株式会社, 1982).
- 17) Y. Takahashi: “Latent Heat Measurement by DSC with Sapphire as Standard Material”, *Thermochimica Acta*, 88 (1985) pp. 199-204.
- 18) Y. Takahashi: “Heat Capacities and Latent Heats of LiNO<sub>3</sub>, NaNO<sub>3</sub>, and KNO<sub>3</sub>”, *ETL Technical Report*, TR-88-2 (1987).
- 19) 小野 晃:「固体の高温放射率測定とスペクトルデータ」, *日本金属学会会報* 26-1 (1987) pp. 9-15.
- 20) A. Ono: “A Hemispherical Mirror Method for the Measurement of Directional Spectral Emissivity of Diffuse Opaque Surfaces”, *Proc. 8th Symposium on Thermophysical Properties*, 2 (1981) pp. 133-137.
- 21) A. Ono: “Evaluation of the Effective Emissivity of Reference Sources for the Radiometric Emissivity Measurements”, *Int. J. Thermophys.*, 7-2 (1986) pp. 443-453.
- 22) H. Masuda and M. Higano: “Transient Calorimetric Technique for Measuring Total Hemispherical Emissivities of Metals With Rigorous Evaluation of Heat Loss Through Thermocouple Leads”, *J. Opt. Soc. Am. A* 2-11 (1985) pp. 1877-1882.
- 23) 増田英俊, 佐々木世次, 日向野三雄, 佐々木博志:「非定常熱量法による金属の比熱と全半球ふく射率の同時測定法」, *日本機械学会論文集(B)* 56-522 (1990) pp. 283-288.

- 24) R. W. Powell and R. E. Taylor: "Multi-Property Apparatus and Procedure for High Temperature Determinations", *Rev. Int. Hautes Temper. et. Refract.*, t.7 (1970) pp. 298-304.
- 25) R. E. Taylor: "Determination of Thermophysical Properties by Direct Electric Heating", *High Temp. - High Press.*, 13 (1981) pp. 9-22.
- 26) I. Takahashi, A. Sugawara, H. Igawa, and H. Mifune: "Precise Measurement of Thermophysical Properties of Solids by a Direct Electrical Heating Method. III.; Measurement of Thermal Diffusivity and Theoretical Evaluation of Accuracy", *Heat Transfer - Jpn. Res. (USA)* 17-6 (1988) pp. 74-94
- 27) A. G. Worthing, *Phys. Rev.* 12 (1918) pp. 199-255.
- 28) E. Lapp, *Ann. Phys.* 12 (1929) pp. 442-521.
- 29) B. Kurrelmeyer, W. H. Mais, and E. H. Green, *Rev. Sci. Instr.* 14 (1943) pp. 349-355.
- 30) A. Avramescu, *Z. Tech. Phys.* 20 (1939) pp. 213-217.
- 31) H. W. Baxter, *Nature* 153 (1944) p. 316.
- 32) A. M. Nathan, *J. Appl. Phys.* 22 (1951) p. 234-235.
- 33) R. E. Taylor and R. A. Finch, *J. Less-Common Metals* 6 (1964) p. 283-294.
- 34) A. Cezairliyan, M. S. Morse, H. A. Berman, and C. W. Beckett : "High-Speed Measurement of Heat Capacity, Electrical Resistivity, and Thermal Radiation Properties of Molybdenum in the Range 1900 to 2800K", *J. Res. Nat. Bur. Stand.*, 74A-1 (1970) pp. 65-92.
- 35) A. Cezairliyan, J. L. McClure, and C. W. Beckett: "High-Speed Measurement of Heat Capacity, Electrical Resistivity, and Thermal Radiation Properties of Tantalum in the Range 1900 to 3200 K", *J. Res. Nat. Bur. Stand.*, Vol. 75A-1 (1971) pp. 1-13.
- 36) A. Cezairliyan and J. L. McClure: "High-Speed Measurement of Heat Capacity, Electrical Resistivity, and Thermal Radiation Properties of Tungsten in the Range 2000 to 3600K", *J. Res. Nat. Bur. Stand.* (U. S.) 75A-4 (1971) pp. 283-290.
- 37) A. Cezairliyan: "Design and Operational Characteristics of a High-Speed System for the Measurement of Thermophysical Properties at High Temperatures", *J. Res. Nat. Bur. Stand.*, 75C-1 (1971) pp. 7-18.
- 38) A. Cezairliyan and A. P. Miiller: "Specific Heat Capacity and Electrical Resistivity of a Carbon-Carbon Composite in the Range 1500-3000 K by a Pulse Heating Method", *Int. J. Thermophys.*, 1-3 (1980) pp. 317-330.
- 39) A. Cezairliyan: "Measurement of the Heat Capacity of Molybdenum (Standard Reference Material) in the Range 1500-2800 K", *Int. J. Thermophys.*, Vol. 4-2 (1983) pp. 159-171.
- 40) A. Cezairliyan: "A Dynamic Technique for Measurements of Thermophysical Properties at High Temperatures", *Int. J. Thermophys.*, 5-2 (1984) pp. 177-193.
- 41) A. Cezairliyan and A. P. Miiller: "Heat Capacity and Electrical Resistivity of POCO AXM-5Q1 Graphite in the Range 1500-3000 K by a Pulse-Heating Technique", *Int. J. Thermophys.*, 6-3 (1985) pp. 285-300.
- 42) A. Cezairliyan and J. L. McClure: "A Microsecond-Resolution Transient Technique for Measuring the Heat of Fusion of Metals: Niobium", *Int. J. Thermophys.*, 8-5 (1987) pp. 577-592.
- 43) A. Cezairliyan and A. P. Miiller: "A Dynamic Technique for Thermophysical Measurements at High Temperatures in a Microgravity Environment", *Int. J. Thermophys.*, 11 (1990) pp. 653-662.
- 44) F. Righini and A. Rosso: "Measurement of Thermophysical Properties by a Pulse-Heating Method; Platinum from 1000 K to the Melting Point", *High Temp. - High Press.*, 12 (1980) pp. 335-349.
- 45) F. Righini and A. Rosso: "Heat Capacity and Electrical Resistivity of SRM Molybdenum (1300-2500 K)", *Int. J. Thermophys.*, 4 (1983) pp. 173-181.
- 46) F. Righini, R. B. Roberts, and A. Rosso: "Measurement of Thermophysical Properties by a Pulse-Heating Method : Niobium in the Range 1000-2500 K", *Int. J. Thermophys.*, 6-6 (1985) pp. 681-693.

- 47) F. Righini, G. C. Bussolino, A. Rosso, and R. B. Roberts: "Thermal Conductivity by a Pulse-Heating Method: Theory and Experimental Apparatus", *Int. J. Thermophys.*, 11 (1990) pp. 629-641.
- 48) I. Ya. Dikhter and S. V. Lebedev, *High Temp.* (USSR), 8 (1970) pp. 51-54.
- 49) S. V. Lebedev and G. I. Mozharov, *High Temp.* (USSR), 15 (1977) pp. 45-48.
- 50) G. R. Gathers: "Fast Transient Thermophysical Measurements at Livermore", *Int. J. Thermophys.*, 11 (1990) pp. 693-708.
- 51) R. Gallob, H. Jager, and G. Pottlacher: "A Submicrosecond Pulse Heating System for the Investigation of Thermophysical Properties of Metals at High Temperatures", *Int. J. Thermophys.* 7-1(1986) pp. 139-147.
- 52) E. Kaschnitz, G. Pottlacher, and H. Jager: "A New Microsecond Pulse-Heating System to Investigate Thermophysical Properties of Solid and Liquid Metals", *Int. J. Thermophys.*, 13-4 (1992) pp. 699-710.
- 53) K. Naito, H. Inaba, M. Ishida, and K. Seta: "Measurement of Heat Capacity of Semiconducting Materials by Direct Heating Pulse Method at High Temperatures", *J. Phys. E: Sci. Instrum.*, 12 (1979) pp. 712-718.
- 54) K. Seta, T. Matsui, H. Inaba, and K. Naito: "Heat Capacity and Electrical Conductivity of Non-Stoichiometric  $U_4O_9$ -Y from 300 to 1200 K", *J. Nucl. Mater.*, 110 (1982) pp. 47-54.
- 55) 松本 毅, 小野 晃:「放射冷却を用いた微小試験片の熱伝導率測定」, 第10回日本熱物性シンポジウム講演論文集(1989) pp. 87-90.
- 56) Y. S. Touloukian, R. W. Powell, C. Y. Ho, and P. G. Klemens, *Thermophysical Properties of Matter Vol. 1*, (Purdue Research Foundation, IFI/Prenum, 1978), pp. 1164-1175.
- 57) 松本 毅, 小野 晃:「放射冷却を用いた熱伝導率測定誤差の数値解析」, 第10回日本熱物性シンポジウム講演論文集(1989) pp. 83-86.
- 58) 松本 毅, 小野 晃, 佐野武司:「放射熱交換を利用した微小試験片による低熱伝導性材料の熱伝導率測定」, 第11回日本熱物性シンポジウム講演論文集(1990) pp. 31-34.
- 59) T. Matsumoto and A. Ono: "Radiative Heat Exchange Method for Thermal Conductivity Measurement Applying a Perpendicular Heat Flow to a Thin Plate Sample: Principle and Apparatus", *Int. J. Thermophys.*, 12-5 (1991) pp. 897-910.
- 60) 田北善暉, 私信
- 61) Y. S. Touloukian, R. W. Powell, C. Y. Ho, and P. G. Klemens, *Thermophysical Properties of Matter Vol. 2*, (Purdue Research Foundation, IFI/Prenum, 1978).
- 62) 松本 毅, 小野 晃:「放射熱交換を用いたパイロセラム標準試料の熱伝導率測定」, 第12回日本熱物性シンポジウム講演論文集 (1991) pp. 13-16.
- 63) 松本 毅, 小野 晃:「放射熱交換を用いたパイロセラム標準試料の熱伝導率測定(II)」, 第13回日本熱物性シンポジウム講演論文集 (1992) pp. 129-132.
- 64) L. C. Hulstrom, R. P. Tye, and S. E. Smith: "Round Robin Testing of Thermal Conductivity Reference Materials", *Thermal Conductivity*, 19 (1988) pp. 199-211.
- 65) 松本 毅, 小野 晃, 佐野武司:「放射熱交換を利用した簡易測定法による熱伝導率測定」, *熱物性*, 9-2 (1995) pp. 89-91.
- 66) T. Matsumoto and A. Ono: "Method and Apparatus for Specific Heat Capacity and Emissivity Measurements of Ribbon-Shaped Samples Using Pulse Current Heating", *High Temp. - High Press.*, 25 (1993) pp. 525-530.
- 67) T. Matsumoto and A. Ono: "Specific Heat Capacity and Hemispherical Total Emissivity Measurements of Ribbon-Shaped Graphite Using Pulse Current Heating", *Int. J. Thermophys.* 16-1 (1995) pp. 267-275.
- 68) T. Matsumoto and A. Cezairliyan: "A Combined Transient and Brief Steady-State Technique for Measuring Hemispherical Total Emissivity of Electrical Conductors at High Temperatures: Application to Tantalum", *Int. J. Thermophys.* 18-6 (1997) pp. 1539-1556.

- 69) T. Matsumoto, A. Cezairliyan, and D. Basak: "Hemispherical Total Emissivity of Niobium, Molybdenum, and Tungsten at High Temperatures Using a Combined Transient and Brief Steady-State Technique", *Int. J. Thermophys.* 20-3 (1999) pp. 943-952.
- 70) T. Matsumoto and A. Ono: "A Measurement Technique for Hemispherical Total Emissivity Using a Feedback-Controlled Pulse Current Heating", *High Temp. - High Press.*, 32 (2000) pp. 67-72.
- 71) S. Krishnan, P. C. Nordine, and J. K. R. Weber: "Emissivity and Temperature Measurement by Laser Polarimetry and Spectral Radiometry", in *Temperature, its Measurement and Control in Science and Industry, Vol 6, Part 2*, (American Institute of Physics, 1992) p. 943.
- 72) A. Cezairliyan, S. Krishnan, and J. L. McClure: "Simultaneous Measurements of Normal Spectral Emissivity by Spectral Radiometry and Laser Polarimetry at High Temperatures in Millisecond-Resolution Pulse-Heating Experiments: Application to Molybdenum and Tungsten", *Int. J. Thermophys.*, Vol. 17 (1996), pp. 1455-1473.
- 73) A. Cezairliyan, S. Krishnan, D. Basak, and J. L. McClure: "Application of Laser Polarimetry to the Measurement of the Specific Heat Capacity of Molybdenum in the Range 2000 to 2800 K by a Pulse-Heating Technique", *Int. J. Thermophys.* 19-4 (1998) pp. 1267-1276.
- 74) A. Cezairliyan, J. L. McClure, and A. P. Müller: "Radiance Temperatures (in the Wavelength Range 520-906 nm) of Tantalum at Its Melting Point by a Pulse-Heating Technique", *High Temp. - High Press.*, 25 (1993) pp. 649-656.
- 75) A. P. Müller and A. Cezairliyan: "Radiance Temperatures (in the Wavelength Range 521-906 nm) of Molybdenum at Its Melting Point by a Pulse-Heating Technique", *Temperature Vol. 6* (1992) pp. 769-774.
- 76) A. P. Müller and A. Cezairliyan: "Radiance Temperatures (in the Wavelength Range 519-906 nm) of Tungsten at Its Melting Point by a Pulse-Heating Technique", *Int. J. Thermophys.*, 14-3 (1993) pp. 511-524.
- 77) J. P. Hiernaut, R. Beukers, M. Hoch, T. Matsui, and R. W. Ohse : "Determination of the Melting Point and of the Spectral and Total Emissivities of Tungsten, Tantalum, and Molybdenum, in the Solid and Liquid States with a Six-Wavelength Pyrometer", *High Temp. -High Press.*, 18(1986) pp. 627 -633.
- 78) A. G. Worthing and W. E. Forsythe: "Total Emissive Power and Resistivities of W at Incandescence", *Phys. Rev.* 18 (1921) p. 144.
- 79) A. G. Worthing: "Physical Properties of Well Seasoned Mo and Ta as a Function of Temperature", *Phys. Rev.* 28 (1926) p. 190.
- 80) W. E. Forsythe and E. M. Watson: "Resistance and Radiation of W as a Function of Temperature", *J. Opt. Soc. Am.* 24 (1934) p. 114.
- 81) L. Malter and D. B. Langmuir: "Resistance, Emissivities and Melting Point of Ta", *Phys. Rev.* 55 (1939) pp. 743.
- 82) R. J. Jenkins, W. J. Parker, and C. P. Butler: "A Method Determining the Thermal Properties of Metals Above 1000 K Using Electrically Heated Wires", *U.S. Naval Res. and Dev. Lab.* (1959) p. 24.
- 83) R. D. Allen, L. F. Glasier, Jr., and P. L. Jordan: "Spectral Emissivity, Total Emissivity, and Thermal Conductivity of Mo, Ta, and W above 2300 K", *J. Appl. Phys.* 31 (1960) p. 1382.
- 84) R. L. Rudkin, W. J. Parker, and R. J. Jenkins: in *Temperature - Its Measurement and Control in Science and Industry*, Vol. 3, Part 2, C. M. Herzfeld, ed. (Reinhold, New York, 1962), pp. 523-534.
- 85) G. L. Abbott, N. J. Alvares, and W. J. Parker: "Total Normal and Total Hemispherical Emittance of Polished Metals-Part II", *U.S. Naval Rad. Def. Lab.* (1962) p.1-13.
- 86) W. H. Askwyth, R. J. Yahes, R. D. House, and G. Mikk, *NASA-CR-56496, 56497, 56498* (1962).
- 87) V. A. Petrov, V. Ya. Chekhovskoi, and A. E. Sheindlin: "Experimental Determination of the Integral Emissivity of Metals and Alloys at High Temperatures", *High Temperature* 1 (1963) p. 19.
- 88) G. L. Abbott: "Total Normal and Total Hemispherical Emittance of Polished Metals-Part III", *U.S. Naval Rad. Def. Lab.* (1963) p. 1.

- 89) A. R. Gordon and G. F. Muchnik: "Determination of the Emissivity of the Integral Degree of Blackness of Metals as a Function of the Surface Roughness", *High Temperature* 2 (1964) p. 258.
- 90) V. E. Peletskii and V. Yu. Voskresenskii: "Thermophysical Properties of Ta at Temperature Above 1000°C", *High Temperature* 4 (1966) p. 329.
- 91) L. I. Kunyryna and A. S. Titkov: "One Method of Measuring Reduced Emissivities for a Coaxial System of Surfaces", *High Temperature* 4 (1966) p. 394.
- 92) V. A. Petrov, V. Y. Chekhovskoi, and A. E. Sheindlin: "Integral Hemispherical Radiating Power and Specific Electrical Resistance of Ta in the Temperature Interval 1200-2800 K", *High Temperature* 6 (1968) p. 525.
- 93) B. E. Neimark and L. K. Voronin: "Thermal Conductivity, Specific Electrical Resistivity and Total Emissivity of Refractory Metals at High Temperatures", *High Temperature* 6 (1968) p. 999.
- 94) R. E. Taylor, W. D. Kimbrough, and R. W. Powell: "Thermophysical Properties of Ta, W, and Ta-10 wt. % W at High Temperatures", *J. Less Common Metals* 24 (1971) p. 369.
- 95) G. A. Zhorov: "Electrical Resistivity and Emissivity of Some Transition Metals and Alloys in the High Temperature Range", *High Temperature* 10 (1972) p. 1202.
- 96) A. M. Rakov and B. A. Khrustalev: "Experimental Determination of High-Temperature Radiative Properties of Solids", *Heat Transfer - Sov. Res.* 11 (1979) p. 121.
- 97) L. A. Wojcik, A. J. Sievers, G. W. Graham, and T. N. Rhodin: "Total Hemispherical Emissivity of W (100)", *J. Opt. Soc. Am.* 70 (1980) p. 443.