

## 本研究に関わる発表論文と学会発表

### 学術論文（筆頭著者）

"An electron trap related to phosphorus deficiency in high-purity InP grown by metalorganic chemical vapor deposition",

N. Yamamoto, K. Uwai, and K. Takahei,  
J. Appl. Phys. **65** (1989) 3072-3075.

"C-V analysis of electrical properties for pn heterointerface in InP/InGaAsP double-heterojunction laser diode",

N. Yamamoto, K. Yokoyama, and M. Yamamoto,  
Jpn. J. Appl. Phys. **30** (1991) L1722-L1725.

"Carrier profile evaluation for a Zn-doped InGaAsP/InGaAsP multiquantum well using a low-temperature capacitance-voltage method",

N. Yamamoto, K. Yokoyama, and M. Yamamoto,  
Appl. Phys. Lett. **62** (1993) 252-254.

"Electrical evaluation of damage on the side walls of InP mesa structures fabricated by reactive ion etching with methane and hydrogen",

N. Yamamoto, H. Mawatari, and K. Kishi,  
Appl. Phys. Lett. **72** (1998) 3187-3189.

"Electrical evaluation of InP surface damage caused by reactive ion etching (RIE) with a mixture of methane ( $\text{CH}_4$ ) or ethane ( $\text{C}_2\text{H}_6$ ) and hydrogen ( $\text{H}_2$ )",

N. Yamamoto, K. Kishi, S. Matsumoto, Y. Kadota, R. Iga, H. Okamoto, and H. Mawatari,  
J. Vacuum Science and Technology **B15** (1997) 103-108.

"Electrical drift phenomenon due to deep donor defects induced by reactive ion etching (RIE) using mixture of ethane ( $\text{C}_2\text{H}_6$ ) and hydrogen ( $\text{H}_2$ )",

N. Yamamoto, K. Kishi, S. Matsumoto, Y. Kadota, R. Iga, H. Okamoto, and H. Mawatari,  
Jpn. J. Appl. Phys. **36** (1997) L655-L657.

"Ammonium sulfide Combined Etching (ACE): An effective treatment for reducing impurities prior to MOVPE InP regrowth in a process using hydrocarbon gas RIE",

N. Yamamoto, K. Kishi, Y. Kondo, S. Matsumoto, R. Iga, Y. Kadota, H. Okamoto, and H. Mawatari,  
J. Crystal Growth, J. Crystal Growth **193** (1998) 16-22.

"Very low threshold graded-index separate-confinement-heterostructure strained InGaAsP single-quantum-well lasers",

N. Yamamoto, K. Yokoyama, T. Yamanaka, and M. Yamamoto,  
Electron. Lett. **30** (1994) 243-244.

"Design and fabrication of low-threshold 1.55- $\mu\text{m}$ -graded-index separate confinement strained InGaAsP single quantum well laser diodes",

N. Yamamoto, K. Yokoyama, T. Yamanaka, and M. Yamamoto,  
IEEE J. Quantum Electronics **33** (1997) 1141-1148.

"Design criteria of 1.3- $\mu\text{m}$  multiple-quantum-well lasers for high-temperature operation", N. Yamamoto, S. Seki, Y. Noguchi, and S. Kondo,  
IEEE Photon. Technol. Lett. **12** (2000) to be published.

"Selective area growth of GaAs by electron-cyclotron resonance plasma-excited molecular-beam epitaxy (ECR-MBE)",

N. Yamamoto, N. Kondo, and Y. Nanishi,  
J. Crystal Growth **96** (1989) 705-707 (Letter to the editor).

"Desorption process of Ga atoms from the mask surface in selective area growth of GaAs by electron-cyclotron-resonance plasma-excited molecular-beam epitaxy (ECR-MBE)",

N. Yamamoto, N. Kondo, and Y. Nanishi,  
J. Crystal Growth **108** (1991) 433-435 (Letter to the editor).

"Electrical properties of GaAs selectively grown by electron cyclotron resonance plasma-excited molecular beam epitaxy",

N. Yamamoto, N. Kondo, and Y. Nanishi,  
Appl. Phys. Lett. **58** (1991) 604-606.

### 学術論文（共著者）

"Gain saturation coefficients of strained-layer multiple quantum-well distributed feedback lasers",  
H. Yasaka, K. Takahata, N. Yamamoto, and M. Yamamoto,  
IEEE Photon. Technol. Lett. **3** (1991) 879-882.

"Reduction of linewidth enhancement factor in InGaAsP/InP modulation-doped strained multi-quantum-well lasers",

F. Kano, T. Yamanaka, N. Yamamoto, Y. Yoshikuni, H. Mawatari, Y. Tohmori, M. Yamamoto,  
and K. Yokoyama,  
IEEE J. Quantum Electronics **29** (1993) 1553-1559.

"Linewidth enhancement factor in InGaAsP/InP modulation-doped multi-quantum-well lasers",  
F. Kano, T. Yamanaka, N. Yamamoto, H. Mawatari, and Y. Tohmori.

IEEE J. Quantum Electronics **30** (1994) 533-537.

"MOVPE growth of strained InAsP/InGaAsP quantum well structures for low threshold 1.3  $\mu\text{m}$  LDs",

M. Yamamoto, N. Yamamoto, and J. Nakano,  
IEEE J. Quantum Electronics **30** (1994) 554-561.

"Metalorganic molecular beam epitaxial growth of highly uniform InGaAsP quantum well structures using an indium-free holder",

H. Sugiura, M. Mitsuhashi, R. Iga, and N. Yamamoto,  
J. Crystal Growth **141** (1994) 299-303 (Letter to the Editors).

"Metalorganic molecular beam epitaxy of 1.3  $\mu\text{m}$  wavelength tensile-strained InGaAsP multi-quantum-well lasers",

H. Sugiura, M. Itoh, and N. Yamamoto, M. Ogasawara, K. Kishi, and Y. Kondo,  
Appl. Phys. Lett. **68** (1996) 3213-3215.

"MOMBE growth of highly tensile-strained InGaAsP MQWs and their applications to 1.3- $\mu\text{m}$  wavelength low threshold current lasers",

H. Sugiura, M. Ogasawara, M. Mitsuhashi, N. Yamamoto, and M. Itoh,  
J. Crystal Growth **175/176** (1997) 1205-1209.

#### 国際会議プロシーディング（主著者）

"C-V measurement of InGaAsP/InP heterointerface",

N. Yamamoto, K. Yokoyama, and M. Yamamoto,

Tenth Record of Alloy Semiconductor Physics and Electronics Symposium, Nagoya, 1991, pp. 285-290.

"Evaluation of pn Junction Interfaces in InGaAsP/InGaAsP MQW LD by the C-V Method",

N. Yamamoto, and M. Yamamoto,

Proc. of First Int. Symp. on Control of Semiconductor Interfaces, Karuizawa, 1993, pp.561-566.

"Evaluation of p-n junction shift by the capacitance-voltage method",

N. Yamamoto and M. Yamamoto,

J. Crystal Growth **145** (1994) 941-946.

(Proc. of the 7th Int. Conf. on Metalorganic Vapor Phase Epitaxy, Yokohama, 1994)

"Electrical evaluation of dry etching damage on the side walls of msa structures",

N. Yamamoto, H. Mawatari, and K. Kishi,

Jpn J. Appl. Phys. **38** (1999) 1143-1146.

Proc. of Int. Conf. on Indium Phosphide and Related Materials, Tsukuba Japan, 1998, p.467-470.

"Electrical evaluation of InP surface damage by reactive ion etching (RIE) using mixture of ethane (C<sub>2</sub>H<sub>6</sub>) and hydrogen (H<sub>2</sub>)",

N. Yamamoto, K. Kishi, S. Matsumoto, R. Iga, H. Okamoto, and H. Mawatari,

Materials Science and Engineering B44 (1997) 61-64.

(Proc. of Third Int. Workshop on Expert Evaluation and Control of Compound Semiconductor Materials and Technologies, Feiburg Germany, 1996)

"Effect on regrowth interface quality of a new treatment, ACE (Ammonium sulfide Combined Etching) in a process using hydrocarbon gas RIE to fabricate InP-based BH-LDs",

N. Yamamoto, K. Kishi, Y. Kondo, S. Matsumoto, Y. Kadota, H. Okamoto, H. Mawatari, H. Oohashi, and Y. Suzuki,

Proc. of Int. Conf. on Indium Phosphide and Related Materials, Hyannis USA, 1997, p.614-617.

"Design and fabrication of low threshold GRIN-SCH strained InGaAsP/InGaAsP SQW laser diodes",

N. Yamamoto, K. Yokoyama, T. Yamanaka, and M. Yamamoto,

Proc. of Symp. on Logic and Functional Devices for Photonics and SOTAPOCS XVII Vol. 93-10, Toronto Canada , 1992, pp. 53-58.

"Plasma-controlled selective area growth of GaAs by electron-cyclotron resonance plasma-excited molecular-beam epitaxy (ECR-MBE)",

N. Yamamoto, N. Kondo, and Y. Nanishi,

J. Crystal Growth 99 (1990) 302-305.

(Proc. of Ninth Int. Conf. on Crystal Growth, Sendai, 1989)

## 国際会議発表（主著者）

"Low-temperature capacitance-voltage (C-V) measurement for modulation-doped InGaAsP/InP MQW grown by MOVPE",

N. Yamamoto, K. Yokoyama, and M. Yamamoto,

The 7th Int. Conf. on Vapour Growth and Epitaxy, Nagoya, 1991.

"Selective area growth of GaAs by electron-cyclotron resonance plasma-excited molecular-beam epitaxy (ECR-MBE)",

N. Yamamoto, N. Kondo, and Y. Nanishi,

The 5th Int. Conf. on Molecular Beam Epitaxy (Post deadline paper), Sapporo, 1988

## 国際会議プロシーディング（共著者）

"GaAs epitaxial growth by ECR-MBE",

N. Kondo, Y. Nanishi, T. Shibata, N. Yamamoto, and M. Fujimoto,

Mat. Res. So. Symp. Proc. Vol.223 (1991) 179-190.  
(MRS Spring Meeting, Anaheim, USA, 1991)

"MOVPE growth of strained InAsP/InGaAsP quantum well structures for low threshold 1.3  $\mu\text{m}$  LDs",

M. Yamamoto, N. Yamamoto, and J. Nakano,  
Proc. of Int. Conf. on Indium Phosphide and Related Materials, Paris, 1993,  
p. 231-234 (Best Paper Award).

"Spectral linewidth and linewidth enhancement factor in 1.5  $\mu\text{m}$  InGaAsP/InP modulation-doped strained MQW lasers",

H. Mawatari, F. Kano, N. Yamamoto, Y. Kondo, Y. Tohmori, and Y. Yoshikuni,  
Jpn. J. Appl. Phys. 33 (1994) 811-814.  
(Proc. of Int. Conf. on Solid State Devices and Materials, Chiba, 1993, D-7-1)

#### 国際会議発表（共著者）

"Reduction of linewidth enhancement factor in InGaAsP/InP modulation-doped strained MQW LDs",

F. Kano, T. Yamanaka, N. Yamamoto, Y. Yoshikuni, H. Mawatari, Y. Tohmori, M. Yamamoto,  
and K. Yokoyama,  
The 13th IEEE Int. Semiconductor Laser Conf., Takamatsu, 1992, C-6.