

Bibliography

- [1] C-K Toh, "Wireless ATM and ad-hoc Networks," Kluwer Academic Publishers, (1999)
- [2] D. Raychaudhuri, "WATMnet: A Prototype Wireless ATM System for Multimedia Personal Communication," IEEE J. Select. Areas Commun., Vol. 15(1), pp. 83–95(1997).
- [3] H.Xie, P.Narasimhan, R.Yuan and D.Raychaudhuri, "Data link control protocols for wireless ATM access channels," 4th IEEE ICUPC, pp.753–756, Nov. 1995.
- [4] J. G. Proakis, "Digital Communications," McGraw-Hill, 3rd edition, (1995).
- [5] D. J. Costello, J. Hagenauer, H. Imai and S. B. Wicker, "Applications of Error-Control Coding," IEEE Trans. Infor. Theory, Vol. 44(6), pp. 2531–2560(1998).
- [6] S. Lin and D. J. Costello and M. J. Miller, "Automatic-repeat-request Error-control Schemes," IEEE Commun. Mag., Vol. 22(12), pp. 5–17(1984).
- [7] M. D. Prycher, "Asynchronous Transfer Mode: Solutions for Broadband ISDN," Ellis Horwood, 3nd edition, (1995).
- [8] D. Moore and M. Rice, "Variable Rate Error Control for Wireless ATM Networks," Proc. of ICC, pp. 988–992(1995).
- [9] S. Aikawa, Y. Motoyama, and M. Umehira, "Forward Error Correction Schemes for Wireless ATM," Proc. of ICC, pp. 454–458(1996).
- [10] C. Berrou, A. Glavieux and P. Thitimajshima, "Near Shannon Limit Error-correcting Coding and Decoding: Turbo Codes," Proc. of ICC, pp. 1064–1070(1993).
- [11] Z. Sun, S. Kimura and Y. Ebihara, "Adaptive Two-level Unequal Error Protection Convolutional Code Scheme for Wireless ATM Networks," Proc. of INFO-COM, pp. 1693–1697(2000).

- [12] Z. Sun, S. Kimura and Y. Ebihara, "A Study on Hybrid ARQ Scheme for Wireless ATM," Proc. of YRP Telecom Summit, pp. 71-72(2000)
 - [13] Z. Sun, S. Kimura, and Y. Ebihara, "Structure Properties of Punctured Convolutional Codes and their Applications," IEICE Trans. Commun., vol. 82(9), pp. 1432-1438(1999).
 - [14] Z. Sun, S. Kimura and Y. Ebihara, "Performance Analysis of Two Rate Punctured Convolutional Code Scheme for Wireless ATM Networks," Proc. of 2nd MMNS, pp. 97-102(2000).
 - [15] Z. Sun, S. Kimura and Y. Ebihara, "Two Protection Level Turbo Code Scheme for Wireless ATM," Proc. of ICOIN-14, pp. 2A1.1-2A1.5(2000).
 - [16] Z. Sun, S. Kimura, and Y. Ebihara, "Application of Punctured Turbo Codes with Unequal Error Protection to Wireless ATM Networks", IEICE Trans. Commun., Accepted (2000).
 - [17] Z. Sun, S. Kimura and Y. Ebihara, "DLC Strategies with Flexible Error Control in Wireless ATM," Proc. of MILCOM, pp. 90-94(2000)
 - [18] E. Ayanoglu, K. Y. Eng, and M. J. Karol, "Wireless ATM: Limits, Challenges, and Proposals," IEEE Pers. Commun., Vol. 3(8), pp. 18-34(1996).
 - [19] D. Raychaudhuri, R. yuan, A. Iwata and H. Suzuki, "Charter, Scope and Work Plan for Proposed Wireless ATM Working Group," ATM Forum/96-0530/PLEN, (1996)
 - [20] D. Raychaudhuri, "Wireless ATM Networks: Architecture, System, Design and Prototyping," IEEE Pers. Commun., Vol. 3(8), pp. 42-49(1996).
 - [21] H. Matsue, M. Umehira, and T. Murase, "Design and Performance of ATM Wireless Access Prototype," IEICE Trans. Commun., Vol. 83(8), pp. 1731-1739(2000).
 - [22] J. Meierhofer, "Data Link Control for Indoor Wireless ATM Networks," Proc. of Wireless, pp. 517-525(1999).
 - [23] J. Mikkonen, J. Aldis, G. Awate, A. Lunn, and D. Hutchison "The Magic WAND-Function Overview," IEEE J. Select. Areas Commun., Vol. 16(6), pp. 953-971(1998).
 - [24] D. Raychaudhuri and N. D. Wilson, "ATM-based Transport Architecture for Multiservices Wireless Personal Communication Networks," IEEE J. Select. Areas Commun., Vol. 12(8), pp. 1401-1414(1994).
-

- [25] D. Raychaudhuri, L. Dellaverson and J. Mikkonen, "Rationale and Framework for Wireless ATM Specification," ATM Forum/95-1646/PLEN, (1995)
- [26] E. Ayanoglu, K. Y. Eng, and M. J. Karol, "Mobile Information Infrastructure," Bell Labs Tech. Journal, Vol. 1(2), pp. 143-164(1996).
- [27] A. Ohta, T. Sugiyama, F. Nuno, M. Yoshioka, A. Jozuka, and Y. Sagawa, "Technologies for ATM Interface of Prototype ATM Wireless Access Equipment," NTT Reviews, Vol. 10(5), pp. 120-126(1998).
- [28] M. Umehira, H. Matsue, and T. Murase, "Development of a Prototype ATM Wireless Access System for Nomadic Multimedia Services," NTT Reviews, Vol. 10(5), pp. 88-97(1998).
- [29] M. Umehira, M. Nakura, H. Sato and A. Hashimoto, "ATM Wireless Access for Mobile Multimedia: Concept and Architecture," IEEE Pers. Commun., Vol. 3(10), pp. 39-48(1996).
- [30] P. Theodorou, J. M. H. Elmirghani, and R. A. Cryan, "ATM Infrared Wireless LANs: A Proposed Architecture," IEEE Commun. Mag., Vol. 36(12), pp. 118-123(1998).
- [31] D. Gilmurray, A. Jones and O. Mason, "Wireless ATM Radio Access Layer Requirements," ATM Forum/96-1057/WATM, (1996)
- [32] ETSI, "Broadband Radio Access Networks (BRAN); Common ETSI-ATM Forum Reference Model for Wireless ATM Access Systems(WACS)," ETSI TR 101 378, (1998)
- [33] Y. Nakayama and S. Aikawa, "Cell Discard and TDMA Synchronization Using FEC in Wireless ATM Systems," IEEE J. Select. Areas Commun., Vol. 15(1), pp. 29-34(1997).
- [34] S. Aikawa, H. Sato, and T. Yoshida, "Performance Analysis of Variable-rate FEC for Multimedia Radio Communications," IEICE Trans. Commun., Vol. 77(9), pp. 1104-1113(1994).
- [35] S. Aikawa, Y. Nakayama, S. Kurosaki, and M. Hiraki, "TDMA and Antenna Control Technologies for ATM Wireless Access Prototype," NTT Reviews, Vol. 10(5), pp. 113-119(1998).
- [36] J. B. Cain, G. C. Clark, and J. M. Geist, "Punctured Convolutional Codes of Rate $(n - 1)/n$ and Simplified Maximum Likelihood Decoding," IEEE Trans. Inf. Theory, Vol. 25(1), pp. 97-100(1979).

- [37] D. Haccoun and G. Begin, "High-rate Punctured Convolutional Codes for Viterbi and Sequential Decoding," *IEEE Trans. Commun.*, Vol. 37(11), pp. 1113–1125(1989).
 - [38] L. H. C. Lee, "New Rate-compatible Punctured Convolutional Codes for Viterbi Decoding," *IEEE Trans. Commun.*, Vol. 42(12), pp. 3073–3079(1994).
 - [39] J. Hagenauer, "Rate-compatible Punctured Convolutional Codes (RCPC Codes) and their Applications," *IEEE Trans. Commun.*, Vol. 36(4), pp. 389–400(1988).
 - [40] P. K. Frenger, P. Orten, T. Ottossen, and A. B. Svensson, "Rate-compatible Convolutional Codes for Multirate DS-CDMA systems," *IEEE Trans. Commun.*, Vol. 47(6), pp. 828–836(1999).
 - [41] J. Hagenauer, N. Seshadri and C-E. W. Sundberg, "The Performance of Rate-compatible Punctured Convolutional Codes for Future Digital Mobile Radio," *Proc. of ICC*, pp. 22–29(1988).
 - [42] Y. Yasuda, K. Kashiki, and Y. Hirata, "High Rate Punctured Convolutional Codes for Soft-decision Viterbi Decoding," *IEEE Trans. Commun.*, Vol. 32(3), pp. 315–319(1984).
 - [43] P. J. Lee, "Constructions of Rate $(n-1)/n$ Punctured Convolutional Codes with Minimum Required SNR Criterion," *IEEE Trans. Commun.*, Vol. 36(10), pp. 1171–1173(1988).
 - [44] M. G. Kim, "On Systematic Punctured Convolutional Codes," *IEEE Trans. Commun.*, Vol. 45(2), pp. 133–139(1997).
 - [45] I. E. Bocharova and B. D. Kudryashov, "Rational Rate Punctured Convolutional Codes for Soft-decision Viterbi Decoding," *IEEE Trans. Infor. Theory*, Vol. 43(4), pp. 1305–1313(1997).
 - [46] K. J. Hole, "New Short Constraint Length Rate $(N-1)/N$ Punctured Convolutional Codes for Soft-decision Viterbi Decoding," *IEEE Trans. Infor. Theory*, Vol. 34(5), pp. 1079–1081(1988).
 - [47] G. Begin and D. Haccoun, "High-rate Punctured Convolutional Codes: Structure Properties and Construction Technique," *IEEE Trans. Commun.*, Vol. 37(12), pp. 1381–1385(1989).
 - [48] S. Kallel, "Complementary Punctured Convolutional(CPC) Codes and their Applications," *IEEE Trans. Commun.*, Vol. 43(6), pp. 2005–2009(1995).
-

- [49] G. Begin, D. Haccoun, and C. Paquin, "Further Results on High-rate Punctured Convolutional Codes for Viterbi and Sequential Decoding," *IEEE Trans. Commun.*, Vol. 38(11), pp. 1922–1928(1990).
- [50] E. Paaske, "Short Binary Convolutional Codes with Maximal Free Distance for Rate 2/3 and 3/4," *IEEE Trans. Infor. Theory*, Vol. 20(5), pp. 683–688(1974).
- [51] A. Ohta, M. Yoshioka, and T. Sugiyama, "PRIME ARQ: A Novel ARQ Scheme for High-speed Wireless ATM," *Proc. of VTC*, pp. 1128–1134(1998).
- [52] F. Burkert, G. Caire, J. Hagenauer, T. Hindelang and G. Lechner, "Turbo Decoding with Unequal Error Protection Applied to GSM Speech Coding," *Proc. of ICC*, pp. 2044–2048(1996).
- [53] J. P. Fonseka, "Application of Turbo Codes in Satellite Mobile Systems," *Electron. Lett.*, Vol. 35(2), pp. 114–115(1999).
- [54] A. Fujiwara, H. Suda and F. Adachi, "Turbo Codes Application to DS-CDMA Mobile Radio," *IEICE Trans. Funda.*, Vol. 81(11), pp. 2269–2273(1998).
- [55] T. Ji, W. E. Stark "Turbo-Coded ARQ Schemes for DS-CDMA Data Networks Over Fading and Shadowing Channels: Throughput, Delay, and Energy Efficiency," *IEEE J. Select. Areas Commun.*, Vol. 18(8), pp. 1355–1364(2000).
- [56] S. Benedetto and G. Montorsi, "Design of Parallel Concatenated Codes," *IEEE Trans. Commun.*, Vol. 42(2), pp. 591–600(1996).
- [57] C. Berrou and A. Glavieux, "Near Optimum Error Correcting Coding and Decoding: Turbo Coding," *IEEE Trans. Commun.*, Vol. 44(10), pp. 1261–1271(1996).
- [58] S. Benedetto and G. Montorsi, "Unveiling Turbo Codes: Some Results on Parallel Concatenated Coding Schemes," *IEEE Trans. Infor. Theory*, Vol. 42(2), pp. 409–428(1996).
- [59] S. Barbulescu and S. Pietrobon, "Terminating the Trellis of Turbo-codes in the Same State," *Electron. Lett.*, Vol. 31(1), pp. 22–23(1995).
- [60] W. J. Blackert, E. K. Hall and S. G. Wilson, "Turbo Code Termination and Interleaver Conditions," *Electron. Lett.*, Vol. 31(24), pp. 2082–2084(1995).
- [61] S. Barbulescu and S. Pietrobon, "Rate Compatible Turbo Codes," *Electron. Lett.*, Vol. 31(30), pp. 535–536(1995).
- [62] D. N. Rowitch and L. B. Milstein, "Rate Compatible Punctured Turbo (RCPT) Codes in a Hybrid FEC/ARQ System," *Proc. of GLOBECOM*, pp.55–59(1997).

- [63] G. Caire and E. Biglieri, "Parallel Concatenated Codes with Unequal Error Protection," *IEEE Trans. Commun.*, Vol. 46(5), pp. 565–567(1998).
- [64] E. K. Hall and S. G. Wilson,, "Design and Analysis of Turbo Codes on Rayleigh Fading Channels," *IEEE J. Select. Areas Commun.*, Vol. 16(2), pp. 160–174 (1998).
- [65] S. Kallel and D. Haccoun, "Generalized Type II Hybrid ARQ Scheme Using Punctured Convolutional Coding," *IEEE Trans. Commun.*, Vol. 38(11), pp. 1938–1946(1990).
- [66] O. F. Acikel and W. E. Ryan, "Punctured Turbo Codes for BPSK/ QPSK Channels," *IEEE Trans. Commun.*, Vol. 47(9), pp. 1315–1323(1999).
- [67] D. N. Rowitch and L. B. Milstein, "On the Performance of Hybrid FEC/ARQ Systems using Rate Compatible Punctured Turbo (RCPT) Codes," *IEEE Trans. Commun.*, Vol. 48(6), pp. 948–959(2000).
- [68] S. Benedetto and R. Garello, "A search for Good Convolutional Codes to be used in the Construction of Turbo Codes," *IEEE Trans. Commun.*, Vol. 46(9), pp. 1101–1105(1998).
- [69] F. Said, A. H. Aghvami and W. G. Chambers, "Improving Random Interleaver for Turbo Codes," *Electron. Lett.*, Vol. 35(25), pp. 2194–2195(1999).
- [70] A. Ushirokawa, T. Okamura, N. Kamiya and B. Vucetic, "Principles of Turbo Codes and their Application to Mobile Communications," *IEICE Trans. Commun.*, Vol. 81(7), pp. 1320–1329(1998).
- [71] L. Bahl, J. Cocke, F. Jelinek, and J. Raviv, "Optimal Decoding of Linear Codes for Minimizing Symbol Error Rate," *IEEE Trans. Infor. Theory*, Vol. 20(2), pp. 284–287(1974).
- [72] B. Vucetic and J. Yuan, " Turbo codes: Principles and Applications," Kluwer Academic Publishers, (2000)