

Acknowledgments

I would like to express my gratitude to all of the people who supported me and who gave me helpful advice over the course of the years that I have been involved in this work. In particular, I wish to express my genuine appreciation to Professor Shigeru Igarashi of the University of Tsukuba. Since the days I was an undergraduate and graduate student there he has continuously encouraged me and generously guided me to the theoretical and algorithmic part of the research fields in computer science. Without his guidance, this thesis would not have appeared.

I would also like to express my appreciation to the other committee members of my dissertation: Professor Tetsuo Ida, Professor Jiro Tanaka, and Professor Aart Middeldorp of the University of Tsukuba and Professor Masahiko Sato of Kyoto University, for their generous suggestions and guidance.

Special thanks are owed to the members of the Igarashi Lab at the University of Tsukuba, especially Professor Chiharu Hosono, Professor Tetsuya Mizutani, and Professor Masayuki Shio, for kindly commenting on the summary and draft version of this thesis and for arranging various clerical procedures for my thesis. I also thank Professor Takashi Tsuji, currently with Chiba University, for having encouraged me during my undergraduate and graduate days.

I would also like to acknowledge Professor Hassan Aït-Kaci of Simon Fraser University for giving me valuable advice on ψ -terms and for having accepted me as a one-year visiting researcher at Simon Fraser University, Canada, during 1995-1996.

I would like to express my deep appreciation to Dr. Masahiko Haruno for helpful discussions on inductive learning. I would also like to thank Mr. Yoshihiro Matsuo for providing me various kinds of useful infor-

mation about the ALT-J/E machine translation system. Part of this thesis is based on the studies performed with Dr. Haruno and Mr. Matsuo.

I would also like to express my gratitude to Professor Toru Ishida, currently with Kyoto University. When I started working as a researcher at NTT, he always encouraged me to improve my research ability.

I have completed this thesis at the Intelligent Communication Laboratory (ICL) of NTT Communication Science Laboratories (NTT CS Labs.). I would like to give my appreciation to Dr. Yoh'ichi Tohkura, Director of NTT CS Labs., and Dr. Toshiro Kita, Director of the ICL, for providing me the opportunity to complete my thesis here at NTT CS Labs.

I wish to thank my colleagues in the ICL, especially Dr. Tsuneaki Kato, our group leader, and the members of our sub-group: Dr. Hideki Isozaki, Mr. Hirotoishi Taira and Mr. Keiichi Hirota. My appreciation also goes to Dr. Hussein Almuallim, Dr. Shigeo Kaneda, Mr. Takefumi Yamazaki, Mr. Yasuhiro Akiba, Dr. Megumi Ishii and Mr. Takafumi Mukouchi.

I also wish to thank the Mainichi Newspapers Co. for permitting us to use newspaper corpora and the creators of the excellent programming language wild_life and the machine translation system ALT-J/E.

Finally, I must thank my wife, Junko, for giving me generous support and understanding in every part of my life, and would also like to extend my gratitude to my parents, Eiichi and Emiko, for all of the long-time support they have to me, visible and invisible.

Bibliography

- [1] H. Aït-Kaci and R. Nasr, LOGIN: A Logic Programming Language with Built-in Inheritance, *J. Logic Programming*, Vol. 3, pp. 185–215 (1986).
- [2] H. Aït-Kaci and A. Podelski, Toward a Meaning of LIFE, *PRL-RP-11*, Digital Equipment Corporation, Paris Research Laboratory (1991).
- [3] H. Aït-Kaci, B. Dumant, R. Meyer, A. Podelski, and P. Van Roy, *The Wild Life Handbook* (1994).
- [4] H. Aït-Kaci, A. Podelski and S. C. Goldstein, Order-Sorted Feature Theory Unification, *J. Logic Programming*, Vol. 30, No. 2, pp. 99–124 (1997).
- [5] D. Applet, J. Hobbs, J. Bear, D. Israel, M. Kameyama, A. Kehler, D. Martin, K. Myers and M. Tyson, SRI International Fastus System MUC-6 Test Results and Analysis, *Sixth Message Understanding Conference (MUC-6)*, Columbia, pp. 237–248 (1995).
- [6] E. Armengol and E. Plaza, Induction of Feature Terms with INDIE, *ECML-97*, pp. 33–48 (1997).
- [7] C. Beierle, U. Hedtstück, U. Pletat, P.H. Schmitt and J. Siekmann, An Order-Sorted Logic for Knowledge Representation System, *Artificial Intelligence*, Vol. 55, pp. 149–191 (1992).
- [8] A. Borgida and P. F. Patel-Schneider, A Semantics and Complete Algorithm for Subsumption in the CLASSIC Description

- Logic, *Journal of Artificial Intelligence Research*, Vol. 1, pp.277-308 (1994).
- [9] M. E. Califf and R. J. Mooney, Relational Learning of Pattern-Match Rules for Information Extraction, *ACL-97 Workshop in Natural Language Learning*, Washington, DC (1997).
 - [10] B. Carpenter, *The Logic of Typed Feature Structures*, Cambridge University Press (1992).
 - [11] B. Cestnik, Estimating Probabilities: A Crucial Task in Machine Learning, *ECAI-90*, pp.147-149 (1990).
 - [12] W. W. Cohen, A. Borgida and H. Hirsh, Computing Least Common Subsumers in Description Logics, *Twelfth National Conference on Artificial Intelligence (AAAI-92)*, San Jose, pp.754-760 (1992).
 - [13] D. Conklin and I. H. Witten, Complexity-Based Induction, *Machine Learning*, Vol. 16, pp. 203-225 (1994).
 - [14] Dolšak, B. and Muggleton, S., The Application of Inductive Logic Programming to Finite Element Mesh Design, in Muggleton, S. (ed.): *Inductive logic programming*, pp.453-472, Academic Press, London (1992).
 - [15] A. M. Frisch, A General Framework for Sorted Deduction: Fundamental Results on Hybrid Reasoning, *First International Conference on Principles of Knowledge Representation and Reasoning*, pp. 126-136 (1989).
 - [16] A. M. Frisch and C. David Page Jr., Generalization with Taxonomic Information, *Eighth National Conference on Artificial Intelligence (AAAI-90)*, Boston, pp. 755-761 (1990).
 - [17] M. R. Genesereth and L. J. Nilsson, *Logical Foundation of Artificial Intelligence*, Morgan Kaufmann (1987).
 - [18] P. M. Hastings and S. L. Lytinen, The Ups and Downs of Lexical Acquisition, *Twelfth National Conference on Artificial Intelligence (AAAI-94)*, Seattle, pp. 754-759 (1994).

- [19] S. B. Huffmann, Learning Information Extraction Patterns from Examples, in *Connectionist, Statistical and Symbolic Approaches to Learning for Natural Language Processing*, Springer, pp. 246–260 (1996).
- [20] S. Ikehara, M. Miyazaki and A. Yokoo, Classification of Language Knowledge for Meaning Analysis in Machine Translations, *Transactions of Information Processing Society of Japan*, Vol. 34, pp. 1692–1704 (1993) (in Japanese).
- [21] S. Ikehara, S. Shirai, K. Ogura, A. Yokoo, H. Nakaiwa and T. Kawaoka, ALT-J/E: A Japanese to English Machine Translation System for Communication with Translation, *Thirteenth IFIP World Computer Congress*, pp.80–85 (1994).
- [22] S. Ikehara, M. Miyazaki, S. Shirai, A. Yokoo, H. Nakaiwa, K. Ogura, Y. Oyama and Y. Hayashi (eds.), The Semantic Attribute System, *Goi-Taikai — A Japanese Lexicon*, Vol. 1, Iwanami Publishing (1997) (in Japanese).
- [23] S. Ikehara, M. Miyazaki, S. Shirai, A. Yokoo, H. Nakaiwa, K. Ogura, Y. Oyama and Y. Hayashi (eds.), The Valency Dictionary, *Goi-Taikai — A Japanese Lexicon*, Vol. 5, Iwanami Publishing (1997) (in Japanese).
- [24] B. Kijirikul, M. Numao and M. Shimura, Discrimination-based Constructive Induction of Logic Programs, *Tenth National Conference on Artificial Intelligence (AAAI-92)*, San Jose, pp. 44–49 (1992).
- [25] J.-T. Kim and D. I. Moldovan, Acquisition of Linguistic Patterns for Knowledge-Based Information Extraction, *IEEE Transaction on Knowledge and Data Engineering (IEEE TKDE)*, Vol. 7, No. 5, pp.713–724 (1995).
- [26] S. Kurohashi and Y. Sakai, Semantic Analysis of Japanese Noun Phrases: A New Approach to Dictionary-Based Understanding, *36th Annual Meeting of the Association for Computational Linguistics (ACL-99)*, College Park, pp.481–488 (1999).

- [27] N. Lavrač, S. Džeroski and M. Grobelnik, Learning Nonrecursive Definitions of Relations with LINUS, *Fifth European Working Session on Learning*, pp. 265–281 (1991).
- [28] N. Lavrač and S. Džeroski, *Inductive Logic Programming: Techniques and Applications*, Ellis Horwood (1994).
- [29] W. Lehnert, C. Cardie, D. Fisher, J. McCarthy, E. Riloff and S. Soderland, University of Massachusetts: MUC-4 Test Results and Analysis, *Fourth Message Understanding Conference*, McLean, pp. 151–158 (1992).
- [30] D. Lewis, P.S. Re a Single Measure, March 7 (1991). (personal email on discussion for MUC-4)
- [31] D. Lewis, F-measure, 4 Mar (2000). (personal email)
- [32] J. Lloyd, *Foundations of Logic Programming*, Springer (1987).
- [33] R. J. Mooney and M. E. Califf, Induction of First-Order Decision Lists: Results on Learning the Past Tense of English Verbs, *Journal of Artificial Intelligence Research (JAIR)*, Vol. 3, pp. 1–24 (1995).
- [34] K. Morik, S. Wrobel, J.-U. Kietz and W. Emde, *Knowledge Acquisition and Machine Learning: Theory, Methods, and Applications*, Academic Press, (1993).
- [35] S. Muggleton, Inductive Logic Programming. *First International Conference on Algorithmic Learning Theory (ALT-90)*, Tokyo, pp. 42–62 (1990).
- [36] S. Muggleton, Inductive Logic Programming, *New Generation Computing*, Vol. 8, No. 4, pp. 295–318 (1991).
- [37] S. Muggleton, A. Srinivasan and M. Bain, Compression, Significance and Accuracy, *Ninth International Conference on Machine Learning (ML-92)*, Aberdeen, pp. 338–347 (1992).

- [38] S. Muggleton and C. Feng, Efficient Induction of Logic Programs, In S. Muggleton ed., *Inductive Logic Programming*, pp. 281–297, New York, Academic Press (1992).
- [39] S. Muggleton, R.D. King and M.J.E. Sternberg, Protein Secondary Structure Prediction Using Logic, *Protein Engineering*, Vol. 7, pp. 647–657 (1992).
- [40] S. Muggleton, Inverse Entailment and Progol, *New Generation Computing*, Vol. 13, pp.245–286 (1995).
- [41] M. Pazzani and D., Kibler, The Utility of Knowledge in Inductive Learning, *Machine Learning*, Vol. 9, No. 1, pp. 57–94 (1992).
- [42] E. Plaza, Cases As Terms: A Feature Term Approach to the Structured Representation Cases, *First International Conference on Case-Based Reasoning*, pp. 263–276 (1995).
- [43] G. Plotkin, A Note on Inductive Generalization, in *Machine Intelligence*, Vol. 5, pp. 153–163, Edinburgh University Press (1969).
- [44] G. Plotkin, A Further Note on Inductive Generalization, *Machine Intelligence*, Vol. 6, pp. 101–124, Edinburgh University Press (1971).
- [45] N.J. Puzey, T.J. Parsons and P.F. Sims, The Use of a Machine Learning Toolbox on Industrial Applications, *IEEE International Conference on Tools with Artificial Intelligence*, Boston, pp.145–149 (1993).
- [46] J. R. Quinlan, Learning Logical Definitions from Relations, *Machine Learning*, Vol. 5, No. 3, pp. 239–266 (1990).
- [47] J. Quinlan, Inductive Knowledge Acquisition from Structured Data, *First Japanese Knowledge Acquisition for Knowledge-Based Systems Workshop (JKAW-90)*, Kyoto, pp. 97–112 (1990).
- [48] P. Resnik, WordNet and Distributional Analysis: A Class-based Approach to Lexical Discovery, *AAAI Spring Symposium*, pp.48–56 (1992).

- [49] E. Riloff, Automatically Generating Extraction Pattern from Un-tagged Text, *Fourteenth National Conference on Artificial Intelligence (AAAI-96)*, Portland, pp. 1044–1049 (1996).
- [50] Y. Sasaki and M. Haruno, A Relational Learner with Hierarchical Background Knowledge, *ECML-95 Workshop on Knowledge Level Modeling and ML*, Heraclion, pp. I.5.1–I.5.15 (1995).
(<http://www.aifb.uni-karlsruhe.de/WBS/dfe/klml/klml.html>)
- [51] Y. Sasaki and M. Haruno, RHB⁺: A Type-Oriented ILP System Learning from Positive Data, *Fourteenth International Joint Conference on Artificial Intelligence (IJCAI-97)*, Nagoya, pp. 894–899 (1997).
- [52] Y. Sasaki, Learning of Information Extraction Rules using ILP — Preliminary Report, *Second International Conference on the Practical Application of Knowledge Discovery and Data Mining (PADD-98)*, London, pp. 195–205 (1998).
- [53] Y. Sasaki, Applying Type-Oriented ILP to IE Rule Generation, *AAAI-99 Workshop on Machine Learning for Information Extraction*, Orlando, pp. 43–47 (1999).
- [54] Y. Sasaki, On the Necessity of Special Mechanisms for Handling Type in Inductive Logic Programming, *IEICE Trans. Inf. & Syst.*, Vol. E82-D, No. 10, pp. 1401–1408 (1999).
- [55] Y. Sasaki, Induction of Logic Programs based on ψ -terms, *Tenth International Conference on Algorithmic Learning Theory (ALT-99)*, Tokyo, *Lecture Notes in Artificial Intelligence 1720*, pp. 169–181 (1999).
- [56] Y. Sasaki, Learning Typed Logic Programs from Positives, *Journal of Japanese Society for Artificial Intelligence*, Vol. 15, No. 1, pp. 147–154 (2000). (in Japanese)
- [57] Y. Sasaki and Y. Matsuo, Learning Semantic-Level Information Extraction Rules by Type-Oriented ILP, *Eighteenth International Conference on Computational Linguistics (Coling-2000)*, Saarbrücken (2000). (to appear)

- [58] S. Soderland, D. Fisher, J. Aseltine, W. Lenert, CRYSTAL: Inducing a Conceptual Dictionary, *Thirteenth International Joint Conference on Artificial Intelligence (IJCAI-95)*, Montreal, pp. 1314–1319 (1995).
- [59] S. Soderland, Learning Information Extraction Rules for Semi-structured and Free Text, *Machine Learning*, Vol. 34, pp.233–272 (1999).
- [60] J. F. Sowa ed., *Principle of Semantic Networks*, Morgan Kaufmann (1991).
- [61] A. Srinivasan, S. Muggleton, R.D. King and M.J.E. Sternberg, The Predictive Toxicology Evaluation Challenge, *Fifteenth International Joint Conference on Artificial Intelligence (IJCAI-97)*, Nagoya, pp. 4–9 (1997).
- [62] C.J. van Rijsbergen, *Information Retrieval*, Butterworths (1979).
- [63] G. Robinson, A machine-oriented logic based on the resolution principle, *J. ACM*, Vol. 12, pp. 32–41 (1965).
- [64] T. Yamazaki, M. Pazzani, and C. Merz, Learning Hierarchies from Ambiguous Natural Language Data, *Twelfth International Conference on Machine Learning (ML-95)*, Tahoe City, pp. 575–583 (1995).
- [65] J. M. Zelle and R. J. Mooney, J. B. Konvisser, Combining Top-down and Bottom-up Methods in Inductive Logic Programming, *Eleventh International Conference on Machine Learning (ML-94)*, New Brunswick, pp. 343–351 (1994).

List of Major Publications

- [1] T. Ishida, Y. Sasaki and Y. Fukuhara, Use of Procedural Programming Language for Controlling Production Systems, *Seventh IEEE Conference on Artificial Intelligence Applications (CAIA-91)*, Miami, pp. 71–75 (1991).
- [2] M. Ishii, Y. Sasaki and S. Kaneda, Interactive Constraint Satisfaction for Office Systems, *Tenth IEEE Conference on Artificial Intelligence for Applications (CAIA-94)*, San Antonio, pp. 116–124 (1994).
- [3] Y. Sasaki, M. Haruno and S. Kaneda, Grammar Rule Revision by Rephrasing Unparsable Sentences, *ECML-94 Workshop on Theory Revision and Restructuring*, Catania, pp. 24–27 (1994).
- [4] Y. Sasaki, M. Haruno and S. Kaneda, Grammar Rule Extension with Structured Background Knowledge of Paraphrases from Unparsable Sentences, *Japanese Knowledge Acquisition for Knowledge-Based Systems Workshop (JKAW-94)*, Hatoyama, pp. 243–252 (1994).
- [5] Y. Sasaki and M. Haruno, A Relational Learner with Hierarchical Background Knowledge, *ECML-95 Workshop on Knowledge Level Modeling and Machine Learning*, Heraclion, pp. I.5.1–I.5.15 (1995).
- [6] T. Ishida, Y. Sasaki, K. Nakata and Y. Fukuhara, A Meta-Level Control Architecture for Production Systems, *IEEE Transaction on Data and Knowledge Engineering*, Vol. 7, No. 1, pp. 44–52 (1995).

- [7] Y. Sasaki and M. Haruno, RHB⁺: A Type-Oriented ILP System Learning from Positive Data, *Fifteenth International Joint Conference on Artificial Intelligence (IJCAI-97)*, Nagoya, pp. 894–899 (1997).
- [8] Y. Sasaki, Learning of Information Extraction Rules using ILP – Preliminary Report, *Second International Conference on the Practical Application of Knowledge Discovery and Data Mining (PADD-98)*, London, pp. 195–205 (1998).
- [9] Y. Sasaki, On the Necessity of Special Mechanisms for Handling Type Information in Inductive Logic Programming, *IEICE Trans. Inf. & Syst.*, Vol. E82-D, No. 10, pp. 1401–1408 (1999).
- [10] Y. Sasaki, Induction of Logic Programs based on ψ -terms, *Tenth International Conference on Algorithmic Learning Theory (ALT-99)*, Tokyo, *Lecture Notes in Artificial Intelligence*, Vol. 1720, pp. 169–181 (1999).
- [11] Y. Sasaki, Applying Type Oriented ILP to IE Rule Generation, *AAAI-99 Workshop on Machine Learning for Information Extraction*, Orlando, pp. 43–47 (1999).
- [12] K. Hirota, Y. Sasaki and T. Kato, Ontology-Driven Information Extraction, *Journal of Japanese Society for Artificial Intelligence*, Vol. 14, No. 6, pp. 1010–1018 (1999). (in Japanese)
- [13] Y. Sasaki, Learning Typed Logic Programs from Positives, *Journal of Japanese Society for Artificial Intelligence*, Vol. 15, No. 1, pp. 147–154 (2000). (in Japanese)
- [14] M. Ishii, Y. Sasaki and S. Kaneda, A Constraint-Satisfaction Approach to Clerical Work, *IEEE Intelligent Systems*, Vol. 15, No. 1, pp. 64–72 (2000).
- [15] Y. Sasaki and Y. Matsuo, Learning Semantic-Level Information Extraction Rules by Type-Oriented ILP, *Eighteenth International Conference on Computational Linguistics (COLING-2000)*, Saarbrücken (2000). (to appear)