

《引用文献》

1. 堀田康雄：細胞周期，東京大学出版会，東京，1983.
2. 高橋 学：フローサイトメトリーによる細胞増殖と分化の研究. 細胞, 1985, 17:327-331.
3. 日本病理学会編：病理組織化学とその技術，医歯薬出版，東京，1986，pp.325-354.
4. 山田和順：組織化学，南江堂，東京，1987，pp.449-468.
5. Caspersson, T.: Cell Growth and Cell Function. A Cytochemical Study. Norton, New York, 1950.
6. Mellors, R.C., Glassman, A., Papanicolaou, G.N.: A microfluorometric scanning method for detection of cancer cells in smears of exfoliated cells. Cancer, 1952, 5:458-468.
7. Tanaka, N., Ikeda, H., Ueno, T., et al.: Fundamental study of automatic cyto-screening for uterine cancer. I. Feature evaluation for the pattern recognition system. Acta Cytol, 1977, 21:72-78.
8. Wied, G.L., Bartels, P.H., Bahr, G.F., et al.: Taxonomic intra-cellular analytic system (TICAS) for cell identification. Acta Cytol, 1968, 12: 180-204.
9. Holmqvist, J., Bengtsson, E., Eriksson, O., et al.: Computer analysis of cervical cells; automatic feature extraction and classification. J Histochem Cytochem, 1978, 26:1000-1017.
10. Taylor, J., Sychra, J.J., Bartels, P.H., et al.: A system for scanning biological cells in three colors. Acta Cytol, 1978, 22:29-35.
11. 野口義夫：がんの早期発見の有力な方法. 日本の科学と技術, 1985, 26:70-77.
12. Van Der Ploeg, M., Van Den Broek, K., Smeulders, A.W.M., et al.: Dual wavelength scanning cytophotometry (Bicoscan). Histochemistry, 1979, 62: 29-43.
13. Tucker, J.H.: An image analysis system for cervical cytology automation using nuclear DNA content. J Histochem Cytochem, 1979, 27:613-620.

14. Affermann, W., Repges, R., Boecking, A.: Rapid diagnostic DNA cytometry with an automatic microscope and a TV image-analysis system. *Analyt Quant Cytol*, 1984, 6:179-188.
15. Bauer, H.C.F., Kreicbergs, A., Silfversward, C., et al.: DNA analysis in the differential diagnosis of osteosarcoma. *Cancer*, 1988, 61:2532-2540.
16. Korenaga, D., Okamura, T., Saito, A., et al.: DNA ploidy is closely linked to tumor invasion, lymph node metastasis, and prognosis in clinical gastric cancer. *Cancer*, 1988, 62:309-313.
17. Fallenius, A.G., Auer, G.U., Carstensen, J.M. : Prognostic significance of DNA measurements in 409 consecutive breast cancer patients. *Cancer*, 1988, 62:331-341.
18. Ekman, E.T., Bergholm, U., Backdahl, M., et al.: Nuclear DNA content and survival in medullary thyroid carcinoma. *Cancer*, 1989, 65:511-517.
19. Yonemura, Y., Ooyama, S., Sugiyama, K., et al.: Retrospective analysis of the prognostic significance of DNA ploidy Patterns and S-phase fraction in gastric carcinoma. *Cancer Res*, 1990, 50:509-514.
20. 藤田哲也：顕微分光測光法. *医学のあゆみ* 1972, 82:251-256.
21. 藤田哲也：顕微測光法の技術とその定量組織化学への応用. ”*組織細胞化学 1985*” (日本組織細胞化学会編), 学際企画, 東京, 1985, pp.59-100.
22. Fukuda, M., Boehm, N., Fujita, S.: Cytophotometry and its biological application. ”*Progress in Histochemistry and Cytochemistry*”, (Graumann, W., Lojda, Z., Pearse, A.G.E., Schiebler, T.H. ed.), Vol.11, No.1, Gustav Fischer Verlag, Stuttgart, New York, 1978, pp.1-119.
23. 福田 優, 三好憲雄, 中西和夫: 細胞核DNA損傷の定量的解析法. ”*組織細胞化学 1985*” (日本組織細胞化学会編), 学際企画, 東京, 1985, pp.101-121.
24. 広瀬俊太: 顕微分光測光法. ”*新組織化学*” (小川和朗, 武内忠夫, 森富編), 朝倉書店, 東京, 1975, pp.124-132.
25. 高松哲郎, 福田 優, 藤田哲也: 染色と定量1. DNA. ”*組織細胞化学の技術 核酸と糖*” (小川和朗他編), 朝倉書店, 東京, 1985, pp.33-67.

26. Fukuda, M., Fujita, S.: Non-specific cytoplasmic absorption (NCA) in microspectrophotometric measurement of nuclear DNA on histological sections. J Kyoto Pref Univ Med, 1971, 80:391-398.
27. 福田 優, 三好憲法, 細川洋平, 小石恭子: 顕微測光法."臨床検査マニュアル" (高橋正宜編), 文光堂, 東京, 1985, pp.1-79.
28. Fujita, S., Yoshida, S., Fukuda, M.: Improvement of technique to minimize non-specific absorption in microspectrophotometric measurement of nuclear DNA. Acta Histochem Cytochem, 1971, 4:126-136.
29. 藤田哲也: 定量的組織化学の現在と未来. 最新医学, 1980, 35:782-789.
30. 伊勢村卓司, 藤田哲也: 顕微分光測光法. 臨床検査, 1977, 21:31-40.
31. Duijindam, W.A.L., Smenlders, A.W.M., Van Duijn, P., Verwey, A.C.: Optical errors in scanning stage absorbance cytophotometry; I. Procedures for correcting apparent integrated absorbance values for distributional, glare, and diffraction errors. J Histochem Cytochem, 1980; 28:388.
32. Bedi, K.S., Goldstein, D.J.: Apparent anomalies in nuclear Feulgen-DNA contents; Role of systematic microdensitometric errors. J Cell Biol, 1976, 71:68-88.
33. Fujita, S., Fukuda, M., Kitamura, T., Yoshida, T.: Two wave length scanning method in Feulgen cytophotometry. Acta Histochem Cytochem, 1972, 5:146-152.
34. 星野一正: 顕微測光法とその応用."組織細胞化学 1981" (日本組織細胞化学会編), 学際企画, 東京, 1981, pp.89-104.
35. 高松哲朗, 浜田新七: デジタル画像処理."組織細胞化学 1984", 日本組織化学会編, 学際企画, 東京, 1984, pp.175-190.
36. Tsuchihashi, Y., Nanishi, K., Fukuda, M. and Fujita S.: Quantification of nuclear DNA and intracellular glycogen in a single cell by fluorescent double-staining. Histochemistry, 1979, 63:311-222.
37. Goldstein, D.J.: Aspects of scanning microdensitometry. III. The monochromator system. J Microscopy, 1975, 105:33-56.

38. James, V., Goldstein, D.J.: Haemoglobin content of individual erythrocytes in normal and abnormal blood. *Br J Haematol*, 1974, 28:89-101.
39. 日本組織培養学会編：組織培養の技術，第2版，朝倉書店，東京，1988，pp.97-101。
40. 大野忠夫，花岡文雄：細胞周期・実験生物学講座8（細胞生物学）（新津恒良，沖垣達編），丸善，東京，1985，pp.71-97。
41. Bootma, D., Budke, L. and Vos, O.: Studies on synchronous division of tissue culture cells initiated by excess thymidine. *Exp Cell Res*, 1964, 33:301-309.
42. Young, C.W. : Hydroxyurea: Inhibitory effect on DNA metabolism. *Science*, 1964, 146:1172-1174.
43. Kamma, H., Endo, K., Horiguchi, H., et al.: Lung cancer-associated Monoclonal Antibody 15 that recognizes cell growth-related membrane antigens gp85/45 and its growth-inhibitory effect on human lung cancer cells *in vivo*. *Cancer Res*, 1989, 49:5118-5122.
44. Wachsmuth, E.D., Becker, M., Grieve, A.P., Maurer-Shultz, B.: Fully automated and fast image analysis of autoradiographs with a TAS-Leitz. Determination of size, Feulgen fluorescence and grain counts of individual nuclei and their evaluation by a simplified cluster analysis. *Histochemistry*, 1984, 81:227-236.
45. Wachsmuth, E.D., Golitschek, M.V., Macht, F., and Maurer-Shultz, B.: Fully automated TV-image analysis of the cell-cycle: comparison of the PLM method with determinations of the percentage and the DNA content of labelled cells. *Virchows Arch B [Cell Pathol]*, 1988, 55:323-335.
46. Tribukait, B., et al.: The significance of ploidy and proliferation in the clinical and biological evaluation of bladder tumors: study of 100 untreated cases. *Br J Urol*, 1982, 54:130-135.
47. Unger, K.M., et al.: Analysis of pleural effusions using automated flow cytometry. *Cancer*, 1983, 52:873-877.
48. Levack, P.A., et al.: DNA analysis of breast tumour fine needle

- aspirates using flow cytometry. Br J Cancer, 1987, 56:643-646.
49. 佐々木功典, 村上知之, 高橋 学: 新しい方法(技術) - フロー・サイトメトリ - . 病理と臨床(Vol.7 臨時増刊号), 文光堂, 東京, 1988, pp.357-379.
50. Korenaga, D., Okamura, T., Saito, A., et al.: DNA ploidy is closely linked to tumor invasion, lymph node metastasis, and prognosis in clinical gastric cancer. Cancer, 1988, 62:309-313.
51. Fallenius, A.G., Franzen, S.A., Auer, G.U. : Predictive value of nuclear DNA content in breast cancer in relation to clinical and morphologic factors. Cancer, 1988, 62:521-530.
52. Alho, A., Connor, J. F., Mankin, H.J., et al.: Assessment of malignancy of cartilage tumors using flow cytometry. J Bone and Joint Surg, 1983, 65-A:779-785.
53. Hamper, K., Brugmann, M., Caselitz, J., et al.: Prognosis of salivary adenocarcinomas. Virchows Archiv A [Pathol Anat], 1989, 416:57-64.
54. Bergholm, U., Adami, H-O., Auer, G., et al.: Histopathologic characteristics and nuclear DNA content as prognostic factors in medullary thyroid carcinoma. Cancer, 1988, 64:135-142.
55. Volm, M., Drings, P., Mattern, J., et al.: Prognostic significance of DNA patterns and resistance-predictive tests in non-small-cell lung carcinoma. Cancer, 1985, 56:1396-1403.
56. Bunn, P.A.Jr., Carney, D.N., Gazdar, A.F., et al.: Diagnostic and biological implications of flow cytometric DNA content analysis in lung cancer. Cancer Res, 1983, 43:5026-5023.
57. Isobe, H., Miyamoto, H., Shimizu, T., et al.: Prognostic and therapeutic significance of the flow cytometric nuclear DNA content in non-small cell lung cancer. Cancer, 1990, 65:1391-1395.
58. Ten Velde, G.P.M., Schutte, B., Vermeulen, A., et al.: Flow cytometric analysis of DNA ploidy level in paraffin-embedded tissue of non-small-cell lung cancer. Eur J Cancer Clin Oncol, 1988, 24:455-460.
59. Asamura, H., Nakajima, T., Mukai, K., et al.: DNA cytofluorometric and

- nuclear morphometric analyses of lung adenocarcinoma. *Cancer*, 1989, 64: 1657-1664.
60. Sahin, A.A., Ro, J., El-Naggar, A.K., et al.: Flow cytometric analysis of the DNA content of non-small cell lung cancer. *Cancer*, 1990, 65: 530-537.
61. Carey, F.A., Lamb, D., Colin, C.C.: Intramoral heterogeneity of DNA content in lung cancer. *Cancer*, 1990, 65:2266-2269.
62. Smit, V.T.H.B.M., Cornelisse, C.J., De Jong, D., et al.: Analysis of tumor heterogeneity in a patient with synchronously occurring female genital tract malignancies by DNA flow cytometry, DNA fingerprinting, and immunohistochemistry. *Cancer*, 1988, 62:1146-1152.
63. Sugihara, H., Hattori, T., Fujita, S., et al.: Regional ploidy variations in signet ring cell carcinomas of the stomach. *Cancer*, 1990, 65:122-129.