

VI 文献

1. Travis WD, Travis LB, Devesa SS. Lung cancer. *Cancer* 1995 75(1 Suppl):191-202
2. Parkin DM, Muri CS, Whelan SL, Gao YT, Felay J., Powell J. *Cancer Incidence in Five Continents, Vol. 6*, IARC Scientific Publication 1992 No. 120
3. Stellman SD, Muscat JE, Thompson S, Hoffmann D, Wynder EL. Risk of squamous cell carcinoma and adenocarcinoma of the lung in relation to lifetime filter cigarette smoking. *Cancer* 1997 80(3):382-388
4. 原 信之、中西洋一、出水みいる 本邦における肺癌の疫学 日本臨床 2000 58 巻 5 号 : 1005-1011
5. Noguchi M, Morikawa A, Kawasaki M, Matsuno Y, Yamada T, Hirohashi S, Kondo H, Shimosato Y. Small adenocarcinoma of the lung. Histologic characteristics and prognosis. *Cancer* 1995 75(12):2844-2852
6. Blair WH. Chemical induction of lung carcinomas in rats. In: E. Karbe and JF Park (eds.), *Experimental Lung Cancer*, pp. 199-206. Berlin: Springer Verlag, 1974
7. Della Porta G., Kolb L., and Shubik P. Induction of tracheobronchial carcinomas in the Syrian golden hamster. *Cancer Res.* 1958, 18 : 592-597
8. Henry CJ, Kouri RE. Chronic inhalation studies in mice. II. Effects of long-term exposure to 2R1 cigarette smoke on (C57BL/Cum x C3H/AnfCum)F1 mice. *J Natl Cancer Inst* 1986 77(1):203-212
9. Henry CJ, Billups LH, Avery MD, Rude TH, Dansie DR, Lopez A, Sass B, Whitmire CE, Kouri RE. Lung cancer model system using 3-methylcholanthrene in inbred

- strains of mice. *Cancer Res* 1981 41(12):5027-5032
10. Ho K, Wilcox K, Furst A. Pulmonary carcinogenesis by two aryl hydrocarbons on three mouse strains. *Experimental Lung Cancer* Springer Verlag, 1974:62-71
 11. Paladugu RR, Shors EC, Cohen AH, Matsumura K, Benfield JR. Induction of lung cancers in preselected, localized sites in the dog. *J Natl Cancer Inst* 1980 65(5):921-927
 12. Reznik-Schuller HM, Gregg M. Pathogenesis of lung tumor induced by *N*-nitrosoheptamethyleneimine in F344 rats. *Virchows Arch Pathol Anat* 1981;393:333-341
 13. Fu X, Hoffman RM. Human. RT-4 bladder carcinoma is highly metastatic in nude mice and comparable to ras-H-transformed RT-4 when orthotopically onplanted as histologically intact tissue. *Int J Cancer* 1992 51(6):989-991
 14. Howard RB, Shu H, OZe ig qn BE, Ma cu T, Bunn PA, McLemore TL, Mulvin DW, Cowen ME, Johnston MR. Irradiated nude rat model for orthotopic human lung cancers. *Cancer Res* 1991 51(12):3274-3280
 15. Hammond WG, Benfield JR, Teplitz RL. Metastases from fresh human non-small cell lung cancers propagated in nude mice. *Cancer Lett* 1991 61(1):53-60
 16. Furukawa T, Fu x, Kubota T, Watanabe M, Kitajima M, Hoffman RM. Nude mouse metastatic models of human stomach cancer constructed using orthotopic implantation of histologically intact tissue. *Cancer Res* 1993 53(5):1204-1208
 17. Fu X, Herrera H, Hoffman RM. Orthotopic growth and metastasis of human prostate carcinoma in nude mice

- after transplantation of histologically intact tissue. *Int J Cancer* 1992 52(6):987-990
18. Wang X, Fu X, Hoffman RM. A patient-like metastasizing model of human lung adenocarcinoma constructed via thoracotomy in nude mice. *Anticancer Res* 1992 12(5):1399-1401
 19. Wang X, Fu X, Kubota T, Hoffman RM. A new patient-like metastatic model of human small-cell lung cancer constructed orthotopically with intact tissue via thoracotomy in nude mice. *Anticancer Res* 1992 12(5):1403-1406
 20. Wang X, Fu x, Hoffman RM. A new patient-like metastatic model of human lung cancer constructed orthotopically with intact tissue via thoracotomy in immunodeficient mice. *Int J Cancer* 1992 51(6):992-995
 21. Fu X, Guadagni F, Hoffman RM. A metastatic nude-mouse model of human pancreatic cancer constructed orthotopically with histologically intact patient specimens. *Proc Natl Acad Sci USA* 1992 89(12):5645-5649
 22. Mclemore TL, Liu MC, Blacker PC, Gregg M, Alley MC, Abbott BJ, Shoemaker RH, Bohlman ME, Litterst CC, Hubbard WC, Brennan RH, McMahan JB, Fine DL, Eggleston JC, Mayo JG, Boyd MR. Novel intrapulmonary model for orthotopic propagation of human lung cancers in athymic nude mice. *Cancer Res* 1987 47(19):5132-5140
 23. Naito S, Giavazzi R, Walker SM, Itoh K, Mayo J, Fidler IJ. Growth and metastatic behavior of human tumor cells implanted into nude and beige nude mice. *Clin Exp Metastasis* 1987 5(2):135-146

24. Tan MH, Chu TM. Characterization of the tumorigenic and metastatic properties of a human pancreatic tumor cell line (AsPC-1) implanted orthotopically into nude mice. *Tumour Biol* 1985 6(1):89-98
25. Shapiro WR, Basler GA, Chernik NL, Posner JB. Human brain tumor transplantation into nude mice. *J Natl Cancer Inst* 1979 62(3):447-453
26. Paget S. The distribution of secondary growths in cancer of the breast. *Lancet* / 1889:571-573
27. Morikawa K, Walker SM, Jessup JM, Fidler IJ. In vivo selection of highly metastatic cells from surgical specimens of different primary human colon carcinomas implanted into nude mice. *Cancer Res* 1988 48(7):1943-1948
28. Fu XY, Besterman JM, Monosov A, Hoffman RM. Models of human metastatic colon cancer in nude mice orthotopically constructed by using histologically intact patient specimens. *Proc Natl Acad Sci USA* 1991 88(20):9345-9349
29. Kubota T. Metastatic models of human cancer xenografted in the nude mouse: the importance of orthotopic transplantation. *J Cell Biochem* 1994 56(1):4-8
30. Fu XY, Theodorescu D, Kerbel RS, Hoffman RM. Extensive multi-organ metastasis following orthotopic onplantation of histologically-intact human bladder carcinoma tissue in nude mice. *Int J Cancer* 1991 49(6):938-939
31. 平田 仁、中島 孝、後藤政広、野口雅之、下里幸男 ヌードマウスへの経気管支的ヒト肺腺癌の移植 医学のあ

ゆみ 1988 Vol. 147 No. 12-13:977-978

32. Nagamachi Y, Tani M, Shimizu K, Tsuda H, Niitsu Y, Yokota J. Orthotopic growth and metastasis of human non small cell lung carcinoma cell injected into the pleural cavity of nude mice. *Cancer Lett* 1998 127(1-2):203-209
33. Doki Y, Murakami K, Yamaura T, Sugiyama S, Misaki T, Saiki I. Mediastinal lymph node metastasis model by orthotopic intrapulmonary implantation of Lewis lung carcinoma cells in mice. *Br J Cancer* 1999 79(7-8):1121-1126
34. Giard DJ, Aaronson SA, Todaro GJ, Arnstein P, Kersey JH, Dosik H, Parks WP. In vitro cultivation of human tumors: establishment of cell lines derived from a series of solid tumors. *Natl Cancer Inst* 1973 51(5):1417-1423
35. Fisher LD, Belle GV. Biostatistics. A methodology for the health Sciences. A Wiley-Interscience Publication John Wiley & Sons, INC 1993:430-432.
36. Fisher LD, Belle GV. Biostatistics. A methodology for the health Sciences. A Wiley-Interscience Publication John Wiley & Sons, INC 1993:185-186.
37. McLemore TL, Eggleston JC, Shoemaker RH, Abbott BJ, Bohlman ME, Liu MC, Fine DL, Mayo JG, Boyd MR. Comparison of intrapulmonary, percutaneous, intrathoracic, and subcutaneous models for the propagation of human pulmonary and nonpulmonary cancer cell lines in athymic nude mice. *Cancer Res* 1988 48(10):2880-2886
38. 日本病理学会(編):日本病理剖検輯報. 1960:第 1-36 輯.

39. Hou M, Morishita Y, Iijima T, Mase K, Dai Y, Sekine S, Noguchi M. The implication of anthracosis in the development of pulmonary adenocarcinoma. *Jpn J Cancer Res* 1998 89(12): 1251-1256
40. Gazdar AF, Carney DN, Russell EK, Sims HL, Baylin SB, Bunn PA Jr, Guccion JG, Minna JD. Establishment of continuous, clonable cultures of small-cell carcinoma of lung which have amine precursor uptake and decarboxylation cell properties. *Cancer Res* 1980 40(10):3502-3507
41. Gazdar AF, Linnoila RI, Kurita Y, Oie HK, Mulshine JL, Clark JC, Whitsett JA . Peripheral airway cell differentiation in human lung cancer cell lines. *Cancer Res* 1990 50(17):5481-5487
42. Brower M, Carney DN, Oie HK, Gazdar AF, Minna JD. Growth of cell lines and clinical specimens of human non-small cell lung cancer in a serum-free defined medium. *Cancer Res* 1986 46(2):798-806
43. Fogh J, Wright WC, Loveless JD. Absence of HeLa cell contamination in 169 cell lines derived from human tumors. *J Natl Cancer Inst* 1977 58(2):209-214
44. Kataoka H, Itoh H, Seguchi K, Kono M. Establishment and characterization of a human lung adenocarcinoma cell line (LC-2/ad) producing alpha 1-antitrypsin in vitro. *Acta Pathol Jpn* 1993 43(10):566-573
45. Stetler-Stevenson WG, Aznavoorian S, Liotta LA. Tumor cell interactions with the extracellular matrix during invasion and metastasis. *Annu Rev Cell Biol* 1993 9:541-573
46. Yamamoto H, Itoh F, Senota A, Adachi Y, Yoshimoto M,

- Endoh T, Hinoda Y, Yachi A, Imai K. Expression of matrix metalloproteinase matrilysin(MMP-7) was induced by activated Ki-ras via AP-1 activation in SW1417 colon cancer cells. *J Clin Lab Anal* 1995 9(5):297-301
47. Wallon UM, Shassetz LR, Cress AE, Bowden GT, Gerner EW. Polyamine-dependent expression of the matrix metalloproteinase matrilysin in a human colon cancer-derived cell line. *Mol Carcinog* 1994 11(3):138-144
48. Liotta LA, Stetler-Stevenson WG. Metalloproteinases and cancer invasion. *Semin Cancer Biol* 1990 1(2):99-106
49. Koshiha T, Hosotani R, Wada M, Miyamoto Y, Fujimoto K, Lee JU, Doi R, Arii S, Imamura M. Involvement of matrix metalloproteinase-2 activity in invasion and metastasis of pancreatic carcinoma. *Cancer* 1998 82(4):642-650
50. Brown PD, Bloxidge RE, Stuart NS, Gatter KC, Carmichael J. Association between expression of activated 72-kilodalton gelatinase and tumor spread in non-small-cell lung carcinoma. *J Natl Cancer Inst* 1993 85(7):574-578
51. Azzam HS, Arand G, Lippman ME, Thompson EW. Association of MMP-2 activation potential with metastatic progression in human breast cancer cell lines independent of MMP-2 production. *J Natl Cancer Inst* 1993 85(21):1758-1764
52. Liotta LA, Steeg PS, Stetler-Stevenson WG. Cancer metastasis and angiogenesis:an imbalance of positive

- and negative regulation. *Cell* 1991 64(2):327-336
53. Emmert-Buck MR, Bonner RF, Smith PD, Chuaqui RF, Zhuang Z, Goldstein SR, Weiss RA, Liotta LA. Laser Capture microdissection. *Science* 1996 274(5289):998-1001
54. Zucker S, Lysik RM, Malik M, Bauer BA, Caamano J, Klein-Szanto-AJ. Secretion of gelatinases and tissue inhibitors of metalloproteinases by human lung cancer cell lines and revertant cell lines: not an invariant correlation with metastasis. *Int J Cancer*. 1992 52(3): 366-371
55. Gohji K, Nakajima M, Boyd D, Dinney CP, Bucana CD, Kitazana S, Kamidono S, Fidler IJ. Organ-site dependence for the production of urokinase-type plasminogen activator and metastasis by human renal cell carcinoma cells. *Am J Pathol* 1997 151(6):1655-1661
56. Gohji K, Nakajima M, Fabra A, Bucana CD, von-Eschenbach AC, Tsuruo T, Fidler-IJ. Regulation of gelatinase production in metastatic renal cell carcinoma by organ-specific fibroblasts. *Jpn J Cancer Res* 1994 85(2):152-160
57. Fabra A, Nakajima M, Bucana CD, Fidler IJ. Modulation of the invasive phenotype of human colon carcinoma cells by organ specific fibroblasts of nude mice. *Differentiation* 1992 52(1):101-110