

REFERENCES

1. Ashizawa N., Nonaka K., Michikami S., Mizuki T., Amagai H., Tokuyama K. and Suzuki M. Tomographical description of tennis-loaded radius: reciprocal relation between bone size and volumetric BMD. *J Appl Physiol* 86: 1347-1351, 1999.
2. Augat P., Fuerst T. and Genant H.K. Quantitative bone mineral assessment at the forearm: a review. *Osteoporos Int* 8: 299-310, 1998.
3. Bass S.L., Saxon L., Daly R.M., Turner C.H., Robling A.G, Seeman E. and Stuckey S. The effect of mechanical loading on the size and shape of bone in pre-, peri-, and postpubertal girls: a study in tennis players. *J Bone Miner Res* 17: 2274-2280, 2002.
4. Beck T.J. and Majumdar S. Technologies on the horizon: assessing bone quality using DXA, pQCT, and MRI. *CME Forum* 3 (1): 23-25, 2004.
5. Bolotin H.H. and Sievänen H. Inaccuracies inherent in dual-exergy x-ray absorptiometry in vivo bone mineral density can seriously mislead diagnostic/prognostic interpretations of patient-specific bone fragility. *J Bone Miner Res* 16: 799-805, 2001.
6. Bonjour J.P., Theinz G., Buchs B., Slosman D. and Rizzoli R. Critical years and

- stages of puberty for spinal and femoral bone mass accumulation during adolescence. *J Clin Endocrinol Metab* 73: 555-563, 1991.
7. Bradney M., Pearce G., Naughton G., Sullivan C., Bass S., Beck T., Carlson J. and Seeman E. Moderate exercise during growth in prepubertal boys: changes in bone mass, size, volumetric density, and bone strength: A controlled prospective study. *J Bone Miner Res* 13: 1814-1821, 1998.
 8. Carter D.R., Bouxsein M.L. and Marcus R. New approaches for interpreting projected bone densitometry data. *J Bone Miner Res* 7: 137-145, 1992.
 9. Carter D.R., van der Meulen M.C.H. and Beauprè G.S. Skeletal development: Mechanical consequences of growth, aging and disease. In: Marcus R., Feldman D. and Kelsey J. Eds *Osteoporosis*. San Diego, CA: Academic, 333-350, 1996.
 10. Cooper G.S. and Umbach D.M. Are vitamin D receptor polymorphisms associated with bone mineral density? A meta-analysis. *J Bone Miner Res* 11: 1841-1849, 1996.
 11. Courteix D., Lespessailles E., Obert P. and Benhamou C.L. Skull bone mass deficit in prepubertal highly-trained gymnast girls. *Int J Sports Med* 20: 328-333, 1999.
 12. Creighton D.L., Morgan A.L., Boardley D. and Brolinson P.G. Weight-bearing exercise and markers of bone turnover in female athletes. *J Appl Physiol* 90:

565-570, 2001.

13. Cummings S.R., Black D.M., Nevitt M.C., Browner W., Cauley J., Ensrud K., Genant H.K., Palermo L., Scott J. and Vogt TM. Bone density at various sites for prediction of hip fractures. The study of osteoporotic fractures research group. *Lancet* 341: 72-5, 1993.
14. Dalen N. and Olsson K.E. Bone mineral content and physical activity. *Acta Orthop* 45: 170-174, 1974.
15. Dalsky G.P., Stocke K.S., Eshani A.A., Slatopolsky E., Lee W.C. and Birge S.J. Weight-bearing exercise training and lumbar bone mineral content in postmenopausal women. *Ann Intern Med* 108: 824-828, 1988.
16. Dambacher M.A., Neff M., Kissling R. and Qin L. Highly precise peripheral quantitative computed tomography for the evaluation of bone density, loss of bone density and structures. Consequences for prophylaxis and treatment. *Drugs-Aging* 12 Suppl: 115-24, 1998.
17. Duncan C.S., Glimkie C.J.R., Kemp A., Higgs W., Cowell C.T., Woodhead H., Briody J.N. and Howman-Giles R. Mid-femur geometry and biomechanical properties in 15- to 18-yr-old female athletes. *Med Sci Sports Exerc* 34: 673-681, 2002.

18. Einhorn T.A. Bone Strength: The Bottom Line. *Calcif Tissue Int* 51: 333-339, 1992.
19. Einhorn T.A. The bone organ system: form and function. In: *Osteoporosis*, edited by Marcus R., Feldman D. and Kelsey J. Academic Press, p. 3-8, 1996.
20. Eisman J.A. Vitamin D receptor gene alleles and osteoporosis: An affirmative view. *J Bone Miner Res* 10: 1289-1293, 1995.
21. Eisman, J.A. Genetics of osteoporosis. *Endocrine Rev* 20: 788-804, 1999.
22. Etherington J., Harris P.A., Nandra D., Hart D.J., Wolman R.L., Doyle D.V. and Spector T.D. The effect of weight-bearing exercise on bone mineral density: a study of female ex-elite athletes and the general population. *J Bone Miner Res* 11: 1333-1338, 1996.
23. Fehling P.C., Alekel L., Clasey J., Rector A. and Stillman R.J. A comparison of bone mineral densities among female athletes in impact loading and active loading sports. *Bone* 17: 205-210, 1995.
24. Formica C.A., Nieves J.W., Cosman F., Garrett P. and Lindsay R. Comparative assessment of bone mineral measurements using dual X-ray absorptiometry and peripheral quantitative computed tomography. *Osteoporosis Int* 8: 460-467, 1998.
25. Gilsanz V., Gibbens D.T., Roe T.F., Carlson M., Senac M.O., Ines Boechat M.,

- Huang H.K., Schulz E.E., Libanati C.R. and Cann C.C. Vertebral bone density in children: Effect of puberty. *Radiology* 166: 847-850, 1988.
26. Grampp S., Lang P., Jergas M., Glüer C. C., Mathur A., Engelke K. and Genant H. K. Assessment of the skeletal status by peripheral quantitative computed tomography of the forearm: short-term precision in vivo and comparison to dual X-ray absorptiometry. *J Bone Miner Res* 10: 1566-1576, 1995.
27. Grimston S.K., Willows N.D. and Hanley D.A. Mechanical loading regime and its relationship to bone mineral density in children. *Med Sci Sports Exerc* 25: 1203-1210, 1993.
28. Guglielmi G., De Serio A., Fusilli S., Scillitani A., Torlontano M. and Cammisa M. Age-related changes assessed by peripheral QCT in healthy Italian women. *Eur Radiol* 10: 609-614, 2000.
29. Haapasalo H., Sievänen H., Kannus P., Heinonen A., Oja P. and Vuori I. Long-term unilateral loading and bone mineral density and content in female squash players. *Calcif Tissue Int* 54: 249-255, 1994.
30. Haapasalo H., Sievänen H., Kannus P., Heinonen A., Oja P. and Vuori I. Dimensions and estimated mechanical characteristics of the humerus after long-term tennis loading. *J Bone Miner Res* 11: 864-872, 1996.

31. Haapasalo H., Kannus P., Sievänen H., Pasanen M., Uusi-Rasi K., Heinonen A., Oja P. and Vuori I. Development of mass, density, and estimated mechanical characteristics of bones in Caucasian females. *J Bone Miner Res* 11: 1751-1760, 1996.
32. Haapasalo H., Kannus P., Sievänen H., Pasanen M., Uusi-Rasi K., Heinonen A., Oja P. and Vuori I. Effect of long-term unilateral activity on bone mineral density of female junior tennis players. *J Bone Miner Res* 13: 310-319, 1998.
33. Haapasalo H., Kontulainen S., Sievänen H., Kannus P., Järvinen M. and Vuori I. Exercise-induced bone gain is due to enlargement in bone size without a change in volumetric bone density: A peripheral quantitative computed tomography study of the upper arms of male tennis player. *Bone* 27: 351-357, 2000.
34. Hasegawa Y., Schneider P., Reiners C., Kushida K., Yamazaki K., Hasegawa K. and Nagano A. Estimation of the architectural properties of cortical bone using peripheral quantitative computed tomography. *Osteoporosis Int* 11: 36-42, 2000.
35. Heinonen A., Oja P., Kannus P., Sievänen H., Haapasalo H., Mänttari A. and Vuori I. Bone mineral density in female athletes representing sports with different loading characteristics of the skeleton. *Bone* 17: 197-203, 1995.
36. Heinonen A., Kamus P., Sievänen H., Oja P., Pasanen M., Rinne M., Uusi-Rasi K.

- and Vuori I. Randomized control trial of effect of high-impact exercise on selected risk-factors for osteoporotic fractures. *Lancet* 348: 1343-1347, 1996.
37. Heinonen A., Sievänen H., Kannus P., Oja P., Pasanen M. and Vuori I. High-impact exercise and bones of growing girls: A 9-month controlled trial. *Osteoporos Int* 11: 1010-1017, 2000.
38. Heinonen A., Sievänen H., Kyröläinen H., Perttunen J. and Kannus P. Mineral mass, size, and estimated mechanical strength of triple jumpers' lower limb. *Bone* 29: 279-285, 2001.
39. Henry Y.M., Fatayerji D. and Eastell R. Attainment of peak bone mass at the lumbar spine, femoral neck and radius in men and women: relative contributions of bone size and volumetric bone mineral density. *Osteoporos Int* 15: 263-273, 2004.
40. Huddleston A.L., Rockwell D., Kulund D.N. and Harrison R.B. Bone mass in lifetime tennis athletes. *JAMA* 244: 1107-1109, 1980.
41. Ito M., Tsurusaki K. and Hayashi K. Peripheral QCT for the diagnosis of osteoporosis. *Osteoporosis Int* 7: S120-S127, 1997.
42. Jacobson P.C., Beaver W., Grubbs S.A., Taft T.N. and Talmage R.V. Bone density in women: College athletes and older athletic women. *J Orthop Res* 2: 328-332, 1984.

43. Karlsson M.K., Johnell O. and Obrant K.J. Bone mineral density in weight lifters. *Calcif Tissue Int* 52: 212-215, 1993.
44. Karlsson M.K., Hasserijs R. and Obrant K.J. Bone density in athletes during and after career: A comparison between loaded and unloaded skeletal regions. *Calcif Tissue Int* 59: 245-248, 1996.
45. Kleerekoper M., Tolia K. and Parfitt A.M. Nutritional, endocrine, and demographic aspects of osteoporosis. *Orthop Clin North Am* 12: 547-558, 1981.
46. Kontulainen S., Sievänen H., Kannus P., Pasanen M. and Vuori I. Effect of long-term impact-loading on mass, size, and estimated strength of humerus and radius of female racquet-sports players: A peripheral quantitative computed tomography study between young and old starters and controls. *J Bone Miner Res* 17: 2281-2289, 2002.
47. Lee E.J., Long K.A., Risser W.L., Poindexter H.B., Gibbons W.E. and Goldzieher J. Variations in bone status of contralateral and regional sites in young athletic women. *Med and Sci in Sports and Exer* 27: 1354-1361, 1995.
48. Lehmann R., Wapniarz M., Kvasnicka H.M., Baedeker S., Klein K. and Allolio B. Reproducibility of measurements of bone mineral density of the distal radius with a special-purpose computed tomography scanner. *Radiology* 32: 177-181, 1992.

49. Liao E.Y., Wu X.P., Liao H.J., Zhang H. and Peng J. Effects of skeletal size of the lumbar spine on areal bone density, volumetric bone density, and the diagnosis of osteoporosis in postmenopausal women in China. *J Bone Miner Metab* 22: 270-277, 2004.
50. Link T.M., Majumdar S., Lin J.C., Newitt D., Augat P., Ouyang X.L., Mathur A. and Genant H.K. A comparative study of trabecular bone properties in the spine and femur using high resolution MRI and CT. *J Bone Miner Res* 13: 122-132, 1998.
51. Liu L.J., Maruno R., Mashimo T., Sanka K., Higuchi T., Hayashi K., Shirasaki Y., Mukai N., Saitoh S. and Tokuyama K. Effects of physical training on cortical bone at midtibia assessed by peripheral QCT. *J Appl Physiol* 95: 219-224, 2003.
52. Lu P.W., Cowell C.T., Lloyd-Jones S.A., Briody J.N. and Howman-Giles R. Volumetric bone mineral density in normal subjects, aged 5-27 years. *J Clin Endocrinol Metab* 81: 1586-1590, 1996.
53. Mackelvie K.J., McKay H.A., Khan K.M. and Crocker P.R.E. A school-based exercise intervention augments bone mineral accrual in early pubertal girls. *J Pediatr* 139: 501-8, 2001.
54. Margulies J., Simkin A., Leichter I., Bivas A., Stinberg R. and Giladi M. Effects of

- intense physical activity on the bone mineral content in the lower limbs of young adults. *J Bone Jt Surg [Am]* 68A: 1090-1093, 1986.
55. Martin R.B. and Atkinson P.J. Age-and sex-related changes in the structure and strength of the human femoral shaft. *J Biomech* 10: 223-231, 1977.
56. Matkovic V., Jelic T., Wardlaw G.T., Ilich J.Z., Goel P.K., Wright J.K., Andon M.B., Smith K.T. and Heaney R.P. Timing of peak bone mass in Caucasian females and its implication for the prevention of osteoporosis. *J Clin Invest* 93: 799-808, 1994.
57. Matsumoto T., Nakagawa R., Nishida S. and Hirota R. Bone density and bone metabolic markers in active collegiate athletes: findings in long-distance runners, judoists, and swimmers. *J Sports Med* 18: 408-412, 1997.
58. Metton L.J., Atkinson E.J., O'Fallon W.M., Wahner H.W. and Riggs B.L. Long-term fracture prediction by bone mineral assessed at different skeletal sites. *J Bone Miner Res* 8: 1227-33, 1993.
59. Morrison N.A., Qi J.C., Tokita A., Kelly P.J., Crofts L., Nguyen T.V., Sambrook P.N. and Eisman J.A. Prediction of bone density from vitamin D receptor alleles. *Nature* 367: 284-287, 1994.
60. Mosley J.R., March B.M., Lynch J. and Lanyon L.E. Strain magnitude related changes in whole bone architecture in growing rats. *Bone* 20: 191-198, 1997.

61. Nara-Ashizawa N., Liu L.J., Higuchi T., Tokuyama K., Hayashi K., Shirasaki Y., Amagai H. and Saitoh S. Paradoxical adaptation of mature radius to unilateral use in tennis playing. *Bone* 30: 619-623, 2002.
62. Nelson D.A. and Bouxsein M.L. Exercise maintains bone mass, but do people maintain exercise? *J Bone Miner Res* 16: 202-205, 2001.
63. Nelson M.E., Fiatarone M.A., Morganti C.M., Trice I., Greenberg R.A. and Evans W.J. Effects of high-intensity strength training on multiple risk factors for osteoporotic fractures. A randomized controlled trial. *JAMA* 272: 1909-1914, 1994.
64. Nilsson B.E. and Westlin N.E. Bone density in athletes. *Clin Orthop Res* 77: 179-182, 1971.
65. Nguyen T.V., Blangero J. and Eisman J.A. Genetic epidemiological approach to the search for osteoporosis genes. *J Bone Miner Res* 15: 392-401, 2000.
66. Nguyen T.V., Howard G.M., Kelly P.J. and Eisman J.A. Bone mass, lean mass and fat mass: Some genes or some environments? *Am J Epidemiol* 147: 3-16, 1998.
67. Parfitt A.M. The two faces of growth: benefits and risks to bone integrity. *Osteoporosis Int* 4: 382-398, 1994.
68. Peacock M. Vitamin D receptor gene alleles and osteoporosis: A contrasting view. *J*

- Bone Miner Res 10: 1294-1297, 1995.
69. Perttunen, J., Kyrolainen, H., Komi, P.V. and Heinonen, A. Biomechanical loading in the triple jump. *Journal of Sports Sciences* 18:363-370, 2000.
 70. Qin L., Au S., Chan K.M., Lau M.C., Woo J., Dambacher M.A. and Leung P.C. Peripheral volumetric bone mineral density in pre- and postmenopausal Chinese women in Hong Kong. *Calcif Tissue Int* 67: 29-36, 2000.
 71. Radspieler H., Dambacher M.A., Kissling R. and Neff M. Is the amount of trabecular bone-loss dependent on bone mineral density? A study performed by three centres of osteoporosis using high resolution peripheral quantitative computed tomography. *Eur J Med Res* 5: 32-39, 2000.
 72. Recker R.R. Bone remodeling abnormalities in osteoporosis. In: Marcus R., Feldman D. and Kelsey J. Eds *Osteoporosis*. San Diego, CA: Academic, 703-713, 1996.
 73. Riggs B.L. and Melton L.J. Involutional osteoporosis. *New Engl J Med* 314: 1676-1686, 1986.
 74. Risser W., Lee E., La Blanc A., Poindexter H., Risser J. and Schneider V. Bone density in eumenorrhic female athletes. *Med Sci Sports Exerc* 22: 570- 574, 1990.
 75. Rittweger J., Beller G, Ehrig J., Jung C., Koch U., Ramolla J., Schmidt F., Newitt

- D., Majumdar S., Schiessl H. and Felsenberg D. Bone-muscle strength indices for the human lower leg. *Bone* 27: 319-326, 2000.
76. Rügsegger P., Elsasser U., Anliker M., Gnehm H., Kind H.P. and Prader A. Quantification of bone mineral mineralization using computed tomography. *Radiology* 121: 93-97, 1976.
77. Rügsegger P., Durand E. and Dambacher M.A. Localization of regional forearm bone loss from high-resolution computed tomographic images. *Osteopor Int* 1: 76-80, 1991.
78. Rügsegger P. The use of peripheral QCT in the evaluation of bone remodeling. *Endocrinologist* 4: 167-176, 1994.
79. Rügsegger P. Bone density measurement. In: Bröll H., Dambacher M.A. (eds) *Osteoporosis: a guide to diagnosis and treatment*. Basel, Karger, 18: pp. 103-116, 1996.
80. Schneider P. and Borner W. Periphere quantitative computer tomographie QCT-Scanner. *Fortschr Roentgenstr* 154: 178-182, 1997.
81. Schoenau E., Neu C.M., Rauch F. and Manz F. The development of bone strength at the proximal radius during childhood and adolescence. *J Clin Endocrinol Metab* 86: 613-618, 2001.

82. Seeman E. Growth in bone mass and size: Are racial and gender differences in bone density more apparent than real? *J Clin Endocrinol Metab* 83: 1-6, 1998.
83. Seeman E. Sexual dimorphism in skeletal size, density, and strength. *J Clin Endocrinol Metab* 86: 4576-4584, 2001.
84. Sievanen H., Koskue V., Rauhio A., Kannus P., Heinonen A. and Vuori I. Peripheral quantitative computed tomography in human long bones: Evaluation of in vitro and in vivo precision. *J Bone Miner Res* 13: 871-882, 1998.
85. Sinaki M., Wahner H., Offord K. and Hodgson S. Efficacy of nonloading exercises in prevention of vertebral bone loss in post-menopausal women: a controlled trial. *Mayo Clin Proc* 64: 762-769, 1989.
86. Slemenda C.W. and Johnston C.C. High-intensity activity in young women: site-specific bone mass effects among female figure skaters. *Bone Miner* 20: 125-132, 1993.
87. Slemenda C.W., Reister T.K., Hui S.L., Miller J.Z., Christian J.C. and Johnston C.C. Influences on skeletal mineralization in children and adolescents: Evidence for varying effects of sexual maturation and physical activity. *J Pediatrics* 125: 201-207, 1994.
88. Smith R.W. and Walker R.R. Femoral expansion in aging women: Implications for

- osteoporosis and fracture. *Science* 145: 156-157, 1964.
89. Sundberg M., Gärdsell P., Johnell O., Karlsson M.K., Ornstein E., Sandstedt B. and Sernbo I. Peripubertal moderate exercise increases bone mass in boys but not in girls: A population-Based intervention study. *Osteoporos Int* 12: 230-238, 2001.
90. Sundberg M., Gärdsell P., Johnell O., Karlsson M.K., Ornstein E., Sandstedt B. and Sernbo I. Physical activity increases bone size in prepubertal boys and bone mass in prepubertal girls: A combined cross-sectional and 3-year longitudinal study. *Calcif Tissue Int* 71: 406-415, 2002.
91. Suominen H. Bone mineral density and long term exercise: An overview of cross-sectional athlete studies. *Sports Med* 16: 316-330, 1993.
92. Taaffe D.R., Snow C.M., Connolly D.A., Robinson T.L., Brown M.D. and Marcus R. Differential effects of swimming versus weight-bearing activity on bone mineral status of eumenorrheic athletes. *J Bone Miner Res* 10: 586-593, 1995.
93. Takagi Y., Fujii Y., Miyauchi A., Goto B., Takahashi K. and Fujita T. Transmenopausal change of trabecular bone density and structural pattern assessed by peripheral quantitative computed tomography in Japanese women. *J Bone Miner Res* 10: 1830-1834, 1995.
94. Takano J., Fujii N., Mukai N., Liu L.J., Hayashi K., Shirasaki Y., Saitoh S. and

- Tokuyama K. Jumper's tibia assessed along 64 directions centering center of gravity of the bone by pQCT. *Jpn J Phys Fitness Sports Med* 53: 123-130, 2004 (in Japanese).
95. Theinz G., Buchs B., Rizzoli R., Slosman D., Clavien H., Sizonenko P.C. and Bonjour J-P. Longitudinal monitoring of bone mass accumulation in healthy adolescents: Evidence for a marked reduction after 16 years of age at the levels of lumbar spine and femoral neck in female subjects. *J Clin Endocrinol Metab* 75: 1060-1065, 1992.
96. Van der Meulen M.C.H., Beauprè G.S. and Carter D.R. Mechanobiologic influences in long bone cross-sectional growth. *Bone* 14: 635-642, 1993.
97. Wehrli F.W., Gomberg B.R., Saha P.K., Song H.K., Hwang S.N. and Snyder P.J. Digital topological analysis of in vivo magnetic resonance microimages of trabecular bone reveals structural implications of osteoporosis. *J Bone Miner Res* 16: 1520-1531, 2001.
98. Wehrli F.W., Hilaire L., Fernandez-Seara M., Gomberg B.R., Song H.K., Zemel B., Loh L. and Snyder P.J. Quantitative magnetic resonance imaging in the calcaneus and femur of women with varying degrees of osteopenia and vertebral deformity status. *J Bone Miner Res* 17: 2265-2273, 2002.