

参考文献

- Alessio HM (1993) Exercise-induced oxidative stress. *Med Sci Sports Exerc* 25: 218-24.
- Anuoma OI (1994) Free radicals and antioxidant strategies in sports. *J Nutr Biochem* 5: 370-81.
- Åstrand P-O, Rodahl K (1977) *Textbook of Work Physiology*, McGraw-Hill Book Company (New York): 170-5.
- 坂内四郎, 立石紀子 (1988) 動物細胞のグルタチオン維持機構. 蛋白質 核酸 酶素 33: 1442-9.
- Bradford MM (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72: 248-54.
- Brown MD, Srinivasan M, Hogikyan RV, Dengel DR, Glickman SG, Galecki A, Supiano MA (2000) Nitric oxide biomarkers increase during exercise-induced vasodilation in the forearm. *Int J Sports Med* 21: 83-9.
- Cooper KH (1968) A means of assessing maximal oxygen intake. Correlation between field and treadmill testing. *Jama* 203: 201-4.
- Cotgreave IA, Gerdes RG (1998) Recent trends in glutathione biochemistry - glutathione-protein interactions: a molecular link between oxidative stress and cell proliferation? *Biochem Biophys Res Commun* 242: 1-9.
- Dafre AL, Reischl E (1998) Oxidative stress causes intracellular reversible S-thiolation of chicken hemoglobin under diamide and xanthine oxidase treatment. *Arch Biochem Biophys* 358: 291-6.
- Davies KJ, Quintanilha AT, Brooks GA, Packer L (1982) Free radicals and tissue damage produced by exercise. *Biochem Biophys Res Commun* 107: 1198-205.
- Dillard CJ, Litov RE, Savin WM, Dumelin EE, Tappel AL (1978) Effects of exercise, vitamin E, and ozone on pulmonary function and lipid peroxidation. *J Appl Physiol* 45: 927-32.

- Di Simplicio P, Cacace MG, Lusini L, Giannerini F, Giustarini D, Rossi R (1998) Role of protein -SH groups in redox homeostasis - the erythrocyte as a model system. *Arch Biochem Biophys* 355: 145-52.
- Doumas BT, Watson WA, Biggs HG (1971) Albumin standards and the measurement of serum albumin with bromcresol green. *Clin Chim Acta* 31: 87-96.
- Duthie GG, Robertson JD, Maughan RJ, Morrice PC (1990) Blood antioxidant status and erythrocyte lipid peroxidation following distance running. *Arch Biochem Biophys* 282: 78-83.
- Era S, Kuwata K, Imai H, Nakamura K, Hayashi T, Sogami M (1995) Age-related change in redox state of human serum albumin. *Biochim Biophys Acta* 1247: 12-6.
- Floyd RA (1995) Measurement of oxidative stress in vivo. The oxygen paradox (Davies KJA and Ursini F eds), CLEUP University Press (Padova, Italy): 89-103.
- Frei B, Stocker R, Ames BN (1988) Antioxidant defenses and lipid peroxidation in human blood plasma. *Proc Natl Acad Sci USA* 85: 9748-52.
- Gohil K, Viguerie C, Stanley WC, Brooks GA, Packer L (1988) Blood glutathione oxidation during human exercise. *J Appl Physiol* 64: 115-9.
- Hack V, Breitkreutz R, Kinscherf R, Rohrer H, Bartsch P, Taut F, Benner A, Droege W (1998) The redox state as a correlate of senescence and wasting and as a target for therapeutic intervention. *Blood* 92: 59-67.
- Halliwell B (1988) Albumin - an important extracellular antioxidant? *Biochem Pharmacol* 37: 569-71.
- Hellsten Y (1994) The role of xanthine oxidase in exercise. Exercise and oxygen toxicity (Sen CK, Packer L, Hnninen O eds), Elsevier Science Publishers BV (Amsterdam): 211-34.
- Inayama T, Kumagai Y, Sakane M, Saito M, Matsuda M (1996) Plasma protein-bound sulphydryl group oxidation in humans following a full marathon race. *Life Sci* 59: 573-8.

稻山貴代, 松田光生, 斎藤実, 小林修平 (1998) フルマラソンによって減少した血漿蛋白性 sulphhydryl groups の回復. 臨床スポーツ医学 15: 418-23.

Inayama T, Oka J, Kashiba M, Saito M, Higuchi M, Umegaki K, Yamamoto Y, Matsuda M (2002a) Moderate physical exercise induces the oxidation of human blood protein thiols. Life Sci 70: 2039-46.

Inayama T, Kashiba M, Oka J, Higuchi M, Umegaki K, Saito M, Yamamoto Y, Matsuda M (2002b) Physical Exercise Induces Oxidation of Plasma Protein Thiols to Cysteine Mixed Disulfides in Humans. J Health Sci 48: 399-403.

Inoue M, Saito Y, Hirata E, Morino Y, Nagase S (1987a) Regulation of redox states of plasma protein by metabolism and transport of glutathione and related compounds. J Protein Chemistry 6: 207-25.

井上正康 (1987b) 分子のフェリーボート：血清アルブミン. 生化学 59: 441-447.

Inoue M, Minamiyama Y, Yu H, Yamamasu S, Inoue K, Sato E (1995) Biochemical and clinical aspects of extracellular glutathione and related thiols. Biothiols in health and disease (In: Packer L, Cadenas E eds), Marcel Dekker Inc (New York): 287-304.

Ishikawa T, Zimmer M, Sies H (1986) Energy-linked cardiac transport system for glutathione disulfide. FEBS Lett 200: 128-32.

石川智久, 松田幸彦 (1988) グルタチオンの輸送. 蛋白質 核酸 酵素 33: 1450-8.

Ji LL, Fu R (1992) Responses of glutathione system and antioxidant enzymes to exhaustive exercise and hydroperoxide. J Appl Physiol 72: 549-54.

Ji LL, Katz A, Fu R, Griffiths M, Spencer M (1993) Blood glutathione status during exercise: effect of carbohydrate supplementation. J Appl Physiol 74: 788-92.

Ji LL (1995) Oxidative stress during exercise: implication of antioxidant nutrients. Free Radic Biol Med 18: 1079-86.

Ji LL (1999) Antioxidants and oxidative stress in exercise. Proc Soc Exp Biol Med 222: 283-92.

Jia L, Bonaventura C, Bonaventura J, Stamler JS (1996) S-nitrosohaemoglobin: a dynamic activity of blood involved in vascular control. Nature 380: 221-6.

Jones DA, Newham DJ, Round JM, Tolfree SE (1986) Experimental human muscle damage: morphological changes in relation to other indices of damage. J Physiol 375: 435-48.

Jones DP, Carlson JL, Mody VC, Cai J, Lynn MJ, Sternberg P (2000) Redox state of glutathione in human plasma. Free Radic Biol Med 28: 625-35.

Kanter MM, Lesmes GR, Kaminsky LA, La Ham-Saeger J, Nequin ND (1988) Serum creatine kinase and lactate dehydrogenase changes following an eighty kilometer race. Relationship to lipid peroxidation. Eur J Appl Physiol Occup Physiol 57: 60-3.

加柴美里, 井上正康 (1996) 活性酸素と抗酸化分子群の相互作用. 活性酸素とシグナル伝達—レドックス制御と生物の生存戦略 (井上正康編), 講談社サイエンティフィク (東京) : 21-32.

King TP (1961) On the sulphydryl group of human plasma albumin. J Biol Chem 236: PC5.

Klatt P, Lamas S (2000) Regulation of protein function by S-glutathiolation in response to oxidative and nitrosative stress. Eur J Biochem 267: 4928-44.

近藤宇史 (1988) 赤血球のグルタチオン代謝とその異常. 蛋白質 核酸 酶素 33: 1466-72.

近藤元治 (1992) なぜ、いまフリーラジカルが注目されているのか?. フリーラジカル 体内動態と生体傷害機序 (近藤元治編), メジカルレビュー社 (東京) : 1-6.

近藤則彦, 淀井淳司 (2001) チオレドキシン研究の最近の進歩. 医学のあゆみ 別冊 酸化ストレス—フリーラジカル医学生物学の最前線 (吉川敏一編), 医歯薬出版 (東京) : 52-5.

Kretzschmar M, Pfeifer U, Machnik G, Klinger W (1992) Glutathione homeostasis and turnover in the totally hepatectomized rat: evidence for a high glutathione export capacity of extrahepatic tissues. Exp

Toxicol Pathol 44: 273-81.

Laaksonen DE, Atalay M, Niskanen L, Uusitupa M, Hanninen O, Sen CK (1996) Increased resting and exercise-induced oxidative stress in young IDDM men. Diabetes Care 19: 569-74.

Lash LH, Jones DP (1985) Distribution of oxidized and reduced forms of glutathione and cysteine in rat plasma. Arch Biochem Biophys 240: 583-92.

Leeuwenburgh C, Hollander J, Leichtweis S, Griffiths M, Gore M, Ji LL (1997) Adaptations of glutathione antioxidant system to endurance training are tissue and muscle fiber specific. Am J Physiol 272: R363-9.

Lew H, Pyke S, Quintanilha A (1985) Changes in the glutathione status of plasma, liver and muscle following exhaustive exercise in rats. FEBS Lett 185: 262-6.

Libenson L, Jena M (1967) Uptake of glutathione by serum albumin of normal and tumor-bearing mice. Cancer Res 27: 1196-201.

Lovlin R, Cottle W, Pyke I, Kavanagh M, Belcastro AN (1987) Are indices of free radical damage related to exercise intensity. Eur J Appl Physiol Occup Physiol 56: 313-6.

Masutani H, Yodoi J (2002) Thioredoxin. Overview. Methods Enzymol 347: 279-86.

Maughan RJ, Donnelly AE, Gleeson M, Whiting PH, Walker KA, Clough PJ (1989) Delayed-onset muscle damage and lipid peroxidation in man after a downhill run. Muscle Nerve 12: 332-6.

Meister A, Tate SS, Griffith OW (1981) Gamma-glutamyl transpeptidase. Methods Enzymol 77: 237-53.

Meister A (1983) Selective modification of glutathione metabolism. Science 220: 472-7.

Meydani M, Evans WJ, Handelman G, Biddle L, Fielding RA, Meydani SN, Burrill J, Fiatarone MA, Blumberg JB, Cannon JG (1993) Protective effect of vitamin E on exercise-induced oxidative damage in

young and older adults. Am J Physiol 264: R992-8.

Minamiyama Y, Takemura S, Inoue M (1996) Albumin is an important vascular tonus regulator as a reservoir of nitric oxide. Biochem Biophys Res Commun 225: 112-5.

Miyazaki H, Ohishi S, Ookawara T, Kizaki T, Toshinai K, Ha S, Haga S, Ji LL, Ohno H (2001) Strenuous endurance training in humans reduces oxidative stress following exhausting exercise. Eur J Appl Physiol 84: 1-6.

Nakamura H, De Rosa S, Roederer M, Anderson MT, Dubs JG, Yodoi J, Holmgren A, Herzenberg LA, Herzenberg LA (1996) Elevation of plasma thioredoxin levels in HIV-infected individuals. Int Immunol 8: 603-11.

二木銳雄 (1994) 生体の酸化的傷害とそれに対する防御システム. 抗酸化物質 フリーラジカルと生体防御 (二木銳雄, 島崎弘幸, 美濃真編), 学会出版センター (東京) : 3-16.

二木銳雄 (2001) 抗酸化防御システム. 医学のあゆみ 別冊 酸化ストレスーアジカル医学の最前線 (吉川敏一編), 医歯薬出版 (東京) : 139-41.

大久保岩男 (1999) アルブミンの構造と生理機能. 臨床アルブミン学 (渡邊明治 編), メディカルレビュー社 (東京) : 19-28.

Oshiro I, Tsutsui M, Fujii M, Ueyama M, Takenaka T, Maeda J (1981) [New manual and automatic method of hemoglobin determination by using SLS (author's transl)]. Rinsho Byori 29: 203-9.

Packer L (1997) Oxidants, antioxidant nutrients and the athlete. J Sports Sci 15: 353-63.

Pyke S, Lew H, Quintanilha A (1986) Severe depletion in liver glutathione during physical exercise. Biochem Biophys Res Commun 139: 926-31.

Rajguru SU, Yeargans GS, Seidler NW (1994) Exercise causes oxidative damage to rat skeletal muscle microsomes while increasing cellular sulfhydryls. Life Sci 54: 149-57.

Sastre J, Asensi M, Gasco E, Pallardo FV, Ferrero JA, Furukawa T, Vina J (1992) Exhaustive physical exercise causes oxidation of glutathione status in blood: prevention by antioxidant administration. Am J Physiol 263: R992-5.

佐藤英介, 小山敬子, 井上正康 (1994) フリーラジカルの消去と抗酸化酵素. 抗酸化物質 フリーラジカルと生体防御 (二木銳雄, 島崎弘幸, 美濃真編), 学会出版センター (東京) : 17-27.

Saville B (1958) A scheme for the colorimetric determination of microgram amounts of thiols. Analyst 83: 670-2.

Schafer FQ, Buettner GR (2001) Redox environment of the cell as viewed through the redox state of the glutathione disulfide/glutathione couple. Free Radic Biol Med 30: 1191-212.

Sedlak J, Lindsay RH (1968) Estimation of total, protein-bound, and nonprotein sulphydryl groups in tissue with Ellman's reagent. Anal Biochem 25: 192-205.

Sen CK, Marin E, Kretzschmar M, Hanninen O (1992) Skeletal muscle and liver glutathione homeostasis in response to training, exercise, and immobilization. J Appl Physiol 73: 1265-72.

Sen CK, Rahkila P, Hanninen O (1993) Glutathione metabolism in skeletal muscle derived cells of the L6 line. Acta Physiol Scand 148: 21-6.

Sen CK, Atalay M, Hanninen O (1994a) Exercise-induced oxidative stress: glutathione supplementation and deficiency. J Appl Physiol 77: 2177-87.

Sen CK, Hanninen O (1994b) Physiological antioxidants. "Exercise and oxygen toxicity (Sen CK, Packer L, Hnninen O eds), Elsevier Science Publishers BV(Amsterdam): 89-126.

Sen CK, Rankinen T, Vaisanen S, Rauramaa R (1994c) Oxidative stress after human exercise: effect of N-acetylcysteine supplementation. J Appl Physiol 76: 2570-7.

Sen CK (1995) Oxidants and antioxidants in exercise. J Appl Physiol 79: 675-86.

Sen CK, Roy S, Han D, Packer L (1997) Regulation of cellular thiols in human lymphocytes by alpha-lipoic acid: a flow cytometric analysis. *Free Radic Biol Med* 22: 1241-57.

Sen CK, Packer L (2000) Thiol homeostasis and supplements in physical exercise. *Am J Clin Nutr* 72: 653S-69S.

Seward SW, Seiler KS, Starnes JW (1995) Intrinsic myocardial function and oxidative stress after exhaustive exercise. *J Appl Physiol* 79: 251-5.

芝田英生, 古谷榮助, 田川邦夫 (1988) グルタチオンの高速液体クロマトグラフィーによる分離と定量. *蛋白質 核酸 酶素* 33:1392-6.

Sies H (1985) Oxidative Stress (In: Sies H ed), Academic Press (London): 1-8.

Shibuki H, Katai N, Kuroiwa S, Kurokawa T, Yodoi J, Yoshimura N (1998) Protective effect of adult T-cell leukemia-derived factor on retinal ischemia-reperfusion injury in the rat. *Invest Ophthalmol Vis Sci* 39: 1470-7.

Sjodin B, Hellsten WY, Apple FS (1990) Biochemical mechanisms for oxygen free radical formation during exercise. *Sports Med* 10: 236-54.

Smith PK, Krohn RI, Hermanson GT, Mallia AK, Gartner FH, Provenzano MD, Fujimoto EK, Goeke NM, Olson BJ, Klenk DC (1985) Measurement of protein using bicinchoninic acid [published erratum appears in Anal Biochem 1987 May 15;163(1): 279]. *Anal Biochem* 150: 76-85.

Sogami M, Nagoka S, Era S, Honda M, Noguchi K (1984) Resolution of human mercapt- and nonmercaptalbumin by high-performance liquid chromatography. *Int J Pept Protein Res* 24: 96-103.

Srivastava SK, Beutler E (1969) The transport of oxidized glutathione from human erythrocytes. *J Biol Chem* 244: 9-16.

Stamler JS, Jaraki O, Osborne J, Simon DL, Keaney J, Vita J, Singel D, Valeri CR, Loscalzo J (1992) Nitric

oxide circulates in mammalian plasma primarily as an S-nitroso adduct of serum albumin. Proc Natl Acad Sci USA 89: 7674-7.

Stocker R, Frei B (1991) Endogenous antioxidant defences in human blood plasma. Oxidative stress: Oxidants and Antioxidants (Sies H eds), London, Academic Press.

Szasz G, Gruber W, Bernt E (1976) Creatine kinase in serum: 1. Determination of optimum reaction conditions. Clin Chem 22: 650-6.

谷口直之 (1988) γ -グルタミルサイクル. 蛋白質 核酸 酵素 33: 1432-41.

Tessier F, Margaritis I, Richard MJ, Moynot C, Marconnet P (1995) Selenium and training effects on the glutathione system and aerobic performance. Med Sci Sports Exerc 27: 390-6.

Thomas JA, Poland B, Honzatko R (1995) Protein sulphhydryls and their role in the antioxidant function of protein S-thiolation. Arch Biochem Biophys 319: 1-9.

Viguie CA, Frei B, Shigenaga MK, Ames BN, Packer L, Brooks GA (1993) Antioxidant status and indexes of oxidative stress during consecutive days of exercise. J Appl Physiol 75: 566-72.

Vina J, Sastre J, Asensi M, Packer L (1995) Assay of blood glutathione oxidation during physical exercise. Methods Enzymol 251: 237-43.

内海耕造 (1996) シグナル伝達系のクロストーク. 活性酸素とシグナル伝達—レドックス制御と生物の生存戦略 (井上正康編), 講談社サイエンティフィク (東京) : 1-20.

Wayner DD, Burton GW, Ingold KU, Barclay LR, Locke SJ (1987) The relative contributions of vitamin E, urate, ascorbate and proteins to the total peroxy radical-trapping antioxidant activity of human blood plasma. Biochim Biophys Acta 924: 408-19.

Witt EH, Reznick AZ, Viguie CA, Starke-Reed P, Packer L (1992) Exercise, oxidative damage and effects of antioxidant manipulation. J Nutr 122: 766-73.

Yagi K (1987) Lipid peroxides and human diseases. *Chem Phys Lipids* 45: 337-51.

Yasuhara T, Nokihara K (1998) Quantitative determination of biological sulphhydryl groups by postcolumn derivatization and elucidation of microheterogeneity of serum albumins. *Anal Chem* 70: 3505-9.