

引用文献

- 1) Elliot, B. C: Adolescent overuse injuries:a biomechanical review. Australian Sports Commission Program23:1-9, 1990.
- 2) Stanish, W.D.: Overuse injuries in athletes: a perspective. Med. Sci.Sports Exerc. 16:1-7,1984
- 3) Caspersen, C. J., K.E. Powell, J.P.Koplan, R. W. Shirley, C. C. Campbell, and R. K. Sikes. : The incidence of injuries and hazards in recreational and fitness runners. Med. Sci. Sports Exerc. 16:113-114, 1984.
- 4) Jacobs, S. J., and B. L. Berson. : Injuries to runners: a study of entrants to a 10000 meter race. Am. J. Sports. Med. 14: 151-155, 1986.
- 5) Lyshorm, J.,and J. Wiklander. : Injuries in runners. Am. J. Sports Med. 15: 168-171, 1987.
- 6) Macera, C. A., R. R. Pate, K. E. Powell, K. L. Jackson, J. S. Kendrick, and T. E. Craven. : Predicting lower-extremity injuries among habitual runners. Arch. Intern. Med. 149: 2565-2568, 1989.
- 7) Marti, B., J. P. Vader, C. E. Minder, and T. : Abelin. On the epidemiology of running injuries: the 1984 Bern Grand-Prix study. Am. J. Sports Med. 16:285-293, 1988.

- 8) Rochcongar, P., J. Pernes, F. Carre, and J. Chaperon. : Occurrence of running injuries: a survey among 1153 runners. Sci.Sports 10: 15-19, 1995.
- 9) Krissoff,W.B.,Ferris,W.D.: Runner's injuries.Phys.Sportsmed.7: 53 - 63,1979.
- 10) 山本利春: 体育系大学における整形外科的メディカルチェック. 臨床スポーツ医学, 13(10): 1095-1104,1996.
- 11) 腰野富久: 膝診療マニュアル 第 5 版. 医歯薬出版株式会社, pp47,2001.
- 12) 高倉義典, 乗松敏晴: 部位別スポーツ外傷・障害 足・下腿. 南江堂, pp61,1999.
- 13) Chao, E. Y. S., E. V. D. Neluheni, R. W. W. Hsu, and D. Paley.: Biomechanics of malalignment. Orthop. Clin. North Am. 25: 379-386, 1994.
- 14) Moreland, J. R., L. W. Bassett, and G. J. Hanker.: Radiographic analysis of the axial alignment of the lower extremity. J. Bone Joint Surg. 69A:745-749, 1987.

- 15) 山本利春: ランニング障害予防のための下肢アライメント評価. ト
レーニングジャーナル, 6: 86-89, 1996.
- 16) David, J. M.: Orthopedic physical assessment. 岩倉博光訳, 医歯薬出
版, 東京, 1990.
- 17) J. M. Booher, G. A. Thibodeau: Athletic Injury Assessment. 渡辺好博監
訳, 西村書店, 新潟, 1993.
- 18) 浦辺幸夫: 競泳選手のアライメントの特徴. コーチングクリニック.
62-65, 1995
- 19) 浦辺幸夫: 下肢の各関節の連関を考慮した外傷の発生機序について
の運動学的分析. 理学療法学, 21(8): 532-536, 1994.
- 20) Salenius, P., Vanka, E.: The development of tibiofemoral angle in
children. J. Bone Joint Surg., 57-A:259-261, 1975.
- 21) Andrews, M., F. R. Noyes, T. E. Hewett, and T. P. Andriacchi.: Lower
limb alignment and foot angle are related to stance phase knee adduction
in normal subjects: a critical analysis of the reliability of gait analysis
data. J. Orthop. Res. 14: 289-295, 1996.
- 22) Andriacchi, T. P. : Dynamics of knee malalignment. Orthop. Clin. North
Am. 25: 395-403, 1994.

- 23) 増島 篤ら: 腸脛靭帯炎について. 東日本スポーツ医学研究会会誌 4, 184-187, 1983.
- 24) 平野佳代子ら: 脛骨過労性骨膜炎の発生要因について. *Journal of Athletic Rehabilitation*, 2: 103-110, 1999.
- 25) 鳥居俊: 下腿の疲労骨折と下肢アライメント. *Journal of Athletic Rehabilitation*, 2: 7-11, 1999.
- 26) 石井直方: レジスタンストレーニングの理論と実際 [8] 股関節,膝まわりの筋の強化 1. 臨床スポーツ医学, 12(12): 1401-1410, 1995.
- 27) O'Shea, P. : The parallel squat.: *Natl. Strength Condit. J.*, 6:70-72, 1985.
- 28) Lombardi, V. P. : Beginning Weight Training. Dubuque, IA: W. C. Brown, pp.201-204, 1989.
- 29) 石井直方: レジスタンストレーニング. ブックハウス HD. pp. 178-179, 1999.
- 30) Ohkoshi, Y., K. Yasuda, K. Yamanaka.: Biomechanical analysis of rehabilitation in the standing position. *Am. J. Sports Med.*, 19: 605-611, 1991.

- 31) Escamilla, R. F., G. S. Fleising, N. Zheng, S. W. Barrentine, K. E. Wilk, and J. R. Andrews.: Biomechanics of the knee during closed kinetic chain and open kinetic chain exercise. *Med. Sci. Sports Exerc.* 30: 556-569, 1998.
- 32) Wilk, K. E., R. F. Escamilla, G. S. Fleising, S. W. Barrentine, J. R. Andrews, and M. L. Boyd.: A comparison of tibiofemoral joint forces and electromyographic activity during open and closed kinetic chain exercises. *Am. J. Sports Med.* 24: 518-527, 1996.
- 33) Yack, H. J., C. E. Collins, and T. J. Whieldon.: Comparison of closed and open kinetic chain exercise in the anterior cruciate ligament-deficient knee. *Am. J. Sports Med.* 21: 49-53, 1993.
- 34) Lutz, G. E., R. A. Palmitier, K. N. An, and E. Y. Chao. : Comparison of tibiofemoral joint forces during open-kinetic-chain and closed-kinetic-chain exercise. *J. Bone Joint Surg. Am.* 75: 732-739, 1993.
- 35) Fox, T. A.: Dysplasia of the quadriceps mechanism: Hypoplasia of the vastus medialis muscle as related to the hypermobile patella syndrome. *Surg. Clin. North Am.*, 55: 199-226, 1975.
- 36) Leach, R. E.: Malalignment syndromes of the patella. *Instr. Course Lect.* 25: 49-54, 1976.

- 37) Mariani, P. P., Caruso, I.: An electromyographic investigation of subluxation of the patella. *J. Bone Joint Surg.*, 61B:169-171, 1979.
- 38) Anderson, R., C. Courtney, and E. Cameli.: EMG analysis of the vastus medialis/vastus lateralis muscles utilizing the unloaded narrow-and wide-stance squats. *J. Sport Rehabil.* 7: 236-247, 1998.
- 39) Blanpied, P. R.: Change in muscle activation during wall slides and squat-machine exercise. *J. Sport Rehabil.* 8: 123-134, 1999.
- 40) Hung, Y. J., and M. T. Gross.: Effect of foot position on electromyographic activity of the vastus medialis oblique and vastus lateralis during lower-extremity weight-bearing activities. *J. Orthop. Sports Phys. Ther.*, 29: 93-105, 1999
- 41) Ninos, J. C., J. J. Irrgang, R. Burdett, and J. R. Weiss.: Electromyographic analysis of the squat performed in self-selected lower extremity neutral rotation and 30 degrees of lower extremity turn-out from the self-selected neutral position. *J. Orthop. Sports Phys. Ther.*, 25: 307-315, 1997.
- 42) Dahlkvist, N. J., P. Mayo, and B. B. Seedhom.: Forces during squatting and rising from a deep squat. *Engl. Med.*, 11(2): 69-76, 1982.

- 43) Signorile, J. F., B. Weber, B. Roll, J. F. Caruso, I. Lowenstyn, and A. C. Perry.: An electromyographical comparison of the squat and knee extension exercises. *J. Strength Condit. Res.*, 8: 178-183, 1994.
- 44) Stuart, M. J., D. A. Meglan, G. E. Lutz, E. S. Grownny, and K. N. An.: Comparison of intersegmental tibiofemoral joint forces and muscle activity during various closed kinetic chain exercises. *Am. J. Sports Med.*, 24: 792-799, 1996.
- 45) Wilk, K. E., R. F. Escamilla, G. S. Fleising, S. W. Barrentine, J. R. Andrews, and J.R. Boyd ML.: A comparison of tibiofemoral joint forces and electromyographic activity during open and closed kinetic chain exercises. *Am. J. Sports Med.*, 24, 518-527, 1996.
- 46) Wretenberg, P., Y. Feng, F. Lindberg, and U. P. Arborelius.: Joint moments of force and quadriceps activity during squatting exercise. *Scand J. Med. Sci. Sports*, 3: 244-250, 1993.
- 47) Wretenberg, P., Y. Feng, and U. P. Arborelius.: High-and low-bar squatting techniques during weight-trainingng. *Med. Sci. Sports Exerc.*, 28: 218-224, 1996.
- 48) Wright, G. A., T. H. Delong, and G. Gehlsen: Electromyographic activity of the hamstrings during performance of the leg curls, stiff-leg deadlift, and back squat movements. *J. Strength Condit. Res.*, 13: 168-174, 1999.

- 49) Isear, J. A., Jr., J. C. Erickson and T. W. Worrel.: EMG analysis of lower extremity muscle recruitment patterns during an unloaded squat. *Med. Sci. Sports Exerc.*, 29: 532-539, 1997.
- 50) Schwarzenegger, A., and B. Dobbins: *The Arnold Schwarzenegger Encyclopedia of Modern Bodybuilding*. New York, Simon and Schuster, Inc., pp.494-495, 1985.
- 51) DeCarlo, M., D. A. Porter, G. Gehleson, and R. Bahamonde.: Electromyographic analysis of the lower extremity during closed and open kinetic chain exercise. *Isokinet. Exerc. Sci.* 2:24-29, 1992.
- 52) Kroll, W.: Coaches roundtable: The squat and its application to athletic performance. *Natl. Strength Cond. Assoc. J.* 3:10-22, 1984.
- 53) McLaughlin, T. M., T. Lardner, and C. J. Dillman. : Kinetics of the parallel squat. *Res. Q.*, 49:2, 1978.
- 54) O'Shea, J. P.: The Parallel Squat. *Natl. Strength Cond. Assoc. J.*, 3:10-22, 1985.
- 55) Tesch, P. A., and G. A. Dudley.: MRI examines the squat. *Musc. Fit.* November. pp.116, 1992.

- 56) Tesch, P. A. and G. A. Dudley.: Muscle meets magnet. Stockholm, PA Tesch AB, pp.51-52, 1993.
- 57) Signorile, J. F., Kwiatkowski, J. F. Caruso, and B. Robertson.: Effect of foot position on the electromyographic activity of the superficial quadriceps muscles during the parallel squat and knee extension. J. Strength Cond. Res., 9: 182-187, 1995.
- 58) MacCaw, S. T., Melrose, D. R.: Stance width and bar load effects on leg muscle activity during the parallel squat. Med. Sci. Sport Exerc., 31(3): 428-436, 1999.
- 59) 堀川浩之ら: 等尺性最大脚伸展動作が筋硬度に及ぼす影響. 臨床スポーツ医学, 14:5, 573-578, 1997.
- 60) 山本利春ら: ランニング障害との関連からみた下肢アライメント検査の検討. 臨床スポーツ医学 6 (別冊), 442-446, 1989.
- 61) Abraham, W. M.: Factors in delayed muscle soreness. Med. Sci. Sports, 9:11-20, 1977.
- 62) Cleak, M. J. and Eaton, R. G.: Delayed onset muscle soreness: mechanisms and management. J. Sports Sci., 10:325-341, 1992.

- 63) Evans, G. F. F., Haller, R. G., Wyrick, P. S., Parkey, R. W., Fleckenstein, J. L.: Submaximal delayed-onset muscle soreness: correlations between MR imaging findings and clinical measures. Radiology, 208:815-820, 1998.
- 64) Perotto, O. A.: Anatomical Guide for the Electromyographer The Limb and Trunk. 栢森良二訳, 西村書店, 新潟, 1997.
- 65) Edwards, R. H. T.: Human muscle function and fatigue. Human muscle fatigue:physiological mechanisms Pitman Medical, London, pp1-18, 1981.
- 66) Moritani, T., Muro, M., Nagata, A.: Intramuscular and surface electromyogram changes during muscle fatigue. J. Appl. Physiol. 60:1179-1185, 1986.
- 67) Murayama, M., Nosaka, K., Yoneda, T. and Minamitani,K.: Changes in muscle hardness of the elbow flexors after eccentric exercise. Eur. J. Appl. Physiol., 82:361-367, 2000.
- 68) 山本譲ら: 新たに開発した筋硬度計を用いた総指伸筋、上腕二頭筋に対する運動負荷後筋硬度変化の測定. 昭医会誌, 56(4):381-386,1996.
- 69) 有馬義貴ら: 鍼灸臨床における軟部組織の緊張度（硬度）の客観的評価法～生体（ヒト）用組織筋硬度計の開発とその臨床応用について～. 東方医学 13(2):13-21, 1997.

- 70) 土居陽治郎, 小林一敏: 筋肉の硬さ測定に関する研究. 筑波大学体育科学系紀要. 11:265-274, 1988.
- 71) Mann, R. A. : Biomechanics of the foot., Atlas of Orthotics : Biomechanical Principles and Applications. 2ed. American Academy of Orthopaedic Surgeons. St. Louis: Mosby., 1985.
- 72) 蒲田和芳, 佐藤まゆみ: Anterior knee pain のメカニズムと下肢アライメント. Journal of Athletic Rehabilitation, 2: 13-20, 1999.
- 73) D'Amico J, Rubin M. : The influence of foot orthoses on the quadriceps angle. Am. Podiatr Med. Assoc., 76: 337-340, 1986.
- 74) Kenozek T, Green N. : Quadriceps angle and rearfoot motion: relationships in walking. Arch. Phys. Med. Rehabil., 74:407-410, 1993.
- 75) Powers C, Maffucci R, Hampton S. : Rearfoot posture in subjects with patellofemoral pain. J.Orthop. Sports Phys. Ther., 22: 155-160, 1995.
- 76) 小宮山伴与志ら: 間断的な最大筋力発揮時におけるヒラメ筋と前脛骨筋の筋疲労に関する筋電図学的研究. 体力科学, 49(3): 365-374, 2000.
- 77) Fukunaga T, Roy RR, Shellock FG, Hodgson JA, Edgerton VR. : Specific tension of human plantar flexors and dorsiflexors. J Appl Physiol. 80(1):158-65, 1996.

- 78) Kawakami Y, Nakazawa K, Fujimoto T, Nozaki D, Miyashita M, Fukunaga T. : Specific tension of elbow flexor and extensor muscles based on magnetic resonance imaging. Eur J Appl Physiol Occup Physiol.68(2):139-47, 1994.
- 79) 斎野豊, 秋間広, 久野譜也: トップアスリートの MRI.スポーツ医学における MR 画像の応用—診断と最新の研究・展望を中心に—臨床スポーツ医学臨時増刊号(17).33-37, 2000.
- 80) 勝田茂,久野譜也 : NMR によるスポーツタレント発掘に関する研究. 平成 2 年度日本体育協会スポーツ医・科学報告書 No.□スポーツタレント発掘に関する研究—第 2 報—,37-46,1991.
- 81) Riegger-Krugh C, Keysor JJ.: Skeletal malalignments of the lower quarter: correlated and compensatory motions and postures. J Orthop Sports Phys Ther. 23(2):164-70, 1996.
- 82) Goh JC, Lee PY, Bose K.: A cadaver study of the function of the oblique part of vastus medialis. J Bone Joint Surg Br. 77(2):225-31,1995.
- 83) Koskinen SK, Kujala UM.: Patellofemoral relationships and distal insertion of the vastus medialis muscle: a magnetic resonance imaging study in nonsymptomatic subjects and in patients with patellar dislocation. Arthroscopy.8(4):465-8, 1992.

- 84) Lieb FJ, Perry J.: Quadriceps function. An anatomical and mechanical study using amputated limbs. *J Bone Joint Surg Am.*50(8):1535-48, 1968.
- 85) Sakai N, Luo ZP, Rand JA, An KN.: The influence of weakness in the vastus medialis oblique muscle on the patellofemoral joint: an in vitro biomechanical study. *Clin Biomech (Bristol, Avon).*15(5):335-9, 2000.
- 86) Czerniecki JM. : Foot and ankle biomechanics in walking and running. A review. *Am J Phys Med Rehabil.* 67(6):246-52, 1988.
- 87) Simon SR, Mann RA, Hagy JL, Larsen LJ. : Role of the posterior calf muscles in normal gait. *J Bone Joint Surg Am.* 60(4):465-72, 1978.
- 88) Fang Lin, Guanzhi Wang, Jason L. Koh, Ronald W. Hendrix, and Li-Qun Zhang: In vivo and Noninvasive Three-Dimensional Patellar Tracking Induced by Individual Heads of Quadriceps. *Med.Sci.Sports Exerc.*,36(1):93-101,2004.
- 89) van Kampen A, Huiskes R.: The three-dimensional tracking pattern of the human patella. *J Orthop Res.*8(3):372-82, 1990.
- 90) Heegaard J, Leyvraz PF, Van Kampen A, Rakotomanana L, Rubin PJ, Blankevoort L. :Influence of soft structures on patellar three-dimensional tracking. *Clin Orthop,* (299): 235-43,1994.

- 91) Nagamine R, Otani T, White SE, McCarthy DS, Whiteside LA.: Patellar tracking measurement in the normal knee. J Orthop Res,13(1):115-22,1995.
- 92) Kettelkamp DB, Wenger DR, Chao EY, Thompson C.: Results of proximal tibial osteotomy. The effects of tibiofemoral angle, stance-phase flexion-extension, and medial-plateau force. J Bone Joint Surg Am.58(7):952-60, 1976.
- 93) Hewett TE, Lindenfeld TN, Riccobene JV, Noyes FR : The effect of neuromuscular training on the incidence of knee injury in female athletes. A prospective study. Am J Sports Med. 27(6):699-706, 1999.
- 94) Schipplein OD, Andriacchi TP.: Interaction between active and passive knee stabilizers during level walking. J Orthop Res.9(1):113-9. 1991.
- 95) Sharma L, Song J, Felson DT, Cahue S, Shamiyeh E, Dunlop DD. :The role of knee alignment in disease progression and functional decline in knee osteoarthritis. JAMA. 286(2):188-95, 2001.
- 96) Cheng Y, Macera CA, Davis DR, Ainsworth BE, Troped PJ, Blair SN.:Physical activity and self-reported, physician-diagnosed osteoarthritis: is physical activity a risk factor? J Clin Epidemiol. 53(3):315-22, 2000.

- 97) Felson DT, Zhang Y, Hannan MT, Naimark A, Weissman B, Aliabadi P, Levy D. : Risk factors for incident radiographic knee osteoarthritis in the elderly: the Framingham Study. *Arthritis Rheum.* 40(4):728-33, 1997.
- 98) Andriacchi TP.: Dynamics of knee malalignment. *Orthop Clin North Am.* 25(3):395-403, 1994.
- 99) Albert H. B., Timothy M. W.: Fundamentals of Orthopaedic Biomechanics. Lippincott , Williams & Wilkins, 1994.
- 100) Kennedy JC, Hawkins RJ, Willis RB, Danylchuk KD.: Tension studies of human knee ligaments. Yield point, ultimate failure, and disruption of the cruciate and tibial collateral ligaments. *J Bone Joint Surg Am.*,58(3):350-5, 1976.
- 101) Escamilla RF, Francisco AC, Fleisig GS, Barrentine SW, Welch CM, Kayes AV, Speer KP, Andrews JR.: A three-dimensional biomechanical analysis of sumo and conventional style deadlifts. *Med Sci Sports Exerc.* 32(7):1265-75, 2000.
- 102) McGill SM, Norman RW, Sharratt MT.: The effect of an abdominal belt on trunk muscle activity and intra-abdominal pressure during squat lifts. *Ergonomics.* 33(2):147-60, 1990.

- 103) Escamilla RF, Francisco AC, Kayes AV, Speer KP, Moorman CT 3rd.:
An electromyographic analysis of sumo and conventional style deadlifts.
Med Sci Sports Exerc.34(4):682-8, 2002.
- 104)井上雅裕 : Malalignment とスポーツ障害.臨床スポーツ医学, 14(5):
503-510, 1997
- 105)Matsen F. A.:Compartment syndrome, An unified concept. Clin.
Orthop., 113:8-14, 1975.
- 106) Radin EL, Paul IL. : Does cartilage compliance reduce skeletal impact
loads? The relative force-attenuating properties of articular cartilage,
synovial fluid, periarticular soft tissues and bone. Arthritis Rheum.
13(2):139-44, 1970.
- 107) Swann DA, Radin EL, Nazimiec M, Weisser PA, Curran N, Lewinnek
G. : Role of hyaluronic acid in joint lubrication. Ann Rheum Dis.
33(4):318-26, 1974.
- 108) Bullough P, Goodfellow J, Greenwald AS, O'Connor J. : Incongruent
surfaces in the human hip joint. Nature. 30;217(135):1290, 1968.
- 109) Maquet PGJ: Biomechanical treatment of osteoarthritis of the knee.
Biomechanics of the Knee, ed by Maquet PGJ, Springer, New York,
pp75-80, 1984.

110) 西田圭一郎、井上一：変形性関節軟骨症の関節軟骨の形態学的変化。
総合臨床, 43:1676-1684, 1994.

111) Hsieh HH, Walker PS. : Stabilizing mechanisms of the loaded and
unloaded knee joint. J Bone Joint Surg Am. 58(1):87-93, 1976.