

文 献

- Allen, P. D. and Pandolf, K. B. (1977) Perceived exertion associated with breathing hyperoxic mixtures during submaximal work. *Med. Sci. Sports* 9: 122-127.
- Allen, W. K., Seals, D. R., Hurley, B. F., Ehsani, A. A. and Hagberg, J. M. (1985) Lactate threshold and distance running performance in young and older endurance athletes. *J. Appl. Physiol.* 58: 1281-1284.
- American College of Sports Medicine. (1990) The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness in healthy adults. *Med. Sci. Sports Exerc.* 22: 265-274.
- American College of Sports Medicine (1995) ACSM's Guidelines for Exercise Testing and Prescription. Williams & Wilkins, 5th edition, Philadelphia, pp. 158-163.
- Armstrong, L. E. and Costil, D. L. (1985) Variability of respiration and metabolism: responses to submaximal cycling and running. *Res. Q. Exerc. Sport* 56: 93-96.
- Astrand, P. O. and Ryhming, I. (1954) A nomogram for calculation of aerobic capacity (physical fitness) from pulse rate during submaximal work. *J. Appl. Physiol.* 7: 218-220.
- Astrand, P. O. (1960) Aerobic work capacity in men and women with special reference to age. *Acta Physiol. Scand.* 49: 1-92.
- Beaver, W. L., Wasserman, K. and Whipp, B. J. (1985) Improved detection of lactate threshold during exercise using a log-log transformation. *J. Appl. Physiol.*, 56: 1936-1940.
- Beaver, W. L., Wasserman, K., and Whipp, B. J. (1986) A new method for detecting anaerobic threshold by gas exchange. *J. Appl. Physiol.* 60:2020-2027.
- Bergh, U., Danielsson, U., Wennberg, L. and Sjodin, B. (1986) Blood lactate and perceived exertion during heat stress. *Acta Physiol. Scand.* 126: 617-618.
- Berry, M. J., Weyrich, A., Robergs, R. and Krause, K. (1989) Ratings of perceived exertion in individuals with varying fitness levels during walking or running. *Eur. J. Appl. Physiol.* 58: 494-499.
- Blair, S. N., Kohl, H. W., Paffenbarger, R. S., Clark, D. G., Cooper, K. H. and Gibbons, L. W. (1989) Physical fitness and all-cause mortality: A prospective study of healthy men and women. *J. A. M. A.* 262: 2395-2401.
- Bland, J. M. and Altman, D. G. (1986) Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* II: 307-310.
- Borg, G. (1961) Interindividual scaling and perception of muscular force. *Kung. Fysiograf. Sallskap. Lund Forhandling* 31: 117-125.

- Borg, G. (1962) Physical performance and perceived exertion. *Studia Psychogica et Paedagogica*, Lund, Sweden: Geerup, vol. 11, pp. 1-35.
- Borg, G. (1971) The perception of physical performance. R. J. Shepard (ed.). *Frontiers of Fitness*. Springfield, IL: Charles C Thomas, pp. 280-294.
- Borg, G. (1973) Perceived exertion: a note on "history" and methods. *Med. Sci. Sports* 5:90-93.
- Borg, G. (1976) Perception of Panting during Ergometer Work. Reports from the Institute of Applied Psychology, No. 73. Stockholm: University of Stockholm.
- Borg, G. (1982) Psychophysical bases of perceived exertion. *Med. Sci. Sports Exerc.* 14: 377-381.
- Borg, G., G. Ljunggren, and R. Ceci. (1985) The increase of perceived exertion, aches and pain in the legs, heart rate and blood lactate during exercise on a bicycle ergometer. *Eur. J. Appl. Physiol.* 54: 343-349.
- Borg, G., P. Hassmen, and M. Lagerstrom. (1987) Perceived exertion related to heart rate and blood lactate during arm and leg exercise. *Eur. J. Appl. Physiol.* 65: 679-685.
- Boutcher, S. H., Fleischer-Curtian, L. A. and Gines, S. D. (1988) The effects of self-presentation on perceived exertion. *J. Sports Exerc. Psychol.* 10: 27-80.
- Boutcher, S. H., Seip, R. L., Hetzler, R. K., Pierce, E. F., Snead, D. and Weltman, A. (1989) The effect of specificity of training on rating of perceived exertion at the lactate threshold. *Eur. J. Appl. Physiol.* 59:365-369.
- Boutcher, S. H. and Trenske, M. (1990) The effect of sensory deprivation and music on perceived exertion and affect during exercise. *J. Sport Exerc. Psychol.* 12: 167-176.
- Brettoni, M., Alessandri, F., Cupelli, V., Bonifazi, M. and Martelli, G. (1989) Anaerobic threshold in runners and cyclists. *J. Sports. Med.* 29: 230-233.
- Brouha, L. (1943) The step test: A simple method of measuring physical fitness for hard muscular work in adult man. *Rev. Canad. Biol.* 2: 86-91.
- Burgess, M. L., Robertson R. J., Davis, J. M. and Norris, J. M. (1991) RPE, Blood glucose and carbohydrate oxidation during exercise: effects of glucose feedings. *Med. Sci. Sports Exerc.* 23: 353-359.
- Cafarelli, E. and B. J. Noble. (1976) The effect of inspired carbon dioxide on subjective estimates of exertion during exercise. *Ergonomics* 19: 581-589.
- Cafarelli, E. (1977) Peripheral and central inputs to the effort sense during cycling exercise. *Eur. J. Appl. Physiol.* 37: 181-189.
- Cafarelli, E., Cain, W. S. and Syevens, J. C. (1977) Effort of dynamic exercise:

- Influence of load, duration and task. *Ergonomics* 20: 147-158.
- Cain, W. S. and Stevens, J. C. (1973) Constant effort contractions related to the electromyogram. *Med. Sci. Sports* 5: 121-127.
- Carton, R. L. and Rhodes, E. C. (1985) A critical review of the literature on rating scales for perceived exertion. *Sports Med.* 2: 1298-1322.
- Carver, C. S., Copleman, A. E. and Glass, D. C. (1976) The coronary-prone behavior pattern and the suppression of fatigue on a treadmill test. *J. Personality Soc. Psychol.* 33: 460-466.
- Casal, D. and Leon, A. (1985) Failure of caffeine to affect substrate utilization during prolonged running. *Med. Sci. Sports Exerc.* 17: 174-179.
- Coast, J. R. Cox, R. H. and Welch, H. G. (1986) Optimal pedalling rate in prolonged bouts of cycle ergometry. *Med. Sci. Sports Exerc.* 18: 225-230.
- Coggan, A. R. and Coyle, E. F. (1987) Reversal of fatigue during prolonged exercise by carbohydrate infusion or ingestion. *J. Appl. Physiol.* 63: 1-8.
- Coldwell, L. S. and Smith, R. P. (1966) Pain and endurance of isometric muscle contractions. *J. Engineer. Psychol.* 5: 25-32.
- Cooper, K. H. (1968) A means of assessing maximal oxygen intake. *J. A. M. A.* 203: 135-138.
- Copeland, B. L. and Franks, B. D. (1991) Effects of types and intensities of background music on treadmill endurance. *J. Sports Med. Phys. Fitness* 31: 100-103.
- Costill, D., Dalsky, G. and Fink, W. (1978) Effects of caffeine ingestion on metabolism and exercise performance. *Med. Sci. Sports* 10: 155-158.
- Costill, D. L., Miller, J. M., and Fink, W. J. (1980) Energy metabolism in diastolic distance runners. *Physician Sportsmed.* 8: 64-71.
- Coyle, E. F., W. H. Martin, and A. A. Ehsani. (1983) Blood lactate threshold in some well-trained ischemic heart disease patients. *J. Appl. Physiol.* 54: 18-23.
- Coyle, E. F., Coggan, A. R., Hemmert, M. K. and Ivy, J. L. (1986) Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. *J. Appl. Physiol.* 61: 165-172.
- Davies, C. T. M. (1968) Limitations to the prediction of maximum oxygen intake from cardiac frequency measurements. *J. Appl. Physiol.* 24: 700-706.
- Davies, C. T. and Sargeant, A. J. (1979) The effects of atropine and practolol on the perception of exertion during treadmill exercise. *Ergonomics* 22: 1141-1146.
- DeMeersman, R. E. (1988) Personality, effort perception and cardiovascular reactivity. *Neuropsychobiology* 19: 192-194.
- DeMello, J. J., Cureton, K. J., Boineau, R. E. and Singh, M. M. (1987) Ratings of perceived exertion at the lactate threshold in trained and untrained men and

- women. *Med. Sci. Sports Exerc.* 19:354-362.
- deVries, H. A., and Klafs, C. E. (1965) Prediction of maximal O₂ intake from submaximal tests. *J. Sports Med. Phys. Fitness* 5: 207-214.
- Dishman, R. K., Graham, R. E., Holly, R. G. and Tieman, J. G. (1991) Estimates of type A behavior do not predict perceived exertion during graded exercise. *Med. Sci. Sports Exerc.* 23: 1276-1282.
- Dobelin, W. V., Astrand, I. and Bergstrom, A. (1967) An analysis of age and other factors related to maximal oxygen uptake. *J. Appl. Physiol.* 22: 934-938.
- Doressendorfer, R., Smith, J. L. and Merril, J. (1981) Quantification of exercise responses at anaerobic threshold in healthy men: relation to prescribed training heart rates (Abstract). *Med. Sci. Sports Exerc.* 13: 79.
- Droste, C., Greenlee, M., Schreck, M. and Roskamm, H. (1991) Experimental pain thresholds and plasma beta-endorphin levels during exercise. *Med. Sci. Sports Exerc.* 23: 334-341.
- Edwards, R. H. T., Malcher, A., Hesser, C. M., Wigertz, O. and Ekelund, L. G. (1972) Physiological correlates of perceived exertion in continuous and intermittent exercise with the average power output. *Eur. J. Clin. Invest.* 2: 108-114.
- Eklom, B., and Goldbar, A. N. (1971) The influence of physical training and other factors on the subjective rating of perceived exertion. *Acta Physiol. Scand.* 83: 399-406.
- Eklom, B., Lovgren, O., Alderin, MM., Fridstrom, M and Satterstrom, G. (1975) Effect of short-term physical training on patients with rheumatoid arthritis: I. *Scand. J. Rheumatol.* 4: 80-86.
- Essig, D., Costil, D. L. and Van Handel, P. J. (1980) Effects of caffeine ingestion on utilization of muscle glycogen and lipid during leg ergometer cycling. *Int. J. Sports Med.* 1: 86-90.
- Eston, R. G. and Williams, J. G. (1986) Exercise intensity and perceived exertion in adolescent boys. *Br. J. Sports Med.* 20: 27-30.
- Fardy, P. S., Yanovitz, F. G. and Wilson, P. K. (1988) Cardiac rehabilitation, adult fitness, and exercise testing. 2d ed. Philadelphia: Lea and Febiger.
- Farrell, P. A., Gates, W. K., Maksund, M. G. and Morgan, W. P. (1982) Increase in plasma B-endorphin/B-lipotropin immunoreactivity after treadmill running in humans. *J. Appl. Physiol. Respir. Environ. Exerc. Physiol.* 52: 1245-1249.
- Felig, P. A., Minagawa, C. A. and Wahren, J. (1982) Hypoglycemia during prolonged exercise in normal men. *N. Engl. J. Med.* 306: 895-900.
- Fenstermaker, K. L., Plowman, S. A. and Looney, M. A. (1992) Validation of the

- rockport fitness walking test in females 65 years and older. *R. Q. E. S.* 63: 322-327.
- Filligim, R. B. and Fine, M. A. (1986) The effects of internal versus external information processing on symptom perception in an exercise setting. *Health Psychol.* 5: 115-123.
- Filligim, R. B., Roth, D. L. and Haley, W. E. (1989) The effects of distraction on the perception of exercise-induced symptoms. *J. Psychosom. Res.* 33: 241-248.
- Fitchett, M. A. (1985) Predictability of $\dot{V}O_{2max}$ from submaximal cycle ergometer and bench stepping tests. *Brit. J. Sports Med.* 19:85-88.
- Fleg, J. L. and Lakatta, E. G. (1988) Role of muscle loss in the age-associated reduction in $\dot{V}O_{2max}$. *J Appl Physiol* 65: 1147-1151.
- Foster, C., Costill, D. L. and Fink, W. J. (1979) Effects of pre-exercise feedings on endurance performance. *Med. Sci. Sports* 11: 1-5.
- Fox, E. L. (1973) A simple, accurate technique for predicting maximal aerobic power. *J. Appl. Physiol.* 35: 914-916.
- Frankenhaeuser, M., Post, B., Nordheden, B. and Sjoeborg, H. (1969) Physiological and subjective reactions to different physical work loads. *Percept. Mot. Skills* 28: 343-349.
- Franklin, B. A., Vander, L., Wisley, D. and Rubenfire, M. (1983) Aerobic requirements of arm ergometry: implications for exercise testing and training. *Phys. Sports Med.* 11: 81-90.
- Gagge, A. P., Stolwijk, A. J. and Saltin, B. (1969) Comfort and thermal sensations and associated physiological responses during exercise at various ambient temperatures. *Environ. Res.* 2: 209-229.
- Gamberale, F. (1972) Perception of exertion, heart rate, oxygen uptake and blood lactate in different work operations. *Ergonomics* 15: 545-554.
- Glassford, R. G., Baycroft, G. H. Y., Sedgwick, A. W. and Macnab, R. B. J. (1965) Comparison of maximal oxygen uptake values determined by predicted and actual method. *J. Appl. Physiol.* 20: 509-513.
- Goslin, B. R. and Rorke, S. C. (1986) The perception of exertion during load carriage. *Ergonomics* 29: 677-686.
- Gutmann, M. C., Squires, R. W., Pollock, M. L., Foster, C. and Anholm, J. (1981) Perceived exertion-heart rate relationship during exercise testing and training in cardiac patients. *J. Cardiac Rehab.* 1, 52-59.
- Hagberg, J. M. (1987) Effect of training on the decline of $\dot{V}O_{2max}$ with aging. *Federation Proc.* 46: 1830-1833.
- Haisman, M. F. (1971) Assessment of the exercise capacity of young men. *Ergonomics*

14: 449-456.

- Hardy, C. J., Hall, E. G. and Prestholdt, P. H. (1986) The mediational role of social influence in the perception of exertion. *J. Sport Exerc. Psychol.* 8: 88-104.
- Haskvitz, E. M., Seip, R. L., Wektman, J. Y., Rogol, A. D. and Weltman, A. (1992) The effect of training intensity on ratings of perceived exertion. *Int. J. Sports Med.* 13: 377-383.
- Hayakawa, Y., Isono, K., Tanaka, K. and Asano, K. (1996) Metabolic responses during bench stepping exercise. *J. Educ. Health Sci.* 41: 351-358.
- Heil, D. P., Freedson, P. S., Ahlquist, L. E., Price, J. and Rippe, J. M. (1995) Nonexercise regression models to estimate peak oxygen consumption. *Med. Sci. Sports Exerc.* 27: 599-606.
- Henriksson, J., Knuttgen, H. G. and Bonde-Petersen, F. (1972) Perceived exertion during exercise with concentric and eccentric muscle contractions. *Ergonomics* 15: 537-544.
- Hetzler, R. K., Seip, R. L., Boucher, S. H., Pierce, E., Sneed, D. and Weltman, A. (1991) Effect of exercise modality on ratings of perceived exertion at various lactate concentrations. *Med. Sci. Sports Exerc.* 23: 88-92.
- Hill, D. W., Cureton, K. J., Grishan, S. C. and Collins, M. A. (1987) Effect of training on the rating of perceived exertion at the ventilatory threshold. *Eur. J. Appl. Physiol.* 56: 206-211.
- 肥満学会. (1997) 肥満・肥満症の指導マニュアル, 第一版, 医歯薬出版, 東京.
- Hochstetler, S. A., Rejeski, W. J. and Best, D. L. (1985) The influence of sex-role orientation on ratings of perceived exertion. *Sex Roles* 12: 825-835.
- Hollmann, W. and Venrath. (1970) Experimentelle Untersuchungen zur Bedeutung eines Trainings unterhalb der Dauerbelastungsgränze. in Korbs, W. u. a., Carl Diem Festschrift, Frankfurt, A. M. /Wein, 1962. cited by Faria, I. E.
- Horstman, D., Morgan, W., Cymerman, A. and Stokes, J. (1979) Perception of effort during constant work to self-imposed maximum. *Percept. Mot. Skills* 48: 1111-1126.
- Horstman, D. H., Weiskopf, R. and Robinson, S. (1979) The nature of the perception of effort at sea level and high altitude. *Med. Sci. Sports* 11: 150-154.
- Hurley, B. F., Hagberg, J. M. and Allen, W. K. (1984) Effect of training on blood lactate levels during submaximal exercise. *J. Appl. Physiol. Respirat. Environ. Exerc. Physiol.* 56: 1260-1264.
- 石河利寛 (1994) 持久力の科学, 石河利寛・竹宮隆編著, 1-11, 杏林書院, 東京.
- Issekutz, B., B. Birkhead, N. C. and Rodahl, K. (1962) Use of respiratory quotients in assessment of aerobic work capacity. *J. Appl. Physiol.* 17: 47-50.

- Ivy, J. L., Costill, D. L., Fink, W. J. and Lower, R. W. (1979) Influence of caffeine and carbohydrate feedings on endurance performance. *Med. Sci. Sports* 11.1: 6-11.
- Jackson, A. S., Wier, L. T., Ayers, G. W., Beard, E. F., Stuteville, J. E. and Blair, S. N. (1996) Changes in aerobic power of women, ages 20-64 yr. *Med Sci Sports Exerc* 28: 884-891.
- James, N. W., Adams, G. M. and Wilson, A. F. (1989) Determination of anaerobic threshold by ventilatory frequency. *Int. J. Sports Med.* 10: 192-196.
- Johnson, J. and Siegel, D. (1987) Active vs. Passive attentional manipulation and multidimensional perceptions of exercise intensity. *Can. J. Sports Sci.* 12: 41-45.
- Jones, N. L. (1984) Dyspnea in exercise. *Med. Sci. Sports Exerc.* 16: 14-19.
- Juhani, I., Pekka, S. and Timo, A. (1986) Strain while skiing and hauling a sledge or carrying a backpack. *Eur. J. Appl. Physiol.* 55: 597-603.
- Kamon, E., Pandolf, K. and Cafarelli, E. (1974) The relationship between perceptual information and physiological responses to exercise in the heat. *J. Hum. Ergol> Tokyo* 3: 45-54.
- Kang, J., Robertson, R. J., Goss, F. L., DaSilva, S. G., Visich, P., Suminski, R. R., Utter, A. C. and Denys, B. G. (1996) Effect of carbohydrate substrate availability on ratings of perceived exertion during prolonged exercise of moderate intensity. *Percept. Mot. Skills* 82: 495-506.
- Katch, V. L., Sady, S. S. and Freedson, P. (1982) Biological variability in maximum aerobic power. *Med. Sci. Sports Exerc.* 14: 21-25.
- Kinsman, R. A. and Weiser, P. C. (1976) Subjective symptomatology during work and fatigue. Simonson, E. and Weises, P. L. (eds). *Psychological Aspects of Fatigue*. Springfield, IL: Charles C Thomas, pp. 336-405.
- Kittredge, J. M., Rimmer, J. H. and Looney, M. A. (1994) Validation of the rockport fitness walking test for adults with mental retardation. *Med. Sci. Sports Exerc.* 26: 95-102.
- Kline, G. M., Porcari, J. P., Hintermeister, R., Freedson, P. S., Ward, A., McCarron, R. F., Ross, J. and Rippe, J. M. (1987) Estimation of $\dot{V}O_2$ max from a one-mile track walk, gender, age, and body weight. *Med. Sci. Sports Exerc.* 19: 253-259.
- 小林寛道. (1982) 日本人のエアロビック・パワー, 初版, ~加齢による体力推移とトレーニングの影響~, 杏林書院 pp. 125-156.
- 小宮秀一編著. (1986) 身体組成の科学, 初版, 日本人の身体組成, 不味堂出版 pp. 43-67.

- Kostka, C. E. and Cafarelli, E. (1982) Effect of pH on sensation and vastus lateralis electromyogram during cycling exercises. *J. Appl. Physiol.* 52: 1181-1185.
- 厚生省 (1989) 日本人の栄養所要量「健康づくりのための運動所要量」. 東京, 第一出版, pp. 151-156.
- Knuttgen, H. G., Nadel, E. R., Pandolf, K. B. and Patton, J. F. (1982) Effects of training with eccentric muscle contractions on exercise performance, energy expenditure and body temperature. *Int. J. Sports Med.* 3: 13-17.
- Kraemer, W. J., Dziados, J. E., Marchitelli, L. J., Gordon, S. E., Harman, E. A., Mello, R., Fleck, S. J., Frykman, P. N. and Triplett, N. T. (1993) Effects of different heavy-resistance exercise protocols on plasma B-endorphin concentrations. *J. Appl. Physiol.* 74: 450-459.
- 熊谷もりえ, 中垣内真樹, 西嶋尚彦, 田中喜代次. (1997) 個人情報と主観的運動強度を導入した全身持久性の簡易推定法 若年成人男性について . *体力科学* 46: 179-188.
- La Croix, A. Z., Guralnik, J. M., Berkman, L. F., Wallace, R. B. and Satterfield, S. (1993) Maintaining mobility in late life. II. Smoking, alcohol consumption, physical activity, and body mass index. *Am. J. Epidemiol.* 137: 858-869.
- Latin, R. W. and Berg, K. E. (1993) The accuracy of the ACSM and a new cycle ergometry equation for young women. *Med. Sci. Sports Exerc.* 25: 970-974.
- Laukkanen, R. M. T., Oja, P., Pasanen, M. E. and Vuori, I. M. (1992) Criterion validity of a 2-km walking test for estimating the maximal aerobic power in over-weight adults. *Int. J. Obes.* 16: 263-268.
- Laukkanen, R. M. T., Oja, P., Pasanen, M. E. and Vuori, I. M. (1993) Criterion validity of a 2-km walking test for predicting the maximal oxygen uptake of moderately to highly active middle-aged adults. *Scand. J. Med. Sci. Sports* 3: 267-272.
- Leger, L. A. and Lambert, J. (1982) A maximal multistage 20m shuttle run test to predict $\dot{V}O_{2max}$. *Eur. J. Appl. Physiol.* 49, 1-12.
- Legge, B. J. and Banister, E. W. (1986) The Astrand-Ryhhming nomogram revised. *J. Appl. Physiol.* 61: 1203-1209.
- Lie, H., Mundal, R. and Erikssen, J. (1985) Coronary risk factors and incidence of coronary death in relation to physical fitness : Seven-year follow-up study of middle-aged and elderly men. *Eur. Heart J.* 6: 147-157.
- Ljunggren, G. R., Ceci, R. and Karlsson, J. (1987) Prolonged exercise at a constant load on a bicycle ergometer: ratings of perceived exertion and leg aches and pains as well as measurements of blood lactate accumulation and heart rate. *Int. J. Sports Med.* 8: 109-116.

- Lollgen, H., Ulmer, H. V., Gross, R., Wilbert, G. and Nieding, G. (1975) Methodological aspects of perceived exertion rating and its relation to pedalling rate and rotating mass. *Eur. J. Appl. Physiol.* 34: 205-215.
- Lollgen, H., Ulmer, H. V. and von Nieding, G. (1977) Heart rate and perceptual responses to exercise with different pedaling speed in normal subjects and patients. *Eur. J. Appl. Physiol.* 37: 297-304.
- Lollgen, H. T., Graham, T. and Sjogaard, G. (1980) Muscle metabolites, force and perceived exertion bicycling at varying pedal rates. *Med. Sci. Sports Exerc.* 12: 345-351.
- Marcus, P. and Redman, P. (1979) Effect of exercise on thermal comfort during hypothermia. *Physiol. Behav.* 22: 831-835.
- Maresh, C. M., Deschenes, M. R., Seip, R. L., Armstrong, L. E., Robertson, R. J. And Noble, B. J. (1993) Perceived exertion during hypobaric hypoxia in low - and moderate-altitude natives. *Med. Sci. Sports Exerc.* 25: 945-951.
- Margaria, R., Aghemo, P. and Rovell, E. (1965) Indirect determination of maximal O₂ consumption in men. *J. Appl. Physiol.* 20: 1070-1073.
- Maritz, J. S., Morrison, J. F., Strydom, N. B. and Wyndham, C. H. (1961) A practical method of estimating an individual's maximal oxygen intake. *Ergonomics* 4: 97-122.
- Mastroaolo, J. A. (1970) A prediction of maximal O₂ consumption in middle-aged men by multiple regression. *Med. Sci. Sports* 2: 124-127.
- Maw, G. J., Boucher, S. H. and Taylor, N. A. S. (1993) Ratings of perceived exertion and affect in hot and cool environments. *Eur. J. Appl. Physiol.* 67: 174-179.
- McAuley, E. and Courneya, K. (1992) Self-efficacy with affective and exertion responses to exercise. *J. Appl. Soc. Psychol.* 22: 312-326.
- Metz, K. F. and Alexander, J. F. (1971) Estimation of maximal oxygen intake from submaximal work parameters. *Res. Quart.* 42: 54-59.
- Mihevic, P. M. (1981) Sensory cues for perceived exertion: a review. *Med. Sci. Sports Exerc.* 13: 150-163.
- Mihevic, P. M., Gliner, J. A. and Horvath, S. M. (1981) Perception of effort and respiratory sensitivity during exposure to ozone. *Ergonomics* 24: 365-374.
- 宮下充正, 武井義明, 福田裕之 (1984) PWC75%HRmaxの全身持久性評価尺度としての妥当性の検討. *J. J. Sports Sci.* 3: 559-562.
- 宮下充正, 山本義春, 田村真一, 篠原 稔, 武藤芳照 (1989) 換気性作業閾値が無酸素性作業閾値を与える. *体育の科学* 39: 391-396.
- Miyashita, M., Onodera, K. and Tabata, I. (1986) How Borg's RPE-scale has been applied to Japanese. Borg, G. and Ottoson, D. (eds.) *Perceptual Exertion in*

- Physical Work. London: Macmillan, pp. 27-34.
- Moffatt, R. J. and Stamford, B. A. (1978) Effects of pedalling rate changes on maximal oxygen uptake and perceived effort during bicycle ergometer work. *Med. Sci. Sports*. 10: 27-31.
- Morgan, W. P. (1973) Psychological factors influencing perceived exertion. *Med. Sci. Sports* 5: 97-103.
- Morgan, W. P. (1994) Psychological components of effort sense. *Med. Sci. Sports Exerc.* 26: 1071-1077.
- Morgan, W. P., Hirta, K. and Balke, B. (1976) Hypnotic perturbation of perceived exertion: ventilatory consequences. *Am. J. Clin. Hypn.* 18: 182-190.
- Morgan, W. P. and Pollock, M. L. (1977) Psychological characterization of the elite distance runner. *Ann. N. Y. Acad. Sci.* 301: 382-403.
- Morris, J. N., Everitt, M. G., Pollard, R., Chave, S. P. W. and Semmence, A. M. (1980) Vigorous exercise in leisure-time protection against coronary heart disease. *Lancet* 2: 1207-1210.
- 村上寿利, 進藤宗洋, 田中宏暁, 熊谷秋三, 生田純男, 佐々木淳 (1988a) 冠動脈硬化性心疾患危険因子の判定手法としての推定最大酸素摂取量の有効性. *動脈硬化* 15: 1665-1672.
- 村上寿利, 進藤宗洋, 田中宏暁, 熊谷秋三, 今村英夫, 生田純男, 神宮純江, 高橋紀子, 佐々木淳 (1988b) 冠動脈硬化性心疾患危険因子の判定手法としての推定最大酸素摂取量の有効性 (第2報) —女性についての検討—. *動脈硬化* 16: 495-500.
- 武者春樹, 小澤敦, 長谷川輝美, 銭谷嘉純, 渡辺敏, 高田英臣, 粟谷透, 大庭治雄, 長嶋淳三, 村山正博. (1997) 高齢者における心拍数評価. *臨床スポーツ医学*. 14, 1229-1233.
- Nakadomo, F., Tanaka, K., Hazama, T. and Maeda, K. (1990) Validation of body composition assessed by bioelectrical impedance analysis. *Jpn. J. Appl. Physiol.* 20: 321-330.
- 中塘二三生. (1991) Bioelectrical Impedance 法による身体組成評価. *大阪府立看護短大紀要* 13: 129-144.
- 中垣内真樹・熊谷もりえ・鍋倉賢治・佐伯徹郎・三本木温・田中喜代次 (1996) 全身持久性体力評価法としての主観的運動強度を用いた最大下12分間走テストの提案. *体育学研究* 41: 173-180.
- 中川秀樹, 形本静夫 (1995) 12分間歩行テストによる全身持久性評価の可能性. *教育医学* 40: 260-266.
- Nieman, D. C., Carlson K. A., Brandstater, R. T., Naegele, R. T. and Blankenship, J. W. (1987) Running endurance in 27-h-fasted humans. *J. Appl. Physiol.* 63:

2502-2509.

- Noble, B. J., Metz, K. F., Pandolf, K. B. and Cafarelli, E. (1973) Perceptual responses to exercise: A multiple regression study. *Med. Sci. Sports* 5: 104-109.
- Noble, B. J., Borg, G. A. V., Jacobs, I., Ceci, R. and Kaiser, P. (1983) A category-ratio perceived exertion scale: relationship to blood and muscle lactates and heart rate. *Med. Sci. Sports Exerc.* 15: 523-529.
- Noble, B. J., Kraemer, W. J., Allen, J. G., Plank, J. S. and Woodard, L. A. (1986) The integration of physiological cues in effort perception: Stimulus strength vs. relative contribution. In *Perception of exertion in physical work*, ed. G. Borg and D. Ottoson. 83-96. London: Macmillan.
- Oja, P., Laukkanen, R. M., Pasanen, M. E., Tyry, T. and Vuori, I. M. (1991) A 2-km walking test for assessing the cardiorespiratory fitness of healthy adults. *Int. J. Sports Med.* 12: 356-362.
- Okano, G., Takeda, H., Morita, I., Katoh, M., Mu, Z. and Miyake, S. (1988) Effect of pre-exercise fructose ingestion on endurance performance in fed men. *Med. Sci. Sports Exerc.* 20: 105-109.
- 小野寺孝一, 宮下充正, (1976) 全身持久性運動における主観的強度と客観的強度の対応性 —Rating of perceived exertion の観点から—, *体育学研究*, 21, 191-203.
- Paffenbarger, R. S., Hyde, R. T., Wing, A. L. and Rauramaa, R. (1986) Physical activity, all-cause mortality and longevity of college alumni. *N. Engl. J. Med.* 314: 605-613.
- Paffenbarger, R. S. Jr., Hyde, R. T., and Wing, A. L. (1990) Physical activity and physical fitness as determinants of health and longevity. [In] *Exercise, Fitness, and Health*, [Ed] Bouchard, C., Shephard, R. J., Stephens, T., Sutton, J. R., McPherson, B. D., Champaign, Illinois, Human Kinetics, pp. 33-48.
- Pandolf, K. B. and Noble, B. J. (1973) The effect of pedalling speed and resistance changes on perceived exertion for equivalent power outputs on the bicycle ergometer. *Med. Sci. Sports Exerc.* 5: 132-136.
- Pandolf, K. B. (1982) Differentiated ratings of perceived exertion during physical exercise. *Med. Sci. Sports Exerc.* 14: 397-405.
- Pandolf, K. B. (1983) Advances in the study and application of perceived exertion. *Exerc. Sport Sci. Rev.* 11: 118-158.
- Pandolf, K. B. (1986) Local and central factor contributions in the perception of effort during physical exercise. Borg, G. and Ottoson, D. (eds.) *The Perception of Exertion in Physical Work*. London: Macmillan, pp. 97-110.

- Pandolf, K. B., Billings, D. S., Drolet, L. L., Pimental, N. A. and Sawka, M. N. (1984) Differentiated ratings of perceived exertion and various physiological responses during prolonged upper and lower body exercise. *Eur. J. Appl. Physiol.* 53: 5-11.
- Pandolf, K. B., Burse, R. L. and Goldman, R. F. (1975) Differentiated ratings of perceived exertion during physical conditioning of older individuals using leg-weight loading. *Percept. Mot. Skills* 40: 563-574.
- Pandolf, K. B., Cafarelli, E., Noble, B. J. and Metz, K. F. (1972) Perceptual responses during prolonged work. *Percept. Mot. Skills* 35: 975-985.
- Pederson, P. K. and Welch, H. G. (1977) Oxygen breathing, selected physiological variables and perception of effort during submaximal exercise. Borg, G. (ed.). *Physical Work and Effort*. New York: Pergamon Press, pp. 385-400.
- Perkins, R. K., Sexton, J. E., Solberg-Kassel, R. D. and Epstein, L. H. (1991) Estimates of Type A behavior do not predict perceived exertion during graded exercise. *Med. Sci. Sports Exerc.* 23: 1283-1288.
- Peters, R. K., Candy Jr, L. D., Bernstein, L. and Pike, M. C. (1983) Physical fitness and subsequent myocardial infarction in healthy workers. *J. A. M. A.* 249: 3052-3056.
- Pimental, N. and Pandolf, K. (1979) Energy expenditure while standing or walking slowly uphill or downhill with loads. *Ergonomics* 22: 963-973.
- Pivarnik, J. M., Grafner, T. R. and Elkins, E. S. (1988) Metabolic, thermoregulatory, and psychophysiological responses during arm and leg exercise. *Med. Sci. Sports Exerc.* 20: 1-5.
- Pivarnik, J. M., Lee, W. and Miller, J. (1990) Physiological and perceptual responses to cycle and treadmill exercise during pregnancy. *Med. Sci. Sports Exerc.* 23: 470-475.
- Pivarnik, J. M. and Senay, L. C. (1986) Effect of endurance training and heat acclimation on perceived exertion during exercise. *J. Cardiopulm. Rehabil.* 6: 499-504.
- Pollock, M. L., Wilmore, J. H. and Fox, S. M. (1984) *Exercise in health and disease: Evaluation and prescription for prevention and rehabilitation*. Philadelphia: Saunders.
- Pollock, M. L., Jackson, A. S. and Foster, C. (1986) The use of the perception scale for exercise prescription. In *Perception of exertion in physical works*, ed. G. Borg and D. Ottoson, 161-178. London: Macmillan.
- Powell, K. E., Thompson, P. D. and Casperson, C. J. (1987) Physiological activity and the incidence of coronary heart disease. *Ann. Rev. Public Health* 8: 253-287.

- Purvis, J. W. and Cureton, K. J. (1981) Ratings of perceived exertion at anaerobic threshold. *Ergonomics* 24: 295-300.
- Rejeski, W. D., Morley, D. and Miller, H. (1983) Cardiac rehabilitation: coronary-prone behavior as a moderator of graded exercise. *J. Card. Rehabil.* 3: 339-346.
- Rejeski, W. J. and Ribisl, P. M. (1980) Expected task duration and perceived effort: an attributional analysis. *J. Sport Psychol.* 2: 227-236.
- Rejeski, W. J. and Sanford, B. (1984) Feminine-type females: The role of affective schema in the perception of exercise intensity. *J. Sport Psychol.* 6: 197-207.
- Robertson, R., Gillespie, R., Hiatt, E. and Rose, K. (1977) Perceived exertion and stimulus intensity modulation. *Percept. Mot. Skills* 45: 211-218.
- Robertson, R., Goss, F., Michael, T., Moyna, N., Gordon, P., Visich, P., Kang, J., Angelopoulos, T., DaSilva, S. and Metz, K. (1995) Metabolic and perceptual responses during arm and leg ergometry in water and air. *Med. Sci. Sports Exerc.* 27: 760-764.
- Robertson, R., Goss, F., Michael, T., Moyna, N., Gordon, P., Visich, P., Kang, J., Angelopoulos, T., DaSilva, S. and Metz, K. (1996) Validity of the Borg Perceived Exertion Scale for use in semirecumbent ergometry during immersion in water. *Percept. Mot. Skills* 83: 3-13.
- Robertson, R. J. (1982) Central signals of perceived exertion during dynamic exercise. *Med. Sci. Sports Exerc.* 14: 390-396.
- Robertson, R. J., Caspersen, C. J., Allison, T. G., Skrinar, G. S., Abbott, R. A. and Metz, K. F. (1982) Differentiated perceptions of exertion and energy cost of young women while carrying loads. *Eur. J. Appl. Physiol.* 49: 69-78.
- Robertson, R. J., Gillespie, R. L., McCarthy, J. and Rose, K. D. (1979) Differentiated perceptions of exertion: Part I. Mode of integration of regional signals. *Percept. Mot. Skills* 49: 683-689.
- Robertson, R. J., Falkel, J. E. and Drash, A. L. (1986) Effect of blood pH on peripheral and central signals of perceived exertion. *Med. Sci. Sports Exerc.* 18: 114-122.
- Robertson, R. J., Gillespie, R. L., McCarthy, J. and Rose, K. D. (1979) Differentiated perceptions of exertion: Part II. Relationship to local and central physiological responses. *Percept. Mot. Skills* 49: 691-697.
- Robertson, R. J., Goss, F. L., Auble, T. E., Spina, R., Cassinelli, D., Glickman, E., Galbreath, R. and Metz, K. (1990) Cross-modal exercise prescription at absolute and relative oxygen uptake using perceived exertion. *Med. Sci. Sports Exerc.* 22: 653-659.
- Robertson, R. J. and Metz, K. F. (1986) Ventilatory precursors for central signals of

- perceived exertion. Borg, G. and Ottoson, D. (eds.). *The Perceptual of Exertion in Physical Work*. London: Macmillan, pp. 111-121.
- Robertson, R. J., Nixon, P. A., Casperson, C. J., Metz, K. F., Abbott, R. A. and Goss, F. L. (1992) Abatement of exertional perceptions following high intensity exercise: physiological mediators. *Med. Sci. Sports Exerc.* 24: 346-353.
- Robertson, R. J., Stanko, R. T., Goss, F. L., Spina, R. J., Reilly, J. J. and Greenawalt, K. D. (1990) Blood glucose extraction as a mediator of perceived exertion during prolonged exercise. *Eur. J. Appl. Physiol.* 61: 100-105.
- Robertson, R. J. and Noble, B. J. (1997) Perception of physical exertion: methods, mediators, and applications. In: *Exercise and Sport Sciences Reviews*. Holloszy, J. O. (Ed.). Williams & Wilkins.
- Robertson, R. J., and Noble, B. J. (1997) Perception of Physical Exertion: Method, Mediator, and Applications. *Exerc. Sports Sci. Rev.* 25: 407-452.
- Rowell, L. B., Taylor, H. L. and Wang, Y. (1964) Limitations to prediction of maximal oxygen intake. *J. Appl. Physiol.* 19: 919-927.
- Sargeant, A. and Davies, C. T. (1973) Perceived exertion during rhythmic exercise involving different muscle masses. *J. Hum. Ergol. (Tokyo)* 2: 3-11.
- Sargeant, A. J. and Davies, C. T. (1977) Perceived exertion of dynamic exercise in normal subjects and patients following leg injury. Borg, G. (ed.). *Physical Work and Effort*. New York: Pergamon Press, pp. 345-356.
- Schomer, H. (1986) Mental strategies and the perception of effort of marathon runners. *Int. J. Sports Psychol.* 17: 41-59.
- Shephard, R. J. (1967) The prediction of maximal oxygen consumption using a new progressive step test. *Ergonomics* 10: 1-15.
- 島名孝次・近藤徳彦・古賀俊策・岩田敦・塩尻智之 (1994) 呼吸数によるATP推定法の限界に関する研究 —呼吸と運動リズムとの同期が起こりにくい条件下において—. *体力科学* 43: 84-91.
- Siconolfi, S. E., Cullinane, M., Carleton, R. A. and Thompson, P. D. (1982) Assessing $\dot{V}O_{2max}$ in epidemiologic studies: modification of the Astrand-Ryhming test. *Med. Sci. Sports Exerc.* 14: 335-338.
- Sills, I. N. and Cerny, F. J. (1983) Responses to continuous and intermittent exercise in healthy and insulin-dependent diabetic children. *Med. Sci. Sports Exerc.* 15: 450-454.
- Sjostrand, T. (1947) Changes in the respiratory organs of workmen at an ore smelting works. *Acta. Med. Scand.* 196, 687-699.
- Skinner, J. S., Borg, G. and Buskirk, E. R. (1969) Physiological and perceptual

- reactions to exertion of young men differing in activity and body size. Franks, B. D. (ed.). *Exercise and Fitness*. Chicago: Athletic Institute, pp. 53-66.
- Skinner, J. S., Hustler, R., Bersteinova, V. and Buskirt, E. R. (1973) The validity and reliability of a rating scale of perceived exertion. *Med. Sci. Sports* 5: 97-103.
- Skrinar, G. S., Ingram, S. P. and Pandolf, K. B. (1983) Effect of endurance training on perceived exertion and stress hormones in women. *Percept. Mot. Skills* 57: 1239-1250.
- Slatter M. L. (1988) Physical fitness and cardiovascular disease mortality : The U. S. Railroad Study. *Am. J. Epidemiol.* 127: 571-580.
- Smutok, M. A., Skrinar, G. S. and Pandolf, K. B. (1980) Exercise intensity: Subjective regulation by perceived exertion. *Arch. Phys. Med. Rehabil.* 61: 569-574.
- Sobolowski, J., Kornitzer, G. De Backer, M. Dramaix, M. Abramowicz, S. Degre, and H. Denolin. (1987) Protection against ischemic heart disease in the Belgium physical fitness study : Physical fitness rather than physical activity ? *Am. J. Epidemiol.* 125: 601-610.
- Squires, R. W., Rod, J. L., Pollock, M. L. and Foster, C. (1982) Effects of propranolol on perceived exertion after myocardial revascularization surgery. *Med. Sci. Sports Exerc.* 14: 276-280.
- Stamford, B. A. (1976) Validity and reliability of subjective ratings of perceived exertion during work. *Ergonomics* 19: 53-60.
- Stamford, B. A. and Noble, B. J. (1974) Metabolic cost and perception of effort during bicycle ergometer work performance. *Med. Sci. Sports* 6: 226-231.
- Stephenson, L. A., Kolka, M. A. and Wilderson, J. E. (1982) Perceived exertion and anaerobic threshold during the menstrual cycle. *Med. Sci. Sports Exerc.* 14: 218-222.
- Stevens, J. C. and Krimsley, A. (1977) Build-up of fatigue in static work: role of blood flow. Borg, G. (ed.). *Physical Work and Effort*. New York: Pergamon Press, pp. 145-156.
- Stoudemire, N., Wideman, L., Pass, K., McGinnes, C., Gaesser, G. and Weltman, A. (1996) The validity of regulating blood lactate concentration during running by ratings of perceived exertion. *Med. Sci. Sports Exerc.* 28: 490-495.
- Swank, A. and Robertson, R. (1989) Effect of induced alkalosis on perception of exertion during intermittent exercise. *J. Appl. Physiol.* 67: 1862-1867.
- Sylva, M., Boyd, R. and Mangum, M. (1990) Effects of social influence and sex on rating of perceived exertion in exercising elite athletes. *Percept. Mot. Skills* 70: 591-594.
- 竹島伸生, 田中喜代次, 小林章雄, 渡辺丈真, 鷺見勝博, 加藤孝之 (1992) 高齢者の

- 全身持久性評価における種々の間接法の妥当性. 体力科学 41: 295-303.
- 田中喜代次, 松本健, 檜原潤三, 村上晴彦, 中川敬 (1986) 光電脈波方式による全身持久性の評価. 大阪市立大学保険体育学研究紀要 22: 7-15.
- Tanaka, K., Yoshimura, T., Sumida, S., Mitsuzono, R., Tanaka, S., Koshino, Y., Watanabe, H., Yamada, S. and Macda, K. (1986) Transient responses in cardiac function below, at, and above anaerobic threshold. *Eur. J. Appl. Physiol.* 55: 356-361.
- Tanaka, K., Watanabe, H., Konishi, Y., Mitsuzono, R., Sumida, S., Tanaka, S., Fukuda T. and Nakadomo, F. (1986) Longitudinal associations between anaerobic threshold and distance running performance. *Eur. J. Appl. Physiol.* 55: 248-252.
- 田中喜代次, 信田宣司, 長谷川陽三 (1989) 心拍変動フィードバック管理負荷制御方式による Aerobic Score からみた有酸素性能力の縦断的評価. *Ann. Physiol. Anthropol.* 8: 3-12.
- 田中喜代次 (1990) 高齢者に対する運動処方とその注意事項. *体育の科学* 40: 940-948.
- Tanaka, K., Nakadomo, F., Watanabe K, Inagaki, A., Kim, H. K. and Matsuura, Y. (1992) Body composition prediction equations based on bioelectrical impedance and anthropometric variables for japanense obese women. *Am J Hum Biol.* 4: 739-745.
- 田中喜代次 (1995) 全身持久性能力の簡易評価に関する提案 (第1報: 12分間トレッドミル歩行テストの妥当性) *臨床スポーツ医学* 12: 217-223.
- 田中喜代次, 金 禎植, 李 美淑, 佐藤喜久, 大浜三平, 上向井千佳子, 長谷川陽三, 檜山輝男 (1995) 質問紙によるヒトの全身持久性体力の簡易評価に関する提案—成人女性を対象として—. *臨床スポーツ医学* 12: 438-444.
- 田中喜代次, 野田洋平編. (1998) ベーストレニングのすべて: 有酸素性運動と無酸素性運動を組み合わせた新しいエクササイズ, 第一版, ミズノ株式会社, 大阪.
- Toner, M. M., Drolet, L. L. and Pandolf, K. B. (1986) Perceptual and physiological responses during exercise in cool and cold water. *Percept. Mot. Skills* 62: 211-220.
- Ttice, I. and Haymes, E. M. (1995) Effects of caffeine ingestion on exercise-induced changes during high-intensity, intermittent exercise. *Int. J. Sport Nutr.* 5: 37-44.
- Ueda, T., Kurokawa, T., Kikkawa, K. and Choi, T. (1993) Contribution of differentiated ratings of perceived exertion to overall exertion in women while swimming. *Eur. J. Appl. Physiol.* 66: 196-201.

- Wahlund, H. (1948) Determination of physical working capacity. *Acta. Med. Scand.* 215, 1-78.
- Wasserman, K., Whipp, B. J., Koyal, S. N. and Beaver, W. L. (1973) Anaerobic threshold and respiratory gas exchange during exercise. *J. Appl. Physiol.* 35, 236-243.
- Weiser, P. C. and Stamper, D. A. (1977) Psychophysiological interactions leading to increased effort, leg fatigue, and respiratory distress during prolonged, strenuous bicycle riding. In: *Physical Work and Effort*, G. A. V. Borg (Ed.). Oxford: Pergamon, pp. 401-416.
- Williams, J. G. and Eston, R. G. (1986) Does personality influence the perception of effort? The results from a study of secondary schoolboys. *Phys. Educ. Rev.* 9: 94-99.
- Wyndham, C. H., Strydom, N. B., Morrison, J. F., Peter, J. and Potgieter, Z. U. (1959) Maximum oxygen intake and maximum heart rate during strenuous work. *J. Appl. Physiol.* 18: 927-936.
- 山地啓司. (1992) 最大酸素摂取量の科学, 38-54, 杏林書院, 東京.
- Yorio, J. M., Dishman, R. K., Forbus, W. R., Cureton, K. J. and Graham, R. E. (1992) Breathlessness predicts perceived exertion in young women with mild asthma. *Med. Sci. Sports Exerc.* 24: 860-867.
- Young, A. J., Cymerman, A. and Pandolf, K. B. (1982) Differentiated ratings of perceived exertion are influenced by high altitude exposure. *Med. Sci. Sports Exerc.* 14: 223-228.
- Zohar, D. and Spitz, G. (1981) Expected performance and perceived exertion in a prolonged physical task. *Percept. Mot. Skills* 52: 975-984.